AWT JUDGING CRITERIA 2025

OUR MISSION

TO PROMOTE
REWARDING MANUFACTURING
CAREERS FOR THE FUTURE OF OUR COMMUNITIES

@AWT RoboBots
www.awtrobobots.com

Revision 2- 10/21/25

Table of Contents

1. GENERAL 3
2. AGGRESSION 3
3. CONTROL 3
4. DAMAGE 4

Revision 2- 10/21/25

1. GENERAL

1.1. Judging a match is decided on three categories: Aggression, Control, and Damage. Each category will be given a set max point value for the match that will be used to decide which robot wins a match. This value will be split between both robots.

1.2. Please see the judging template and scoring sheet.

2. AGGRESSION

2.1. Aggression scoring will be based on the frequency, severity, boldness & effectiveness of attacks deliberately initiated by the team against the opponent. Attacks do not have to be successful to count for aggression points, but a distinction will be made between chasing a fleeing opponent and randomly crashing around the arena.

2.2. Examples of showing aggression include, but are not limited to, intentionally attacking the opponent, intentionally avoiding attacks from the opponent, and attacking even when the robot's weapon is disabled.

2.3. Aggression will be scored with a max score of 5 points.

3.CONTROL

3.1. Scoring will be based on the relative effectiveness of the ability to move the bot in a specific & deliberate manner, to attack at the weakest point, and to avoid being struck. Points may be awarded when one bot can restrict the movement and/or aggression of their opponent through pinning or lifting the other bot.

3.2. Examples of controlling the other robot include, but are not limited to, pinning, inverting, and sticking against the wall.

3.3. Control will be scored with a max score of 6 points.

4.DAMAGE

4.1. Damage scoring will be based on the relative damage inflicted on a bot by its opponent through deliberate action, directly or indirectly, reducing the functionality, effectiveness, and defensibility of an opponent.

4.2. Examples of damage include, but are not limited to the following:

- 4.2.1. Flip over (or being propelled onto bumper, ramp, or other obstacle), causing no loss of mobility or loss of weapon functionality
- 4.2.2. Direct impacts that do not leave a visible dent or scratch
- 4.2.3. Sparks resulting from the strike of the opponent's weapon
- 4.2.4. Being lifted in the air with no damage and no lasting loss of traction
- 4.2.5. Visible scratches to the armor

4.2.6. Non-penetrating cut or dent, or slight bending of armor or exposed frame
4.2.7. Removal of non-structural, non-functional cosmetic pieces (dolls, foliage, foam, or "ablative" armor)
4.2.8. Damage to the wheel, spinning blade, or other exposed moving part not resulting in loss of functionality or mobility
4.2.9. Flip over (or being propelled onto a bumper or other obstacle), causing some loss of mobility or control, or making it impossible to use a weapon
4.2.10. Intermittent smoke is not associated with a noticeable power drop
4.2.11. Penetrating dent or small hole
4.2.12. Removal of most or all of a wheel, or saw blade, spike, tooth, or other weapon component, which does not result in a loss of functionality or mobility.
4.2.13. Slightly warped frame not resulting in loss of mobility or weapon function.
4.2.14. Continuous smoke, or smoke associated with partial loss of power of the drive or weapons
4.2.15. Torn, ripped, or badly warped armor, or a large hole punched in armor
4.2.16. Damage or removal of wheels resulting in impaired mobility
4.2.17. Damage to the rotary weapon resulting in loss of weapon speed or severe vibration
4.2.18. Damage to the arm, hammer, or other moving part resulting in partial loss of weapon functionality
4.2.19. Visibly bent or warped frame
4.2.20. Major: Smoke and visible fire
4.2.21. The armor section was completely removed, exposing interior components
4.2.22. Removal of wheels, spinning blade, saw, hammer, or lifting arm, or other major component resulting in total loss of weapon functionality or mobility
4.2.23. Frame warping is causing partial loss of mobility or complete loss of functionality of the weapon system
4.2.24. Internal components (batteries, speed controller, radio, motor) broken free from mounts and resting or dragging on the arena floor. Please note that if the battery is knocked out of the bot, the match is stopped.
4.2.25. Obvious leaks of pneumatic gases or hydraulic fluid
4.2.26. The armor shell was completely torn off the frame
4.2.27. Major sub-assemblies torn free from the frame
4.2.28. Loss of structural integrity – bot sections dragging or resting on the floor
4.2.29. Total loss of power

4.3. Damage will be scored with a max score of 6 points.