MEAL CONNECT
ROLE-BASED USER STORIES

MEAL-55 | Version 1.0 | Team Apex | Sprint 1

Development reference derived from MEAL-3: MVP User Stories & Acceptance Criteria (v1.0). Stories retain their existing IDs, requirement links and objective acceptance conditions.

1. Purpose and scope

Organize registration, donor donation creation, NGO discovery and requests, business decisions, collector fulfilment, NGO distribution and administrator activities by user role. This guide does not create new requirements or replace MEAL-3; shared stories are listed once for all roles.

Baseline: Angular 21 + TypeScript + SCSS; FastAPI; PostgreSQL; localhost without Docker. NGOs request a quantity from an existing donation only. Restaurant/bakery staff approve the full requested quantity or reject; partial approval is not supported. API details: MEAL-62 v1.3; data model: MEAL-6.

2. Role-to-story navigation

Role	Main story IDs
Restaurant / Bakery donors	US-03, US-05, US-06, US-09, US-10, US-11, US-12
Verified NGOs / Charities	US-03, US-07, US-08, US-12, US-15
Volunteers / Collectors	US-13, US-14
Administrators	US-04, US-16, US-17, US-20
Shared platform stories (all roles)	US-01, US-02, US-18, US-19

Reading rule: Restaurant/NGO stories overlap at US-03 (organization submission) and US-12 (status updates). Their identical acceptance criteria are shown by reference rather than independently redefined.

3. Role-based story specifications

Restaurant / Bakery donors

US-03 — Submit organization profile

Role: Restaurant / NGO Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As an authorized business or NGO user, I want to register an organization profile so that it can be verified.

Requirement links: ACC-004, ACC-005; SEC-003

AC-01: When a permitted user submits the required organization information, the system stores a profile with an initial verification state.

AC-02: A user without permission cannot edit another organization’s details.

AC-03: An organization that is not approved cannot perform operations reserved for verified businesses or NGOs.

US-05 — Create donation listing

Role: Restaurant / Bakery Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As business staff, I want to post surplus food so that NGOs can find it before the pickup deadline.

Requirement links: LIS-001, LIS-002, LIS-003, LIS-004, LIS-005; SEC-006

AC-01: Given an approved business and authorized active member, when valid food data, positive total quantity, unit, pickup location and valid deadline are submitted, then a donation is stored.

AC-02: Given zero/negative quantity or an invalid date range, the API rejects the listing with structured validation errors.

AC-03: An unapproved organization or unrelated user cannot publish the listing.

US-06 — Manage and cancel listing

Role: Restaurant / Bakery Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As business staff, I want to view, edit or cancel my listings so that availability remains accurate.

Requirement links: LIS-006, LIS-007; SEC-003, SEC-006; TRA-002

AC-01: Authorized staff can retrieve and edit a listing owned by their organization when the requested transition is allowed.

AC-02: When a donation is cancelled, the listing no longer accepts new NGO requests.

AC-03: Changes to listing status record the actor and timestamp in audit history.

US-09 — Review NGO requests

Role: Restaurant / Bakery Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As business staff, I want to see pending requests for my donations so that I can make allocation decisions.

Requirement links: REQ-003, REQ-006; SEC-003

AC-01: An authorized member of the donation-owning business can see request quantity, NGO and status for its listings.

AC-02: A business member cannot access private decision controls for another business's requests.

AC-03: The UI accurately distinguishes pending, approved, rejected and cancelled request states.

US-10 — Approve full request safely

Role: Restaurant / Bakery Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As business staff, I want to approve the entire pending request so that food is reserved without oversubscription.

Requirement links: REQ-004, REQ-005, REQ-006; REL-002, REL-004; TRA-003

AC-01: Given an authorized business user and a pending request, when sufficient allocatable quantity remains, approval marks that request approved and increments allocated_quantity by exactly requested_quantity in one transaction.

AC-02: The API provides no partial-approval operation and does not accept an alternative approved quantity.

AC-03: Given concurrent requests whose total exceeds remaining quantity, at most the quantity-fitting approval commits; the other receives a conflict and allocation never exceeds total_quantity.

AC-04: The reviewer and decision timestamp are recorded, and failed transaction steps roll back all changes.

US-11 — Reject a request

Role: Restaurant / Bakery Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As business staff, I want to reject a pending NGO request so that the NGO receives an accurate decision.

Requirement links: REQ-004, REQ-006; TRA-003

AC-01: Given a pending request for the business's donation, an authorized rejection sets status to rejected and records reviewer/time.

AC-02: Rejecting does not increase or decrease allocated_quantity.

AC-03: A second decision on a non-pending request is denied without altering allocation.

US-12 — Track status updates

Role: NGO / Business Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As an involved user, I want visible updates so that I know what happened to my donation/request.

Requirement links: REQ-007; USA-002; REL-006; TRA-002, TRA-003

AC-01: After request approval or rejection, the affected user sees the current state when next retrieving their records.

AC-02: If in-app notifications are enabled, a notification is linked to the recipient and event and may be marked as read.

AC-03: Only the intended recipient can access their personal notifications.

Verified NGOs / Charities

US-03 — Submit organization profile: Shared story; see the earlier entry for identical acceptance conditions.

US-07 — Discover and filter donations

Role: Verified NGO Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As NGO staff, I want to browse and filter available donations so that I can identify suitable food.

Requirement links: LIS-008, LIS-009, LIS-010; USA-005

AC-01: An authorized verified NGO can retrieve donation listings showing quantity, unit, location, category and deadline.

AC-02: Filtering by supported location/category/quantity/deadline criteria returns only matching records; pagination follows MEAL-62.

AC-03: Expired or cancelled listings cannot be requested even if a stale UI still displays them.

US-08 — Request a quantity

Role: Verified NGO Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As NGO staff, I want to request a portion of an existing donation so that my organization can collect a suitable amount.

Requirement links: REQ-001, REQ-002; REL-001, REL-003

AC-01: Given an existing requestable donation and approved NGO, when requested_quantity is positive and within available quantity at submission, a pending request is created.

AC-02: The request links the source donation, NGO organization and requesting user.

AC-03: A request against an expired/cancelled donation, by an unverified NGO, or with nonpositive quantity is rejected.

US-12 — Track status updates: Shared story; see the earlier entry for identical acceptance conditions.

US-15 — Record final distribution

Role: Verified NGO Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As NGO staff, I want to record actual distribution so that impact is supported by evidence.

Requirement links: FUL-005, FUL-006, FUL-007; TRA-005; SEC-006

AC-01: Given a successful associated pickup, authorized NGO staff can create one final distribution record linked to that pickup.

AC-02: Distributed quantity is positive and no greater than the approved request's requested_quantity; beneficiary count, when provided, is nonnegative.

AC-03: A second final distribution for the same pickup or distribution before successful pickup is rejected.

Volunteers / Collectors

US-13 — View and accept assigned pickup

Role: Volunteer / Collector Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As a collector, I want to view my assigned pickup so that I can arrive at the right place and time.

Requirement links: FUL-001, FUL-003; SEC-002; USA-004

AC-01: An authorized collector can view pickup location, schedule, instructions and linked approved request for an assignment.

AC-02: A pickup record can only be created or assigned for an approved request.

AC-03: A collector cannot update a pickup assigned to a different collector unless authorized.

US-14 — Confirm collection and delivery

Role: Volunteer / Collector Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As a collector, I want to update pickup/delivery status so that involved organizations can track progress.

Requirement links: FUL-001, FUL-002, FUL-004, FUL-007; TRA-004

AC-01: When an allowed collection transition occurs, the system records picked_up status and collection timestamp.

AC-02: When delivery is confirmed, the delivery status and timestamp are stored with valid chronological ordering.

AC-03: Illegal transitions (e.g., delivered before picked_up) are rejected by the backend.

Administrators

US-04 — Verify organization

Role: Administrator Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As an administrator, I want to approve or reject organization verification so that only eligible partners operate.

Requirement links: ACC-008; SEC-002, SEC-003; TRA-003

AC-01: Given a pending organization, an authorized administrator can record an approval or rejection decision.

AC-02: Each verification decision records the reviewing actor and decision time.

AC-03: Non-administrators cannot perform verification decisions through the API.

US-16 — Monitor and manage platform

Role: Administrator Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As an administrator, I want to review organization, user, donation and request activity so that I can manage the platform.

Requirement links: ACC-008; FUL-008; SEC-002, SEC-004

AC-01: An authenticated admin can view relevant management records and verification states.

AC-02: A non-admin is denied admin-only API operations.

AC-03: Displayed sensitive user data is limited to fields required for administrative functions.

US-17 — View confirmed impact reports

Role: Administrator Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As an administrator, I want to view impact totals so that I can report meaningful results.

Requirement links: TRA-006; USA-006; REL-005

AC-01: Reports calculate counts/quantities from persisted approved, collected or distributed records under explicitly named metric definitions.

AC-02: Cancelled/rejected/unfulfilled records are excluded from metrics described as completed distributions.

AC-03: Report figures are reproducible from the underlying database records.

US-20 — Maintain audit trail

Role: System / Administrator Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As an administrator, I want traceable changes so that important decisions can be investigated.

Requirement links: TRA-001, TRA-002, TRA-003, TRA-004, TRA-005, TRA-007

AC-01: Each story retains a stable unique story ID and mappings to requirement IDs.

AC-02: Relevant approval, rejection, cancellation and pickup transitions record actor, old/new status and timestamp.

AC-03: An audit event cannot silently claim a successful transition when its database transaction failed.

Shared platform stories (all roles)

US-01 — Register account

Role: All users Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As a prospective user, I want to register so that I can access appropriate platform services.

Requirement links: ACC-001, ACC-003, ACC-005; SEC-001; REL-001

AC-01: Given valid required registration data and a previously unused email, when registration is submitted, then a user record is created and a success response is returned.

AC-02: Given an email already associated with an account, when registration is submitted, then the system rejects the duplicate without creating a second account.

AC-03: The stored credential is a secure password hash; the plaintext password is not persisted.

US-02 — Sign in and protect sessions

Role: All users Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As a registered user, I want to sign in securely so that I can access my authorized workspace.

Requirement links: ACC-002, ACC-006; SEC-001, SEC-002, SEC-003

AC-01: Given valid active-account credentials, when the login request succeeds, then a bearer access token is returned according to MEAL-62.

AC-02: Given invalid credentials or a disabled account, when login is attempted, then access is denied without exposing credentials.

AC-03: Given a missing/invalid token on a protected operation, when the API is called, then the backend returns an unauthorized response.

US-18 — Enforce security and validation

Role: All roles Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As a platform participant, I want data and actions protected so that records stay trustworthy.

Requirement links: SEC-002, SEC-003, SEC-004, SEC-005, SEC-006, SEC-007; REL-001, REL-004

AC-01: Protected API actions validate the authenticated role and organization membership on the server, regardless of what the Angular UI hides.

AC-02: Invalid quantities, deadlines and transitions return documented errors without partial database writes.

AC-03: Application secrets are loaded from local environment configuration and are absent from tracked source files.

US-19 — Use accessible responsive screens

Role: All roles Priority: MUST for core MVP (except enhancements explicitly noted in source requirements)

As a platform user, I want clear pages across typical browser sizes so that I can finish my task.

Requirement links: USA-001, USA-002, USA-003, USA-004

AC-01: The role-specific view remains usable at common desktop and mobile-browser widths without horizontal clipping of primary controls.

AC-02: Forms identify required fields and display understandable errors returned by the API.

AC-03: Listing, request and pickup states are displayed as visible text labels rather than color alone.

4. End-to-end workflow and testable handoffs

Stage	Story IDs	Objective transition / evidence
Registration / verification	US-01–US-04	Account is valid; organization approval recorded; role/membership checked.
Donor listing	US-05–US-06	Approved business creates valid food listing; cancellation blocks requests.
NGO search and request	US-07–US-08	Verified NGO sees requestable listing and creates positive pending request.
Business decision	US-09–US-11	Full approval reserves exactly requested_quantity atomically;

		reject reserves none.
Collection / delivery	US-13–US-14	Approved request has eligible collector pickup with ordered timestamps.
Distribution	US-15	Authorized NGO writes one final record linked to successful pickup.
Monitoring	US-12, US-16–US-20	Statuses and audit events persist; admin reports use confirmed data.

5. Implementation rules for team members

- Keep US-01–US-20 as stable IDs; link Jira tasks and acceptance tests to these IDs and the original requirement codes.
- Validate permissions and active organization membership in FastAPI, not only in Angular navigation.
- Reserve full requested quantity and update request status in the same PostgreSQL transaction; prevent concurrent over-allocation.
- Do not introduce a separate NGO food-needs listing or partial approval capability.
- Test accepted and rejected decisions, forbidden access, expiry, invalid quantities, duplicates and invalid status transitions.
- Collector assignment authority is not fully determined by the MEAL-3 source; do not claim that NGOs or admins exclusively assign without recording that decision.
- Use MEAL-62 for exact HTTP endpoints/JSON/error contracts, MEAL-6 for table constraints, and MEAL-3 for full original story wording.

6. Requirements and test traceability

Coverage	Story IDs	Test focus
Core role workflows	US-03–US-17	Role ownership, validation, timestamps, transaction behavior
All-user services	US-01–US-02, US-18–US-19	Authentication, authorization, usability
Administration/audit	US-04, US-16–US-17, US-20	Verification, reporting from confirmed records, audit

Source basis: MEAL-3 MVP User Stories & Acceptance Criteria v1.0, with requirement families ACC/LIS/REQ/FUL/SEC/USA/REL/TRA. No reviewer, sign-off or approval section is required for this development reference.