

Table of Contents


[2.2 | OpenSees Analysis](#)

[1](#)



2.2 | OpenSees Analysis

This section analyzes the period of the tree and tree fort system. The OpenSees model is schematically shown below:



2.2 - 2 | osp-mod1 Model values

variable	value	[value]	description
mass1	1.5	1.5	mass of tree fort, kN/g
mass2	3.5	3.5	mass of branches, kN/g
trk1	1100	1100	lower tree trunk stiffness, kN/cm
trk2	2100	2100	upper tree trunk stiffness, kN/cm

2.2 - 3 | Insert ops-mod1 Output

Model Input

```
import openseespy.opensees as ops
import numpy as np
import math
import matplotlib.pyplot as plt
import opsvis as opsv
# -----
# 1. Model Initialization
# -----
ops.wipe()
ops.model("BasicBuilder", "-ndm", 2, "-ndf", 2)
```



```
# -----  
# 2. Define Parameters  
# -----  
# Mass values (e.g., in tons)  
m1 = 1.5  
m2 = 3.5  
  
# Stiffness values (e.g., in kN/m)  
k1 = 1100.0  
k2 = 2100.0  
  
# -----  
# 3. Create Nodes  
# -----  
# Base node (fixed)  
ops.node(1, 0.0, 0.0)  
  
# Node 1  
ops.node(2, 0.0, 2.0)  
  
# Node 2  
ops.node(3, 0.0, 4.0)  
  
# Fix the base node in both X and Y directions  
ops.fix(1, 1, 1)  
# Restrain vertical (Y) displacement and rotation at mass nodes  
# to represent a pure 2D shear/lateral lollipop system  
ops.fix(2, 0, 1) # Free in X, Fixed in Y  
ops.fix(3, 0, 1) # Free in X, Fixed in Y  
# -----  
# 4. Assign Masses  
# -----  
  
ops.mass(2, m1, 0.0)  
ops.mass(3, m2, 0.0)  
  
# -----  
# 5. Define Elements  
# -----  
# Use elastic truss elements to represent the lateral springs  
# Assign high axial stiffness (E * A) and 0.0 length  
EA = 1e8  
  
# Spring 1 between Node 1 and Node 2  
ops.uniaxialMaterial("Elastic", 1, 1100.0)  
ops.element("Truss", 1, 1, 2, EA, 1)  
  
# Spring 2 between Node 2 and Node 3  
ops.uniaxialMaterial("Elastic", 2, 2100.0)  
ops.element("Truss", 2, 2, 3, EA, 2)
```



```
# -----  
# 6. Eigenvalue Analysis & Results Output  
# -----  
num_modes = 1  
eigenvalues = ops.eigen(num_modes)  
  
periods = []  
frequencies = []  
outL = []  
for i in range(num_modes):  
    lamb = eigenvalues[i]  
    omega = math.sqrt(lamb)  
    freq = omega / (2 * math.pi)  
    period = 2 * math.pi / omega  
    periods.append(period)  
    frequencies.append(freq)  
    resS = f'Mode {i + 1}: Period = {period:.4f} s | Frequency = {freq:.4f} Hz'  
    outL.append(resS)  
outS = chr(10).join(item for item in outL)  
with open("output.txt", 'w') as f1:  
    f1.write(outS)  
print("text output written")  
# -----  
# 7. Model Visualization  
# -----  
  
# Plot the defined model to check geometry (this is an axes mdoel)  
mod1 = opsv.plot_model()  
fig1 = mod1.get_figure()  
plt.title("2-DOF Lollipop Model Geometry")  
fig1.savefig("figure1.png", dpi=200)  
print("figure 1 written")  
# interactive display  
# plt.show(block=False)  
  
# Plot the mode shape for the first mode (this is a figure)  
fig2 = opsv.plot_mode_shape(1, 2.0) # Scaling factor of 2.0 for visibility  
plt.title("Mode Shape 1")  
plt.savefig("figure2.png", dpi=200)  
print("figure 2 written")  
# plt.show()
```



2.2 - 4 | Model plots and output

Model Plots




Fig. 1 - OPS Model




Fig. 2 - OPS First Mode

Model Output

Mode 1: Period = 11.7548 s | Frequency = 0.0851 Hz

