



Assignment : 8

Deploy a project from a local machine to GitHub and vice-versa.


Step 1: Go to [GitHub](#). Click the "+" sign (top right) → New repository.




Step 2: Enter a repository name, choose public/private, and click Create repository.



Step3: Copy the repository URL (e.g., <https://github.com/username/repository.git>).



Step 4: Open a new folder with files in it then right click on the inside the folder and do Git Bash.



Step 5: Initialize a Git repository: using command “git init”.

```
MINGW64:/c/riya12

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12
$ git init
Initialized empty Git repository in C:/riya12/.git/

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git add .

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git config --global --list
user.email=riyabarakar123@gmail.com
user.name=riya-042

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Screenshot 2024-06-21 181714.png
```

Step 6: Add all project files to Git: using command “git add .”

```
MINGW64:/c/riya12

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12
$ git init
Initialized empty Git repository in C:/riya12/.git/

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git add .

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git config --global --list
user.email=riyabarakar123@gmail.com
user.name=riya-042

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Screenshot 2024-06-21 181714.png
```

Step 7: set your GitHub username and your email (use the email linked to GitHub): using commands: git config --global user.name "YourGitHubUsername" & git config --global user.email "youremail@example.com"

```
MINGW64:/c/riya12

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12
$ git init
Initialized empty Git repository in C:/riya12/.git/

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git add .

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git config --global --list
user.email=riyabarakar123@gmail.com
user.name=riya-042

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Screenshot 2024-06-21 181714.png
```

Step 8: Commit the files with a message: using command “git commit -m "Initial commit"”

```
No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Screenshot 2024-06-21 181714.png

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git commit -m "done"
[master (root-commit) ccf64f0] done
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Screenshot 2024-06-21 181714.png

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git remote add origin "https://github.com/riya-042/Riya.git"

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git push -u origin master
info: please complete authentication in your browser...

Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git remote add origin "https://github.com/riya-042/Riya.git"
```


Step 9: Add the GitHub repository URL: using command “git remote add origin ...”

```
Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git remote add origin "https://github.com/riya-042/Riya.git"
error: remote origin already exists.
```

Step 10: Push the files to GitHub: using commands “git branch -M main” & “git push -u origin main”.


```
Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 177.51 KiB | 25.36 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/riya-042/Riya.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.
```

Step 11: Refresh your repository page on GitHub to see the uploaded project.



Cloning a GitHub Repository to Local Machine:

Step 1: Go to the GitHub repository you want to clone. Click the Code button and copy the HTTPS or SSH URL.



Step 2: Navigate to the directory where you want to store the project. Clone the repository: using the command “git clone ...”

```
Riya Singh@DESKTOP-14ADH3K MINGW64 /c/riya12 (master)
$ git remote add origin "https://github.com/riya-042/Riya.git"
error: remote origin already exists.
```

Deleting a repository:

Now we delete the repository by Clicking on "**Settings**" (bottom left in the repo menu). Scroll down to the "**Danger Zone**" section. Click "**Delete this repository**". Type the repository name to confirm.

Click "**I understand the consequences, delete this repository**". Enter your **GitHub password** (if prompted).