CS & IT ENGINEERING

Theory of Computation

Regular Expression Part-1
Finite Automata: DPP 02
DISCUSSION Notes



By- Mallesam Sir






TOPICS TO BE COVERED

01 Question

02 Discussion



Which of the following is/are true?



(a*b*)* = (b*a*)* =
$$(a+b)^*$$

$$(a + \epsilon)^+ = a^+$$
 $(\alpha + \epsilon)^+ = a^+$ $(\alpha + \epsilon)^+ = a^+$

$$(a+b)^{*}(ba)^{*} = (ab)^{*}(a+b)^{*} = (\alpha+b)^{*}$$

(ab + ba)* = (ab(ab)* + ba(ba)*)*
$$(x + y)^{*} (xx^{*} + yy^{*})^{*}$$

$$(x^{*} + y^{*})^{*}$$

$$(x^{*} + y^{*})^{*}$$





(I)
$$a^*b^* + a^* = a^*b^*$$

(I)
$$a^*b^*+a^*$$
 = a^*b^*
(II) $(\underline{\epsilon} + aa^*)(bb^* + \epsilon) = (\epsilon + a^*)(b^* + \epsilon) - a^*b^*$

(Df)
$$b'a' + a'b' + b'$$

Which the following is equivalent to a'b'?



(I) and (II) only

- (I) only

- (II) and (III) only

- (I) and (IV) only

Which of the following is not correct?



$$\underline{a}^*\underline{b}\underline{b}^* = \underline{a}^*\underline{b}^+$$

$$a^*a^+=a^+$$
 Correct







Regular expression cases used in:



- A. Lexical Analysis
- B. Pattern matching
- C. String matching 9
- D. Syntax analysis





regular expression =
$$a^*b(a + ba^*)^* = a^*b(a+b^*)^*$$

Above regular expression is equivalent to which of the following below regular expression?









$$a^{\prime}b(a+b)^{\prime}$$











PDA with finite stack. - Regular language





Regular expression without kleene star and kleene plus.





Regular expression with unary alphabet.



Regular expression with binary alphabet.







(ab)*
$$a = a(ab)*$$

$$[H] (bb)^*b^* = b^*$$


$$[][H] (b+\epsilon)^+ = b^*$$

$$(ab)^*a = a(ab)^*$$

Which of the following is correct?

- B. I and II only.
- C. All are correct.
- D. None of these are correct.





Q.8

Consider the string
$$\left[\frac{(ab)^{10}(ab)^7((ab)^3)^2}{(ab)^4}\right]$$
 the length of the string is ____.

46





