Insert:

Update:

**Delete:**

Code:

```csharp
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Diagnostics;
using System.Data.SqlClient;

namespace RRS
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
        }

        private void pictureBox1_Click(object sender, EventArgs e)
        {

        }

        private void b1_Click(object sender, EventArgs e)
        {
            OpenFileDialog open = new OpenFileDialog();
            // image filters
            open.Filter = "Image Files(*.jpg; *.jpeg; *.gif; *.bmp)|*.jpg; *.jpeg; *.gif; *.bmp";
            if (open.ShowDialog() == DialogResult.OK)
            {
                // display image in picture box
                pictureBox1.Image = new Bitmap(open.FileName);
                // image file path
                //label5.Text = open.FileName;
            }
        }

        private void Form1_Load(object sender, EventArgs e)
```

```csharp
        {

        }

        private void listBox1_SelectedIndexChanged(object sender, EventArgs e)
        {

        }

        private void label6_Click(object sender, EventArgs e)
        {

        }

        private void button1_Click(object sender, EventArgs e)
        {



            var selected = listBox1.SelectedItem.ToString();
            var txt = textBox1.Text;
            var phone = textBox2.Text;
            var name = textBox3.Text;
            /* string str = " ";
            if (checkBox1.Checked)
            {
                str = " " + checkBox1.Text;
            }
            if (checkBox2.Checked)
            {
                str = " " + checkBox2.Text;
            }
            if (checkBox3.Checked)
            {
                str = " " + checkBox3.Text;
            }
            */


            List<string> strList = new List<string>();
            if (checkBox1.Checked)
                strList.Add(checkBox1.Text);
            if (checkBox2.Checked)
                strList.Add(checkBox2.Text);
```

```csharp
            if (checkBox3.Checked)
                strList.Add(checkBox3.Text);
            string res = string.Join("、", strList.ToArray());
            label1.Text = " Your are from " + selected + "\n Your Phone number is: " + phone + "\n
Name: " + name + "\n Problem at this location is: " + res + "\n " + txt;



        }

        private void linkLabel1_LinkClicked(object sender, LinkLabelLinkClickedEventArgs e)
        {
            Process.Start("https://dir.indiamart.com/impcat/road-repair-services.html");
        }

        private void button2_Click(object sender, EventArgs e)
        {
            Form2 frm = new Form2();
            frm.ShowDialog();



        }

        private void button3_Click(object sender, EventArgs e)
        {

            SqlConnection sc = new SqlConnection();
            SqlCommand com = new SqlCommand();
            sc.ConnectionString = (@"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=E:\Christ University MCA\5
MCA\.NET\RRS\RRS\Database1.mdf;Integrated Security=True");
            sc.Open();
            com.Connection = sc;
            com.CommandText = ("INSERT INTO data (mobile_number, name, city, concern)
VALUES ('" + textBox2.Text + "','" + textBox3.Text + "','" + listBox1.Text + "','" + textBox1.Text +
"');");
            com.ExecuteNonQuery();
            MessageBox.Show("Record Inserted Successfully");

            sc.Close();

        }

        private void button4_Click(object sender, EventArgs e)
```

```csharp
        {
            SqlConnection sc = new SqlConnection();
            SqlCommand com = new SqlCommand();
            sc.ConnectionString = (@"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=E:\Christ University MCA\5
MCA\.NET\RRS\RRS\Database1.mdf;Integrated Security=True");
            sc.Open();
            SqlCommand cmd = new SqlCommand("update data set name='" + textBox3.Text + "'
where mobile_number='" + textBox2.Text + "'", sc);
            cmd.ExecuteNonQuery();
            MessageBox.Show("Data Updated Successfully.");
            sc.Close();
        }

        private void button5_Click(object sender, EventArgs e)
        {

            if (!(textBox2.Text == string.Empty))
            {
                SqlConnection sc = new SqlConnection();
                SqlCommand com = new SqlCommand();
                sc.ConnectionString = (@"Data
Source=(LocalDB)\MSSQLLocalDB;AttachDbFilename=E:\Christ University MCA\5
MCA\.NET\RRS\RRS\Database1.mdf;Integrated Security=True");
                sc.Open();
                SqlCommand cmd = new SqlCommand("Delete from data where mobile_number= '" +
this.textBox2.Text + "'", sc);
                cmd.ExecuteNonQuery();
                MessageBox.Show("Data Deleted Successfully.");
                sc.Close();

            }
        }

        private void button6_Click(object sender, EventArgs e)
        {
            textBox1.Clear();
            textBox2.Clear();
            textBox3.Clear();
            checkBox1.Checked = false;
            checkBox2.Checked = false;
            checkBox2.Checked = false;
            radioButton1.Checked = false;
            radioButton2.Checked = false;
```

```
                listBox1.ClearSelected();
                label1.Text = "";




            }
        }
}
```

Design:

```
namespace RRS
{
    partial class Form1
    {
        /// <summary>
        ///  Required designer variable.
        /// </summary>
        private System.ComponentModel.IContainer components = null;

        /// <summary>
        ///  Clean up any resources being used.
        /// </summary>
        /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
        protected override void Dispose(bool disposing)
        {
            if (disposing && (components != null))
            {
                components.Dispose();
            }
            base.Dispose(disposing);
        }

        #region Windows Form Designer generated code

        /// <summary>
        ///  Required method for Designer support - do not modify
        ///  the contents of this method with the code editor.
        /// </summary>
        private void InitializeComponent()
        {
            this.label2 = new System.Windows.Forms.Label();
            this.label3 = new System.Windows.Forms.Label();
```

```csharp
this.label4 = new System.Windows.Forms.Label();
this.textBox2 = new System.Windows.Forms.TextBox();
this.textBox3 = new System.Windows.Forms.TextBox();
this.pictureBox1 = new System.Windows.Forms.PictureBox();
this.b1 = new System.Windows.Forms.Button();
this.listBox1 = new System.Windows.Forms.ListBox();
this.linkLabel1 = new System.Windows.Forms.LinkLabel();
this.label5 = new System.Windows.Forms.Label();
this.backgroundWorker1 = new System.ComponentModel.BackgroundWorker();
this.groupBox1 = new System.Windows.Forms.GroupBox();
this.radioButton2 = new System.Windows.Forms.RadioButton();
this.radioButton1 = new System.Windows.Forms.RadioButton();
this.panel1 = new System.Windows.Forms.Panel();
this.textBox1 = new System.Windows.Forms.TextBox();
this.label7 = new System.Windows.Forms.Label();
this.checkBox3 = new System.Windows.Forms.CheckBox();
this.checkBox2 = new System.Windows.Forms.CheckBox();
this.checkBox1 = new System.Windows.Forms.CheckBox();
this.label6 = new System.Windows.Forms.Label();
this.button1 = new System.Windows.Forms.Button();
this.label1 = new System.Windows.Forms.Label();
this.dateTimePicker1 = new System.Windows.Forms.DateTimePicker();
this.button2 = new System.Windows.Forms.Button();
this.button3 = new System.Windows.Forms.Button();
this.button4 = new System.Windows.Forms.Button();
this.button5 = new System.Windows.Forms.Button();
this.button6 = new System.Windows.Forms.Button();
((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).BeginInit();
this.groupBox1.SuspendLayout();
this.panel1.SuspendLayout();
this.SuspendLayout();
//
// label2
//
this.label2.AutoSize = true;
this.label2.Location = new System.Drawing.Point(2, 230);
this.label2.Name = "label2";
this.label2.Size = new System.Drawing.Size(148, 15);
this.label2.TabIndex = 1;
this.label2.Text = "Enter your Mobile Number";
//
// label3
//
this.label3.AutoSize = true;
```

```
this.label3.Location = new System.Drawing.Point(2, 260);
this.label3.Name = "label3";
this.label3.Size = new System.Drawing.Size(66, 15);
this.label3.TabIndex = 2;
this.label3.Text = "Your Name";
//
// label4
//
this.label4.AutoSize = true;
this.label4.Font = new System.Drawing.Font("DeVinne Txt BT", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
this.label4.Location = new System.Drawing.Point(300, 329);
this.label4.Name = "label4";
this.label4.Size = new System.Drawing.Size(185, 19);
this.label4.TabIndex = 3;
this.label4.Text = "Click a Picture of the Road";
//
// textBox2
//
this.textBox2.Location = new System.Drawing.Point(213, 227);
this.textBox2.Name = "textBox2";
this.textBox2.Size = new System.Drawing.Size(100, 23);
this.textBox2.TabIndex = 5;
//
// textBox3
//
this.textBox3.Location = new System.Drawing.Point(213, 257);
this.textBox3.Name = "textBox3";
this.textBox3.Size = new System.Drawing.Size(100, 23);
this.textBox3.TabIndex = 6;
//
// pictureBox1
//
this.pictureBox1.Location = new System.Drawing.Point(497, 299);
this.pictureBox1.Name = "pictureBox1";
this.pictureBox1.Size = new System.Drawing.Size(465, 249);
this.pictureBox1.TabIndex = 7;
this.pictureBox1.TabStop = false;
this.pictureBox1.Click += new System.EventHandler(this.pictureBox1_Click);
//
// b1
//
this.b1.Location = new System.Drawing.Point(416, 362);
this.b1.Name = "b1";
```

```
this.b1.Size = new System.Drawing.Size(75, 23);
this.b1.TabIndex = 8;
this.b1.Text = "Browse";
this.b1.UseVisualStyleBackColor = true;
this.b1.Click += new System.EventHandler(this.b1_Click);
//
// listBox1
//
this.listBox1.FormattingEnabled = true;
this.listBox1.ItemHeight = 15;
this.listBox1.Items.AddRange(new object[] {
"Banagalore",
"Hyderabad",
"Jaipur",
"Ajmer",
"Mumbai",
"Delhi"});
this.listBox1.Location = new System.Drawing.Point(131, 92);
this.listBox1.Name = "listBox1";
this.listBox1.Size = new System.Drawing.Size(182, 49);
this.listBox1.TabIndex = 9;
this.listBox1.SelectedIndexChanged += new
System.EventHandler(this.listBox1_SelectedIndexChanged);
//
// linkLabel1
//
this.linkLabel1.AutoSize = true;
this.linkLabel1.Location = new System.Drawing.Point(260, 533);
this.linkLabel1.Name = "linkLabel1";
this.linkLabel1.Size = new System.Drawing.Size(0, 15);
this.linkLabel1.TabIndex = 10;
this.linkLabel1.LinkClicked += new
System.Windows.Forms.LinkLabelLinkClickedEventHandler(this.linkLabel1_LinkClicked);
//
// label5
//
this.label5.AutoSize = true;
this.label5.Font = new System.Drawing.Font("DeVinne Txt BT", 14.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
this.label5.Location = new System.Drawing.Point(23, 92);
this.label5.Name = "label5";
this.label5.Size = new System.Drawing.Size(95, 22);
this.label5.TabIndex = 11;
this.label5.Text = "Select City";
```

```
//
// groupBox1
//
this.groupBox1.Controls.Add(this.radioButton2);
this.groupBox1.Controls.Add(this.radioButton1);
this.groupBox1.Font = new System.Drawing.Font("Algerian", 14.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
this.groupBox1.Location = new System.Drawing.Point(300, 9);
this.groupBox1.Name = "groupBox1";
this.groupBox1.Size = new System.Drawing.Size(335, 52);
this.groupBox1.TabIndex = 12;
this.groupBox1.TabStop = false;
this.groupBox1.Text = "Want to raise the complain?";
//
// radioButton2
//
this.radioButton2.AutoSize = true;
this.radioButton2.Location = new System.Drawing.Point(149, 18);
this.radioButton2.Name = "radioButton2";
this.radioButton2.Size = new System.Drawing.Size(51, 25);
this.radioButton2.TabIndex = 17;
this.radioButton2.TabStop = true;
this.radioButton2.Text = "no";
this.radioButton2.UseVisualStyleBackColor = true;
//
// radioButton1
//
this.radioButton1.AutoSize = true;
this.radioButton1.Location = new System.Drawing.Point(34, 18);
this.radioButton1.Name = "radioButton1";
this.radioButton1.Size = new System.Drawing.Size(63, 25);
this.radioButton1.TabIndex = 16;
this.radioButton1.TabStop = true;
this.radioButton1.Text = "yes";
this.radioButton1.UseVisualStyleBackColor = true;
//
// panel1
//
this.panel1.Controls.Add(this.textBox1);
this.panel1.Controls.Add(this.label7);
this.panel1.Controls.Add(this.checkBox3);
this.panel1.Controls.Add(this.checkBox2);
this.panel1.Controls.Add(this.checkBox1);
this.panel1.Controls.Add(this.label6);
```

```
this.panel1.Location = new System.Drawing.Point(497, 71);
this.panel1.Name = "panel1";
this.panel1.Size = new System.Drawing.Size(465, 222);
this.panel1.TabIndex = 21;
//
// textBox1
//
this.textBox1.Location = new System.Drawing.Point(225, 103);
this.textBox1.Multiline = true;
this.textBox1.Name = "textBox1";
this.textBox1.Size = new System.Drawing.Size(186, 101);
this.textBox1.TabIndex = 25;
//
// label7
//
this.label7.AutoSize = true;
this.label7.Font = new System.Drawing.Font("Segoe UI", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
this.label7.Location = new System.Drawing.Point(3, 101);
this.label7.Name = "label7";
this.label7.Size = new System.Drawing.Size(189, 21);
this.label7.TabIndex = 24;
this.label7.Text = "Write Your Concern Here..";
//
// checkBox3
//
this.checkBox3.AutoSize = true;
this.checkBox3.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 11.25F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
this.checkBox3.Location = new System.Drawing.Point(331, 25);
this.checkBox3.Name = "checkBox3";
this.checkBox3.Size = new System.Drawing.Size(131, 68);
this.checkBox3.TabIndex = 23;
this.checkBox3.Text = "Collapsed";
this.checkBox3.UseVisualStyleBackColor = true;
//
// checkBox2
//
this.checkBox2.AutoSize = true;
this.checkBox2.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 11.25F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
this.checkBox2.Location = new System.Drawing.Point(165, 25);
this.checkBox2.Name = "checkBox2";
this.checkBox2.Size = new System.Drawing.Size(160, 68);
```

```
this.checkBox2.TabIndex = 22;
this.checkBox2.Text = "Uneven Road";
this.checkBox2.UseVisualStyleBackColor = true;
//
// checkBox1
//
this.checkBox1.AutoSize = true;
this.checkBox1.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 11.25F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
this.checkBox1.Location = new System.Drawing.Point(39, 25);
this.checkBox1.Name = "checkBox1";
this.checkBox1.Size = new System.Drawing.Size(120, 68);
this.checkBox1.TabIndex = 21;
this.checkBox1.Text = "Potholes";
this.checkBox1.ThreeState = true;
this.checkBox1.UseVisualStyleBackColor = true;
//
// label6
//
this.label6.AutoSize = true;
this.label6.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
this.label6.Location = new System.Drawing.Point(27, -21);
this.label6.Name = "label6";
this.label6.Size = new System.Drawing.Size(384, 69);
this.label6.TabIndex = 19;
this.label6.Text = "What Problem did you see on the road?";
this.label6.Click += new System.EventHandler(this.label6_Click);
//
// button1
//
this.button1.Location = new System.Drawing.Point(322, 560);
this.button1.Name = "button1";
this.button1.Size = new System.Drawing.Size(75, 23);
this.button1.TabIndex = 22;
this.button1.Text = "Show Data";
this.button1.UseVisualStyleBackColor = true;
this.button1.Click += new System.EventHandler(this.button1_Click);
//
// label1
//
this.label1.AutoSize = true;
this.label1.Font = new System.Drawing.Font("Segoe Print", 11.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
```

```
this.label1.Location = new System.Drawing.Point(2, 394);
this.label1.Name = "label1";
this.label1.Size = new System.Drawing.Size(0, 26);
this.label1.TabIndex = 23;
//
// dateTimePicker1
//
this.dateTimePicker1.Location = new System.Drawing.Point(2, -1);
this.dateTimePicker1.Name = "dateTimePicker1";
this.dateTimePicker1.Size = new System.Drawing.Size(200, 23);
this.dateTimePicker1.TabIndex = 24;
//
// button2
//
this.button2.Location = new System.Drawing.Point(497, 560);
this.button2.Name = "button2";
this.button2.Size = new System.Drawing.Size(75, 23);
this.button2.TabIndex = 25;
this.button2.Text = "Next";
this.button2.UseVisualStyleBackColor = true;
this.button2.Click += new System.EventHandler(this.button2_Click);
//
// button3
//
this.button3.Location = new System.Drawing.Point(43, 560);
this.button3.Name = "button3";
this.button3.Size = new System.Drawing.Size(75, 23);
this.button3.TabIndex = 26;
this.button3.Text = "Insert";
this.button3.UseVisualStyleBackColor = true;
this.button3.Click += new System.EventHandler(this.button3_Click);
//
// button4
//
this.button4.Location = new System.Drawing.Point(131, 560);
this.button4.Name = "button4";
this.button4.Size = new System.Drawing.Size(75, 23);
this.button4.TabIndex = 27;
this.button4.Text = "Update";
this.button4.UseVisualStyleBackColor = true;
this.button4.Click += new System.EventHandler(this.button4_Click);
//
// button5
//
```

```
this.button5.Location = new System.Drawing.Point(228, 560);
this.button5.Name = "button5";
this.button5.Size = new System.Drawing.Size(75, 23);
this.button5.TabIndex = 28;
this.button5.Text = "Delete";
this.button5.UseVisualStyleBackColor = true;
this.button5.Click += new System.EventHandler(this.button5_Click);
//
// button6
//
this.button6.Location = new System.Drawing.Point(410, 560);
this.button6.Name = "button6";
this.button6.Size = new System.Drawing.Size(75, 23);
this.button6.TabIndex = 29;
this.button6.Text = "Clear Data";
this.button6.UseVisualStyleBackColor = true;
this.button6.Click += new System.EventHandler(this.button6_Click);
//
// Form1
//
this.AutoScaleDimensions = new System.Drawing.SizeF(7F, 15F);
this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
this.BackColor = System.Drawing.SystemColors.GradientActiveCaption;
this.ClientSize = new System.Drawing.Size(983, 595);
this.Controls.Add(this.button6);
this.Controls.Add(this.button5);
this.Controls.Add(this.button4);
this.Controls.Add(this.button3);
this.Controls.Add(this.button2);
this.Controls.Add(this.dateTimePicker1);
this.Controls.Add(this.label1);
this.Controls.Add(this.button1);
this.Controls.Add(this.panel1);
this.Controls.Add(this.groupBox1);
this.Controls.Add(this.label5);
this.Controls.Add(this.linkLabel1);
this.Controls.Add(this.listBox1);
this.Controls.Add(this.b1);
this.Controls.Add(this.pictureBox1);
this.Controls.Add(this.textBox3);
this.Controls.Add(this.textBox2);
this.Controls.Add(this.label4);
this.Controls.Add(this.label3);
this.Controls.Add(this.label2);
```

```
                this.Name = "Form1";
                this.Text = "Road Repair Services";
                this.Load += new System.EventHandler(this.Form1_Load);
                ((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).EndInit();
                this.groupBox1.ResumeLayout(false);
                this.groupBox1.PerformLayout();
                this.panel1.ResumeLayout(false);
                this.panel1.PerformLayout();
                this.ResumeLayout(false);
                this.PerformLayout();

        }

        #endregion
        private System.Windows.Forms.Label label2;
        private System.Windows.Forms.Label label3;
        private System.Windows.Forms.Label label4;
        private System.Windows.Forms.TextBox textBox2;
        private System.Windows.Forms.TextBox textBox3;
        private System.Windows.Forms.PictureBox pictureBox1;
        private System.Windows.Forms.Button b1;
        private System.Windows.Forms.ListBox listBox1;
        private System.Windows.Forms.LinkLabel linkLabel1;
        private System.Windows.Forms.Label label5;
        private System.ComponentModel.BackgroundWorker backgroundWorker1;
        private System.Windows.Forms.GroupBox groupBox1;
        private System.Windows.Forms.RadioButton radioButton2;
        private System.Windows.Forms.RadioButton radioButton1;
        private System.Windows.Forms.Panel panel1;
        private System.Windows.Forms.Label label7;
        private System.Windows.Forms.CheckBox checkBox3;
        private System.Windows.Forms.CheckBox checkBox2;
        private System.Windows.Forms.CheckBox checkBox1;
        private System.Windows.Forms.Label label6;
        private System.Windows.Forms.Button button1;
        private System.Windows.Forms.Label label1;
        private System.Windows.Forms.TextBox textBox1;
        private System.Windows.Forms.DateTimePicker dateTimePicker1;
        private System.Windows.Forms.Button button2;
        private System.Windows.Forms.Button button3;
        private System.Windows.Forms.Button button4;
        private System.Windows.Forms.Button button5;
        private System.Windows.Forms.Button button6;
}
```

}