

CODE:

using System;

using System.Collections.Generic;

using System.ComponentModel;

using System.Data;

```
using System.Drawing;
using System.IO;
using System. Text;
using System.Windows.Forms;
namespace RRS
  public partial class Form2 : Form
    public Form2()
       InitializeComponent();
     private void button2_Click(object sender, EventArgs e)
       Stream st;
       OpenFileDialog d1 = new OpenFileDialog();
       if(d1.ShowDialog() == DialogResult.OK)
         if((st = d1.OpenFile()) != null)
            string file = d1.FileName;
            String str = File.ReadAllText(file);
            richTextBox1.Text = str;
         }
       }
    }
     private void button1_Click(object sender, EventArgs e)
       StreamWriter tw = new StreamWriter(@"E:\Christ University MCA\5 MCA\.NET\abc.txt");
       tw.Write(richTextBox1.Text);
       MessageBox.Show("File saved");
       Random r = new Random();
       tw.Close();
    }
     private void button3_Click(object sender, EventArgs e)
       FontDialog fontDialog = new FontDialog();
       fontDialog.ShowColor = true;
```

```
if(fontDialog.ShowDialog() == DialogResult.OK &
!string.IsNullOrEmpty(richTextBox1.Text))
         richTextBox1.SelectionFont = fontDialog.Font;
         richTextBox1.SelectionColor = fontDialog.Color;
       }
    }
  }
DESIGN
namespace RRS
  partial class Form1
    /// <summary>
    /// Required designer variable.
    /// </summary>
    private System.ComponentModel.IContainer components = null;
    /// <summary>
    /// Clean up any resources being used.
    /// </summary>
    /// <param name="disposing">true if managed resources should be disposed; otherwise,
false.</param>
    protected override void Dispose(bool disposing)
       if (disposing && (components != null))
         components.Dispose();
       base.Dispose(disposing);
    }
    #region Windows Form Designer generated code
    /// <summary>
    /// Required method for Designer support - do not modify
    /// the contents of this method with the code editor.
    /// </summary>
    private void InitializeComponent()
       this.label2 = new System.Windows.Forms.Label();
```

```
this.label3 = new System.Windows.Forms.Label();
this.label4 = new System.Windows.Forms.Label();
this.textBox2 = new System.Windows.Forms.TextBox();
this.textBox3 = new System.Windows.Forms.TextBox();
this.pictureBox1 = new System.Windows.Forms.PictureBox();
this.b1 = new System.Windows.Forms.Button();
this.listBox1 = new System.Windows.Forms.ListBox();
this.linkLabel1 = new System.Windows.Forms.LinkLabel();
this.label5 = new System.Windows.Forms.Label();
this.backgroundWorker1 = new System.ComponentModel.BackgroundWorker();
this.groupBox1 = new System.Windows.Forms.GroupBox();
this.radioButton2 = new System.Windows.Forms.RadioButton();
this.radioButton1 = new System.Windows.Forms.RadioButton();
this.panel1 = new System.Windows.Forms.Panel();
this.textBox1 = new System.Windows.Forms.TextBox();
this.label7 = new System.Windows.Forms.Label();
this.checkBox3 = new System.Windows.Forms.CheckBox();
this.checkBox2 = new System.Windows.Forms.CheckBox();
this.checkBox1 = new System.Windows.Forms.CheckBox();
this.label6 = new System.Windows.Forms.Label();
this.button1 = new System.Windows.Forms.Button();
this.label1 = new System.Windows.Forms.Label();
this.dateTimePicker1 = new System.Windows.Forms.DateTimePicker();
this.button2 = new System.Windows.Forms.Button();
((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).BeginInit();
this.groupBox1.SuspendLayout();
this.panel1.SuspendLayout();
this.SuspendLayout();
//
// label2
//
this.label2.AutoSize = true;
this.label2.Location = new System.Drawing.Point(2, 230);
this.label2.Name = "label2";
this.label2.Size = new System.Drawing.Size(148, 15);
this.label2.TabIndex = 1;
this.label2.Text = "Enter your Mobile Number";
//
// label3
this.label3.AutoSize = true;
this.label3.Location = new System.Drawing.Point(2, 260);
this.label3.Name = "label3";
this.label3.Size = new System.Drawing.Size(66, 15);
```

```
this.label3.TabIndex = 2;
       this.label3.Text = "Your Name";
       //
       // label4
       this.label4.AutoSize = true;
       this.label4.Font = new System.Drawing.Font("DeVinne Txt BT", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
       this.label4.Location = new System.Drawing.Point(300, 329);
       this.label4.Name = "label4":
       this.label4.Size = new System.Drawing.Size(185, 19);
       this.label4.TabIndex = 3;
       this.label4.Text = "Click a Picture of the Road";
       //
       // textBox2
       this.textBox2.Location = new System.Drawing.Point(213, 227);
       this.textBox2.Name = "textBox2";
       this.textBox2.Size = new System.Drawing.Size(100, 23);
       this.textBox2.TabIndex = 5;
       //
       // textBox3
       this.textBox3.Location = new System.Drawing.Point(213, 257);
       this.textBox3.Name = "textBox3";
       this.textBox3.Size = new System.Drawing.Size(100, 23);
       this.textBox3.TabIndex = 6;
       //
       // pictureBox1
       //
       this.pictureBox1.Location = new System.Drawing.Point(497, 299);
       this.pictureBox1.Name = "pictureBox1";
       this.pictureBox1.Size = new System.Drawing.Size(465, 249);
       this.pictureBox1.TabIndex = 7;
       this.pictureBox1.TabStop = false;
       this.pictureBox1.Click += new System.EventHandler(this.pictureBox1 Click);
       //
       // b1
       this.b1.Location = new System.Drawing.Point(416, 362);
       this.b1.Name = "b1";
       this.b1.Size = new System.Drawing.Size(75, 23);
       this.b1.TabIndex = 8:
       this.b1.Text = "Browse";
```

```
this.b1.UseVisualStyleBackColor = true;
       this.b1.Click += new System.EventHandler(this.b1_Click);
       //
       // listBox1
       this.listBox1.FormattingEnabled = true;
       this.listBox1.ltemHeight = 15;
       this.listBox1.ltems.AddRange(new object[] {
       "Banagalore",
       "Hyderabad",
       "Jaipur",
       "Ajmer",
       "Mumbai",
       "Delhi"});
       this.listBox1.Location = new System.Drawing.Point(131, 92);
       this.listBox1.Name = "listBox1";
       this.listBox1.Size = new System.Drawing.Size(182, 49);
       this.listBox1.TabIndex = 9;
       this.listBox1.SelectedIndexChanged += new
System.EventHandler(this.listBox1 SelectedIndexChanged);
       // linkLabel1
       II
       this.linkLabel1.AutoSize = true;
       this.linkLabel1.Location = new System.Drawing.Point(260, 533);
       this.linkLabel1.Name = "linkLabel1";
       this.linkLabel1.Size = new System.Drawing.Size(0, 15);
       this.linkLabel1.TabIndex = 10;
       this.linkLabel1.LinkClicked += new
System.Windows.Forms.LinkLabelLinkClickedEventHandler(this.linkLabel1_LinkClicked);
       //
       // label5
       this.label5.AutoSize = true;
       this.label5.Font = new System.Drawing.Font("DeVinne Txt BT", 14.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
       this.label5.Location = new System.Drawing.Point(23, 92);
       this.label5.Name = "label5":
       this.label5.Size = new System.Drawing.Size(95, 22);
       this.label5.TabIndex = 11;
       this.label5.Text = "Select City";
       //
       // groupBox1
       //
```

```
this.groupBox1.Controls.Add(this.radioButton2);
       this.groupBox1.Controls.Add(this.radioButton1);
       this.groupBox1.Font = new System.Drawing.Font("Algerian", 14.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
       this.groupBox1.Location = new System.Drawing.Point(300, 9);
       this.groupBox1.Name = "groupBox1";
       this.groupBox1.Size = new System.Drawing.Size(335, 52);
       this.groupBox1.TabIndex = 12;
       this.groupBox1.TabStop = false;
       this.groupBox1.Text = "Want to raise the complain?";
       // radioButton2
       this.radioButton2.AutoSize = true;
       this.radioButton2.Location = new System.Drawing.Point(149, 18);
       this.radioButton2.Name = "radioButton2";
       this.radioButton2.Size = new System.Drawing.Size(51, 25);
       this.radioButton2.TabIndex = 17;
       this.radioButton2.TabStop = true;
       this.radioButton2.Text = "no";
       this.radioButton2.UseVisualStyleBackColor = true;
       //
       // radioButton1
       this.radioButton1.AutoSize = true;
       this.radioButton1.Location = new System.Drawing.Point(34, 18);
       this.radioButton1.Name = "radioButton1";
       this.radioButton1.Size = new System.Drawing.Size(63, 25);
       this.radioButton1.TabIndex = 16:
       this.radioButton1.TabStop = true;
       this.radioButton1.Text = "yes";
       this.radioButton1.UseVisualStyleBackColor = true;
       //
       // panel1
       this.panel1.Controls.Add(this.textBox1);
       this.panel1.Controls.Add(this.label7);
       this.panel1.Controls.Add(this.checkBox3);
       this.panel1.Controls.Add(this.checkBox2);
       this.panel1.Controls.Add(this.checkBox1);
       this.panel1.Controls.Add(this.label6);
       this.panel1.Location = new System.Drawing.Point(497, 71);
       this.panel1.Name = "panel1";
       this.panel1.Size = new System.Drawing.Size(465, 222);
```

```
this.panel1.TabIndex = 21;
       //
       // textBox1
       this.textBox1.Location = new System.Drawing.Point(225, 103);
       this.textBox1.Multiline = true;
       this.textBox1.Name = "textBox1";
       this.textBox1.Size = new System.Drawing.Size(186, 101);
       this.textBox1.TabIndex = 25;
       //
       // label7
       //
       this.label7.AutoSize = true;
       this.label7.Font = new System.Drawing.Font("Segoe UI", 12F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
       this.label7.Location = new System.Drawing.Point(3, 101);
       this.label7.Name = "label7";
       this.label7.Size = new System.Drawing.Size(189, 21);
       this.label7.TabIndex = 24;
       this.label7.Text = "Write Your Concern Here..";
       // checkBox3
       this.checkBox3.AutoSize = true;
       this.checkBox3.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 11.25F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
       this.checkBox3.Location = new System.Drawing.Point(331, 25);
       this.checkBox3.Name = "checkBox3";
       this.checkBox3.Size = new System.Drawing.Size(131, 68);
       this.checkBox3.TabIndex = 23;
       this.checkBox3.Text = "Collapsed";
       this.checkBox3.UseVisualStyleBackColor = true;
       //
       // checkBox2
       //
       this.checkBox2.AutoSize = true;
       this.checkBox2.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 11.25F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
       this.checkBox2.Location = new System.Drawing.Point(165, 25);
       this.checkBox2.Name = "checkBox2";
       this.checkBox2.Size = new System.Drawing.Size(160, 68);
       this.checkBox2.TabIndex = 22;
       this.checkBox2.Text = "Uneven Road";
       this.checkBox2.UseVisualStyleBackColor = true;
```

```
//
       // checkBox1
       II
       this.checkBox1.AutoSize = true;
       this.checkBox1.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 11.25F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
       this.checkBox1.Location = new System.Drawing.Point(39, 25);
       this.checkBox1.Name = "checkBox1";
       this.checkBox1.Size = new System.Drawing.Size(120, 68);
       this.checkBox1.TabIndex = 21;
       this.checkBox1.Text = "Potholes";
       this.checkBox1.ThreeState = true;
       this.checkBox1.UseVisualStyleBackColor = true;
       //
       // label6
       //
       this.label6.AutoSize = true;
       this.label6.Font = new System.Drawing.Font("DejaVu Math TeX Gyre", 12F,
System.Drawing.FontStyle.Bold, System.Drawing.GraphicsUnit.Point);
       this.label6.Location = new System.Drawing.Point(27, -21);
       this.label6.Name = "label6";
       this.label6.Size = new System.Drawing.Size(384, 69);
       this.label6.TabIndex = 19:
       this.label6.Text = "What Problem did you see on the road?";
       this.label6.Click += new System.EventHandler(this.label6_Click);
       //
       // button1
       //
       this.button1.Location = new System.Drawing.Point(156, 560);
       this.button1.Name = "button1";
       this.button1.Size = new System.Drawing.Size(75, 23);
       this.button1.TabIndex = 22;
       this.button1.Text = "Save";
       this.button1.UseVisualStyleBackColor = true;
       this.button1.Click += new System.EventHandler(this.button1_Click);
       //
       // label1
       //
       this.label1.AutoSize = true;
       this.label1.Font = new System.Drawing.Font("Segoe Print", 11.25F,
System.Drawing.FontStyle.Regular, System.Drawing.GraphicsUnit.Point);
       this.label1.Location = new System.Drawing.Point(2, 394);
       this.label1.Name = "label1";
       this.label1.Size = new System.Drawing.Size(0, 26);
```

```
this.label1.TabIndex = 23:
//
// dateTimePicker1
this.dateTimePicker1.Location = new System.Drawing.Point(2, -1);
this.dateTimePicker1.Name = "dateTimePicker1";
this.dateTimePicker1.Size = new System.Drawing.Size(200, 23);
this.dateTimePicker1.TabIndex = 24;
//
// button2
II
this.button2.Location = new System.Drawing.Point(280, 560);
this.button2.Name = "button2";
this.button2.Size = new System.Drawing.Size(75, 23);
this.button2.TabIndex = 25;
this.button2.Text = "Next";
this.button2.UseVisualStyleBackColor = true;
this.button2.Click += new System.EventHandler(this.button2 Click);
//
// Form1
this.AutoScaleDimensions = new System.Drawing.SizeF(7F, 15F);
this.AutoScaleMode = System.Windows.Forms.AutoScaleMode.Font;
this.BackColor = System.Drawing.SystemColors.GradientActiveCaption;
this.ClientSize = new System.Drawing.Size(983, 595);
this.Controls.Add(this.button2);
this.Controls.Add(this.dateTimePicker1);
this.Controls.Add(this.label1);
this.Controls.Add(this.button1);
this.Controls.Add(this.panel1);
this.Controls.Add(this.groupBox1);
this.Controls.Add(this.label5);
this.Controls.Add(this.linkLabel1);
this.Controls.Add(this.listBox1);
this.Controls.Add(this.b1);
this.Controls.Add(this.pictureBox1);
this.Controls.Add(this.textBox3);
this.Controls.Add(this.textBox2);
this.Controls.Add(this.label4);
this.Controls.Add(this.label3);
this.Controls.Add(this.label2);
this.Name = "Form1";
this.Text = "Road Repair Services";
this.Load += new System.EventHandler(this.Form1_Load);
```

```
((System.ComponentModel.ISupportInitialize)(this.pictureBox1)).EndInit();
       this.groupBox1.ResumeLayout(false);
       this.groupBox1.PerformLayout();
       this.panel1.ResumeLayout(false);
       this.panel1.PerformLayout();
       this.ResumeLayout(false);
       this.PerformLayout();
    }
    #endregion
    private System.Windows.Forms.Label label2;
    private System.Windows.Forms.Label label3;
    private System.Windows.Forms.Label label4;
    private System.Windows.Forms.TextBox textBox2;
    private System.Windows.Forms.TextBox textBox3;
    private System.Windows.Forms.PictureBox pictureBox1;
    private System. Windows. Forms. Button b1;
    private System.Windows.Forms.ListBox listBox1;
    private System.Windows.Forms.LinkLabel linkLabel1;
    private System.Windows.Forms.Label label5;
    private System.ComponentModel.BackgroundWorker backgroundWorker1;
    private System.Windows.Forms.GroupBox groupBox1;
    private System.Windows.Forms.RadioButton radioButton2;
    private System.Windows.Forms.RadioButton radioButton1;
    private System. Windows. Forms. Panel panel 1;
    private System.Windows.Forms.Label label7;
    private System. Windows. Forms. CheckBox checkBox3;
    private System.Windows.Forms.CheckBox checkBox2;
    private System.Windows.Forms.CheckBox checkBox1;
    private System. Windows. Forms. Label label6;
    private System. Windows. Forms. Button button1;
    private System.Windows.Forms.Label label1;
    private System.Windows.Forms.TextBox textBox1;
    private System.Windows.Forms.DateTimePicker dateTimePicker1;
    private System.Windows.Forms.Button button2;
  }
}
```