
Name- Rija Wandhary Section-ROCONO- 7



## Tutorial-6

1.

1

3.

6.


A minimum spanning touce ou minimum weight Spanning touce is a subset of the edges of a convected, edge-weighted undirected graph that connects all the vertices togethere, without any cycles & with the minimum passible total edge weight

Applications-In a cable company wanting to lay line to multiple neighbouthoods, by minimizing amount of cable laid, the coble company

will saw many.


Designing local cover returnes.


Jorying pipelines converting offshare dilling sites, refineries and consumor markets.





D 0 =		2	3	45
	0	∞	6	30
2	3	69	\$6	00 00
3	00	00	0	200
V	00	1		000
5	00	4	00	20


D1-		1	2	3	4	5
	1	0	100	6	3	00
	2	3	0	9	6	00)
	3	80	00	0	2.	æ
	4	dy	7/	1	0	00
	5	7	4	00	2	0
D2=		1	2	3	4	ς ,
	1	0	00	6	3 (	
	2	3	0	9	6	00
	3	00	00	0	2	00)
	4	Ч	1	11	O	00
	5]	7	4	13/	2	0
0 2 =	)	1	2	3	45	
13-	1	0	of 1	1 48	300	
	2	3	0	78	6	ρ
	3	96	0/	3 0	2	∞
	4	4	1	k 1	0	×
	5	7	y	13	2	0
		16		3 3		












1					24	ge No.		
1	Source(A)	- 5	ч	u	n	y		
	5}	0	00	00	00	8		
1	353	0	10	Ø	5	) ∞		
	35,nq	0	8	14	S	Ð		
	と5、2、3)	0	8	13	5	7		
	35,214,4}	0	8	(9)	5	7		
	S 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2							
	Bellman algorithm							
	5 6 7 9 6							
	Fdgo to be bow cessed							
	Edge to be force cessed  (S,u), (S,x), (u,u), (x,y), (y,u), (u,y), (u,x), (x,x),  (y, S), (x, u)							
	I St iteration							
	II hd;	teration	W				A	



Time complexity of beings algerithm is

O(verg V + Flog V) = O(Flog V) It can be improved = O(F + log V)

Space courplexity - O(V)

2.

3-


Keuskal algorithm -Time complexity = O(E (ag V) Space complexity = O(log E)

Dijkstora Algoeithm-Time Complexity = O((IVI+1E1)log V) Space Complexity = O(IVI+1E1)

Bellman Food algorithm

Time complexity = 0 (E)

Space Complexity = 0 (V)



Weight of MCT = 1+2+2+4+4+7+8+9 = 37

