

**Experiment: 1 (Basic Calculator)****WebForm1.aspx**

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs"
Inherits="Calculator.WebForm1" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style>
```

```
body, html {
    height: 482px;
}
```

```
.container{
    height:100%;
    display:flex;
    flex-direction:column;
    justify-content:center;
    align-items:center;
    gap:10px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<div class="container">
```

```
<asp:Label ID="Label1" runat="server" Text="Number1"></asp:Label>
```

```
<asp:TextBox ID="TextBox1" runat="server"
```

```
OnTextChanged="TextBox1_TextChanged"></asp:TextBox>
```

```
<asp:Label ID="Label2" runat="server" Text="Number2"></asp:Label>
```

```
<asp:TextBox ID="TextBox2" runat="server"
```

```
OnTextChanged="TextBox2_TextChanged"></asp:TextBox>
```

```
<asp:Button ID="Button1" runat="server" Text="Add" OnClick="Button1_Click" />
```

```
<asp:Button ID="Button2" runat="server" Text="Sub" OnClick="Button2_Click" />
```

```
<asp:Button ID="Button3" runat="server" Text="Mul" OnClick="Button3_Click" />
```

```
<asp:Button ID="Button4" runat="server" Text="Div" OnClick="Button4_Click" />
```

```
</div>
```

```
</form>
```

```
</body>
```

```
</html>
```

20

Number1

20

Number2

0

Add

Sub

Mul

Div

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="saturdayevent.aspx.cs"
Inherits="calenders.WebForm1" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
</head>
<body>
    <form id="form1" runat="server">
        <div style="height: 977px">

            <asp:Calendar ID="Calendar1" runat="server" OnDayRender="Calendar1_DayRender"
style="z-index: 1; left: 410px; top: 331px; position: absolute; height: 364px; width: 473px"
BackColor="White" BorderColor="White" BorderWidth="1px" DayNameFormat="Full" Font-
Names="Verdana" Font-Size="9pt" ForeColor="Black" Height="190px" NextPrevFormat="FullMonth"
Width="350px" CaptionAlign="Top" FirstDayOfWeek="Sunday" SelectionMode="DayWeek" >
                <DayHeaderStyle Font-Bold="True" Font-Size="8pt" />
                <NextPrevStyle Font-Bold="True" Font-Size="8pt" ForeColor="#333333"
VerticalAlign="Bottom" />
                <OtherMonthDayStyle ForeColor="#999999" />
                <SelectedDayStyle BackColor="#333399" ForeColor="White" />
                <TitleStyle BackColor="White" BorderColor="Black" BorderWidth="4px" Font-
Bold="True" Font-Size="12pt" ForeColor="#333399" />
                <TodayDayStyle BackColor="#CCCCC" />
            </asp:Calendar>
            <asp:TextBox ID="TextBox1" runat="server" style="z-index: 1; left: 389px; top:
163px; position: absolute; height: 74px; width: 232px"></asp:TextBox>
            <asp:Button ID="Button1" runat="server" Font-Size="30px" ForeColor="#FF0066"
OnClick="Button1_Click" style="z-index: 1; left: 661px; top: 161px; position: absolute;
height: 74px; width: 234px" Text="Select" />

            <asp:Label ID="Label2" runat="server" BorderColor="Red" BorderStyle="Double"
style="z-index: 1; left: 177px; top: 257px; position: absolute; height: 34px; width: 892px;
right: 88px" Text="daynameformat = full; here so that's why it showing me full days. i can
also display first char, 3 char and so on."></asp:Label>

            <asp:TextBox ID="TextBox2" runat="server" style="z-index: 1; left: 42px; top:
44px; position: absolute" TextMode="Color"></asp:TextBox>

        </div>
    </form>
</body>
</html>
```

13-08-2024 12:00:00 AM

Select

daynameformat = full; here so that's why it showing me full days. i can also display first char, 3 char and so on.

	July	August 2024					September
	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
≥	28	29 Sessional week	30 Sessional week	31 Sessional week	1 Sessional week	2 Sessional week	3 Sessional week
≥	4	5	6	7	8	9	10
≥	11	12	13	14	15	16	17
≥	18	19 My Birthday	20	21	22	23	24
≥	25	26	27	28	29	30	31
≥	1	2 Sessional week	3 Sessional week	4 Sessional week	5 Sessional week	6 Sessional week	7 Sessional week

**Experiment: 1-b (Advertisement)****WebForm1.aspx**

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs"
Inherits="Advertisement.WebForm1" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <style type="text/css">
        #form1 {
            height: 524px;
        }
    </style>
</head>
<body>
    <form id="form1" runat="server">

        <asp:AdRotator ID="AdRotator3" runat="server" style="z-index: 1; left: 183px; top:
171px; position: absolute; height: 249px; width: 238px" AdvertisementFile="~/XMLFile1.xml"
KeywordFilter="Lake" Target="_blank" />

        <asp:AdRotator ID="AdRotator2" runat="server" AdvertisementFile="~/XMLFile1.xml"
KeywordFilter="Fruit" style="z-index: 1; left: 580px; top: 172px; position: absolute; height:
249px; width: 238px" Target="_blank" />
    </form>
</body>
</html>
```

**XMLfile1.xml**

```
<?xml version="1.0" encoding="utf-8" ?>
<Advertisements>
    <Ad>
        <ImageUrl>~/images/fruit1.jpg</ImageUrl>
        <NavigateUrl>http://www.google.com</NavigateUrl>
        <AlternateText>Fruit1</AlternateText>
        <Height>200</Height>
        <Width>200</Width>
        <Keyword>Fruit</Keyword>
        <Impressions>2</Impressions>
    </Ad>


    <Ad>
        <ImageUrl>~/images/lake1.jpg</ImageUrl>
        <NavigateUrl>http://www.google.com</NavigateUrl>
        <AlternateText>Lake1</AlternateText>
        <Height>200</Height>
        <Width>200</Width>
        <Keyword>Lake</Keyword>
        <Impressions>5</Impressions>
    </Ad>

    <Ad>
        <ImageUrl>~/images/Lake3.jpg</ImageUrl>
        <NavigateUrl>http://www.google.com</NavigateUrl>
        <AlternateText>Lake3</AlternateText>
        <Height>200</Height>
        <Width>200</Width>
        <Keyword>Lake</Keyword>
        <Impressions>3</Impressions>
    </Ad>

    <Ad>
        <ImageUrl>~/images/Lake2.jpg</ImageUrl>
        <NavigateUrl>http://www.google.com</NavigateUrl>
        <AlternateText>Lake2</AlternateText>
```

```
<Height>200</Height>
<Width>200</Width>
<Keyword>Lake</Keyword>
<Impressions>1</Impressions>
</Ad>

<Ad>
  <ImageUrl>~/images/fruit2.jpg</ImageUrl>
  <NavigateUrl>http://www.google.com</NavigateUrl>
  <AlternateText>Fruit2</AlternateText>
  <Height>200</Height>
  <Width>200</Width>
  <Keyword>Fruit</Keyword>
  <Impressions>4</Impressions>
</Ad>
</Advertisements>
```



**Experiment: 2 (Validation)**

```

<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs"
Inherits="MyValidation.WebForm1" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <style type="text/css">
        #form1 {
            height: 1236px;
        }
    </style>
</head>
<body style="height: 801px">
    <form id="form1" runat="server">

        <asp:Label ID="Label1" runat="server" style="z-index: 1; left: 31px; top: 51px;
position: absolute" Text="Name: "></asp:Label>
        <asp:Label ID="Label12" runat="server" ForeColor="Red" style="z-index: 1; left: 474px;
top: 507px; position: absolute"></asp:Label>
        <asp:TextBox ID="TextBox1" runat="server" CausesValidation="True" style="z-index: 1;
left: 130px; top: 52px; position: absolute"></asp:TextBox>
        <asp:RequiredFieldValidator ID="RequiredFieldValidator1" runat="server"
ControlToValidate="TextBox1" ErrorMessage="Name should not be empty." ForeColor="Red"
SetFocusOnError="True" style="z-index: 1; left: 321px; top: 52px; position:
absolute"></asp:RequiredFieldValidator>
        <asp:RegularExpressionValidator ID="RegularExpressionValidator1" runat="server"
ControlToValidate="TextBox1" ErrorMessage="Name not contain numbers." ForeColor="Red"
style="z-index: 1; left: 560px; top: 52px; position: absolute" ValidationExpression="^[a-zA-
Z\s]*$"></asp:RegularExpressionValidator>

        <asp:Label ID="Label2" runat="server" style="z-index: 1; left: 29px; top: 94px;
position: absolute" Text="Email: "></asp:Label>
        <asp:TextBox ID="TextBox2" runat="server" CausesValidation="True" style="z-index: 1;
left: 129px; top: 93px; position: absolute"></asp:TextBox>
        <asp:RegularExpressionValidator ID="RegularExpressionValidator2" runat="server"
ControlToValidate="TextBox2" ErrorMessage="Email must contain @ and . " ForeColor="Red"
style="z-index: 1; left: 327px; top: 94px; position: absolute"
ValidationExpression="\w+([.]\w+)*@\w+([.]\w+)*\.\w+([.]\w+)*"></asp:RegularExpressionValidato
r>

        <asp:Label ID="Label3" runat="server" style="z-index: 1; left: 33px; top: 141px;
position: absolute" Text="Ph no."></asp:Label>
        <asp:TextBox ID="TextBox3" runat="server" CausesValidation="True" style="z-index: 1;
left: 126px; top: 143px; position: absolute"></asp:TextBox>
        <asp:RegularExpressionValidator ID="RegularExpressionValidator3" runat="server"
ControlToValidate="TextBox3" ErrorMessage="Phone no. not contain alphabets and only indian
no.(starts with 6-9) allowed" ForeColor="Red" style="z-index: 1; left: 328px; top: 144px;
position: absolute" ValidationExpression="^\+91[6-9][0-
9]{9}$"></asp:RegularExpressionValidator>

        <asp:Label ID="Label4" runat="server" style="z-index: 1; left: 34px; top: 185px;
position: absolute" Text="Address: "></asp:Label>
        <asp:TextBox ID="TextBox4" runat="server" style="z-index: 1; left: 128px; top: 182px;
position: absolute" TextMode="MultiLine"></asp:TextBox>

        <asp:Label ID="Label5" runat="server" style="z-index: 1; left: 34px; top: 246px;
position: absolute" Text="Future Scope: "></asp:Label>
        <asp:CheckBoxList ID="CheckBoxList1" runat="server" CausesValidation="True" style="z-
index: 1; left: 185px; top: 245px; position: absolute; height: 28px; width: 191px">
            <asp:ListItem>Higher Study</asp:ListItem>
            <asp:ListItem>Masters</asp:ListItem>
            <asp:ListItem>Interprenurship</asp:ListItem>
        </asp:CheckBoxList>
        <asp:CustomValidator ID="CustomValidator1" runat="server" ErrorMessage="One scope
should be selected." ForeColor="Red" OnServerValidate="CheckBoxListValidate" style="z-index:
1; left: 392px; top: 267px; position: absolute"></asp:CustomValidator>

```

```

<asp:Label ID="Label6" runat="server" style="z-index: 1; left: 37px; top: 338px;
position: absolute" Text="Country"></asp:Label>
<asp:DropDownList ID="DropDownList1" runat="server" CausesValidation="True" style="z-
index: 1; left: 163px; top: 333px; position: absolute">
    <asp:ListItem>India</asp:ListItem>
    <asp:ListItem>US</asp:ListItem>
    <asp:ListItem>UK</asp:ListItem>
</asp:DropDownList>
<asp:CustomValidator ID="CustomValidator2" runat="server" ErrorMessage="One Country
should selected" ForeColor="Red" style="z-index: 1; left: 284px; top: 331px; position:
absolute" OnServerValidate="DropdownValidate"></asp:CustomValidator>

<asp:Label ID="Label10" runat="server" style="z-index: 1; left: 430px; top: 193px;
position: absolute" Text="Gender:"></asp:Label>
<asp:RadioButtonList ID="RadioButtonList1" CausesValidation="true" runat="server"
style="z-index: 1; left: 530px; top: 186px; position: absolute; height: 28px; width: 96px">
    <asp:ListItem>Male</asp:ListItem>
    <asp:ListItem>Female</asp:ListItem>
</asp:RadioButtonList>
<asp:CustomValidator ID="CustomValidator4" runat="server" ErrorMessage="Select age "
ForeColor="#CC0000" style="z-index: 1; left: 641px; top: 202px; position: absolute"
OnServerValidate="RadioButtonValidate"></asp:CustomValidator>

<asp:Label ID="Label7" runat="server" style="z-index: 1; left: 42px; top: 379px;
position: absolute" Text="Passwod: "></asp:Label>
<asp:TextBox ID="TextBox5" runat="server" CausesValidation="True" style="z-index: 1;
left: 148px; top: 376px; position: absolute"></asp:TextBox>
<asp:RegularExpressionValidator ID="RegularExpressionValidator4" runat="server"
ErrorMessage="Pass must contain atleast one capital letter and atleast one number. and length
should be 8." ForeColor="Red" style="z-index: 1; left: 337px; top: 359px; position: absolute"
ValidationExpression="^(?=.*[a-zA-Z])(?=.*\d).\{8}$"
ControlToValidate="TextBox5"></asp:RegularExpressionValidator>

<asp:Label ID="Label8" runat="server" style="z-index: 1; left: 43px; top: 416px;
position: absolute" Text="Repeat Password: "></asp:Label>
<asp:TextBox ID="TextBox6" runat="server" CausesValidation="True" style="z-index: 1;
left: 207px; top: 411px; position: absolute"></asp:TextBox>
<asp:CompareValidator ID="CompareValidator1" runat="server"
ControlToCompare="TextBox5" ControlToValidate="TextBox6" ErrorMessage="Repeat pass. must
match." ForeColor="Red" style="z-index: 1; left: 405px; top: 409px; position: absolute;
bottom: 350px;"></asp:CompareValidator>

<asp:Label ID="Label9" runat="server" style="z-index: 1; left: 45px; top: 455px;
position: absolute" Text="Birthdate: "></asp:Label>
<asp:TextBox ID="TextBox7" runat="server" CausesValidation="True" style="z-index: 1;
left: 150px; top: 452px; position: absolute" TextMode="Date"></asp:TextBox>
<asp:CustomValidator ID="CustomValidator3" runat="server" ErrorMessage="event date
should be futre date" ForeColor="Red" OnServerValidate="DateValidate" style="z-index: 1; left:
338px; top: 452px; position: absolute"></asp:CustomValidator>

<asp:Label ID="Label11" runat="server" style="z-index: 1; left: 49px; top: 508px;
position: absolute; right: 1217px" Text="Image: "></asp:Label>

<asp:Button ID="Button1" runat="server" OnClick="Button1_Click" style="z-index: 1;
left: 544px; top: 550px; position: absolute; height: 51px; width: 140px" Text="Submit" />


<asp:FileUpload ID="FileUpload1" runat="server" style="z-index: 1; left: 149px; top:
507px; position: absolute" />

<asp:ValidationSummary ID="ValidationSummary1" runat="server" ForeColor="#CC0066"
style="z-index: 1; left: 18px; top: 631px; position: absolute; height: 44px; width: 1137px" />

<asp:Label ID="Label13" runat="server" style="z-index: 1; left: 45px; top: 718px;
position: absolute"></asp:Label>

</form>
</body>
</html>

```



Name:  Name should not be empty.

Email:

Ph no.

Address:

Gender: ☐ Male ☐ Female

Future Scope: ☐ Higher Study ☐ Masters ☐ Interpreneurship

Country:

Password:

Repeat Password:

Birthdate:

Image:  No file chosen

please fill all the details correctly.

Name:

Email:

Ph no.

Address:

Gender: ☐ Male ☐ Female Select age

Future Scope: ☐ Higher Study ☐ Masters ☐ Interpreneurship One scope should be selected.

Country:

Password:

Repeat Password:

Birthdate:  event date should be futre date

Image:  No file chosen

Country:

Password:  Pass must contain atleast one capital letter and atleast one number. and length should be 8.

Repeat Password:  Repeat pass. must match.

Birthdate:

Image:  IT045\_Riya...ni\_Photo.jpg

- Pass must contain atleast one capital letter and atleast one number. and length should be 8.
- Repeat pass. must match.

Image:  No file chosen

Image size should less than 100MB

Form submitted  
Name: Riya Jivani  
Email: rijajivani8@gmail.com  
Ph no.: +916351414235  
Address: Upleta (M)  
Future Scope: Masters  
Age: Female  
Country: US  
Birthdate: 2024-08-26



**Experiment: 2-a (Display Element while hovering the image)**

```




<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs"
Inherits="imagemapdemo.WebForm1" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title></title>
  <style type="text/css">
    #form1 {
      height: 532px;
    }
  </style>
</head>
<body>
  <form id="form1" runat="server">
    <%--<asp:ImageButton ID="ImageButton1" runat="server" OnClick="ImageButton1_Click"
ImageUrl="~/imagemapdemo.png" />--%>

    <asp:ImageMap ID="ImageMap1" runat="server" style="z-index: 1; left: 316px; top: 96px;
position: absolute; height: 333px; width: 545px" ImageUrl="~/imagemapdemo.png" >
      <asp:CircleHotSpot AlternateText="Circle" HotSpotMode="Navigate"
NavigateUrl="~/Circle.aspx" Radius="84" Target="_blank" X="390" Y="102" />
      <asp:RectangleHotSpot AlternateText="Rectangle" Bottom="303"
HotSpotMode="Navigate" Left="56" NavigateUrl="~/Rectangle.aspx" Right="490" Target="_blank"
Top="201" />
      <asp:PolygonHotSpot AlternateText="Triangle"
Coordinates="145,26;194,100;238,175;140,176;55,172;100,98" HotSpotMode="Navigate"
NavigateUrl="~/Triangle.aspx" Target="_blank" />
    </asp:ImageMap>
  </form>
</body>
</html>

```





**Experiment: 2-b (MasterPage)****Site1.Master**

```
<%@ Master Language="C#" AutoEventWireup="true" CodeBehind="Site1.master.cs"
Inherits="MasterPageDemo.Site1" %>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head runat="server">
```

```
<title></title>
```

```
<style>
```

```
.container{
```

```
    height: 536px;
```

```
}
```

```
.header, .footer{
```

```
    background-color:blueviolet;
```

```
    color:white;
```

```
    padding:20px;
```

```
    margin: 0px;
```

```
    text-align:center;
```

```
}
```

```
.content{
```

```
    display:flex;
```

```
}
```

```
.asides {
```

```
    background-color: lightsteelblue;
```

```
    padding: 20px;
```

```
}
```

```
.main {
```

```
    background-color: antiquewhite;
```

```
    padding: 20px;
```

```
    display: flex;
```

```
    flex-direction: column;
```

```
    gap: 5px;
```

```
    flex-grow: 1;
```

```
}
```

```
#ContentPlaceHolder1{
```

```
    text-align:center;
```

```
}
```

```
</style>
```

```
<asp:ContentPlaceHolder ID="head" runat="server">
```

```
</asp:ContentPlaceHolder>
```

```
</head>
```

```
<body style="height: 316px">
```

```
<form id="form1" runat="server">
```

```
<div class="container">
```

```
<div class="header">
```

```
<asp:Label ID="Label1" runat="server" Text="This is header."></asp:Label>
```

```
</div>
```

```
<div class="content">
```

```
<div class="asides">
```

```
<asp:CheckBoxList ID="CheckBoxList1" runat="server" AutoPostBack="true"
```

```
OnSelectedIndexChanged="CheckBoxList1_SelectedIndexChanged">
```

```
<asp:ListItem Value="IT">IT</asp:ListItem>
```

```
<asp:ListItem Value="CE">CE</asp:ListItem>
```

```
<asp:ListItem Value="EC">EC</asp:ListItem>
```

```
</asp:CheckBoxList>
```

```
</div>
```

```
<div class="main">
```

```
<asp:ContentPlaceHolder ID="ContentPlaceHolder1" runat="server">
```

```
</asp:ContentPlaceHolder>
```

```

        </div>
    </div>

    <div class="footer">

        <asp:Label ID="Label2" runat="server" Text="@copyrights reserved by
RIYA."></asp:Label>

    </div>
</div>
</form>
</body>
</html>

```


### ContentPage.aspx

```

<%@ Page Language="C#" MasterPageFile="~/Site1.Master" AutoEventWireup="true"
CodeBehind="contentpage.aspx.cs" Inherits="MasterPageDemo.contentpage" %>
<%@ MasterType VirtualPath="~/Site1.Master" %>

<asp:Content ID="Content1" ContentPlaceHolderID="ContentPlaceHolder1" runat="server">
    <asp:Label runat="server" ID="label1"></asp:Label>
</asp:Content>

```



**Sessional: 1 (User Details)****Question: 3-B****Exam1 three b.aspx**

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="Exam1_three_B.aspx.cs"
Inherits="FileUpload.Exam1_three_B" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
#form1 {
    height: 581px;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<asp:Label ID="Label1" runat="server" style="z-index: 1; left: 226px; top: 170px;
position: absolute" Text="Enrollment No.: "></asp:Label>
```

```
<asp:Label ID="Label3" runat="server" style="z-index: 1; left: 229px; top: 285px;
position: absolute" Text="Email: "></asp:Label>
```

```
<asp:Label ID="Label5" runat="server" style="z-index: 1; left: 224px; top: 377px;
position: absolute" Text="Resume: "></asp:Label>
```

```
<asp:TextBox ID="TextBox1" runat="server" style="z-index: 1; left: 329px; top: 221px;
position: absolute" TextMode="Phone"></asp:TextBox>
```

```
<asp:TextBox ID="TextBox2" runat="server" style="z-index: 1; left: 375px; top: 169px;
position: absolute" TextMode="Number"></asp:TextBox>
```

```
<asp:TextBox ID="TextBox3" runat="server" style="z-index: 1; left: 330px; top: 281px;
position: absolute" TextMode="Email"></asp:TextBox>
```

```
<asp:FileUpload ID="FileUpload1" runat="server" style="z-index: 1; left: 325px; top:
380px; position: absolute" />
```

```
<asp:Button ID="Button1" runat="server" style="z-index: 1; left: 363px; top: 461px;
position: absolute" Text="Submit" OnClick="Button1_Click" />
```

```
<asp:TextBox ID="TextBox4" runat="server" style="z-index: 1; left: 332px; top: 108px;
position: absolute"></asp:TextBox>
```

```
<asp:Label ID="Label4" runat="server" style="z-index: 1; left: 226px; top: 227px;
position: absolute" Text="Contact: "></asp:Label>
```

```
<asp:Label ID="Label2" runat="server" style="z-index: 1; left: 225px; top: 110px;
position: absolute" Text="Name: "></asp:Label>
```

```
<asp:Label ID="Label6" runat="server" style="z-index: 1; left: 349px; top: 528px;
position: absolute; height: 53px; width: 420px;" Text=" "></asp:Label>
```

```
</form>
```

```
</body>
```

```
</html>
```

Name:

Enrollment No.:

Contact:

Email:

Resume:  No file chosen

Name: Riya  
Enrollment No.: 30  
Contact No.: 6351414235  
Email: riya@gmail.com  
File: Resume.pdf

**Sessional: 1 (Total Price Calculation)****Question: 3-OR-B****Exam1 three or b.aspx**

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="WebForm1.aspx.cs"
Inherits="Exam1_Three_Or_B.WebForm1" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <style type="text/css">
        #form1 {
            height: 805px;
        }
    </style>
</head>
<body>
    <form id="form1" runat="server">

        <asp:CheckBoxList ID="CheckBoxList1" runat="server"
OnSelectedIndexChanged="CheckBoxList1_SelectedIndexChanged" style="z-index: 1; left: 142px;
top: 67px; position: absolute; height: 28px; width: 138px" AutoPostBack="true">
            <asp:ListItem Value="10">Milk</asp:ListItem>
            <asp:ListItem Value="50">Chocolate</asp:ListItem>
            <asp:ListItem Value="30">Bread</asp:ListItem>
            <asp:ListItem Value="40">Maggie</asp:ListItem>
            <asp:ListItem Value="20">ButterMilk</asp:ListItem>
        </asp:CheckBoxList>
        <asp:TextBox ID="TextBox1" runat="server" style="z-index: 1; left: 362px; top: 69px;
position: absolute"></asp:TextBox>
        <asp:Label ID="Label1" runat="server" style="z-index: 1; left: 674px; top: 70px;
position: absolute" Text="Label"></asp:Label>
        <asp:Button ID="Button1" runat="server" OnClick="Button1_Click" style="z-index: 1;
left: 161px; top: 247px; position: absolute" Text="Purchase" />

    </form>
</body>
</html>
```

localhost:44343/WebForm1.aspx

localhost:44343/WebForm1.aspx

<input checked="" type="checkbox"/> Milk	90	Milk
<input checked="" type="checkbox"/> Chocolate		Chocolate
<input checked="" type="checkbox"/> Bread		Bread
<input type="checkbox"/> Maggie		
<input type="checkbox"/> ButterMilk		

Purchase

Total Cost: 90 Rs.