

Questions tagged [python]

Python is a dynamically typed, multi-purpose programming language. It is designed to be quick to learn, understand, and use, and enforces a clean and uniform syntax. Please note that Python 2 is officially out of support as of 2020-01-01. For version-specific Python questions, add the [python-2.7] or [python-3.x] tag. When using a Python variant (e.g. Jython, PyPy) or library (e.g. Pandas, NumPy), please include it in the tags.

[Watch tag](#)[Ignore tag](#)[Learn more...](#) [Top users](#) [Synonyms \(4\)](#)

2,193,980 questions

Newest

Active

More ▾

 Filter

0 votes 0 answers 5 views

"Failed to add user: The API access for bot users is restricted. The method you tried to invoke cannot be executed as a bot(InviteToChannelRequest)"

I've a list of user ID's and I'm trying to add them to my telegram channel, I'm using my user credentials, yet I still get the "cannot be executed as a bot" error. This is my code: from ...

[python](#) [telethon](#) Mohamed Yousef Khairlden **21** asked 2 mins ago

0 votes 0 answers 9 views

How can i make my python script check if dicts inside a list have a specific value associated to a specific key in a fast way?

Example i have a list like this: my_list = [{'name': 'a', 'value': 1}, {'name': 'b', 'value': 3}, {'name': 'a', 'value': 4}, {'name': 'c', 'value': 4}] I want to get the dict named 'a' and has the ...

[python](#) Mitutoyo **11** asked 5 mins ago

0 votes 0 answers 2 views

Type checking for pipeline similar to Langchain LCEL

I am trying to write a pipeline with types that will give errors if the steps are not compatible step1() | step2(). from typing import Any, Callable, Generic, TypeVar I = TypeVar('I') O = TypeVar('O')...

[python](#) [langchain](#) BPDev **651** asked 8 mins ago

0 votes 0 answers 7 views

How to forward fill a subset data to have a continuous monthly data

I need to copy data as a forward fill from Jan 2023 to Feb 2023 and March 2023 for SKU1, Location1 since data submissions are missing. For this: 1. need to create a continuous months for each sku, ...

[python](#) [pandas](#) [group-by](#) [ffill](#) spartanboy **44** asked 14 mins ago

0 votes 0 answers 11 views

Iterrows not populating as expected

I have a pandas dataframe of scores: data_1 = {"Grad_22": [96, np.nan, np.nan], "Grad_23": [92, 97, np.nan], "Grad_24": [np.nan, 93, 95]} df_1= pd.DataFrame(data_1) df_1[&...

python

pandas

for-loop

variable-assignment


 user23557334 1 asked 19 mins ago

0 votes 0 answers 13 views

How to random a number depend on length of a given string Python

I want to random an integer from a range which the probability correlates with the number of tokens string. For example: Given max possible number of tokens = 64. Random integer's range is from 0 to 7 ...

python

 jupyter 305 asked 35 mins ago

0 votes 1 answer 11 views

Why does the random.choice() module not work in vscode?

I am trying to create a bingo card generator, but while I was testing it I ran into a problem. When I use the random.choice() module to generate a random number it returns the following error: ...

python

 user24211637 3 asked 40 mins ago

0 votes 1 answer 14 views

Pycharm, python, selenium practice with scrapping issues

I'm new to coding. What does this mean, and how do I fix it? This is the error I'm getting: At line:1 char:1 + from selenium import webdriver + ~~~~ The 'from' keyword is not supported in this version ...

python

selenium-webdriver

web-scraping

 martin garcia 1 asked 42 mins ago

-1 votes 0 answers 11 views

App works in emulator but crashes on actual device

In the emulator, the app works perfectly fine but when I use the app on my real Samsung Galaxy device, the app will crash. I have now debugged it and see this error: 2024-04-17 22:11:58.739 21353 ...

MD

python

android

mobile

buildozer

 Lester Niel Salvador 1 asked 53 mins ago

0 votes 1 answer 21 views

How to make tables of information for variables

I'm learning Python and making a Dungeons & Dragons-based text-based game. I'm curious if there's a way to make a table or something so I don't have to specify the same variables (enemy_ac, ...

python

python-3.x

variables

 kingsc 21 asked 53 mins ago

0 votes 0 answers 10 views

How can I have the input affect the output of a neural network?

I'm trying to create a neural network in python using keras & tensorflow however I'm having trouble making the input affect the output. What I mean by this is let's say I have an input with only 1 ...

python

deep-learning

pytorch

neural-network

recurrent-neural-network

 Kameron H. 16 asked 55 mins ago

0 votes 0 answers 5 views

Temporal Postgres Database with sys_period

I am building a test database for unit testing. I have a model like this class MyObject(Base): __tablename__ = "my_object" id = Column(UUID, primary_key=True) sys_period = ...

python

postgresql

sqlalchemy

pytest

temporal-tables



magerine 53 asked 58 mins ago

0 votes 0 answers 6 views

Streaming LightGBM Dataset construction freezes on training

I've been trying to construct a LightGBM Dataset in Python using a reference Dataset (called ref_dataset) in a streaming manner. I'm not sure how it's done, and it involves calling what appear to be ...

python

machine-learning

lightgbm



Peter 1 asked 1 hour ago

-1 votes 0 answers 10 views

CUDA_HOME error even though CUDA_HOME is set

I was recently trying to run the neuralangelo program developed by nvidia labs and I ran into an error while setting up the conda environment: Collecting git+https://github.com/NVlabs/tiny-cuda-nn/#...

python

cuda



Shaunak Sinha 1 asked 1 hour ago

0 votes 1 answer 17 views

How to disable Tkinter button after click?

I want to be able to disable buttons after they're clicked once. I already tried disabling my first button (called e_button) at the end of this: e_button = Button(root, text="Enter", command ...

python

tkinter



Kenji Cooper 1 asked 1 hour ago

1

2

3

4

5

...

146266

Next

15

30

50

per page