

SQL SCRIPTS

NAME: RIYA PATEL

NUID: 002059816

1. Create DATE_DIM, TIME_DIM, CUSTOMER_DIM, SALES_FACT, ARTIST_DIM.

```
SELECT CURRENT_DATE(), CURRENT_TIMESTAMP();
```

```
CREATE OR REPLACE TABLE DW.DATE_DIM (  
DATE_KEY NUMBER(10) PRIMARY KEY,  
FULL_DATE DATE,  
DAY_NUM NUMBER(3),  
WEEKDAY_ABBR VARCHAR(3),  
WEEKDAY_NUM NUMBER(1),  
DAY_OF_YEAR_NUM NUMBER(3),  
WEEK_OF_YEAR NUMBER(2),  
MONTH_NUM NUMBER(2),  
MONTH_ABBR VARCHAR(3),  
QUARTER_NUM NUMBER(1),  
QUARTER_NAME VARCHAR(3),  
YEAR_NUM NUMBER(4),  
FIRST_DAY_OF_MONTH DATE,  
LAST_DAY_OF_MONTH DATE,  
IS_WEEKEND VARCHAR(1)  
);
```

```
CREATE OR REPLACE TABLE DW.TIME_DIM (  
TIME_KEY NUMBER(4) PRIMARY KEY,  
HOUR_NUM INTEGER,
```

```
MINUTE_NUM INTEGER,  
TIME_24_HR STRING  
);
```

```
CREATE OR REPLACE TABLE DW.CUSTOMER_DIM(  
CUSTOMER_KEY NUMBER(10) PRIMARY KEY,  
CUSTOMER_ID NUMBER(10),  
FIRST_NAME VARCHAR(100),  
LAST_NAME VARCHAR(100),  
COMPANY_NAME VARCHAR(100),  
CITY VARCHAR(100),  
STATE VARCHAR(50),  
COUNTRY VARCHAR(50),  
ZIP_CODE VARCHAR(10),  
EMPLOYEE_ID NUMBER(10),  
IS_ACTIVE VARCHAR(1) DEFAULT 'Y',  
SOURCE_ID VARCHAR(50),  
DATE_TO_WAREHOUSE DATETIME DEFAULT CURRENT_TIMESTAMP()  
);
```

```
CREATE OR REPLACE SEQUENCE CUSTOMER_DIM_SEQ START = 1 INCREMENT = 1;
```

```
CREATE TABLE DW.ARTIST_DIM(  
ARTIST_KEY NUMBER(10) PRIMARY KEY,  
ARTIST_ID NUMBER(10),  
ARTIST_NAME VARCHAR(150),  
SOURCE_ID VARCHAR(50),
```

```

DATE_TO_WAREHOUSE DATETIME DEFAULT CURRENT_TIMESTAMP()
);

CREATE OR REPLACE SEQUENCE ARTIST_DIM_SEQ START = 1 INCREMENT = 1;

CREATE TABLE DW.SALES_FACT(
SALES_KEY NUMBER(10) PRIMARY KEY,
CUSTOMER_KEY NUMBER(10),
INVOICE_ID NUMBER(10),
--SALE_DATE DATETIME,
DATE_DIM_KEY NUMBER(10),
TOTAL_SALE_AMT NUMBER(10,2),
SOURCE_ID NUMBER(10),
DATE_TO_WAREHOUSE DATETIME DEFAULT CURRENT_TIMESTAMP()
);
--CLUSTER BY (SALE_DATE);

CREATE OR REPLACE SEQUENCE SALES_FACT_SEQ START = 1 INCREMENT = 1;

```

2. From SQL Server chinook you need to stage the data to snowflake stage and stage table scripts can be generated using ER studio.

```

CREATE OR REPLACE TABLE STAGE.Artist
(
ArtistId INTEGER,
Name STRING(120),
Created_By STRING(100),
Created_Dt date
);

```

```
CREATE OR REPLACE TABLE STAGE.Genre
```

```
(
```

```
GenreId INTEGER,
```

```
Name STRING(120),
```

```
Created_By STRING(100),
```

```
Created_Dt date);
```

```
CREATE OR REPLACE TABLE STAGE.Album(
```

```
AlbumId INTEGER,
```

```
Title STRING(160),
```

```
ArtistId INTEGER,
```

```
Created_By STRING(100),
```

```
Created_Dt DATE);
```

```
CREATE OR REPLACE TABLE STAGE.Customer(
```

```
CustomerId INTEGER,
```

```
FirstName STRING(40) ,
```

```
LastName STRING(20) ,
```

```
Company STRING(80),
```

```
Address STRING(70),
```

```
City STRING(40),
```

```
State STRING(40),
```

```
Country STRING(40),  
PostalCode STRING(10),  
Phone STRING(24),  
Fax STRING(24),  
Email STRING(60),  
SupportRepId INTEGER,  
Created_By STRING(100),  
Created_Dt DATE  
);
```

```
CREATE OR REPLACE TABLE STAGE.Invoice(  
    InvoicId INTEGER ,  
    CustomerId INTEGER ,  
    InvoiceDate DATETIME ,  
    BillingAddress STRING(70),  
    BillingCity STRING(40),  
    BillingState STRING(40),  
    BillingCountry STRING(40),  
    BillingPostalCode STRING(10),  
    Total NUMBER(10, 2) ,  
    Created_By STRING(100),  
    Created_Dt DATE  
);
```

```
CREATE OR REPLACE TABLE STAGE.InvoiceLine(
```

```
InvoiceLineId INTEGER,
```

```
InvoiceId INTEGER ,
```

```
TrackId INTEGER ,
```

```
UnitPrice NUMBER(10, 2) ,
```

```
Quantity INTEGER ,
```

```
Created_By STRING(100),
```

```
Created_Dt DATE
```

```
);
```

```
Load Data DATE_DIM AND TIME_DIM
```

LoadDATE_DIM TIME_DIM.sql

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace

Search for files

+ Add new

- Assignment5.sql
- DDL_MediaUser.sql
- LoadDATE_DIM TIME_DIM.sql
- TeamAssignment.sql
- Test.sql
- Untitled 2.sql
- Untitled.sql

Database Explorer

Search

Filter

- DATE_DIM
- SALES_FACT
- TIME_DIM
- INFORMATION_SCHEMA
- SAKILA
- STAGE
- Tables 6
 - ALBUM
 - ARTIST
 - CUSTOMER
 - GENRE
 - INVOICE
 - INVOICELINE
- SNOWFLAKE

Test.sql

TeamAssignment.sql

Assignment5.sql

DDL_MediaUser.sql

Untitled.sql

LoadDATE_DIM TIME_DIM.sql

Object Details for: MEDIA_DB.I

0 rows 30ms

SQL compilation error: Table 'MEDIA_DB.DW.DATE_DIM' does not exist or not authorized.

```
1 USE DATABASE MEDIA_DB;
2 SHOW SCHEMAS;
3 SHOW TABLES IN DATABASE MEDIA_DB;
4
5
6
7
8
9 INSERT INTO DATE_DIM
10 (
11     DATE_KEY,
12     FULL_DATE,
13     DAY_NUM,
14     WEEKDAY_ABBR,
15     WEEKDAY_NUM,
16     DAY_OF_YEAR_NUM,
17     WEEK_OF_YEAR,
18     MONTH_NUM,
19     MONTH_ABBR,
20     QUARTER_NUM,
21     QUARTER_NAME,
22     YEAR_NUM,
23     FIRST_DAY_OF_MONTH,
24     LAST_DAY_OF_MONTH,
25     IS_WEEKEND
26 )
27 SELECT
28     ROW_NUMBER() OVER (ORDER BY SEQ4()) AS DATE_KEY,
29     DATEADD(DAY, SEQ4(), '2010-01-01') AS FULL_DATE,
30     EXTRACT(DAY FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS DAY_NUM,
```

Results (22 minutes ago)

Query History

Type here to search

56°F

23:18 14-10-2025

LoadDATE_DIM TIME_DIM.sql

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace

Search for files

+ Add new

- Assignment5.sql
- DDL_MediaUser.sql
- LoadDATE_DIM TIME_DIM.sql
- TeamAssignment.sql
- Test.sql
- Untitled 2.sql
- Untitled.sql

Database Explorer

Search

Filter

- DATE_DIM
- SALES_FACT
- TIME_DIM
- INFORMATION_SCHEMA
- SAKILA
- STAGE
- Tables 6
 - ALBUM
 - ARTIST
 - CUSTOMER
 - GENRE
 - INVOICE
 - INVOICELINE
- SNOWFLAKE

Test.sql

TeamAssignment.sql

Assignment5.sql

DDL_MediaUser.sql

Untitled.sql

LoadDATE_DIM TIME_DIM.sql

Object Details for: MEDIA_DB.I

0 rows 30ms

SQL compilation error: Table 'MEDIA_DB.DW.DATE_DIM' does not exist or not authorized.

```
18 MONTH_NUM,
19 MONTH_ABBR,
20 QUARTER_NUM,
21 QUARTER_NAME,
22 YEAR_NUM,
23 FIRST_DAY_OF_MONTH,
24 LAST_DAY_OF_MONTH,
25 IS_WEEKEND
26 )
27 SELECT
28     ROW_NUMBER() OVER (ORDER BY SEQ4()) AS DATE_KEY,
29     DATEADD(DAY, SEQ4(), '2010-01-01') AS FULL_DATE,
30     EXTRACT(DAY FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS DAY_NUM,
31     UPPER(TO_CHAR(DATEADD(DAY, SEQ4(), '2010-01-01'), 'DY')) AS WEEKDAY_ABBR,
32     EXTRACT(DAYOFWEEK FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS WEEKDAY_NUM,
33     EXTRACT(DOY FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS DAY_OF_YEAR_NUM,
34     EXTRACT(WEEK FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS WEEK_OF_YEAR,
35     EXTRACT(MONTH FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS MONTH_NUM,
36     UPPER(TO_CHAR(DATEADD(DAY, SEQ4(), '2010-01-01'), 'MON')) AS MONTH_ABBR,
37     EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS QUARTER_NUM,
38     CONCAT('Q', EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS QUARTER_NAME,
39     EXTRACT(YEAR FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS YEAR_NUM,
40     DATE_TRUNC('MONTH', DATEADD(DAY, SEQ4(), '2010-01-01')) AS FIRST_DAY_OF_MONTH,
41     LAST_DAY(DATEADD(DAY, SEQ4(), '2010-01-01')) AS LAST_DAY_OF_MONTH,
42     CASE WHEN DAYOFWEEK(DATEADD(DAY, SEQ4(), '2010-01-01')) IN (6,7) THEN 'Y' ELSE 'N' END AS IS_WEEKEND
43 FROM TABLE(GENERATOR(ROWCOUNT => 7300));
```

Results (23 minutes ago)

Query History

Type here to search

56°F

23:19 14-10-2025

LoadDATE_DIM TIME_DIM.sql

My Workspace

Search for files

+ Add new

Assignment5.sql

DDL_MediaUser.sql

LoadDATE_DIM TIME_DIM.sql

TeamAssignment.sql

Test.sql

Untitled 2.sql

Untitled.sql

Database Explorer

Search

Filter

DATE_DIM

SALES_FACT

TIME_DIM

INFORMATION_SCHEMA

SAKILA

STAGE

Tables 6

ALBUM

ARTIST

CUSTOMER

GENRE

INVOICE

INVOICELINE

SNOWFLAKE

Test.sql

TeamAssignment.sql

Assignment5.sql

DDL_MediaUser.sql

Untitled.sql

LoadDATE_DIM TIME_DIM.sql

Object Details for: MEDIA_DB.I

My Workspace > LoadDATE_DIM TIME_DIM.sql

MEDIA_ROLE • MEDIA_WH (X-Small) MEDIA_DB ...

0 rows 30ms

SQL compilation error: Table 'MEDIA_DB.DW.DATE_DIM' does not exist or not authorized.

37 EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS QUARTER_NUM,

38 CONCAT('Q', EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS QUARTER_NAME,

39 EXTRACT(YEAR FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS YEAR_NUM,

40 DATE_TRUNC('MONTH', DATEADD(DAY, SEQ4(), '2010-01-01')) AS FIRST_DAY_OF_MONTH,

41 LAST_DAY(DATEADD(DAY, SEQ4(), '2010-01-01')) AS LAST_DAY_OF_MONTH,

42 CASE WHEN DAYOFWEEK(DATEADD(DAY, SEQ4(), '2010-01-01')) IN (6,7) THEN 'Y' ELSE 'N' END AS IS_WEEKEND

43 FROM TABLE(GENERATOR(ROWCOUNT => 7300));

44

45 INSERT INTO TIME_DIM (TIME_KEY, HOUR_NUM, MINUTE_NUM, TIME_24_HR)

46 SELECT

47 (HOUR_NUM * 100) + MINUTE_NUM AS TIME_KEY,

48 HOUR_NUM,

49 MINUTE_NUM,

50 LPAD(HOUR_NUM, 2, '0') || ':' || LPAD(MINUTE_NUM, 2, '0') AS TIME_24_HR

51 FROM (

52 SELECT HOUR_NUM, MINUTE_NUM

53 FROM TABLE(GENERATOR(ROWCOUNT => 1440)) g,

54 LATERAL (

55 SELECT FLOOR(ROW_NUMBER() OVER (ORDER BY SEQ4()) / 60) AS HOUR_NUM,

56 MOD(ROW_NUMBER() OVER (ORDER BY SEQ4()), 60) AS MINUTE_NUM

57)

58)

59 WHERE HOUR_NUM < 24;

Results (23 minutes ago)

Query History

Feedback

Type here to search

56°F

23:19

14-10-2025