

Assignment 5

Name: Riya Patel
NUID: 002059816

Step 1:

The first screenshot shows the Snowflake web interface with a SQL query being executed. The query is as follows:

```
1 -- Ensure you're in the right database
2 USE DATABASE MEDIA_DB;
3
4 -- Grant ownership of the database to your role
5 GRANT OWNERSHIP ON DATABASE MEDIA_DB TO ROLE MEDIA_ROLE REVOKE CURRENT GRANTS;
6
7 -- Grant usage and create privileges (for safety)
8 GRANT USAGE ON DATABASE MEDIA_DB TO ROLE MEDIA_ROLE;
9 GRANT CREATE SCHEMA ON DATABASE MEDIA_DB TO ROLE MEDIA_ROLE;
10
```

The query history shows the following results:

Current file	All files
just now	97ms
just now	83ms
just now	115ms
just now	72ms

The second screenshot shows the Snowflake web interface with a SQL query being executed. The query is as follows:

```
1 USE ROLE MEDIA_ROLE;
2 USE DATABASE MEDIA_DB;
3 CREATE OR REPLACE SCHEMA DW;
4
5
6
```

The query history shows the following results:

Current file	All files
just now	142ms

The results table shows the following data:

status
Schema DW successfully created.

Assignment5.sql x Assignment5.sql x +

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace v ... x Home DDL_MediaUser.sql Assignment5.sql +

My Workspace > Assignment5.sql

MEDIA_ROLE > MEDIA_WH (X-Small) MEDIA_DB DW ...

2 USE DATABASE MEDIA_DB;
3 CREATE OR REPLACE SCHEMA DW;
4
5
6 SELECT CURRENT_DATE(), CURRENT_TIMESTAMP();
7
8
9
10 CREATE OR REPLACE TABLE DW.DATE_DIM (
11 DATE_KEY NUMBER(10) PRIMARY KEY,
12 FULL_DATE DATE,
13
14 DAY_NUM NUMBER(3)
15

Results (just now)

Table Chart Q 1 row 67ms

status

1	Sequence SALES_FACT_SEQ successfully created.
---	---

Query History

Current file All files

Feedback

55°F 15:38 09-10-2025

The screenshot shows the Snowflake web interface with a SQL query being executed. The query is as follows:

```

127 --CLUSTER BY (SALE_DATE);
128
129
130 CREATE OR REPLACE SEQUENCE SALES_FACT_SEQ START = 1 INCREMENT = 1;
131
132 SHOW TABLES IN SCHEMA DW;
133

```

The results of the query are displayed in a table with 10 columns: created_on, name, database_name, schema_name, kind, comment, cluster_by, rows, and #. The results show 5 rows of data:

created_on	name	database_name	schema_name	kind	comment	cluster_by	rows	#
2025-10-09 12:38:36.120 -0700	ARTIST_DIM	MEDIA_DB	DW	TABLE			0	1
2025-10-09 12:38:35.557 -0700	CUSTOMER_DIM	MEDIA_DB	DW	TABLE			0	2
2025-10-09 12:38:34.506 -0700	DATE_DIM	MEDIA_DB	DW	TABLE			0	3
2025-10-09 12:38:36.670 -0700	SALES_FACT	MEDIA_DB	DW	TABLE			0	4
2025-10-09 12:38:34.970 -0700	TIME_DIM	MEDIA_DB	DW	TABLE			0	5

The interface also shows a Database Explorer on the left with a tree view of the database structure, including MEDIA_DB, INFORMATION_SCHEMA, and various tables like CATEGORY, CUSTOMER, DATE, MOVIE, RENTAL, STAFF, and STORE.

The screenshot shows the Snowflake web interface with a SQL query being executed. The query is as follows:

```

29 QUARTER_NUM NUMBER(1),
30
31 QUARTER_NAME VARCHAR(3),
32
33 YEAR_NUM NUMBER(4),
34
35 FIRST_DAY_OF_MONTH DATE,
36
37 LAST_DAY_OF_MONTH DATE,
38
39 IS_WEEKEND VARCHAR(1)
40
41 );
42
43
44 CREATE OR REPLACE TABLE DW.TIME_DIM (
45
46 TIME_KEY NUMBER(4) PRIMARY KEY,
47

```

The results of the query are displayed in a table with 10 columns: status, and #. The results show 1 row of data:

status	#
Sequence SALES_FACT_SEQ successfully created.	1

The interface also shows a Database Explorer on the left with a tree view of the database structure, including MEDIA_DB, INFORMATION_SCHEMA, and various tables like CATEGORY, CUSTOMER, DATE, MOVIE, RENTAL, STAFF, and STORE.

Step 2:

Assignment5.sql x Assignment5.sql x | +

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace v ... x

Search for files

+ Add new

Assignment5.sql

DDL_MediaUser.sql

Database Explorer

Search

Filter

MEDIA_DB

INFORMATION_SCHEMA

SAKILA

Tables 7

CATEGORY

CUSTOMER

DATE

MOVIE

RENTAL

STAFF

STORE

SNOWFLAKE

SNOWFLAKE_LEARNING_DB

SNOWFLAKE_SAMPLE_DATA

USERSMEDIA_USER

Home

DDL_MediaUser.sql

Assignment5.sql +

My Workspace > Assignment5.sql

128

129

130

131

132

133

134

135

136

137

138

139

140

141

CREATE OR REPLACE SEQUENCE SALES_FACT_SEQ START = 1 INCREMENT = 1;

SHOW TABLES IN SCHEMA DW;

CREATE OR REPLACE SCHEMA DW;

CREATE OR REPLACE SCHEMA STAGE;

--Step 2

Results (just now)

Table Chart

1 row 76ms

status

1 Schema STAGE successfully created.

Query History

Current file All files

Type here to search

15:44 09-10-2025

Assignment5.sql x Assignment5.sql x | +

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace v ... x

Search for files

+ Add new

Assignment5.sql

DDL_MediaUser.sql

Database Explorer

Search

Filter

MEDIA_DB

INFORMATION_SCHEMA

SAKILA

Tables 7

CATEGORY

CUSTOMER

DATE

MOVIE

RENTAL

STAFF

STORE

SNOWFLAKE

SNOWFLAKE_LEARNING_DB

SNOWFLAKE_SAMPLE_DATA

USERSMEDIA_USER

Home

DDL_MediaUser.sql

Assignment5.sql +

My Workspace > Assignment5.sql

252

253

254

255

256

257

258

259

Quantity INTEGER

Created_By STRING(100)

Created_Dt DATE

};

Results (just now)

Table Chart

1 row 318ms

status

1 Table INVOICELINE successfully created.

Query History

Current file All files

Type here to search

15:45 09-10-2025

Assignment5.sql x Assignment5.sql x | +

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace v ... x Home DDL_MediaUser.sql Assignment5.sql +

My Workspace > Assignment5.sql

254 Created_By STRING(100);
255
256 Created_Dt DATE
257
258);
259
260 --verify
261 SHOW TABLES IN SCHEMA STAGE;
262

Results (just now)

Table Chart

6 rows 235ms

	created_on	name	database_name	schema_name	kind	comment	cluster_by	# rows	# byte
1	2025-10-09 12:45:11.490 -0700	ALBUM	MEDIA_DB	STAGE	TABLE			0	
2	2025-10-09 12:45:09.206 -0700	ARTIST	MEDIA_DB	STAGE	TABLE			0	
3	2025-10-09 12:45:12.270 -0700	CUSTOMER	MEDIA_DB	STAGE	TABLE			0	
4	2025-10-09 12:45:10.325 -0700	GENRE	MEDIA_DB	STAGE	TABLE			0	
5	2025-10-09 12:45:12.755 -0700	INVOICE	MEDIA_DB	STAGE	TABLE			0	
6	2025-10-09 12:45:13.202 -0700	INVOICELINE	MEDIA_DB	STAGE	TABLE			0	

Query History

Current file All files

Feedback

15:46 09-10-2025

Step 3:

Untitled document - Google D...Workshop replication stepsCreate a storage account - Mic...Azure resource setup

portal.azure.com/#create/Microsoft.StorageAccount

Microsoft AzureSearch resources, services, and docs (G+)

Copilot

patel.riyas@northeastern...NORTHEASTERN UNIVERSITY (N...

Home > Create a resource >

Create a storage account

Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription *

Azure for Students

Resource group *

Fall2025

Create new

Instance details

Storage account name *

riyastorage

Region *

(US) East US 2

Deploy to an Azure Extended Zone

Preferred storage type

Choose preferred storage type

This helps us provide relevant guidance. It doesn't restrict your storage to this resource type. [Learn more](#)

Performance *

Standard: Recommended for most scenarios (general-purpose v2 account)

Premium: Recommended for scenarios that require low latency.

Redundancy *

Locally-redundant storage (LRS)

Previous

Next

Review + create

Give feedback

Untitled document - Google D...Workshop replication stepsCreate a storage account - Mic...Azure resource setup

portal.azure.com/#create/Microsoft.StorageAccount

Microsoft AzureSearch resources, services, and docs (G+)

Copilot

patel.riyas@northeastern...NORTHEASTERN UNIVERSITY (N...

Home > Create a resource >

Create a storage account

BasicsAdvancedNetworkingData protectionEncryptionTagsReview + create

Security

Configure security settings that impact your storage account.

Require secure transfer for REST API operations

☒

Allow enabling anonymous access on individual containers

☐

Enable storage account key access

☒

Default to Microsoft Entra authorization in the Azure portal

☒

Minimum TLS version

Version 1.2

Permitted scope for copy operations (preview)

From any storage account

Hierarchical Namespace

Hierarchical namespace, complemented by Data Lake Storage Gen2 endpoint, enables file and directory semantics, accelerates big data analytics workloads, and enables access control lists (ACLs) [Learn more](#)

Enable hierarchical namespace

☐

Previous

Next

Review + create

Give feedback

Microsoft Azure portal showing the 'Overview' page for a deployment named 'riyastorage_1760045088906'. The deployment is complete. Key details include:

- Deployment name: riyastorage_1760045088906
- Subscription: Azure for Students
- Resource group: Fall2025
- Start time: 10/9/2025, 5:25:25 PM
- Correlation ID: 62de3308-0b29-4b2b-8aae-3e687a756381

Next steps include 'Go to resource' and 'Give feedback'. The right sidebar contains links for Cost Management, Microsoft Defender for Cloud, Free Microsoft tutorials, and Work with an expert.

Microsoft Azure portal showing the 'Create a key vault' page. The page is for creating a new key vault. Key details include:

- Project details: Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.
- Subscription: Azure for Students
- Resource group: Fall2025
- Instance details: Key vault name: riya-kv, Region: East US 2, Pricing tier: Standard
- Recovery options: Soft delete protection will automatically be enabled on this key vault. This feature allows you to recover or permanently delete a key vault and secrets for the duration of the retention period. This protection applies to the key vault and the secrets stored within the key vault.

Buttons: Previous, Next, Review + create, Give feedback.

Microsoft Azure portal showing the 'Overview' page for a deployment named 'riya-kv'. The deployment is complete. Key details include:

- Deployment name: riya-kv
- Subscription: Azure for Students
- Resource group: Fall2025
- Start time: 10/9/2025, 5:33:33 PM
- Correlation ID: d78ed1c8-684f-459f-9f89-c70f03f04e1d

Buttons for 'Delete', 'Cancel', 'Redeploy', 'Download', and 'Refresh' are available. A 'Go to resource' button is also present. The page includes a sidebar with 'Overview', 'Inputs', 'Outputs', and 'Template' sections. A right-hand panel provides links for 'Cost management', 'Microsoft Defender for Cloud', 'Free Microsoft tutorials', and 'Work with an expert'.

Microsoft Azure portal showing the 'Create Data Factory' page. The page is divided into sections for configuration:

- Basics**: Includes 'Git configuration', 'Networking', 'Advanced', 'Tags', and 'Review + create'.
- Project details**: Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.
- Subscription**: Azure for Students
- Resource group**: Fall2025
- Instance details**:
 - Name**: ADF-riya-DW
 - Region**: East US 2
 - Version**: V2

Buttons for 'Previous', 'Next', and 'Review + create' are at the bottom. A 'Give feedback' link is also present.

Microsoft Azure portal showing the deployment details for Microsoft.DataFactory-20251009173652. The deployment is complete. The deployment name is Microsoft.DataFactory-20251009173652, the subscription is Azure for Students, and the resource group is Fall2025. The deployment details show the start time as 10/9/2025, 5:39:29 PM and the correlation ID as 97eea3d9-cb4b-412c-8085-5e493c19ea94. The deployment is complete, and the next steps are to go to the resource and give feedback.

Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)

Microsoft Defender for Cloud
Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials
[Start learning today >](#)

Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Microsoft Azure portal showing the configuration of a new linked service for Azure Key Vault. The configuration includes the name, description, Azure subscription, Azure key vault name, authentication method, and managed identity name. The connection is successful.

New linked service
Azure Key Vault

Name:

Description:

Azure key vault selection method: ☒ From Azure subscription ☐ Enter manually

Azure subscription:

Azure key vault name:

Edit key vault: [Edit key vault](#)

Authentication method:

Managed identity name: **ADF-riya-DW**
Managed identity object ID: 14842353-7ccb-46d1-9612-4ef7f8c19732
Grant Data Factory service managed identity access to your Azure Key Vault. [Learn more](#)

Test connection: ☒ To linked service ☐ To secret

Connection successful: [Test connection](#) [Cancel](#)

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click here to get started with Fabric.

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name Annotations: Any

Showing 1 - 3 of 3 items

Name	Type
Is_Azure_Key_Vault	Azure Key Vault
Is_storage_azure_blob	Azure Blob Storage
SqlServer1	SQL Server

Test connection

Please provide actual value of the parameters for linked service SqlServer1.

Name	Type	Value
Fully qualified domain name	string	DESKTOP-GVRPOJK
User name	string	damg7370_fall25

OK Cancel

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click here to get started with Fabric.

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name Annotations: Any

Showing 1 - 3 of 3 items

Name	Type
Is_Azure_Key_Vault	Azure Key Vault
Is_storage_azure_blob	Azure Blob Storage
SqlServer1	SQL Server

New linked service

Snowflake V2 [Learn more](#)

Name *
Snowflake1

Description

Connect via integration runtime *
integrationRuntime1

The credentials are stored in the machines of self-hosted integration runtime if you don't choose to store them in Azure Key Vault.

Version
1.1 (Recommended) 1.0

Account name *
@linkedService().Account_Name

Database *
@linkedService().Database

Warehouse *
@linkedService().Warehouse

Authentication type *
Basic

Create Back Test connection Cancel

sqlserver-credentials - Microsoft...ADF-riya-DW - Azure Data FactoryLeft pane visibility issueUntitled document - Google D...+<-->↻adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2FFall2025%2Fproviders%2FMicro...

Microsoft AzureData FactoryADF-riya-DWSearch

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click here to get started with Fabric.

»Data FactoryValidate allPublish all

General

Connector upgrade advis...

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Linked services

Linked service defines the connection information to a data store or compute. Learn more

+ New

Filter by nameAnnotations: Any

Showing 1 - 3 of 3 items

Name ↑↓	Type ↑↓
Is_Azure_Key_Vault	Azure Key Vault
Is_storage_azure_blob	Azure Blob Storage
SqlServer1	SQL Server

New linked service

Snowflake V2 Learn more

Authentication type * ⓘBasic

User name * ⓘ@linkedService().Username

Password * ⓘAzure Key Vault

Role ⓘ@linkedService().Role

Host@linkedService().Host

Additional connection properties

+ New

Annotations

+ New

Parameters

+ NewDelete

CreateBackTest connectionCancel

Type here to search64°F12:2411-10-2025

sqlserver-credentials - Microsoft | ADF-riya-DW - Azure Data Factory | Left pane visibility issue | Untitled document - Google D... |

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2Ffall2025%2Fproviders%2FMicro...

Microsoft Azure | Data Factory | ADF-riya-DW | Search | patel.riyas@northeastern.edu

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click here to get started with Microsoft Fabric.

Data Factory | Validate all | Publish all

General

- Connector upgrade advis...
- Factory settings

Connections

- Linked services
- Integration runtimes
- Microsoft Purview
- ADF in Microsoft Fabric

Source control

- Git configuration
- ARM template

Author

- Triggers
- Global parameters
- Data flow libraries

Security

- Credentials
- Customer managed key

Linked services

Linked service defines the connection information to a data store or compute. Learn more

+ New

Filter by name Annotations: Any

Showing 1 - 3 of 3 items

Name	Type
Is_Azure_Key_Vault	Azure Key Vault
Is_storage_azure_blob	Azure Blob Storage
SqlServer1	SQL Server

New linked service

Snowflake V2 Learn more

Host

@linkedService().Host

Additional connection properties

+ New

Annotations

+ New

Parameters

+ New Delete

Name	Type	Default value
Account_Name	String	UWAUPUG-KHAS65
Database	String	MEDIA_DB
Warehouse	String	MEDIA_DW
Username	String	MEDIA_USER
Role	String	MEDIA_ROLE
Host	String	snowflakecomputin

Advanced

Create Back Test connection Cancel

snowflake-stage - Microsoft Azure | ADF-riya-DW - Azure Data Factory | Connect Snowflake ADF | Error resolution steps |

portal.azure.com/#view/Microsoft_Azure_Storage/ContainerMenuBlade/~/_sas/storageAccountId/%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2Fresource...

Microsoft Azure | Search resources, services, and docs (G+) | Copilot | patel.riyas@northeastern.edu

Home > riyastorage | Containers > snowflake-stage

snowflake-stage | Shared access tokens

Container

Search

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Shared access tokens

Access policy

Properties

Metadata

A shared access signature (SAS) is a URI that grants restricted access to an Azure Storage container. Use it when you want to grant access to storage account resources for a specific time range without sharing your storage account key. Learn more about creating an account SAS

Signing method

Account key User delegation key

Signing key

Key 1

Stored access policy

None

Permissions

5 selected

Start and expiry date/time

Start

10/11/2025 1:50:10 PM

(UTC-05:00) Eastern Time (US & Canada)

Expiry

10/18/2025 9:50:10 PM

(UTC-05:00) Eastern Time (US & Canada)

Allowed IP addresses

for example, 168.1.5.65 or 168.1.5.65-168.1...

Allowed protocols

HTTPS only HTTPS and HTTP

Add or remove favorites by pressing Ctrl+Shift+F

Type here to search

Blob SAS token:

sp=racwl&st=2025-10-11T17:50:10Z&se=2025-10-19T01:50:10Z&spr=https&sv=2024-11-04&sr=c&sig=UFNp1I5kgZLcSVdhDBEdYRSsFIR5jdFgtEGzPv5k5cM%3D

Blob SAS URL:

<https://riyastorage.blob.core.windows.net/snowflake-stage?sp=racwl&st=2025-10-11T17:50:10Z&se=2025-10-19T01:50:10Z&spr=https&sv=2024-11-04&sr=c&sig=UFNp1I5kgZLcSVdhDBEdYRSsFIR5jdFgtEGzPv5k5cM%3D>

The screenshot shows the Microsoft Azure portal interface. On the left, the navigation pane is open, showing the 'Data Factory' section. The 'Linked services' tab is selected. The main pane displays a list of linked services, including 'AzureBlobStorage1', 'Is_Azure_Key_Vault', 'Is_storage_azure_blob', 'Snowflake1', and 'SqlServer1'. The 'Edit linked service' pane is open for 'Azure Blob Storage1'. It shows the 'Name' as 'AzureBlobStorage1', the 'Description' as an empty text box, and the 'Connect via integration runtime' as 'AutoResolveIntegrationRuntime'. The 'Authentication type' is set to 'SAS URI'. The 'SAS URI' is 'https://riyastorage.blob.core.windows.net/snowflake-stage'. The 'SAS token' is 'sp=racwl&st=2025-10-11T17:50:10Z&se=2025-10-19T01:50:10Z&spr=https&sv=2024-11-04&sr=c&sig=UFNp1I5kgZLcSVdhDBEdYRSsFIR5jdFgtEGzPv5k5cM%3D'. The 'Test connection' button is visible at the bottom right of the configuration pane.

Datasets:

ADF-riya-DW - Azure Data Factory | Untitled document - Google D... | +

adf.azure.com/en/authoring/dataset/Parquet_ds?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2FFall2025%2Fproviders%2FMicrosoft...

Microsoft Azure | Data Factory | ADF-riya-DW | Search | patel.riyas@northeastern.edu | NORTHEASTERN UNIVERSITY

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

Data Factory | Validate all | Publish all | Preview experience | Off

Factory Resources

Filter resources by name

Pipelines 4

- cust
- extract_SQLDB_PL
- Parquet_2_SnowStage_PL
- artist

Change Data Capture (preview) 0

Datasets 3

- Parquet_ds
- SnowChinookDS
- sqlserver_demo_ds

Data flows 2

- CustomerStage
- ArtistStg

Power Query 0

Parquet

Parquet_ds

Connection Schema Parameters

Linked service * ls_storage_azure_blob Test connection Edit + New Learn more

File path * @dataset().container_name / @dataset().folder_name / @dataset().file_name Browse

Compression type snappy

Connection successful

Type here to search

56°F 23:12 14-10-2025

ADF-riya-DW - Azure Data Factory | WorkshopReplicationChinook

adf.azure.com/en/authoring/dataset/Parquet_ds?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2Ffall2025%2Fproviders%2FMicrosoft...

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

main branch | Validate all | Save all | Publish | Preview experience: Off

Factory Resources

- Pipelines (4)
 - artist
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
- Change Data Capture (preview) (0)
- Datasets (3)
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows (2)
 - ArtistStg
 - CustomerStage
- Power Query (0)
- Templates (0)

Parquet_ds

Connection | Schema | **Parameters**

+ New | Delete

Name	Type	Default value
container_name	String	Value
folder_name	String	Value
file_name	String	Value

ADF-riya-DW - Azure Data Factory | WorkshopReplicationChinook

adf.azure.com/en/authoring/dataset/SnowChinookDS?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2Ffall2025%2Fproviders%2FMicrosoft...

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

main branch | Validate all | Save all | Publish | Preview experience: Off

Factory Resources

- Pipelines (4)
 - artist
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
- Change Data Capture (preview) (0)
- Datasets (3)
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows (2)
 - ArtistStg
 - CustomerStage
- Power Query (0)
- Templates (0)

SnowChinookDS

Connection | Schema | **Parameters**

Linked service properties

Name	Value	Type
AccountName	UWAUPUG-KHA56933	string
Database	MEDIA_DB	string
Warehouse	MEDIA_WH	string
Username	MEDIA_USER	string
Role	MEDIA_ROLE	string
Host	UWAUPUG-KHA56933.snowflakecomputi...	string

Table: @dataset().schema_name . @dataset().table_name

☒ Enter manually [Preview data](#)

ADF-riya-DW - Azure Data Factory | WorkshopReplicationChinook

adf.azure.com/en/authoring/dataset/SnowChinookDS?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2FFall2025%2Fproviders%2FMI...

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

main branch | Validate all | Save all | Publish | Preview experience | Off

Factory Resources

- Pipelines (4)
 - artist
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
- Change Data Capture (preview) (0)
- Datasets (3)
 - Parquet_ds
 - SnowChinookDS**
 - sqlserver_demo_ds
- Data flows (2)
 - ArtistStg
 - CustomerStage
- Power Query (0)
- Templates (0)

Snowflake V2 SnowChinookDS

Connection | Schema | **Parameters**

+ New | Delete

Name	Type	Default value
schema_name	String	STAGE
table_name	String	CUSTOMER

ADF-riya-DW - Azure Data Factory | Untitled document - Google D...

adf.azure.com/en/authoring/dataset/SnowChinookDS?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2FFall2025%2Fproviders%2FMI...

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

Data Factory | Validate all | Publish all | Preview experience | Off

Factory Resources

- Pipelines (4)
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
 - artist
- Change Data Capture (preview) (0)
- Datasets (3)
 - Parquet_ds
 - SnowChinookDS**
 - sqlserver_demo_ds
- Data flows (2)
 - CustomerStage
 - ArtistStg
- Power Query (0)

Snowflake V2 SnowChinookDS

Connection | Schema | Parameters

Linked service * | Snowflake1 | Test connection | Edit | New | Learn more

Connection successful

Linked service properties

Name	Value	Type
AccountName	UWAUPUG-KHA56933	string
Database	MEDIA_DB	string
Warehouse	MEDIA_WH	string
Username	MEDIA_USER	string
Role	MEDIA_ROLE	string
Host	UWAUPUG-KHA56933.snowflakecomputi...	string

Table

@dataset().schema_name | @dataset().table_name | Preview data

Enter manually

ADF-riya-DW - Azure Data Factory | Untitled document - Google Docs

adf.azure.com/en/authoring/dataset/sqlserver_demo_ds?factory=%2Fsubscriptions%2Fcd8fea4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2FFall2025%2Fproviders%2F...

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click here to get started with Fabric Data Factory!

Data Factory

Validate all

Publish all

Preview experience

Off

Factory Resources

Filter resources by name

Pipelines4

cust

extract_SQLDB_PL

Parquet_2_SnowStage_PL

artist

Change Data Capture (preview)0

Datasets3

Parquet_ds

SnowChinookDS

sqlserver_demo_ds...

Data flows2

CustomerStage

ArtistStg

Power Query0

SQL Server

sqlserver_demo_ds

Connection

Schema

Parameters

Linked service *

SqlServer1

Test connection

Edit

New

Learn more

Connection successful

Linked service properties

Name	Value	Type
Fully qualified domain ...	DESKTOP-9VRPOJK	string
User name	damg7370_fall25	string

Integration runtime *

integrationRuntime1

Edit

Table

@dataset().schema_name

@dataset().table_name

Preview data

Enter manually

Type here to search

56°F

ENG

23:13

14-10-2025

ADF-riya-DW - Azure Data Factory | Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

Factory Resources

- Pipelines: 4
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
 - artist
- Datasets: 3
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows: 2
 - CustomerStage
 - ArtistStg
- Power Query: 0

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Data flow

ArtistStg

Parameters Variables Settings Output

Pipeline run ID: 30827e2f-9a86-4464-95d4-192cfa7117eb

Pipeline status: Succeeded

View debug run consumption

Monitor in Azure Metrics | Export to CSV

Showing 1 - 1 of 1 items

Activity name	Activity status	Activity type	Run start	Duration	Integration runtime
ArtistStg	Succeeded	Data flow	10/14/2025, 10:38:45 PM	1m 29s	debugpool-8Cores-General-73 (East US 2)

ADF-riya-DW - Azure Data Factory | Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

Factory Resources

- Pipelines: 4
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
 - artist
- Datasets: 3
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows: 2
 - CustomerStage
 - ArtistStg
- Power Query: 0

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Data flow

CustomerStage

Parameters Variables Settings Output

Pipeline run ID: d12d5c0a-5ad8-4621-b8c6-1cb18ec12d97

Pipeline status: Succeeded

View debug run consumption

Monitor in Azure Metrics | Export to CSV

Showing 1 - 1 of 1 items

Activity name	Activity status	Activity type	Run start	Duration	Integration runtime
CustomerStage	Succeeded	Data flow	10/14/2025, 10:22:02 PM	1m 29s	debugpool-8Cores-General-73 (East US 2)

Pipeline:

ADF-riya-DW - Azure Data Factory | SQL to Snowflake staging | DDL review and fixes

adf.azure.com/en/authoring/pipeline/pipeline1?factory=%2Fsubscriptions%2Fcd8fa4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2Ffall2025%2Fproviders%2FMicrosoft.Data...

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click here to get started with Fabric Data Factory!

Factory Resources

- Pipelines (2)
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
- Change Data Capture (preview) (0)
- Datasets (3)
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows (0)
- Power Query (0)

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Activities

ForEach

ForEachTable

Activities

Parameters Variables Settings Output

Pipeline run e46fe52a-4a76-43ad-9dd8-1da677a802f9

Pipeline status Succeeded

All status List

Monitor in Azure Metrics Export to CSV

Showing 1 - 4 of 4 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Parquet_2_Snow_Stage	Succeeded	Copy data	10/14/2025, 10:34:20 AM	54s	AutoResolveIntegrationRuntime (East US)
Parquet_2_Snow_Stage	Succeeded	Copy data	10/14/2025, 10:33:26 AM	53s	AutoResolveIntegrationRuntime (East US)
Parquet_2_Snow_Stage	Succeeded	Copy data	10/14/2025, 10:33:26 AM	50s	AutoResolveIntegrationRuntime (East US)
ForEachTable	Succeeded	ForEach	10/14/2025, 10:33:25 AM	1m 51s	

ADF-riya-DW - Azure Data Factory | Untitled document - Google D... |

adf.azure.com/en/authoring/pipeline/Parquet_2_SnowStage_PL?factory=%2Fsubscriptions%2Fcd8fa4f-fe86-484d-af45-532a9698698c%2FresourceGroups%2Ffall2025%2Fprovid...

Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click here to get started with Fabric Data Factory!

Factory Resources

- Pipelines (4)
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
 - artist
- Change Data Capture (preview) (0)
- Datasets (3)
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows (2)
 - CustomerStage
 - ArtistStg
- Power Query (0)

Activities

- Move and transform
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- Data Lake Analytics
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Activities

ForEach

ForEachTable

Activities

Parameters Variables Settings Output

Pipeline run 6a880fc1-7750-4871-bda2-a0cae75abc12

Pipeline status Succeeded

All status List

Monitor in Azure Metrics Export to CSV

Showing 1 - 4 of 4 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Parquet_2_Snow_Stage	Succeeded	Copy data	10/14/2025, 2:55:11 PM	42s	AutoResolveIntegrationRuntime (East US)
Parquet_2_Snow_Stage	Succeeded	Copy data	10/14/2025, 2:54:25 PM	39s	AutoResolveIntegrationRuntime (East US)
Parquet_2_Snow_Stage	Succeeded	Copy data	10/14/2025, 2:54:25 PM	45s	AutoResolveIntegrationRuntime (East US)
ForEachTable	Succeeded	ForEach	10/14/2025, 2:54:24 PM	1m 30s	

Dataflow:

ADF-riya-DW - Azure Data Factory | Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

Factory Resources

- Pipelines: 4
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
 - artist
- Change Data Capture (preview): 0
- Datasets: 3
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows: 2
 - CustomerStage
 - ArtistStg
- Power Query: 0

CustomerStage

Validate | Data flow debug | Debug Settings

CustomerStg (Columns: 16 total) + join1 (Left outer join on 'CustomerStg' and 'Custdim') + derivedColumn1 (Creating/updating the columns 'CUSTOMERID, FIRSTNAME, LASTNAME, COMPANY, ADDRESS, CITY, STATE, ...') + alterRow1 (Inserting, updating, deleting, and/or upserting using expressions on columns 'CUSTOMER_ID') + sink1 (Export data to SnowChinookDS)

Source settings | Source options | Projection | Optimize | Inspect | Data preview

Import projection | Reset schema | Overwrite schema

Column name	Type
CUSTOMERID	e ⁴ decimal
FIRSTNAME	abc string
LASTNAME	abc string
COMPANY	abc string

ADF-riya-DW - Azure Data Factory | Microsoft Azure | Data Factory | ADF-riya-DW

Would you like to see Data Factory inside of Microsoft Fabric, Microsoft's newest cloud-first data analytics SaaS platform? Click [here](#) to get started with Fabric Data Factory!

Factory Resources

- Pipelines: 4
 - cust
 - extract_SQLDB_PL
 - Parquet_2_SnowStage_PL
 - artist
- Change Data Capture (preview): 0
- Datasets: 3
 - Parquet_ds
 - SnowChinookDS
 - sqlserver_demo_ds
- Data flows: 2
 - CustomerStage
 - ArtistStg
- Power Query: 0

ArtistStg

Validate | Data flow debug | Debug Settings

ArtistStg (Columns: 5 total) + join1 (Left outer join on 'ArtistStg' and 'Artistdim') + derivedColumn1 (Creating/updating the columns 'ARTISTID, NAME, CREATED_BY, ...') + alterRow1 (Inserting, updating, deleting, and/or upserting using ...) + sink1 (Export data to SnowChinookDS)

Source settings | Source options | Projection | Optimize | Inspect | Data preview

Number of columns: Total 5

Order	Column	Type
1	ARTISTID	e ⁴ decimal
2	NAME	abc string
3	CREATED_BY	abc string
4	CREATED_DT	date

Load Data DATE_DIM AND TIME_DIM

LoadDATE_DIM TIME_DIM.sql x +

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace

Search for files

+ Add new

- Assignment5.sql
- DDL_MediaUser.sql
- LoadDATE_DIM TIME_DIM.sql
- TeamAssignment.sql
- Test.sql
- Untitled 2.sql
- Untitled.sql

Database Explorer

Search

Filter

- DATE_DIM
- SALES_FACT
- TIME_DIM
- INFORMATION_SCHEMA
- SAKILA
- STAGE
- Tables 6
 - ALBUM
 - ARTIST
 - CUSTOMER
 - GENRE
 - INVOICE
 - INVOICELINE
- SNOWFLAKE

Test.sql

TeamAssignment.sql

Assignment5.sql

DDL_MediaUser.sql

Untitled.sql

LoadDATE_DIM TIME_DIM.sql

Object Details for: MEDIA_DB.I

0 rows 30ms

SQL compilation error: Table 'MEDIA_DB.DW.DATE_DIM' does not exist or not authorized.

```
1 USE DATABASE MEDIA_DB;
2 SHOW SCHEMAS;
3 SHOW TABLES IN DATABASE MEDIA_DB;
4
5
6
7
8
9 INSERT INTO DATE_DIM
10 (
11     DATE_KEY,
12     FULL_DATE,
13     DAY_NUM,
14     WEEKDAY_ABBR,
15     WEEKDAY_NUM,
16     DAY_OF_YEAR_NUM,
17     WEEK_OF_YEAR,
18     MONTH_NUM,
19     MONTH_ABBR,
20     QUARTER_NUM,
21     QUARTER_NAME,
22     YEAR_NUM,
23     FIRST_DAY_OF_MONTH,
24     LAST_DAY_OF_MONTH,
25     IS_WEEKEND
26 )
27 SELECT
28     ROW_NUMBER() OVER (ORDER BY SEQ4()) AS DATE_KEY,
29     DATEADD(DAY, SEQ4(), '2010-01-01') AS FULL_DATE,
30     EXTRACT(DAY FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS DAY_NUM,
```

Results (22 minutes ago)

Query History

Type here to search

56°F

23:18 14-10-2025

LoadDATE_DIM TIME_DIM.sql x +

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace

Search for files

+ Add new

- Assignment5.sql
- DDL_MediaUser.sql
- LoadDATE_DIM TIME_DIM.sql
- TeamAssignment.sql
- Test.sql
- Untitled 2.sql
- Untitled.sql

Database Explorer

Search

Filter

- DATE_DIM
- SALES_FACT
- TIME_DIM
- INFORMATION_SCHEMA
- SAKILA
- STAGE
- Tables 6
 - ALBUM
 - ARTIST
 - CUSTOMER
 - GENRE
 - INVOICE
 - INVOICELINE
- SNOWFLAKE

Test.sql

TeamAssignment.sql

Assignment5.sql

DDL_MediaUser.sql

Untitled.sql

LoadDATE_DIM TIME_DIM.sql

Object Details for: MEDIA_DB.I

0 rows 30ms

SQL compilation error: Table 'MEDIA_DB.DW.DATE_DIM' does not exist or not authorized.

```
18 MONTH_NUM,
19 MONTH_ABBR,
20 QUARTER_NUM,
21 QUARTER_NAME,
22 YEAR_NUM,
23 FIRST_DAY_OF_MONTH,
24 LAST_DAY_OF_MONTH,
25 IS_WEEKEND
26 )
27 SELECT
28     ROW_NUMBER() OVER (ORDER BY SEQ4()) AS DATE_KEY,
29     DATEADD(DAY, SEQ4(), '2010-01-01') AS FULL_DATE,
30     EXTRACT(DAY FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS DAY_NUM,
31     UPPER(TO_CHAR(DATEADD(DAY, SEQ4(), '2010-01-01'), 'DY')) AS WEEKDAY_ABBR,
32     EXTRACT(DAYOFWEEK FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS WEEKDAY_NUM,
33     EXTRACT(DOY FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS DAY_OF_YEAR_NUM,
34     EXTRACT(WEEK FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS WEEK_OF_YEAR,
35     EXTRACT(MONTH FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS MONTH_NUM,
36     UPPER(TO_CHAR(DATEADD(DAY, SEQ4(), '2010-01-01'), 'MON')) AS MONTH_ABBR,
37     EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS QUARTER_NUM,
38     CONCAT('Q', EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS QUARTER_NAME,
39     EXTRACT(YEAR FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS YEAR_NUM,
40     DATE_TRUNC('MONTH', DATEADD(DAY, SEQ4(), '2010-01-01')) AS FIRST_DAY_OF_MONTH,
41     LAST_DAY(DATEADD(DAY, SEQ4(), '2010-01-01')) AS LAST_DAY_OF_MONTH,
42     CASE WHEN DAYOFWEEK(DATEADD(DAY, SEQ4(), '2010-01-01')) IN (6,7) THEN 'Y' ELSE 'N' END AS IS_WEEKEND
43 FROM TABLE(GENERATOR(ROWCOUNT => 7300));
```

Results (23 minutes ago)

Query History

Type here to search

56°F

23:19 14-10-2025

LoadDATE_DIM TIME_DIM.sql

+

https://app.snowflake.com/east-us-2.azure/uma66682/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24

My Workspace

Search for files

+ Add new

Assignment5.sql

DDL_MediaUser.sql

LoadDATE_DIM TIME_DIM.sql

TeamAssignment.sql

Test.sql

Untitled 2.sql

Untitled.sql

Database Explorer

Search

Filter

DATE_DIM

SALES_FACT

TIME_DIM

INFORMATION_SCHEMA

SAKILA

STAGE

Tables 6

ALBUM

ARTIST

CUSTOMER

GENRE

INVOICE

INVOICELINE

SNOWFLAKE

Test.sql

TeamAssignment.sql

Assignment5.sql

DDL_MediaUser.sql

Untitled.sql

LoadDATE_DIM TIME_DIM.sql

U

Object Details for: MEDIA_DB.I

My Workspace > LoadDATE_DIM TIME_DIM.sql

MEDIA_ROLE MEDIA_WH (X-Small) MEDIA_DB

0 rows 30ms

```
37 EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS QUARTER_NUM,
38 CONCAT('Q', EXTRACT(QUARTER FROM DATEADD(DAY, SEQ4(), '2010-01-01'))) AS QUARTER_NAME,
39 EXTRACT(YEAR FROM DATEADD(DAY, SEQ4(), '2010-01-01')) AS YEAR_NUM,
40 DATE_TRUNC('MONTH', DATEADD(DAY, SEQ4(), '2010-01-01')) AS FIRST_DAY_OF_MONTH,
41 LAST_DAY(DATEADD(DAY, SEQ4(), '2010-01-01')) AS LAST_DAY_OF_MONTH,
42 CASE WHEN DAYOFWEEK(DATEADD(DAY, SEQ4(), '2010-01-01')) IN (6,7) THEN 'Y' ELSE 'N' END AS IS_WEEKEND
43 FROM TABLE(GENERATOR(ROWCOUNT => 7300));
44
45 INSERT INTO TIME_DIM (TIME_KEY, HOUR_NUM, MINUTE_NUM, TIME_24_HR)
46 SELECT
47 (HOUR_NUM * 100) + MINUTE_NUM AS TIME_KEY,
48 HOUR_NUM,
49 MINUTE_NUM,
50 LPAD(HOUR_NUM, 2, '0') || ':' || LPAD(MINUTE_NUM, 2, '0') AS TIME_24_HR
51 FROM (
52 SELECT HOUR_NUM, MINUTE_NUM
53 FROM TABLE(GENERATOR(ROWCOUNT => 1440)) g,
54 LATERAL (
55 SELECT FLOOR(ROW_NUMBER() OVER (ORDER BY SEQ4()) / 60) AS HOUR_NUM,
56 MOD(ROW_NUMBER() OVER (ORDER BY SEQ4()), 60) AS MINUTE_NUM
57 )
58 )
59 WHERE HOUR_NUM < 24;
```

Results (23 minutes ago)

Query History

Feedback

SQL compilation error: Table 'MEDIA_DB.DW.DATE_DIM' does not exist or not authorized.

Type here to search

56°F

23:19

14-10-2025