TestSuiteDemo1

Execution Environment

Host name	2227809 - LTIN475584.cts.com
Local OS	Windows 11 64bit
Katalon version	9.4.0.212
Browser	Edge Chromium 123

Summary

ID	Test Suites/TestSuiteDemo1		
Description			
Total	3		
Passed	0	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	12-04-2024 10:15:41	End	12-04-2024 10:18:29
Elapsed	2m - 47.503s		

#	ID	Description	Status
1	Test Cases/Demo/RecordDemo		FAILED
2	Test Cases/Demo/ManualModeDemo		FAILED
3	Test Cases/Demo/ScriptModeDemo		FAILED

RecordDemo

Information

ID	Test Cases/Demo/RecordDemo		
Description			
Tag			
Start	12-04-2024 10:15:42	End	12-04-2024 10:16:34
Elapsed	52.258s		
Status	FAILED		

Details

| #	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	9.140s	PASSED
2	navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.854s	PASSED
3	click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Make Appointment")) Object: 'Object Repository/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	1.751s	PASSED
4	setText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Username_username"), "John Doe") Text 'John Doe' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Username_username'	1.216s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Password_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM") Text ****** has been set on object 'Object Repository/Page_CURA Healthcare Service/input_Password_password'	1.062s	PASSED
6	click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Page_CURA Healthcare Service/button_Login' is clicked on	1.485s	PASSED

RecordDemo

#	Description	Elapsed	Status

RecordDemo

#	Description	Elapsed	Status
7	selectOptionByValue(findTestObject("Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true)	32.698s	FAILED

Unable to select option by value 'Hongkong CURA Healthcare Center' of object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center   _5b4107' using regular expression (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to select option by value 'Hongkong CURA Healthcare Center' of object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center   _5b4107' using regular expression
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. execute(SelectOptionByValueKeyword.groovy:71)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByValue(WebUiBuiltInKeywords.groovy:1207)
        at RecordDemo.run(RecordDemo:32)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1712897115339.run(TempTestSuite1712897115339.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center   _5b4107' located by '//select[@id='combo_facility']' not found
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.doCall
(SelectOptionByValueKeyword.groovy:86)
        at com.kms.katalon.core.webui.keyword.builtin.
SelectOptionByValueKeyword$_selectOptionByValue_closure1.call
(SelectOptionByValueKeyword.groovy)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
selectOptionByValue(SelectOptionByValueKeyword.groovy:99)
        at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.
execute(SelectOptionByValueKeyword.groovy:71)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
selectOptionByValue(WebUiBuiltInKeywords.groovy:1207)
        at Script1712612214128.run(Script1712612214128.groovy:32)
        ... 15 more
)

ManualModeDemo

Information

ID	Test Cases/Demo/ManualModeDemo			
Description				
Tag				
Start	12-04-2024 10:16:34	End	12-04-2024 10:17:29	
Elapsed	54.693s			
Status	FAILED			

Details

#	Description	Elapsed	Status
1	openBrowser("")	7.668s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")	15.181s	PASSED
	Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully		

ManualModeDemo

#	Description	Elapsed	Status
3	setText(findTestObject("Page_OrangeHRM/input_Username_username"), "Admin")	31.625s	FAILED

Unable to set text 'Admin' of object 'Object
Repository/Page_OrangeHRM/input_Username_username' (Root cause: com.kms.katalon.
core.exception.StepFailedException: Unable to set text 'Admin' of object 'Object
Repository/Page_OrangeHRM/input_Username_username'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:85)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:39)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
        at ManualModeDemo.run(ManualModeDemo:25)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
180)
        at TempTestSuite1712897115339.run(TempTestSuite1712897115339.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web
element with id: 'Object Repository/Page_OrangeHRM/input_Username_username' located
by '//input[@name='username']' not found
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1426)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Script1712640451496.run(Script1712640451496.groovy:25) ... 15 more)		

ScriptModeDemo

Information

ID	Test Cases/Demo/ScriptModeDemo		
Description			
Tag			
Start	12-04-2024 10:17:29	End	12-04-2024 10:18:29
Elapsed	59.911s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	7.567s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login")	20.766s	PASSED
	Navigate to 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login' successfully		

ScriptModeDemo

#	Description	Elapsed	Status
3	setText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_username"), "Admin")	31.406s	FAILED

Unable to set text 'Admin' of object 'Object Repository/Page_OrangeHRM/input_Username_username' (Root cause: com.kms.katalon. core.exception.StepFailedException: Unable to set text 'Admin' of object 'Object Repository/Page_OrangeHRM/input_Username_username'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
        at ScriptModeDemo.run(ScriptModeDemo:24)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
        at TempTestSuite1712897115339.run(TempTestSuite1712897115339.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/Page_OrangeHRM/input_Username_username' located by '//input[@name='username']' not found
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1426)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Script1712641252040.run(Script1712641252040.groovy:24) ... 15 more)		