AWS IAM-Based Access Control System

Description;

Implemented Identity and Access Management (IAM) in AWS to design secure access control for cloud resources. Created IAM users, groups, and roles, and assigned permissions using AWS managed policies (e.g., S3FullAccess, EC2 access). Configured role-based access control with full-access and read-only groups to enforce least-privilege principles.



Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. Learn more

Permissions options

- ○ **Add user to group** — Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.
- ○ **Copy permissions** — Copy all group memberships, attached managed policies, and inline policies from an existing user.
- ◉ **Attach policies directly** — Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Permissions policies (1/1335)

Choose one or more policies to attach to your new user.

Create policy

Filter by Type

ec2 | All types | 44 matches | 1 2 3

Policy name	Type	Attached entities
AmazonEC2ContainerRegistryFullAccess	AWS managed	0
AmazonEC2ContainerRegistryPowerUser	AWS managed	0
AmazonEC2ContainerRegistryPullOnly	AWS managed	0
AmazonEC2ContainerRegistryReadOnly	AWS managed	0
AmazonEC2ContainerServiceAutoscaleRole	AWS managed	0
AmazonEC2ContainerServiceEventsRole	AWS managed	0
AmazonEC2ContainerServiceforEC2Role	AWS managed	0
AmazonEC2ContainerServiceRole	AWS managed	0
AmazonEC2FullAccess	AWS managed	0

User created successfully

You can view and download the user's password and email instructions for signing in to the AWS Management Console.

View user

Step 1 Specify user details
Step 2 Set permissions
Step 3 Review and create
Step 4 Retrieve password

Retrieve password

You can view and download the user's password below or email users instructions for signing in to the AWS Management Console. This is the only time you can view and download this password.

Console sign-in details

Email sign-in instructions

Console sign-in URL
https://982534364948.signin.aws.amazon.com/console

User name
user1

Console password
********** Show

Cancel | Download .csv file | Return to users list

User details

User name

user2

The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)

☑ Provide user access to the AWS Management Console - *optional*
If you're providing console access to a person, it's a best practice to manage their access in IAM Identity Center.

Are you providing console access to a person?

User type

○ Specify a user in Identity Center - Recommended
We recommend that you use Identity Center to provide console access to a person. With Identity Center, you can centrally manage user access to their AWS accounts and cloud applications.

◉ I want to create an IAM user
We recommend that you create IAM users only if you need to enable programmatic access through access keys, service-specific credentials for AWS CodeCommit or Amazon Keyspaces, or a backup credential for emergency account access.

Console password

○ Autogenerated password
You can view the password after you create the user.

◉ Custom password
Enter a custom password for the user.

••••••••

- Must be at least 8 characters long
- Must include at least three of the following mix of character types: uppercase letters (A-Z), lowercase letters (a-z), numbers (0-9), and symbols ! @ # $ % ^ & * ( ) _ + - (hyphen) = [ ] { } | '

☐ Show password

☑ Users must create a new password at next sign-in - Recommended
Users automatically get the IAMUserChangePassword policy to allow them to change their own password.

If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user.
Learn more

Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. Learn more

Permissions options

○ Add user to group
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

○ Copy permissions
Copy all group memberships, attached managed policies, and inline policies from an existing user.

◉ Attach policies directly
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Permissions policies (2/1335)

Choose one or more policies to attach to your new user.

Create policy

Filter by Type

s3 | All types | 16 matches | 1

Policy name	Type	Attached entities
AmazonDMSRedshiftS3Role	AWS managed	0
AmazonS3FullAccess	AWS managed	0
AmazonS3ObjectLambdaExecutionRolePolicy	AWS managed	0
AmazonS3OutpostsFullAccess	AWS managed	0
AmazonS3OutpostsReadOnlyAccess	AWS managed	0
☑ AmazonS3ReadOnlyAccess	AWS managed	0
AmazonS3TablesFullAccess	AWS managed	0
AmazonS3TablesReadOnlyAccess	AWS managed	0
AWSBackupServiceRolePolicyForS3Backup	AWS managed	0

User details

User name

user3

The user name can have up to 64 characters. Valid characters: A-Z, a-z, 0-9, and + = , . @ _ - (hyphen)

☑ Provide user access to the AWS Management Console - *optional*
If you're providing console access to a person, it's a best practice to manage their access in IAM Identity Center.

Are you providing console access to a person?

User type

○ Specify a user in Identity Center - Recommended
We recommend that you use Identity Center to provide console access to a person. With Identity Center, you can centrally manage user access to their AWS accounts and cloud applications.

◉ I want to create an IAM user
We recommend that you create IAM users only if you need to enable programmatic access through access keys, service-specific credentials for AWS CodeCommit or Amazon Keyspaces, or a backup credential for emergency account access.

Console password

○ Autogenerated password
You can view the password after you create the user.

◉ Custom password
Enter a custom password for the user.

••••••••

- Must be at least 8 characters long
- Must include at least three of the following mix of character types: uppercase letters (A-Z), lowercase letters (a-z), numbers (0-9), and symbols ! @ # $ % ^ & * ( ) _ + - (hyphen) = [ ] { } | '

☐ Show password

☑ Users must create a new password at next sign-in - Recommended
Users automatically get the IAMUserChangePassword policy to allow them to change their own password.

If you are creating programmatic access through access keys or service-specific credentials for AWS CodeCommit or Amazon Keyspaces, you can generate them after you create this IAM user.

Set permissions

Add user to an existing group or create a new one. Using groups is a best-practice way to manage user's permissions by job functions. Learn more

Permissions options

○ Add user to group
Add user to an existing group, or create a new group. We recommend using groups to manage user permissions by job function.

◉ Copy permissions
Copy all group memberships, attached managed policies, and inline policies from an existing user.

○ Attach policies directly
Attach a managed policy directly to a user. As a best practice, we recommend attaching policies to a group instead. Then, add the user to the appropriate group.

Users (1/2)

Search

< 1 >

	User name	Groups	Attached policies
◉	user1	-	AmazonEC2FullAccess and IAMUserChangePassword
○	user2	-	AmazonEC2ReadOnlyAccess, AmazonS3ReadOnlyAccess ...

▸ **Set permissions boundary - *optional***

Cancel | Previous | Next

Create user group

Create a user group and select policies to attach to the group. We recommend using groups to manage user permissions by job function, AWS service access, or custom permissions. Learn more

User group name

Enter a meaningful name to identify this group.

Full_access

Maximum 128 characters. Use alphanumeric and '+=,.@-_' characters.

Permissions policies (1/1038)

Create policy

Filter by Type

s3 | All types | 13 matches | 1

Policy name	Type	Use...	Description
AmazonDMSRedsh...	AWS managed	None	Provides access to manage S3 set
AmazonS3FullAccess	AWS managed	None	Provides full access to all buckets
AmazonS3ObjectL...	AWS managed	None	Provides AWS Lambda functions
AmazonS3Outpost...	AWS managed	None	Provides full access to Amazon S3
AmazonS3Outpost...	AWS managed	None	Provides read only access to Ama
AmazonS3ReadOn...	AWS managed	None	Provides read only access to all bu
AmazonS3TablesF...	AWS managed	None	Provides full access to all S3 table
AmazonS3TablesR...	AWS managed	None	Provides read only access to all S3
AWSBackupService...	AWS managed	None	Policy containing permissions nec
AWSBackupService...	AWS managed	None	Policy containing permissions nec
AWSQuickSetupSS...	AWS managed	None	This policy grants permissions for
QuickSightAccessF...	AWS managed	None	Policy used by QuickSight team to
S3UnlockBucketPo...	AWS managed	None	Provides access required to unloc

Cancel | Create user group

Create user group

Create a user group and select policies to attach to the group. We recommend using groups to manage user permissions by job function, AWS service access, or custom permissions. Learn more

User group name

Enter a meaningful name to identify this group.

read_only

Maximum 128 characters. Use alphanumeric and '+=,.@-_' characters.

Permissions policies (1038)

Create policy

Filter by Type

Search

All t...

1 2 3 4 5 6 7 ... 52

Policy name	Type	Use...	Description
AdministratorAccess	AWS managed ...	None	Provides full access to AWS servic
AdministratorAcce...	AWS managed	None	Grants account administrative per
AdministratorAcce...	AWS managed	None	Grants account administrative per
AIOpsAssistantPolicy	AWS managed	None	Provides ReadOnly permissions re
AIOpsConsoleAdmi...	AWS managed	None	Grants full access to Amazon AI O
AIOpsOperatorAcc...	AWS managed	None	Grants access to the Amazon AI O
AIOpsReadOnlyAcc...	AWS managed	None	Grants ReadOnly permissions to t
AlexaForBusinessD...	AWS managed	None	Provide device setup access to Ale
AlexaForBusinessF...	AWS managed	None	Grants full access to AlexaForBusi
AlexaForBusinessG...	AWS managed	None	Provide gateway execution access
AlexaForBusinessLi...	AWS managed	None	Provide access to Lifesize AVS dev
AlexaForBusinessP...	AWS managed	None	Provide access to Poly AVS device
AlexaForBusinessR...	AWS managed	None	Provide read only access to Alexa
AmazonAPIGatewa...	AWS managed	None	Provides full access to create/edit

Cancel

Create user group

Add users to Full_access Info

Other users in this account (2/3)

Search

1

User name	Groups	Last activity	Creation time
user1	0	None	
user2	0	None	
user3	0	None	

Cancel Add users