

# TABLE DESIGN

## 1.tbl\_reguser

Primary key: reguser\_id

Foreign key: district\_id, login\_id

FIELD	DATA TYPE	CONSTRAINT
reguser_id	int	Primary key, auto increment
login_id	int	Foreign key
district_id	int	Foreign key
reguser_name	varchar(20)	not null
reguser_address	varchar(60)	not null
reguser_pincode	int	not null
reguser_mobno.	int	not null
reguser_GST	varchar(30)	not null
reguser_status	int	not null

## 2.tbl\_regstaff

Primary key: regstaff\_id

Foreign key: district\_id

FIELD	DATA TYPE	CONSTRAINT
regstaff_staffid	int	Primary key, auto increment
login_id	int	Foreign key
district_id	int	Foreign key
regstaff_name	varchar(20)	not null
regstaff_address	varchar(60)	not null
regstaff_pincode	int	not null
regstaff_mobno.	int	not null
regstaff_designation	varchar(30)	not null
regstaff_dateofjoin	varchar(10)	not null

regstaff_salary	varchar(10)	not null
regstaff_status	int	not null

### 3.login table

Primary key: login\_id

FIELD	DATA TYPE	CONSTRAINT
login_id	varchar(10)	Primary key, auto increment
login_email	varchar(30)	Not null
login_password	varchar(10)	Not null
login_status	int	Not null

### 4. tbl\_category

Primary key: category\_id

FIELD	DATA TYPE	CONSTRAINT
category_id	int	Primary key, auto increment
category_name	varchar(10)	Not null

### 5.tbl\_quantity

Primary key: qty\_id

FIELD	DATA TYPE	CONSTRAINT
qty_id	int	Primary key, auto increment
Qty_quantity	varchar(10)	Not null

## 6.tbl\_booking

Primary key: booking\_id

Foreign key: login\_id

FIELD	DATA TYPE	CONSTRAINT
booking_id	int	Primary key, auto increment
login_id	int	Foreign key
booking_name	varchar(20)	Not null
booking_address	varchar(60)	Not null
booking_pincode	int	Not null
booking_phone	int	Not null
booking_date	date	Not null
booking_delivery date	date	Not null
booking_status	int	Not null

## 7.tbl\_cart

Primary key: cart\_id

Foreign key: login\_id, product\_id

FIELD	DATA TYPE	CONSTRAINT
cart_id	int	Primary key, auto increment
login_id	int	Foreign key
product_id	int	Foreign key
cart_product	varchar(10)	Not null
cart_litre	varchar(10)	Not null
cart_price	int	Not null
cart_quantity	int	Not null
cart_total	int	Not null

## 8.tbl\_delivery details

Primary key: delivery details\_id

Foreign key: regstaff\_id , bookingdetails\_id

FIELD	DATA TYPE	CONSTRAINT
delivery details_id	varchar(10)	Primary key, auto increment
regstaff_id	varchar(10)	Foreign key
booking_id	varchar(10)	Foreign key
delivery details_invoice no.	varchar(20)	Not null
delivery details_truck no.	varchar(10)	Not null
delivery details_time	varchar(6)	Not null
delivery details_status	varchar(10)	Not null

## 9.tbl\_stock

Primary key: stock\_id

FIELD	DATA TYPE	CONSTRAINT
stock_id	varchar(10)	Primary key, auto increment
stock_batch no.	varchar(10)	Not null
stock_quantity	varchar(10)	Not null
stock_mfg date	varchar(10)	Not null
stock_expiry date	varchar(10)	Not null
stock_price	varchar(10)	Not null

## 10.tbl\_complaint

Primary key: complaint\_id

Foreign key: login\_id

FIELD	DATA TYPE	CONSTRAINT
complaint_id	varchar(10)	Primary key, auto increment
login_id	varchar(10)	Foreign key
Product	varchar(10)	Not null

complaint_date	varchar(10)	Not null
Complaint	varchar(100)	Not null

## 11. tbl\_district

Primary key: district\_id

FIELD	DATA TYPE	CONSTRAINT
district_id	varchar(10)	Primary key, auto increment
district_name	varchar(20)	Not null

## 12.tbl\_card

Primary key: card\_id

FIELD	DATA TYPE	CONSTRAINT
card_id	int	Primary key
login_id	int	Foreign key
card_no	int	Not null
card_name	varchar(20)	Not null
exp_date	int	Not null
card_type	varchar(10)	Not null
bank_name	varchar(20)	Not null

## 13. tbl\_payment

Primary key: payment\_id

Foreign key: login\_id

FIELD	DATA TYPE	CONSTRAINT
payment_id	int	Primary key
login_id	int	Foreign key
payment_type	int	Not null
payment_amt	int	Not null
Payment_date	date	Not null

## 14. tbl\_rawmaterial

Primary key: raw\_id

FIELD	DATATYPE	CONSTRAINT
raw_id	int	Primary key
raw_quantity	varchar(10)	Not null