SmartiDP
Intelligent Document Processing

EDMS
Electronic Document Management System
by Kenz Innovations

SMARTIDP EDMS · COMPLIANCE CAPABILITIES BROCHURE

Compliance by Design.



How SmartiDP EDMS turns global regulations and international standards into built-in controls — so your teams stay audit-ready every day, not just on inspection day.

FDA 21 CFR Part 11 · EU GMP Annex 11 · GAMP 5 · ALCOA+ · ISO 9001:2015 · ISO 13485:2016 · ISO/IEC 27001:2022 · ISO 15489-1:2016 · GDPR · HIPAA · SOC 2 · NIST SP 800-53 · eIDAS · ESIGN

EXECUTIVE OVERVIEW

Regulation is complex. Staying compliant shouldn't be.

Regulated organisations live and die by their documents. SOPs, batch records, design history files, contracts, patient data, quality manuals — every one must be controlled, traceable, secure and retrievable on demand. Paper processes and generic file shares cannot prove who did what, when, and why. SmartiDP EDMS can.

Rather than bolting compliance on afterwards, the platform embeds regulatory requirements directly into its architecture: every document action is captured in a tamper-evident audit trail, every approval is bound to a legally binding electronic signature, every record follows a governed lifecycle, and every byte is protected by layered security controls.

12
Regulations & standards mapped clause-by-clause in this brochure

6
Architecture layers delivering compliance controls end-to-end

1
Single source of truth for controlled documents and records

Prove it, instantly

Immutable, time-stamped audit trails and one-click inspection reports answer auditor questions in minutes instead of days.

Sign with confidence

Part 11 and eIDAS-aligned electronic signatures with signature meaning, re-authentication and cryptographic record binding.

Secure by default

Encryption in transit and at rest, MFA, role-based access and continuous monitoring aligned with ISO 27001 and SOC 2.

Governed workflows

Configurable review, approval and periodic-review workflows enforce the right steps in the right order — every time.

Retention you control

Policy-driven retention, legal hold and certified disposition keep records exactly as long as the law requires.

Validation-ready

GAMP 5 risk-based validation package with traceability matrix and IQ/OQ/PQ protocols accelerates go-live.

Inside this brochure

01	Compliance architecture	p. 3
02	FDA 21 CFR Part 11	p. 4
03	EU GMP Annex 11	p. 6
04	GAMP 5 & ALCOA+ data integrity	p. 7
05	ISO 9001 & ISO 13485	p. 8
06	ISO/IEC 27001:2022	p. 9
07	GDPR	p. 10
08	HIPAA Security Rule	p. 11
09	ISO 15489 records management	p. 12
10	SOC 2 & NIST SP 800-53	p. 13
11	eIDAS, ESIGN & UETA	p. 14
12	Security, workflow & validation	p. 15

01 · COMPLIANCE ARCHITECTURE

Compliance is engineered into every layer

Each regulatory requirement in this brochure is traced to concrete controls in one or more layers of the platform. This defence-in-depth design means no single failure — human or technical — can compromise record integrity.

Throughout this brochure, implementation is tagged by layer: FRONTEND WORKFLOW BACKEND SECURITY ARCHITECTURE

Frontend / UX
Web, mobile & Office add-ins

- Signature manifestation dialogs
- Watermarks & controlled-copy banners
- Role-aware menus
- Version compare / redline
- Session timeout
- Accessibility (WCAG 2.1 AA)

Workflow Engine
BPMN-based orchestration

- Enforced step sequencing
- Parallel / serial approvals
- Segregation of duties
- Periodic review
- Change control & CAPA links
- Training-on-release
- Escalation & SLAs

Backend Services
Microservices & APIs

- Versioning engine
- Audit-trail service (append-only)
- Metadata & classification
- Retention & legal-hold engine
- PDF/A rendition
- Full-text / OCR indexing
- REST API with audit

Security Services
Identity, crypto & monitoring

- SSO (SAML 2.0 / OIDC)
- MFA
- RBAC + ABAC
- AES-256 at rest
- TLS 1.2+ in transit
- HSM / KMS key mgmt
- SIEM integration
- DLP

Data & Storage
Integrity-preserving persistence

- SHA-256 content hashing
- WORM-capable storage
- Hash-chained audit store
- Encrypted backups
- Point-in-time recovery
- Data residency options

Infrastructure
Cloud, private cloud or on-premise

- Multi-zone high availability
- Disaster recovery (RPO/RTO targets)
- Hardened images
- Network segmentation / WAF
- Infrastructure-as-code
- Qualified environments (IQ)

CROSS-CUTTING CONTROLS

- Tamper-evident audit trail
- Synchronised trusted time (NTP / TSA)
- Identity & access governance
- Encryption everywhere
- Configuration & change management
- Continuous monitoring & alerting
- Validation & traceability

Separation of duties by design

Content storage, audit logging and identity services run as independent services with distinct privileges — administrators cannot silently alter records or logs.

Configuration, not customisation

Workflows, metadata, retention rules and roles are configured through governed, versioned settings, preserving the validated state across upgrades.

Deploy your way

Multi-tenant SaaS, single-tenant private cloud or on-premise — with the same control set and validation documentation in every model.

02
REGULATION

UNITED STATES · LIFE SCIENCES

FDA 21 CFR Part 11

The U.S. Food and Drug Administration's rule establishing when electronic records and electronic signatures are considered trustworthy, reliable and equivalent to paper records and handwritten signatures. It applies to any record required under FDA predicate rules (GMP, GLP, GCP, device QMSR).

PHARMA & BIOTECH | MEDICAL DEVICES | CROS & CDMOS | Subpart B: Electronic Records | Subpart C: Electronic Signatures

CLAUSE	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
§11.10(a)	**System validation** Ensure accuracy, reliability, consistent intended performance and the ability to discern invalid or altered records.	Delivered with a GAMP 5 validation package (URS, risk assessment, traceability matrix, IQ/OQ scripts). Every stored file carries a SHA-256 hash verified on retrieval, so altered content is detected and flagged automatically. ARCHITECTURE BACKEND
§11.10(b)	**Accurate & complete copies** Generate human-readable and electronic copies suitable for inspection.	One-click export of any document with full metadata, version history, signatures and audit trail as a PDF/A inspection package, or as native files plus XML/JSON for electronic review. FRONTEND BACKEND
§11.10(c)	**Record protection** Protect records to enable accurate and ready retrieval throughout the retention period.	Policy-driven retention schedules, legal hold, encrypted and replicated storage, WORM-capable repositories and automated PDF/A renditions for long-term readability. BACKEND ARCHITECTURE
§11.10(d)	**Limiting system access** Restrict access to authorised individuals.	SSO with MFA, role- and attribute-based access control down to document, folder and metadata level; automatic de-provisioning via SCIM from your identity provider. SECURITY
§11.10(e)	**Audit trails** Secure, computer-generated, time-stamped trails of create/modify/delete actions; prior values not obscured; retained as long as the record.	An append-only, hash-chained audit service captures user, UTC timestamp, action, old/new values and reason for change. No user — including administrators — can edit or delete entries. Audit data inherits the record's retention. BACKEND SECURITY FRONTEND
§11.10(f)	**Operational system checks** Enforce permitted sequencing of steps and events.	The workflow engine enforces state transitions: a document cannot become Effective without completed review and approval, and steps cannot be skipped or reordered. WORKFLOW
§11.10(g)	**Authority checks** Only authorised individuals can use the system, sign, access devices, alter records or perform operations.	Every API call and UI action is authorised server-side against role, document state and ownership. Signature rights are granted per document type and workflow step. SECURITY WORKFLOW
§11.10(h)	**Device checks** Determine validity of the source of data input.	Trusted-device and IP allow-listing, API client certificates and signed integration tokens identify the origin of every submission, including scanners and connected systems. SECURITY ARCHITECTURE

Electronic signatures you can defend

CLAUSE	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
§11.10(i)	**Personnel qualification** Users have education, training and experience for their tasks.	Integrated training management: new or revised SOPs auto-assign read-and-understand training; workflow tasks can be restricted to users with current training status. WORKFLOW BACKEND
§11.10(j)	**Signature accountability policy** Written policies holding individuals accountable for actions under their e-signature.	Users acknowledge an electronic-signature accountability statement at first login; acceptance is recorded and re-requested on policy change. Template policy provided. FRONTEND WORKFLOW
§11.10(k)	**Systems documentation control** Control distribution, access and change of system documentation.	System documentation, configuration specifications and validation deliverables are themselves managed as controlled documents within SmartiDP EDMS with full revision history. WORKFLOW ARCHITECTURE
§11.30	**Controls for open systems** Additional measures such as encryption and digital signatures.	TLS 1.2+ for all traffic, AES-256 encryption at rest, and optional PKI-based digital signatures (PAdES) for documents leaving the controlled environment. SECURITY
§11.50	**Signature manifestations** Signed records show printed name, date/time and meaning (e.g. review, approval, authorship).	Each signature displays full name, UTC/local timestamp and configurable meaning in the UI, on the signature page of the PDF rendition and in every printout. FRONTEND BACKEND
§11.70	**Signature/record linking** Signatures cannot be excised, copied or transferred to falsify records.	Each signature is cryptographically bound to the hash of the exact document version signed. Any later change invalidates the binding and is flagged. SECURITY BACKEND
§11.100	**General e-signature requirements** Signatures unique to one individual, never reused or reassigned; identity verified.	Globally unique, non-reusable user IDs; accounts are disabled, never deleted or reassigned. Identity verification workflow at onboarding. Template FDA certification letter supplied. SECURITY WORKFLOW
§11.200	**Signature components** At least two distinct identification components (e.g. ID + password); continuous-session rules.	Signing requires re-entry of user ID and password (or IdP step-up MFA). The first signing in a session requires both components; subsequent signings require at least the password. FRONTEND SECURITY
§11.300	**Controls for IDs & passwords** Uniqueness, periodic revision, loss management, unauthorised-use detection.	Configurable password complexity, expiry and history; account lockout after failed attempts with real-time security alerts; administrator-driven credential reset with audit. SECURITY

BUSINESS VALUE Eliminate wet-ink signatures and paper routing, shorten document approval cycles, and walk into FDA inspections with complete, self-explanatory electronic evidence.

03
REGULATION

EUROPEAN UNION · LIFE SCIENCES

EU GMP Annex 11

Annex 11 to EudraLex Volume 4 governs computerised systems used in GMP-regulated activities. It requires a risk-based approach to ensure that computerised systems deliver the same product quality and quality assurance as the manual processes they replace. Our roadmap also tracks the revised Annex 11 draft published for consultation in 2025.

EU / EEA MANUFACTURERS | PIC/S MEMBER INSPECTORATES | EudraLex Vol. 4

CLAUSE	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
§1	**Risk management** Apply risk management across the system lifecycle.	Supplier-provided functional risk assessment (GAMP 5 categories) identifies GxP-critical functions to focus your validation effort. ARCHITECTURE
§3	**Suppliers & service providers** Formal agreements; supplier assessment.	Quality agreement, audit-ready supplier QMS documentation and support for customer postal or on-site audits. ARCHITECTURE
§4	**Validation** Documented validation, URS, traceability, change control.	Validation accelerator with URS templates, requirements-to-test traceability matrix and executed OQ evidence for every release. ARCHITECTURE WORKFLOW
§5 – §6	**Data & accuracy checks** Built-in checks for correct, secure data entry and exchange.	Mandatory metadata, field validation, controlled vocabularies and checksum-verified transfers for all integrations and migrations. FRONTEND BACKEND
§7	**Data storage & backup** Secure data against damage; regular, verified backups.	Encrypted, geo-redundant storage; automated backups with periodic restore tests and documented RPO/RTO. ARCHITECTURE SECURITY
§8	**Printouts** Clear printed copies; indicate if data changed after entry.	Controlled printing with watermark, print reason, copy number and "uncontrolled when printed" footer; reprints reconciled in the audit trail. FRONTEND BACKEND
§9	**Audit trails** Risk-based audit trail of GMP-relevant changes and deletions, with reason.	Always-on audit trail with mandatory "reason for change" prompts; dedicated audit-trail review screens and filters support routine review. BACKEND FRONTEND
§10 – §11	**Change mgmt & periodic evaluation** Controlled changes; periodic review of validated state.	Configuration changes are versioned and approved through change control; system health and periodic-review reports are generated on demand. WORKFLOW
§12 – §13	**Security & incident management** Physical/logical access control; report and assess incidents.	RBAC, MFA, privileged-access monitoring and SIEM alerts; incident tickets link to CAPA workflows for root-cause analysis. SECURITY WORKFLOW
§14	**Electronic signature** Same impact as handwritten; permanently linked; time and date.	Same signature engine as Part 11 — cryptographically bound, timestamped and manifested on every rendition. SECURITY FRONTEND
§16 – §17	**Business continuity & archiving** Continuity provisions; archived data accessible, readable and intact.	High-availability deployment, tested DR plan, and PDF/A archiving with periodic integrity re-verification of archived content. ARCHITECTURE BACKEND

04
GUIDANCE

GLOBAL · DATA INTEGRITY

GAMP 5 & ALCOA+

ISPE GAMP 5 (Second Edition) defines a risk-based approach to computerised-system compliance. ALCOA+ is the data-integrity principle set referenced by the FDA, MHRA, WHO and PIC/S: data must be Attributable, Legible, Contemporaneous, Original and Accurate — plus Complete, Consistent, Enduring and Available.

FDA DATA INTEGRITY GUIDANCE | MHRA GXP DI | PIC/S PI 041 | GAMP Category 4 — configured product

ALCOA+ principles, built into the platform

Attributable

Every action is tied to a unique, authenticated user — no shared accounts, no anonymous edits.

Legible

Native viewers and PDF/A renditions keep content readable for its full retention life.

Contemporaneous

Server-side timestamps from synchronised time sources, never from the user's device clock.

Original

The first captured file is preserved; all changes create new versions linked to it.

Accurate

Field validation, controlled vocabularies and hash verification prevent and detect errors.

Complete

Nothing is truly deleted — versions, rejections and withdrawals remain in history.

Consistent

Enforced workflow sequence and UTC time-stamping give an unbroken chronology.

Enduring & Available

Replicated storage, backups and fast full-text search make records retrievable on demand.

Your validation, accelerated

- **Supplier assessment pack** — QMS certificates, SDLC description and audit reports.
- **Functional & configuration specifications** for every release.
- **Risk assessment** classifying functions by GxP impact.
- **Traceability matrix** linking requirements to tests.
- **IQ/OQ protocols** with executed evidence from our qualified environments.
- **PQ templates** adapted to your business processes.
- **Release impact notes** to support risk-based regression testing.
- **Validated-state reports** for periodic review.

BUSINESS VALUE Leverage supplier documentation instead of starting from scratch — reducing validation effort, accelerating go-live and keeping the system in a continuously validated state through upgrades.

05
STANDARD

INTERNATIONAL · QUALITY MANAGEMENT

ISO 9001:2015 & ISO 13485:2016

ISO 9001 sets the requirements for any quality management system; ISO 13485 extends them for medical-device manufacturers and is the foundation of the FDA QMSR (in force since February 2026), EU MDR/IVDR and MDSAP. Both require rigorous control of "documented information" — documents and records.

ALL INDUSTRIES (9001) | MEDICAL DEVICES (13485) | FDA QMSR | EU MDR / IVDR | MDSAP

CLAUSE	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
9001 7.5.2	**Creating & updating** Appropriate identification, format and review/approval for suitability.	Auto-numbering schemes, governed templates, mandatory metadata and configurable review/approval workflows for every document type. BACKEND WORKFLOW
9001 7.5.3.1	**Availability & protection** Available where and when needed; protected from loss of confidentiality, improper use or loss of integrity.	Web and mobile access to the current effective version, offline-safe controlled copies, encryption and fine-grained permissions. FRONTEND SECURITY
9001 7.5.3.2	**Distribution, retention & changes** Control distribution, access, storage, version changes, retention, disposition and external documents.	Read-and-acknowledge distribution, version control with redline comparison, retention schedules and an external-document register (standards, supplier specs). WORKFLOW BACKEND
13485 4.2.3	**Medical device file** Maintain a file per device type or family.	Structured device-file / DHF / technical-documentation binders that assemble linked, version-locked documents for submissions and audits. BACKEND FRONTEND
13485 4.2.4	**Control of documents** Review/approval before issue; identify changes and current revision; prevent unintended use of obsolete documents; retain obsolete copies for at least the device lifetime.	Approval gates before Effective status; change summaries and revision indicators; superseded versions automatically withdrawn from general view yet retained per device-lifetime retention rules. WORKFLOW BACKEND
13485 4.2.5	**Control of records** Legible, identifiable, retrievable; changes identifiable; retained at least device lifetime (min. 2 years); protect confidential health information.	Immutable records with audit-tracked changes, configurable retention, and privacy controls (redaction, restricted classifications) for health data. BACKEND SECURITY
Both 8.5 / 10	**CAPA & improvement** Corrective action and continual improvement.	Document changes can be initiated from and linked to CAPA, deviation and audit-finding records for closed-loop traceability. WORKFLOW

BUSINESS VALUE Pass certification and surveillance audits with confidence: auditors see one controlled, current version of every procedure — and complete evidence of how it got there.

06
STANDARD

INTERNATIONAL · INFORMATION SECURITY

ISO/IEC 27001:2022

The leading international standard for information security management systems (ISMS). Its Annex A defines 93 controls across organisational, people, physical and technological themes. SmartiDP EDMS provides the technical controls your ISMS needs for document and record assets.

ALL INDUSTRIES | ISMS | Annex A — 93 controls | ISO/IEC 27002 guidance

CONTROL	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
A.5.12–5.13	**Classification & labelling** Classify information and label it accordingly.	Configurable classification levels (e.g. Public → Restricted) drive access rules, visual labels, watermarks and DLP behaviour automatically. BACKEND FRONTEND
A.5.15–5.18	**Access control & identity** Rules for access; identity lifecycle; authentication information; access rights review.	RBAC/ABAC, SCIM provisioning, periodic access-recertification workflows and least-privilege role templates. SECURITY WORKFLOW
A.5.33	**Protection of records** Protect records from loss, destruction, falsification and unauthorised access or release.	Immutable versions, hash verification, legal hold, retention locks and full audit logging. BACKEND SECURITY
A.5.34	**Privacy & PII protection** Meet privacy requirements for PII.	PII tagging, redaction, purpose-bound retention and data-subject request support (see GDPR). BACKEND FRONTEND
A.8.2 / 8.5	**Privileged access & secure authentication**	Just-in-time admin elevation, MFA enforcement, phishing-resistant FIDO2/passkey support via your IdP. SECURITY
A.8.10–8.12	**Deletion, masking & DLP** Delete when no longer needed; mask data; prevent leakage.	Certified disposition with destruction certificates, dynamic masking of sensitive fields, download/print/share restrictions and expiring external links. SECURITY BACKEND
A.8.13	**Information backup**	Automated, encrypted, immutable backups replicated across zones with scheduled restore testing. ARCHITECTURE
A.8.15–8.16	**Logging & monitoring** Produce, protect and analyse logs; monitor for anomalies.	Tamper-evident logs streamed to your SIEM; anomaly alerts for mass downloads, off-hours access and repeated failures. SECURITY BACKEND
A.8.24	**Use of cryptography**	AES-256 at rest, TLS 1.2+ in transit, keys in KMS/HSM with rotation; optional customer-managed keys (BYOK). SECURITY
A.8.25 / 8.32	**Secure development & change management**	Secure SDLC with code review, SAST/DAST, dependency scanning, penetration testing and controlled release management. ARCHITECTURE

07
REGULATION

EUROPEAN UNION · DATA PROTECTION

GDPR (EU 2016/679)

The General Data Protection Regulation governs processing of personal data of individuals in the EU/EEA, with fines of up to €20 million or 4% of global annual turnover. Documents are one of the largest — and least visible — stores of personal data in any organisation.

ANY ORGANISATION PROCESSING EU PERSONAL DATA | UK GDPR | Similar laws: CCPA/CPRA, LGPD, PDPA

ARTICLE	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
Art. 5(1)(e)	**Storage limitation** Keep personal data no longer than necessary.	Retention rules tied to document type and purpose trigger review or disposition automatically when the retention period ends. BACKEND WORKFLOW
Art. 5(1)(f)	**Integrity & confidentiality** Protect against unauthorised processing, loss or damage.	Encryption, access control, versioning and backups protect personal data throughout its lifecycle. SECURITY
Art. 5(2)	**Accountability** Demonstrate compliance.	Audit trails and compliance reports evidence who accessed personal data and why. BACKEND
Art. 15–20	**Data-subject rights** Access, rectification, erasure, restriction, portability.	DSAR workflow: search all content and metadata for a data subject, collate results, redact third-party data, export in machine-readable format, and execute erasure or restriction — with a defensible log, while respecting legal holds. WORKFLOW FRONTEND BACKEND
Art. 25	**Data protection by design & default**	Least-privilege defaults, private-by-default sharing, PII auto-detection and pseudonymisation options. ARCHITECTURE SECURITY
Art. 28	**Processor obligations**	Data Processing Agreement, documented sub-processor list and customer audit rights. ARCHITECTURE
Art. 30	**Records of processing**	Metadata on document types captures purpose, legal basis and categories of data to feed your RoPA. BACKEND
Art. 32	**Security of processing** Encryption, pseudonymisation, resilience, regular testing.	AES-256 / TLS, HA architecture, tested backups and independent penetration testing. SECURITY ARCHITECTURE
Art. 33–34	**Breach notification (72 h)**	Real-time anomaly alerts and forensic audit trails show exactly which records were affected, enabling notification within the deadline. SECURITY
Art. 44–49	**International transfers**	Selectable EU data residency; Standard Contractual Clauses available where transfers occur. ARCHITECTURE

08
REGULATION

UNITED STATES · HEALTHCARE

HIPAA Security Rule

45 CFR Part 164, Subpart C requires covered entities and business associates to implement administrative, physical and technical safeguards to protect the confidentiality, integrity and availability of electronic protected health information (ePHI).

PROVIDERS & HEALTH PLANS | BUSINESS ASSOCIATES | 45 CFR §164.308–316 | BAA available

SECTION	SAFEGUARD	HOW SMARTIDP EDMS DELIVERS IT
§164.308(a)(1)	**Security management process** Risk analysis, risk management, information-system activity review.	Activity dashboards and scheduled audit reports support regular review; platform risk assessments shared on request. BACKEND FRONTEND
§164.308(a)(4)	**Information access management** Authorise access to ePHI on a minimum-necessary basis.	Classification-driven permissions restrict ePHI to authorised roles; break-the-glass access with justification and alerting. SECURITY WORKFLOW
§164.308(a)(7)	**Contingency plan** Data backup, disaster recovery and emergency-mode operation.	Encrypted backups, multi-zone failover and a tested DR plan with defined recovery objectives. ARCHITECTURE
§164.310(d)	**Device & media controls**	Cloud infrastructure with certified media sanitisation; mobile access without local persistence of ePHI. ARCHITECTURE FRONTEND
§164.312(a)	**Access control** Unique user ID, emergency access, automatic logoff, encryption.	Unique IDs, emergency-access procedure, configurable idle-session timeout, AES-256 encryption. SECURITY FRONTEND
§164.312(b)	**Audit controls**	Every view, download, print and share of ePHI is logged — not just edits. BACKEND
§164.312(c)	**Integrity** Protect ePHI from improper alteration or destruction.	SHA-256 integrity hashing, immutable versions and controlled disposition. BACKEND SECURITY
§164.312(d)	**Person or entity authentication**	SSO with MFA; certificate-based authentication for system integrations. SECURITY
§164.312(e)	**Transmission security**	TLS 1.2+ everywhere, secure external sharing portals, no ePHI in email bodies. SECURITY
§164.316(b)	**Documentation retention** Retain policies and documentation for 6 years.	Retention rules preserve HIPAA policies, risk assessments and procedures for six years or longer. BACKEND WORKFLOW

09
STANDARD

INTERNATIONAL · RECORDS MANAGEMENT

ISO 15489-1:2016

The international standard for records management defines the concepts and principles for creating, capturing and managing records so they remain authoritative evidence of business activity. It is complemented by ISO 19005 (PDF/A) for long-term preservation and ISO 16175 for records-system functionality.

PUBLIC SECTOR | FINANCIAL SERVICES | LEGAL & ENERGY | ISO 19005 PDF/A | ISO 16175

Authoritative records — the four characteristics (clause 5.2.2)

Authenticity

Proven creator and time, via authenticated identity and server timestamps.

Reliability

Captured as part of the business process that produced it, through governed workflows.

Integrity

Complete and unaltered — hash-verified, with every authorised change traced.

Useability

Locatable, retrievable and interpretable through rich metadata and search.

CLAUSE	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
§8.3	**Metadata schemas**	Configurable metadata models per record class, with inheritance and mandatory capture at declaration. BACKEND
§8.4	**Business classification**	Hierarchical file plans mapped to business functions, driving security and retention by default. BACKEND FRONTEND
§8.5	**Access & permission rules**	Security classification and role models applied consistently across UI, API and search results. SECURITY
§8.6	**Disposition authorities**	Retention schedules with event- or time-based triggers, multi-level disposition approvals, legal hold override and destruction certificates. WORKFLOW BACKEND
§9.2–9.4	**Creating, capturing & classifying**	Capture from email, scanners (with OCR), Microsoft 365, ERP/CRM connectors and API — auto-classified on ingestion. BACKEND ARCHITECTURE
§9.6–9.8	**Storing, migrating & converting**	Format-preserving storage, PDF/A conversion with fidelity checks and checksum-verified migrations. BACKEND ARCHITECTURE
§9.9	**Disposition**	Defensible destruction or transfer to archives, with metadata "stubs" proving what was disposed of and under what authority. WORKFLOW SECURITY

BUSINESS VALUE Reduce storage cost and legal exposure by disposing of what you no longer need — and defend every record you keep as reliable evidence in litigation or regulatory inquiry.

10
FRAMEWORKS

UNITED STATES · ASSURANCE & SECURITY CONTROLS

SOC 2 & NIST SP 800-53

SOC 2 (AICPA Trust Services Criteria) is the benchmark attestation for cloud service providers. NIST SP 800-53 Rev. 5 is the comprehensive security and privacy control catalogue used by U.S. federal agencies, FedRAMP and many regulated enterprises.

SAAS CUSTOMERS | FINANCIAL SERVICES | GOVERNMENT CONTRACTORS | TSC 2017 (rev. 2022) | SP 800-53 Rev. 5

SOC 2 Trust Services Criteria

CRITERIA	SMARTIDP EDMS CONTROL
CC6.1–6.3	Logical access, user registration and role-based authorisation with periodic access reviews. SECURITY
CC6.6–6.7	Boundary protection (WAF, segmentation) and encrypted transmission. ARCHITECTURE
CC7.2–7.4	Continuous monitoring, anomaly detection and documented incident response. SECURITY
CC8.1	Authorised, tested and approved changes to infrastructure and software. WORKFLOW
A1.2–1.3	Backup, replication and tested recovery for availability. ARCHITECTURE
C1.1–1.2	Confidential-information identification and secure disposal. BACKEND
PI1.2–1.4	Processing integrity through validated inputs, hashing and workflow checks. BACKEND

NIST SP 800-53 Rev. 5 control families

CONTROL	SMARTIDP EDMS CONTROL
AC-2/3/6	Account management, access enforcement and least privilege. SECURITY
AU-2/9/10	Event logging, protection of audit information and non-repudiation of signatures. BACKEND SECURITY
IA-2/5	Multi-factor identification and authenticator management. SECURITY
SC-8/13/28	Transmission confidentiality, cryptographic protection and protection of information at rest. SECURITY
CP-9/10	System backup, recovery and reconstitution. ARCHITECTURE
CM-2/3	Baseline configuration and configuration change control. WORKFLOW
SI-4/7	System monitoring and software & information integrity verification. BACKEND

BUSINESS VALUE Shorten vendor security reviews: map our controls directly into your security questionnaires and third-party risk assessments, and rely on independent assurance reports instead of lengthy custom audits.

11
REGULATION

EU & UNITED STATES · ELECTRONIC SIGNATURES

eIDAS, ESIGN & UETA

eIDAS (Regulation (EU) No 910/2014, as amended by Regulation (EU) 2024/1183) defines the legal effect of electronic signatures, seals and timestamps across the EU. In the United States, the ESIGN Act and the state-level UETA give electronic signatures and records the same legal standing as paper.

CROSS-BORDER CONTRACTS | HR & PROCUREMENT | REGULATORY SUBMISSIONS

ETSI PAdES / XAdES / CAdES

Three levels of assurance — choose per document type

Simple (SES)

Authenticated click-to-sign with re-authentication and signature meaning. Ideal for internal reviews and approvals under Part 11 / Annex 11.

Advanced (AdES)

Certificate-based PAdES signatures meeting Art. 26: uniquely linked to and identifying the signatory, under their sole control, and any change detectable.

Qualified (QES)

Integration with Qualified Trust Service Providers for signatures with the legal equivalence of a handwritten signature across all EU member states (Art. 25(2)).

PROVISION	REQUIREMENT	HOW SMARTIDP EDMS DELIVERS IT
eIDAS Art. 25	**Legal effect** E-signatures cannot be denied legal effect solely because they are electronic.	Configurable signature level per document type ensures the right assurance for each business and legal context. WORKFLOW
eIDAS Art. 26	**Advanced signature requirements**	X.509 certificate signing with embedded validation data (PAdES-LTA) for long-term verifiability. SECURITY BACKEND
eIDAS Art. 41–42	**Electronic timestamps**	RFC 3161 timestamps, including qualified timestamps from a QTSP, prove the existence of a document at a point in time. SECURITY
ESIGN §101	**Consent & record retention** Consumer consent to electronic records; records accurately reproducible.	Captured e-consent with disclosure versioning; signed records retained and reproducible for the full retention period. FRONTEND BACKEND
UETA §7, §9, §12	**Attribution & retention**	Signature attributed to an authenticated person via audit evidence; retained records remain accessible and unaltered. BACKEND SECURITY

BUSINESS VALUE One signing experience for internal GxP approvals and external contracts — no separate e-signature tool, no gaps in the audit trail, and legally robust evidence wherever you do business.

How the controls come together

Governed document lifecycle

Every controlled document follows an enforced state model. Transitions require the right role, completed prerequisites and — where configured — an electronic signature.

Draft — Author edits; check-in/out
› **In Review** — Parallel reviewers comment
› **Approval** — E-signature with meaning
› **Effective** — Training auto-assigned
› **Periodic Review** — Scheduled re-approval
› **Superseded** — Withdrawn from use
› **Archived / Disposed** — Retention & hold

Security architecture

- **Zero-trust access:** every request authenticated and authorised server-side; no implicit trust from network location.
- **Identity:** SAML 2.0 / OIDC SSO, MFA, SCIM provisioning, conditional access.
- **Encryption:** AES-256 at rest, TLS 1.2+ in transit, KMS/HSM key management, optional BYOK.
- **Integrity:** SHA-256 content hashing and hash-chained, append-only audit logs.
- **Detection:** SIEM streaming, anomaly alerts, malware scanning on upload.
- **Assurance:** secure SDLC, independent penetration tests, vulnerability management.

Workflow management

- **Visual designer:** configure BPMN-based workflows without code.
- **Segregation of duties:** authors cannot approve their own documents.
- **Change control:** link changes to CAPAs, deviations and impact assessments.
- **Training-on-release:** read-and-understand tasks with e-signature.
- **SLAs & escalations:** reminders, delegation and overdue dashboards.
- **Periodic review:** automatic scheduling based on document type and risk.

Frontend features users love — and auditors trust

Find in seconds

Full-text, OCR and metadata search with permission-trimmed results.

Redline compare

Side-by-side version comparison with change highlighting.

Compliance dashboards

Overdue reviews, training status and audit-readiness KPIs.

Work where you are

Microsoft 365 integration, mobile access and accessible UI (WCAG 2.1 AA).

Anatomy of a tamper-evident audit-trail entry

```
record     SOP-QA-0142 · v4.0 · "Deviation Handling"
action     SIGN · state In Review → Approved
user       Example User (uid 10482) · MFA verified
meaning    "I approve this document for release"
timestamp  2026-03-14T09:42:17Z (trusted time source)
reason     CAPA-2026-031 corrective update
doc_hash   sha256:9f2c…41ab
prev_hash  sha256:7b1e…c03d  → chained
```

- **Who, what, when, why** — every element an inspector asks for, in one entry.
- **Bound to content** — the document hash proves exactly which version was signed.
- **Chained** — each entry includes the previous entry's hash, so any deletion or edit breaks the chain and is detected.

AT A GLANCE

Compliance coverage matrix

A summary of how core platform capabilities support each framework. Use it as a starting point for your own requirements traceability.

FRAMEWORK	AUDIT TRAIL	E-SIG-NATURE	ACCESS CONTROL	ENCRYP-TION	VERSION CONTROL	WORK-FLOW	RETEN-TION	BACKUP / DR	VALID-ATION
FDA 21 CFR Part 11	●	●	●	◐	●	●	●	◐	●
EU GMP Annex 11	●	●	●	◐	●	●	●	●	●
GAMP 5 / ALCOA+	●	◐	●	◐	●	●	●	●	●
ISO 9001:2015	◐	◐	●	◐	●	●	●	◐	○
ISO 13485:2016	●	●	●	◐	●	●	●	◐	●
ISO/IEC 27001:2022	●	○	●	●	◐	◐	●	●	◐
GDPR	●	○	●	●	◐	●	●	●	○
HIPAA Security Rule	●	○	●	●	◐	◐	●	●	○
ISO 15489-1:2016	●	◐	●	◐	●	●	●	●	○
SOC 2	●	○	●	●	◐	●	◐	●	◐
NIST SP 800-53	●	◐	●	●	◐	●	◐	●	◐
eIDAS / ESIGN / UETA	●	●	◐	●	◐	◐	●	○	○

● Core requirement directly supported ◐ Supporting control ○ Not a primary requirement

Shared responsibility for compliance

The platform provides

- Technical controls described in this brochure
- Secure, monitored, resilient hosting
- Validation documentation and release evidence
- Supplier quality agreement and audit support

Your organisation provides

- Procedures, policies and user training
- Configuration aligned with your processes
- PQ / user acceptance and periodic review
- Governance of roles, access and retention rules

Regulatory compliance is ultimately the responsibility of the regulated organisation. SmartiDP EDMS provides capabilities that support compliance with the regulations and standards described; this brochure does not constitute legal advice or a certification of compliance. Specific certifications, attestations and hosting options should be confirmed with your account team.

SmartiDP
Intelligent Document Processing

WHY ORGANISATIONS CHOOSE SMARTIDP EDMS

From compliance burden to competitive advantage.

Regulated leaders use the platform to replace paper and disconnected tools with one secure, validated system of record — and redirect the time saved into innovation.

Faster cycle times

Parallel electronic review and signature replace manual routing, accelerating document release from weeks to days.

Always inspection-ready

Retrieve any record, its full history and signatures in seconds — during audits, inspections or due diligence.

Lower risk

Layered security and data-integrity controls reduce the likelihood and impact of findings, breaches and fines.

One platform, global reach

A single control set addresses U.S., EU and international requirements — simplifying multi-site and multi-market operations.

Lower total cost

Reduce paper, storage, courier and manual QA effort while reusing supplier validation evidence.

Scales with you

From a single site to a global enterprise, with configurable workflows that grow alongside your QMS.

See compliance in action.

Book a tailored demonstration and receive a requirements-traceability walkthrough mapped to your regulatory landscape.

Request a demo →

www.smartidp.ai

© 2026 Kenz Innovations. All rights reserved. Other trademarks belong to their respective owners.