

ACME Mining Pty Ltd

Site Safety Procedures Manual

Document No: ACME-HSE-001 | Version: 1.2 | Effective: January 2025

Prepared by: H&S Department | Approved by: Operations Manager

1. Purpose and Scope

This document outlines the health and safety procedures for all personnel operating at ACME Mining sites. It applies to full-time employees, contractors, and visitors. All workers are expected to read, understand, and comply with the procedures described in this manual.

This document is reviewed annually or following any significant incident. Workers who identify hazards not covered by this manual should report them to their immediate supervisor.

2. Personal Protective Equipment (PPE)

2.1 Mandatory PPE on Site

The following PPE is mandatory for all personnel within operational zones:

- Hard hats must be worn at all times in designated operational areas.
- High-visibility (hi-vis) vests are required after dark and in vehicle movement zones.
- Steel-capped boots are mandatory for all ground-level workers.

GAP NOTE: Eye protection, hearing protection, and chemical-resistant gloves are not listed as mandatory items. Workers may use them at their own discretion. No formal PPE risk assessment is referenced.

2.2 PPE Maintenance

Workers are responsible for maintaining their own PPE in good condition. Damaged PPE should be reported to a supervisor. Replacement timelines are not specified in this version of the manual.

3. Emergency Procedures

3.1 Accident Response

In the event of a workplace accident or injury, workers must notify their site supervisor as soon as possible. A first aid kit is located at the main site office. Workers with first aid certification should assist injured personnel where safe to do so.

GAP NOTE: No documented evacuation plan is included in this manual. Emergency assembly points (muster points) have not been formally designated. Emergency contact numbers are not listed anywhere on site.

3.2 Fire Response

Fire extinguishers are located near the main office and the equipment shed. Workers should call emergency services (000) in the event of an uncontrolled fire and evacuate the area.

4. Hazardous Substances and Chemical Handling

4.1 Storage

All chemicals used on site must be stored in the designated chemical storage shed. Containers must be sealed after use and clearly labelled with their contents.

4.2 Handling

- Workers handling chemicals should wear gloves.
- Avoid eating or drinking near chemical storage areas.

GAP NOTE: Safety Data Sheets (SDS) are not referenced or required to be on-hand under this procedure. There is no documented spill response procedure or requirement for a spill kit. No risk assessment process is defined for new chemicals introduced to site.

5. Working at Heights

5.1 Equipment

Workers performing tasks at elevated levels must use the scaffolding or ladders provided by ACME. Personal scaffolding equipment is not permitted on site without prior approval from the site supervisor.

GAP NOTE: Fall arrest harnesses and lanyards are not mentioned as a requirement anywhere in this document. No equipment inspection checklist exists for height-related equipment. Minimum height thresholds that trigger PPE requirements are not defined. There is no permit-to-work system for high-risk height work.

5.2 Training

Workers should have relevant experience before performing work at heights. Formal certification requirements are left to the discretion of the site supervisor.

6. Incident Reporting

6.1 Injury Reporting

All workplace injuries must be reported to the HR department within 48 hours of the incident. Workers should provide a verbal account of the event to their supervisor immediately after the incident occurs.

GAP NOTE: Near-miss incidents are not required to be reported under this procedure. No standardised incident report form is referenced. There is no requirement for root cause analysis following incidents. Reporting obligations to external regulators (e.g. SafeWork Australia) are not addressed.

7. Site Induction

All new workers must complete a site induction before commencing work. The induction is conducted by the site supervisor and covers basic site rules, hazard locations, and emergency exits.

A signed induction record must be kept on file by the HR department. Induction content is reviewed at the discretion of the Operations Manager.

GAP NOTE: No competency assessment is required following induction. Refresher inductions are not scheduled. Contractor-specific induction requirements are not separately defined.

8. Worker Acknowledgement

By signing below, the worker confirms they have read, understood, and agree to comply with the ACME Site Safety Procedures outlined in this document.

Full Name: _____

Signature: _____

Date: _____

Employee ID: _____