


CALCULUS I

20264



PROFESOR MADYA Ts.
DR. RIZAUDDIN SAIAN

www.rizauddin.com | Room: B2-64 | Tel: 04-9882770

NAME:
STUDENT ID:
GROUP:

Calculus I Workbook

Profesor Madya Ts. Dr. Rizauddin Saian

<https://www.rizauddin.com> | Room: B2-64 | Tel: 04-9882770

2026

Scheme of Works

MAT421-20264

Week	Date	Topic	Updated on 2026/09/21
1	28/9/2026-4/10/2026	1. FUNCTIONS, LIMITS AND CONTINUITY 1.1 Functions - Properties of functions - Domain and range - Operations on functions - Graphs (Family) of functions Tutorial/Lab	
2	5/10/2026-11/10/2026	1.2 Limits - Introduction (An intuitive approach) - One-sided limit and two-sided limits - Infinite limits and limits at infinity - Computing limits Tutorial/Lab	
3	12/10/2026-18/10/2026	- Computing limits: End behavior 1.3 Continuity - Continuity at a point - Limits and Continuity of Trigonometric Functions Tutorial/Lab	
4	19/10/2026-25/10/2026	2. DIFFERENTIATION 2.1 An Introduction to the Derivative: Tangents 2.2 Definition of Derivative - Differentiation from the first principle - Differentiability and continuity 2.3 Techniques of Differentiation 2.4 Derivatives of Trigonometric, Exponential and Logarithmic Functions Tutorial/Lab	
5	26/10/2026-1/11/2026	2.5 The Chain Rule 2.6 Implicit Differentiation 2.7 Linear Approximations and Differentials Tutorial/Lab	
6	2/11/2026-8/11/2026	3. APPLICATIONS OF DIFFERENTIATION 3.1 Related Rates Assessment 1: Quiz (20%) - Ch 1.1-2.7 Tutorial/Lab	

25/09/2026 12:33:20

1

MAT421-20264

Week	Date	Topic
7	9/11/2026-15/11/2026	3.2 Analysis of Functions I - Intervals of increasing and decreasing functions - Concavity and inflection points 3.3 Analysis of Functions II: - Relative maxima and minima Tutorial/Lab
	8/11/2026 (Sunday)	Hari Deepavali
8	16/11/2026-22/11/2026	- Critical numbers - First and Second Derivative Tests - Graphs of polynomial functions - Graphs of rational functions (linear / linear) Tutorial/Lab
	23/11/2026-29/11/2026	3.4 Maximum and Minimum Values - Absolute maxima and minima 3.5 Applied Maximum and Minimum Problems 3.6 Rolle's Theorem; Mean-Value Theorem Tutorial/Lab
		Assessment 3: Written Report (10%) - Ch 1, 2, 3
10	30/11/2026-6/12/2026	4. INTEGRATION 4.1 Anti-derivatives 4.2 The indefinite integral of algebraic functions and trigonometric functions, Exponential and Logarithmic Functions 4.3 Integration by Substitution Tutorial/Lab
11	7/12/2026-13/12/2026	4.4 Sigma notation 4.5 Area as a limit and the Definite Integrals - Properties of Definite Integrals Tutorial/Lab
		Assessment 2: Test (20%) - Ch 3.1-4.3
12	14/12/2026-20/12/2026	4.6 The Fundamental Theorem of Calculus - First Fundamental Theorem of Calculus - The Second Fundamental Theorem of Calculus - Evaluating Definite Integrals by Substitution 4.7 The Mean Value Theorem for Integrals Tutorial/Lab

MAT421-20264

Week	Date	Topic
	21/12/2026-27/12/2026	Mid-Semester Break
13	28/12/2026-3/1/2027	5. APPLICATIONS OF INTEGRATION 5.1 Area Between Two Curves 5.2 Volume: Solids of Revolution - Volume by Disks Method Tutorial/Lab
14	4/1/2027-10/1/2027	5.2 Volume: Solids of Revolution - Volume by Washers Method 5.3 Volumes by Cylindrical Shell Method Tutorial/Lab
	11/1/2027-17/1/2027	Revision Week
	18/1/2027-7/2/2027	Final Examination
	8/2/2027-14/3/2027	Semester Break

Ref: <https://hea.uitm.edu.my/v4/index.php/calendars/academic-calendar>
<https://www.perlis.gov.my/index.php/suk-perlis/info-umum/hari-kelepasan-am-negeri-perlis>

Assessment:

Final Assessment : 50% (3-hour) - All chapters

Continuous Assessments : 50%

Assessment 1 (Quiz) : 20% - Ch 1.1-2.7

Assessment 2 (Test) : 20% - Ch 3.1-4.3

Assessment 3 (Group) : 10% - Ch 1, 2, 3

- Topics: Functions, Limits and Continuity, Differentiation, and Applications of Differentiation.

- A group assignment that requires writing systematic solutions to the calculus problems with the help of a mathematical software.

Recommended Text:

1. Stewart,J., Clegg,D., Watson,S.(2021). Calculus: Matric Edition, 9th Edition, Cengage Learning, 2021, ISBN: 9780357113462

References

1. Anton, H., Bivens,I.C., Davis,S. (2017), Calculus : Early Transcendentals, 11th Edition, John Wiley & Sons Inc,ISBN: 1119248906
2. Briggs, W., Cochran, L., Gillet, B., Schulz, E. (2018). Calculus: Single Variable, 3rd Edition, Pearson Education (US), ISBN: 0134769783
3. Larson, R., Edwards,B.H. (2018). Calculus, 11th Edition, Cengage Learning, ISBN: 9781337275347
4. Smith, K.J., Daniele, T.M, Strauss, M.J.(2018). Calculus, 7th Edition, Kendall Hunt Publishing, ISBN: 1524971359
5. Neil,H. (2018). Calculus: A Complete Introduction, Illustrated edition, John Murray Press, ISBN: 1473678447

Preface

Welcome to the world of Calculus I! This workbook is designed to be your trusted companion on your journey through the fundamental concepts of calculus. Whether you are a student gearing up for your first encounter with calculus, an educator looking for comprehensive teaching materials, or someone seeking to refresh their calculus skills, this workbook is tailored to meet your needs.

This workbook is carefully crafted to guide you through the essential topics of Calculus I, starting from the basic principles of limits and continuity and progressing to the heart of calculus: differentiation and integration. Each chapter is structured to provide a clear explanation of key concepts, accompanied by exercises that reinforce your understanding. The exercises are designed to challenge you and encourage active learning, allowing you to practice and master the skills necessary to solve calculus problems with confidence.

Key Features of This Workbook:

1. **Comprehensive Coverage:** This workbook covers all the fundamental concepts of Calculus I, ensuring that you have a strong foundation for advanced calculus and related subjects.
2. **Clarity and Accessibility:** Complex topics are explained in a clear and concise manner, making the material accessible to learners of all levels.
3. **Practice Exercises:** Ample practice exercises are provided throughout the workbook, ranging from basic to advanced levels of difficulty.

Remember, learning calculus is a gradual process that requires patience, practice, and perseverance. By working through this workbook diligently, you will not only grasp the principles of calculus but also develop the confidence to apply your knowledge to diverse challenges.

Best of luck in your studies, and may your exploration of calculus be both rewarding and enlightening!

Happy Learning Calculus!

Acknowledgements

As I embark on the task of acknowledging those whose support and inspiration have been instrumental in the creation of this workbook, I find myself deeply grateful to the remarkable individuals who have shaped my journey in mathematics education.

First and foremost, I express my heartfelt gratitude to my wife, whose unwavering support, encouragement, and patience have been my constant pillars. Her belief in my work and her boundless love have provided me with the strength to undertake this endeavor. To my daughters, who have brought immense joy and laughter into our lives, thank you for your understanding during the long hours spent crafting these pages. Your presence has been my source of inspiration, reminding me of the importance of education for future generations. I extend my sincere appreciation to my teachers, whose passion for teaching ignited the spark of curiosity within me. Their dedication to nurturing young minds has been a guiding light, and I am forever indebted for their wisdom and guidance. It is through their teachings that I found my love for mathematics, a passion I aim to instill in others through this workbook.

To my previous students, your enthusiasm, questions, and thirst for knowledge have been the driving force behind this project. Your engagement in the classroom has challenged me to find innovative ways to explain complex concepts, and your success stories continue to inspire me. Each interaction with you has reinforced my belief in the transformative power of education.

I am also grateful for the support and encouragement I have received from colleagues, friends, and mentors. Your insights and discussions have enriched my understanding of calculus and teaching methodologies, shaping the content of this workbook.

Lastly, I extend my thanks to the countless authors, researchers, and educators whose contributions to the field of mathematics have paved the way for innovative teaching approaches. Your work has been a wellspring of knowledge and ideas, shaping the content of this workbook and enriching the learning experience for readers.

To all of you, I offer my deepest gratitude. This workbook stands as a testament to the collective effort and shared passion for education. May it serve as a valuable resource for learners, igniting the same love for calculus that has been kindled in me by the remarkable individuals in my life.

With heartfelt appreciation,

Rizauddin Saian

8 Oct 2023

Contents

Scheme of Works	i
Preface	iv
Acknowledgements	v
1 Functions, Limits and Continuity	1
1.1 Find the Domain of a Function	1
1.2 Graphs of Functions	3
1.3 Limits	4
1.4 Computing Limits	6
1.5 Computing Limits - Case $\lim_{x \rightarrow a} f(x) = \frac{0}{0}$	7
1.6 Computing Limits at ∞	8
1.6.1 Odd vs Even Positive Integer Powers	8
1.6.2 Polynomials	9
1.6.3 Rational Functions	10
1.6.4 Radical Functions	11
1.6.5 Indeterminate Form of Type $\infty - \infty$	12
1.7 Limits of Trigonometric Functions	13
1.8 Continuity	16
2 Differentiation	18
2.1 Definition of Derivative	18
2.2 Techniques of Differentiation	21
2.3 The Chain Rule	23
2.4 Implicit Differentiation	24
2.5 Equation of Tangent Line	26
2.6 Linear Approximations and Differentials	27
3 Applications of Differentiation	29
3.1 Related Rates	29
3.2 Critical Points	30
3.3 Intervals of Increasing and Decreasing Functions	31
3.4 Concavity and Inflection Points	32
3.5 Asymptotes	33
3.6 Curve Sketching: Even Polynomial Function	34
3.7 Curve Sketching: Odd Polynomial Function	35
3.8 Curve Sketching: Rational Function	36
3.9 Rolle's Theorem; Mean-Value Theorem	37
3.10 Maximum and Minimum Values of a Function	38
4 Integration	40
4.1 The Indefinite Integral	40
4.2 Integration by Substitution	47
4.3 The Definite Integral	50
4.4 Evaluating Definite Integrals by Substitution	53
4.5 The Second Fundamental Theorem of Calculus	54

4.6	Mean-Value Theorem for Integrals	55
5	Applications of Integration	56
5.1	Area Between Two Curves	56
5.2	Method of Disks/Washers (Perpendicular to the x -axis)	60
5.3	Method of Disks/Washers (Perpendicular to the y -axis)	64
5.4	Cylindrical Shells (Revolved about the y -axis)	67
5.5	Cylindrical Shells (Revolved about the x -axis)	70
5.6	Washer vs. Cylindrical Shell	72
A	Important Formulas	75
A.1	Derivatives and Integrals	75
A.2	Trigonometric Identities, Index (Exponent) Rules and Logarithmic Properties .	76
B	Cheat Sheets	77
B.1	Computing Limits	77
B.2	Curve Sketching	78

1 | Functions, Limits and Continuity

1.1 Find the Domain of a Function

Find the domain of the following functions.

1 $f(x) = x + 4$

$(-\infty, +\infty)$:sup

2 $f(x) = x^2 + 4x + 5$

$(-\infty, +\infty)$:sup

3 $f(x) = 4$

$(-\infty, +\infty)$:sup

4 $f(x) = \frac{1}{4}$

$(-\infty, +\infty)$:sup

5 $f(x) = -\sqrt{3}$

$(-\infty, +\infty)$:sup

6 $f(x) = 0$

$(-\infty, +\infty)$:sup

7 $f(x) = x^3 - 5$

$(-\infty, +\infty)$:sup

8 $f(x) = \frac{2}{x+3}$

$(-\infty, -3) \cup (-3, +\infty)$:sup

9 $f(x) = \frac{2}{x^2 + 3}$

$(-\infty, +\infty)$:sup

10 $f(x) = \sqrt{x+3}$

$[-3, +\infty)$:sup

$$\boxed{11} \quad f(x) = \sqrt{x^2 + 3}$$

$(-\infty, +\infty) : \text{sup}$

$$\boxed{12} \quad f(x) = \sqrt{x^2 + 2x - 8}$$

$(-\infty, -4] \cup [2, +\infty) : \text{sup}$

$$\boxed{13} \quad f(x) = \log(x + 3)$$

$(-3, +\infty) : \text{sup}$

$$\boxed{14} \quad f(x) = \log(x^2 + 3)$$

$(-\infty, +\infty) : \text{sup}$

$$\boxed{15} \quad f(x) = \log(x^2 + 2x - 8)$$

$(-\infty, -4] \cup [2, +\infty) : \text{sup}$

$$\boxed{16} \quad f(x) = 2^{x+3}$$

$(-\infty, +\infty) : \text{sup}$

$$\boxed{17} \quad f(x) = \frac{\sqrt{x+3}}{x-2}$$

$(-\infty, -3) \cup (2, +\infty) : \text{sup}$

$$\boxed{18} \quad f(x) = \frac{x+3}{\log(x-2)}$$

$(2, +\infty) : \text{sup}$


$$\boxed{19} \quad f(x) = \frac{\sqrt{x+3}}{x^2 - 16}$$

$(-\infty, -4) \cup (-4, 2) \cup (2, +\infty) : \text{sup}$



Scan for guides

1.2 Graphs of Functions



1.3 Limits

1. One sided limits:

- (a) the limit of $f(x)$ as x approaches a from the right is L .

$$\lim_{x \rightarrow a^+} f(x) = L$$

- (b) the limit of $f(x)$ as x approaches a from the left is L .

$$\lim_{x \rightarrow a^-} f(x) = L$$

2. Two sided limits:

- (a) What is the limit of the following function as x approaches a ?

$$\lim_{x \rightarrow a} f(x) = L \iff \lim_{x \rightarrow a^-} f(x) = \lim_{x \rightarrow a^+} f(x) = L$$

- (b) If there is no sign in the limit notation, then you're being asked for a two-sided limit. You only have a two-sided limit if your left and right limits agree. The existence of a limit from the left-hand side does not imply that you have a right-sided limit. When we say that something has a limit, then we mean that it has an actual numeric value.

3. Infinite limits

- (a) Increases without bound

$$\lim_{x \rightarrow a} f(x) = +\infty$$

- (b) Decreases without bound

$$\lim_{x \rightarrow a} f(x) = -\infty$$

4. Limits at infinity

- (a) $\lim_{x \rightarrow +\infty} f(x) = L$: $f(x) \rightarrow L$ as $x \rightarrow +\infty$


- (b) $\lim_{x \rightarrow -\infty} f(x) = L$: $f(x) \rightarrow L$ as $x \rightarrow -\infty$

5. Vertical asymptote

If $\left(\lim_{x \rightarrow a^-} f(x) = +\infty \text{ or } \lim_{x \rightarrow a^-} f(x) = -\infty \right)$ and $\left(\lim_{x \rightarrow a^+} f(x) = +\infty \text{ or } \lim_{x \rightarrow a^+} f(x) = -\infty \right)$, then **the line** $x = a$ is called the **vertical asymptote** of the graph of a function f .

6. Horizontal asymptote If $\lim_{x \rightarrow +\infty} f(x) = L$ or $\lim_{x \rightarrow -\infty} f(x) = L$, then **the line** $y = L$ is called the **horizontal asymptote** of the graph of a function f

Consider the graph of a function



Find:

1 $f(2)$

Ans: undefined

2 $\lim_{x \rightarrow 2^-} f(x)$

Ans: 1

3 $\lim_{x \rightarrow 2^+} f(x)$

Ans: -1

4 $\lim_{x \rightarrow 2} f(x)$

Ans: undefined

5 $f(-5)$

Ans: 1

6 $\lim_{x \rightarrow -5^-} f(x)$

Ans: 2

7 $\lim_{x \rightarrow -5^+} f(x)$

Ans: 2

8 $\lim_{x \rightarrow -5} f(x)$

Ans: 2

9 $f(-3)$

Ans: undefined

10 $\lim_{x \rightarrow -3^-} f(x)$

Ans: $+\infty$

11 $\lim_{x \rightarrow -3^+} f(x)$

Ans: $+\infty$

12 $\lim_{x \rightarrow -3} f(x)$

Ans: $+\infty$

13 $\lim_{x \rightarrow -\infty} f(x)$

Ans: 0

14 $\lim_{x \rightarrow +\infty} f(x)$

Ans: $-\infty$

15 The vertical asymptote

Ans: $x = -3$

1.4 Computing Limits

Evaluate the following limits.

1 $\lim_{x \rightarrow 3} (x + 2)$
Ans: 5

2 $\lim_{x \rightarrow 3} (x^2 + x + 2)$
Ans: 14

3 $\lim_{x \rightarrow 3} \frac{x + 2}{4 - x}$
Ans: 5/1

4 $\lim_{x \rightarrow 4} (4 - x)$
Ans: 0

5 $\lim_{x \rightarrow 4} \frac{4 - x}{x - 2}$
Ans: 0

6 $\lim_{x \rightarrow 4} \frac{x - 2}{4 - x}$
Ans: does not exist



Scan for guides

1.5 Computing Limits - Case $\lim_{x \rightarrow a} f(x) = \frac{0}{0}$

Evaluate the following limits.

1 $\lim_{x \rightarrow -3} \frac{x^2 + 5x + 6}{x + 3}$

Ans: 1

2 $\lim_{x \rightarrow 0} \frac{x}{\sqrt{x+4} - 2}$

Ans: 1/4



Scan for guides

1.6 Computing Limits at ∞

1.6.1 Odd vs Even Positive Integer Powers

Evaluate the following limits.

$$\boxed{1} \lim_{x \rightarrow 2} x$$

ans: 2

$$\boxed{2} \lim_{x \rightarrow +\infty} x$$

ans: $+\infty$

$$\boxed{3} \lim_{x \rightarrow -2} x$$

ans: -2

$$\boxed{4} \lim_{x \rightarrow -\infty} x$$

ans: $-\infty$

$$\boxed{5} \lim_{x \rightarrow 2} 3$$

ans: 3

$$\boxed{6} \lim_{x \rightarrow +\infty} 3$$

ans: 3

$$\boxed{7} \lim_{x \rightarrow -2} x^3$$

ans: -8

$$\boxed{8} \lim_{x \rightarrow \infty} x^3$$

ans: $+\infty$

$$\boxed{9} \lim_{x \rightarrow -2} x^2$$

ans: 4

$$\boxed{10} \lim_{x \rightarrow -\infty} x^2$$

ans: $+\infty$

$$\boxed{11} \lim_{x \rightarrow -2} (-x^2)$$

ans: -4

$$\boxed{12} \lim_{x \rightarrow -\infty} (-x^2)$$

ans: $-\infty$

$$\boxed{13} \lim_{x \rightarrow -2} (-x^3)$$

ans: 8

$$\boxed{14} \lim_{x \rightarrow -\infty} (-x^3)$$

ans: $+\infty$

$$\boxed{15} \lim_{x \rightarrow +\infty} (-3x)$$

ans: $-\infty$



Scan for guides

1.6.2 Polynomials

Limits at ∞ for polynomials matches limits at ∞ of its highest degree term.

Evaluate the following limits.

1 $\lim_{x \rightarrow +\infty} (3x^4 + 2x + 3)$

$\infty+$:sup

2 $\lim_{x \rightarrow +\infty} (-3x^4 + 2x + 3)$

$\infty-$:sup

3 $\lim_{x \rightarrow -\infty} (3x^4 + 2x + 3)$

$\infty+$:sup

4 $\lim_{x \rightarrow -\infty} (-3x^4 + 2x + 3)$

$\infty-$:sup

5 $\lim_{x \rightarrow -\infty} (2x^3 + 2x + 3)$

$\infty-$:sup

6 $\lim_{x \rightarrow -\infty} (-2x^3 + 2x + 3)$

$\infty+$:sup



Scan for guides

1.6.3 Rational Functions

1. Divide the numerator and denominator by the highest power x that occurs in the denominator.

2. $\lim_{x \rightarrow +\infty} \frac{1}{x} = \lim_{x \rightarrow -\infty} \frac{1}{x} = 0$

Evaluate the following limits.

1 $\lim_{x \rightarrow +\infty} \frac{2x+4}{5x-3}$

$\frac{5}{2}$:supv

2 $\lim_{x \rightarrow -\infty} \frac{2x^2+4}{5x-3}$

$\infty-$:supv



Scan for guides

1.6.4 Radical Functions

1. Find the limit first, and subsequently, calculate the square root.

$$2. \lim_{x \rightarrow +\infty} \frac{1}{x} = \lim_{x \rightarrow -\infty} \frac{1}{x} = 0$$

Evaluate the following limits.

1 $\lim_{x \rightarrow +\infty} \sqrt{\frac{2x+4}{5x-3}}$
ans: $\frac{2}{5}$

2 $\lim_{x \rightarrow +\infty} \frac{\sqrt{x^2+1}}{2x-3}$
ans: $\frac{1}{2}$

3 $\lim_{x \rightarrow -\infty} \frac{\sqrt{x^2+1}}{2x-3}$
ans: $-\frac{1}{2}$



Scan for guides

1.6.5 Indeterminate Form of Type $\infty - \infty$

Evaluate the following limits.

$$\boxed{1} \quad \lim_{x \rightarrow +\infty} \left(\sqrt{x^2 - 3x} - x \right)$$

$\frac{\infty}{\infty}$: sup

$$\boxed{2} \quad \lim_{x \rightarrow +\infty} \left(\sqrt{x^2 + 3} - x \right)$$

$\frac{\infty}{\infty}$: sup



Scan for guides

1.7 Limits of Trigonometric Functions

Evaluate the following limits.

1 $\lim_{x \rightarrow 0} (\sin(x))$

Ans: 0

2 $\lim_{x \rightarrow 0} (\cos(x + 1))$

Ans: $\cos(1)$

3 $\lim_{x \rightarrow +\infty} \left(\cos\left(\frac{1}{x}\right) \right)$

Ans: 1

$$1. \lim_{x \rightarrow 0} \frac{\sin x}{x} = \lim_{x \rightarrow 0} \frac{x}{\sin x} = 1$$

$$2. \lim_{x \rightarrow 0} \frac{\cos x - 1}{x} = \lim_{x \rightarrow 0} \frac{x}{1 - \cos x} = 0$$

Evaluate the following limits.

$$\boxed{4} \quad \lim_{x \rightarrow 0} \left(\frac{\sin(3x)}{x} \right)$$

Ans: 3

$$\boxed{5} \quad \lim_{x \rightarrow 0} \left(\frac{\sin(3x) - x \cos(3x)}{x} \right)$$

Ans: 2

Evaluate the following limits.

$$\boxed{6} \quad \lim_{x \rightarrow \frac{\pi}{2}} \frac{\pi + x \cos(x)}{2x - \sin(x)}$$

$\frac{1-\pi}{\pi} : \sup$

$$\boxed{7} \quad \lim_{x \rightarrow 0} \frac{\sin(5x)}{\sin(4x)}$$

$\frac{5}{4} : \sup$

$$\boxed{8} \quad \lim_{x \rightarrow 0} \frac{x}{\tan(3x)}$$

$\frac{3}{1} : \sup$

$$\boxed{9} \quad \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h} \text{ if } f(x) = \cos(x)$$

$(x) \text{ up to } : \sup$



Scan for guides

1.8 Continuity

f is continuous at $x = a$ if:

1. $f(a)$ is defined.
2. $\lim_{x \rightarrow a} f(x)$ exists $\Leftrightarrow \lim_{x \rightarrow a^+} f(x) = \lim_{x \rightarrow a^-} f(x)$.
3. $\lim_{x \rightarrow a} f(x) = f(a) = L$.

1 Determine whether the function $f(x) = \frac{4x+12}{x^2-9}$ is continuous at $x = 0$.
 Ans: continuous

2 Determine whether the function $f(x) = \frac{4x+1}{x^2-9}$ is continuous at $x = -3$.
 Ans: discontinuous

3 Determine whether the following function is continuous at $x = 3$.

$$f(x) = \begin{cases} 2x^2 - 5 & x < 3 \\ 4x + 1 & x \geq 3 \end{cases}$$

Ans: continuous

4 Find the value(s) of k if f is continuous at $x = 1$.

$$f(x) = \begin{cases} x^2 - 2 & x < 1 \\ kx - 4 & x \geq 1 \end{cases}$$

Ans: $k = 3$



Scan for guides

2 | Differentiation

2.1 Definition of Derivative

$$f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$$

Find the derivative of f using the definition of derivative.

1 $f(x) = x + 4$

Ans: 1

2 $f(x) = x^2 + 4$

Ans: $2x$

3

$f(x) = \sqrt{x+4}$

Ans: $\frac{z^{\sqrt{v+x}}}{1}$

4

$f(x) = \frac{1}{x+4}$

Ans: $\frac{z^{(\sqrt{v+x})}}{1} -$

$$\boxed{5} \quad f(x) = \sin(x)$$

$(x) \cos : \sin$

$$\boxed{6} \quad f(x) = \cos(x)$$

$(x) \sin - : \sin$



Scan for guides

2.2 Techniques of Differentiation

1. Power Rule: $(x^n)' = nx^{n-1}; n \in \mathbb{R}$
2. Product Rule: $[u(x)v(x)]' = v(x)u'(x) + u(x)v'(x)$
3. Quotient Rule: $\left[\frac{u(x)}{v(x)}\right]' = \frac{v(x)u'(x) - u(x)v'(x)}{v(x)^2}$

Find the derivative $f'(x)$.

1 $f(x) = 3x^8 - 2x^5 + 6x + 1$

Ans: $24x^7 - 10x^4 + 6$

2 $f(x) = (4x^2 - 1)(7x^3 + x)$

Ans: $140x^4 - 9x^2 - 1$

3 $f(x) = \frac{x^2 - 1}{x^4 + 1}$

Ans: $\frac{-2x^5 + 4x^3 + 2}{(x^4 + 1)^2}$

4 $f(x) = x^2 \tan x$

Ans: $(\tan x)(2x) + x^2 \sec^2 x$

1. Derivative of logarithmic function: $[\log_b(u(x))]' = \frac{u'(x)}{u(x) \ln b}$
2. Derivative of natural logarithmic function: $[\ln(u(x))]' = \frac{u'(x)}{u(x)}$
3. Derivative of exponential function: $[b^{u(x)}]' = b^{u(x)} (\ln b) u'(x)$
4. Derivative of exponential function: $[e^{u(x)}]' = e^{u(x)} u'(x)$

5 $f(x) = \log_2(x^2 + 1)$
 $\frac{2x \ln(1+e^x)}{x^2} : \text{ans}$

6 $f(x) = \ln(x^2 + 1)$
 $\frac{1+e^x}{x^2} : \text{ans}$

7 $f(x) = 2^{\sin(x)}$
 $2^{\sin(x)} \cos(x) \ln 2 : \text{ans}$

8 $f(x) = e^{\cos x}$
 $e^{\cos x} \sin x : \text{ans}$

2.3 The Chain Rule

$$\text{Chain Rule: } (f \circ g)'(x) = f'(g(x)) \times g'(x)$$

1 $f(x) = (x^3 + 2x - 3)^4$

2 $f(x) = 4\sin(x^3)$

3 $f(x) = \frac{1}{x^3 + 2x - 3}$

4 $f(x) = \sqrt{x^3 + 2x - 3}$



Scan for guides

2.4 Implicit Differentiation

1 $\frac{d}{dx}(x^2 + 3x + 4)$
 Ans: $2x + 3$

2 $\frac{d}{dx}[(x^2 + 3x + 4)^5]$
 Ans: $5(x^2 + 3x + 4)^4(2x + 3)$

3 Find $\frac{dy}{dx}$ for $y = f(x)$.
 Ans: $\frac{xp}{fp}$

4 Find $\frac{dy}{dx}$ for $y = [f(x)]^5$.
 Ans: $5[f(x)]^4 \frac{xp}{fp}$

5 Find $\frac{dy}{dx}$ for $y^3 = [f(x)]^5$.

Ans: $\frac{z^{\lambda\epsilon}}{f^p \sqrt[5]{(x)f[5]}}$

6 Find $\frac{dy}{dx}$ for $y^3 = (x^2 + 3x + 4)^5$.

Ans: $\frac{z^{\lambda\epsilon}}{(3+x2) \sqrt[5]{(1+x\epsilon+z^x)5}}$

7 Find $\frac{dy}{dx}$ for $5y^2 + \sin y = x^2$.

Ans: $\frac{\lambda \cos y + \lambda 01}{2x}$

8 Find $\frac{dy}{dx}$ for $x^3 + y^3 = 3xy$ (Folium of Descartes).

Ans: $\frac{x-z^{\lambda}}{z^2 x-\lambda}$



Scan for guides

2.5 Equation of Tangent Line

$$y - y_1 = m(x - x_1)$$

- 1** Find the equation of tangent line to $f(x) = x^2 + 1$ at $x = 2$.

Ans: $y = 4x - 3$

- 2** Find the equation of tangent line to $f(x) = 2x^2$ at the point $(3, 18)$.

Ans: $y = 12x - 18$



Scan for guides

2.6 Linear Approximations and Differentials

1. Local Linear Approximation of f at x_0

$$f(x) \approx f(x_0) + f'(x_0)(x - x_0)$$

2. Differentials: For the function $y = f(x)$, we define the following:

(a) dx , called the differential of x , given by the relation $dx = \delta x$

(b) dy , called the differential of y , given by the relation $dy = f'(x)dx$

- 1** Find the local linear approximation of $f(x) = \sqrt{x}$ at $x_0 = 4$.

$\frac{1}{\sqrt{x}}$:sup

2 Use differentials to approximate $\sqrt{3.98}$.

$\frac{002}{661}$ I :suV

3 Use differentials to approximate $\sqrt{4.02} - \frac{1}{\sqrt{4.02}}$.

$\frac{091}{18}$ I :suV



Scan for guides

3 | Applications of Differentiation

3.1 Related Rates

Find the rate at which some quantity is changing by relating the quantity to other quantities whose rates of change is known.

1. Given $y = f(x)$ and $x = g(t)$
and a constant rate of change $\frac{dx}{dt}$.
2. Find the changes of y in time (or rate of change or how fast is the changing) when $x = \text{'something'}$.
3. $\frac{dy}{dt} = \frac{df}{dx} \Big|_{x=\text{'something'}} \times \frac{dx}{dt}$.

1 The value of x is increasing at a constant rate of 4. How fast is $y = 3x^2 + 2$ changing at the instant $x = 2$.
Ans = $\frac{16}{1}$:suV

2 The value of y is decreasing at a constant rate of 1. $x^2 + y^2 = 625$. How fast is x changing at the instant $x = 7$.
Ans = $\frac{16}{x^2}$:suV



Scan for guides

3.2 Critical Points

$x = c$ is a critical point of $f(x)$ if:

1. $f'(c) = 0$, or
2. $f'(c)$ does not exist

Determine all the critical point(s) for the following functions:

1 $x^2 - 4x + 3$

Ans: $x = 2$

2 $x^3 - 3x + 2$

Ans: $x = 1, -1$

3 $\frac{x-1}{x+2}$

Ans: $x = -2$



Scan for guides

3.3 Intervals of Increasing and Decreasing Functions

Let f be a function that is continuous on a closed interval $[a, b]$ and is differentiable on the open interval (a, b) .

	x on interval (a, b)		
$f'(x)$	+	−	0
$f(x)$	increasing, $f \uparrow$	decreasing $\downarrow$	constant

Determine the intervals where the following functions are decreasing or increasing.

1

$x^2 - 4x + 3$

Ans: decreasing: $(-\infty, 2)$; increasing: $(2, +\infty)$

2

$x^3 - 3x + 2$

Ans: decreasing: $(-1, 1)$; increasing: $(-\infty, -1), (1, +\infty)$

3

$\frac{x - 1}{x + 2}$

Ans: decreasing: none; increasing: $(-\infty, -2), (-2, +\infty)$



Scan for guides

3.4 Concavity and Inflection Points

Let f be twice differentiable on the open interval (a, b) .

	x on interval (a, b)	
$f''(x)$	+	−
$f(x)$	concave up, $f \cup$	concave down $\cap$

$x = c$ is an **inflection point** of $f(x)$ if the concavity changes at $x = c$.

1 $x^2 - 4x + 3$

Ans: concave up: $(-\infty, +\infty)$; concave down: none; no inflection point

2 $x^3 - 3x + 2$

Ans: concave up: $(0, +\infty)$; concave down: $(-\infty, 0)$; inflection point: $x = 0$

3 $\frac{x - 1}{x + 2}$

Ans: concave up: $(-\infty, -2)$; concave down: $(-2, +\infty)$; no inflection point



3.5 Asymptotes

1. **vertical asymptotes:** vertical lines which correspond to the zeroes of the denominator of rational function.
2. **horizontal asymptotes:** $\lim_{x \rightarrow \pm\infty} f(x)$

1 $f(x) = \frac{x-1}{x+2}$

Ans: vertical asymptotes: $x = -2$; horizontal asymptotes: $y = 1$



Scan for guides

3.6 Curve Sketching: Even Polynomial Function

Steps:

1. y – intercepts
2. x – intercepts
3. Intervals of decrease and increase
4. Concavity and inflection points
5. Relative extrema
6. Sketch graph

Sketch the graph of the following function.

1 $f(x) = x^2 - 4x + 3$



Scan for guides

3.7 Curve Sketching: Odd Polynomial Function

Steps:

1. y – intercepts
2. x – intercepts
3. Intervals of decrease and increase
4. Concavity and inflection points
5. Relative extrema
6. Sketch graph

Sketch the graph of the following function.

1 $f(x) = x^3 - 3x + 2$



Scan for guides

3.8 Curve Sketching: Rational Function

Steps:

1. y – intercepts
2. x – intercepts
3. Intervals of decrease and increase
4. Concavity and inflection points
5. Relative extrema
6. **Asymptotes**
7. Sketch graph

Sketch the graph of the following function.

1 $f(x) = \frac{x-1}{x+2}$



Scan for guides

3.9 Rolle's Theorem; Mean-Value Theorem

Mean Value Theorem: f is differentiable on (a, b) and continuous on $[a, b]$. Then, there is at least one number c in (a, b) such that

$$f'(c) = \frac{f(b) - f(a)}{b - a}$$

1 Determine all the numbers c which satisfy the conclusions of the Mean Value Theorem for $f(x) = x^3 + 1$ on $(0, 2)$.
Ans: $x = \sqrt[3]{2}$

Rolle's Theorems: f is differentiable on (a, b) .

$$f(a) = f(b) = 0$$

Then, there is at least one number c in (a, b) such that

$$f'(c) = 0$$

2 Determine all the numbers c which satisfy the conclusions of the Rolle's Theorem for $f(x) = x^3 - x$ on $[0, 1]$.
Ans: $x = \frac{1}{\sqrt{3}}$



Scan for guides

3.10 Maximum and Minimum Values of a Function




Figure 3.1: Maximum and minimum values.

1. **First Derivative test:** Suppose that f is continuous at a critical number x_0 .
 - (a) **Relative maximum** at x_0 : $f'(x < x_0) > 0$ and $f'(x > x_0) < 0$
 - (b) **Relative minimum** at x_0 : $f'(x < x_0) < 0$ and $f'(x > x_0) > 0$
 - (c) **No relative extremum** at x_0 : No changes in sign of $f'(x_0)$
2. **Second Derivative test:** Suppose that f is twice differentiable x_0 and $f'(x_0) = 0$.
 - (a) **Relative minimum** at x_0 : $f'' > 0$
 - (b) **Relative maximum** at x_0 : $f'' < 0$
 - (c) **Inconclusive:** $f'' = 0$

- 1** Find the relative and absolute extremum values for $f(x) = 2x^3 - 15x^2 + 36x$ on the interval $[1, 5]$.



Scan for guides

4 | Integration

4.1 The Indefinite Integral

$$\int b \, dx = bx + C$$

1 $\int 4 \, dx$
Ans: $4x + C$

2 $\int 0.4 \, dy$
Ans: $0.4y + C$

3 $\int \frac{1}{3} \, dx$
Ans: $\frac{x}{3} + C$

4 $\int e \, d\theta$
Ans: $e\theta + C$

5 $\int \sqrt{2} \, dx$
Ans: $\sqrt{2}x + C$

6 $\int (3 + \sqrt{2}) \, dz$
Ans: $(3 + \sqrt{2})z + C$

7 $\int \pi \, dx$
Ans: $\pi x + C$

$$\int x^r dx = \frac{x^{r+1}}{r+1} + C; r \neq -1$$

8 $\int x dx$
 Ans: $\frac{x^2}{2} + C$

9 $\int 4x dx$
 Ans: $2x^2 + C$

10 $\int x^2 dx$
 Ans: $\frac{x^3}{3} + C$

11 $\int 3x^2 dx$
 Ans: $x^3 + C$

12 $\int x^3 dx$
 Ans: $\frac{x^4}{4} + C$

13 $\int 0.5x^3 dx$
 Ans: $\frac{0.5x^4}{4} + C$

14 $\int x^{0.5} dx$
 Ans: $\frac{2}{3}x^{1.5} + C$

$$\int x^r dx = \frac{x^{r+1}}{r+1} + c; r \neq -1$$

15 $\int (x + x^2) dx$

$\mathcal{O} + \frac{\varepsilon}{\varepsilon^x} + \frac{z}{z^x} : \text{sup}$

16 $\int (3x^6 - 2x^2 + 7x + 1) dx$

$\mathcal{O} + x + \frac{z}{z^x} \mathcal{L} + \frac{\varepsilon}{\varepsilon^x} z - \frac{\mathcal{L}}{\mathcal{L}^x} \varepsilon : \text{sup}$

$$\int x^r dx = \frac{x^{r+1}}{r+1} + C; r \neq -1$$

17 $\int \sqrt{x} dx$
 Ans: $\frac{2}{3}x^{3/2} + C$

18 $\int \sqrt[3]{x} dx$
 Ans: $\frac{3}{4}x^{4/3} + C$

19 $\int \sqrt{x^3} dx$
 Ans: $\frac{2}{5}x^{5/2} + C$

$$\int x^r dx = \frac{x^{r+1}}{r+1} + c; r \neq -1$$

20 $\int (x+2)(x-3) dx$
 $\frac{1}{2}x^2 + \frac{1}{2}x - \frac{3}{2}x^2 - \frac{9}{2}x + C$

21 $\int \frac{x^3 + 2x^2}{x} dx$
 $\frac{1}{4}x^4 + \frac{2}{3}x^3 + C$

22 $\int \frac{1}{x^3} dx$
 $-\frac{1}{2}x^{-2} + C$

23 $\int \frac{3}{x^2} dx$
 $-\frac{3}{x} + C$

$$1. \int x^r dx = \frac{x^{r+1}}{r+1} + C; r \neq -1$$

$$2. \int \frac{1}{u} du = \ln u + C$$

$$3. \int e^u du = e^u + C$$

$$4. \int b^u du = \frac{b^u}{\ln b} + C$$

$$\boxed{24} \int \frac{2}{x} dx$$

Ans: $2 \ln x + C$

$$\boxed{25} \int 5e^x dx$$

Ans: $5e^x + C$

$$\boxed{26} \int 2^x dx$$

Ans: $\frac{2^x \ln 2}{\ln 2} + C$

$$\boxed{27} \int \pi^x dx$$

Ans: $\frac{\pi^x \ln \pi}{\ln \pi} + C$

$$1. \int \sin(x) dx = -\cos(x) + C$$

$$2. \int \cos(x) dx = \sin(x) + C$$

$$3. \int \sec^2(x) dx = \tan(x) + C$$

$$4. \int \csc^2(x) dx = -\cot(x) + C$$

$$5. \int \sec(x) \tan(x) dx = \sec(x) + C$$

$$6. \int \csc(x) \cot(x) dx = -\csc(x) + C$$

$$\boxed{28} \int 2 \sin(x) dx$$

Ans: $-2\cos(x) + C$

$$\boxed{29} \int 10 \cos(x) dx$$

Ans: $10\sin(x) + C$

$$\boxed{30} \int 5 \sec^2(x) dx$$

Ans: $5\tan(x) + C$

$$\boxed{31} \int 2 \csc^2(x) dx$$

Ans: $-2\cot(x) + C$

$$\boxed{32} \int 10 \sec(x) \tan(x) dx$$

Ans: $10\sec(x) + C$

$$\boxed{33} \int 2 \csc(x) \cot(x) dx$$

Ans: $-\csc(x) + C$



Scan for guides

4.2 Integration by Substitution

Evaluate the following integral:

$$\boxed{1} \int (x^2 + 1)^{50} 2x \, dx$$

$C + \frac{15}{15(1+z^x)} : \text{ANS}$

$$\boxed{2} \int (x^2 + 1)^{50} x \, dx$$

$C + \frac{201}{15(1+z^x)} : \text{ANS}$

$$\boxed{3} \int (x-8)^5 \, dx$$

$C + \frac{9}{9(8-x)} : \text{ANS}$

$$\boxed{4} \int \frac{1}{\left(\frac{x}{3} - 8\right)^5} \, dx$$

$C + \frac{4(8-\frac{x}{3})^4}{8} : \text{ANS}$

$$\boxed{5} \int \sin(x+9) \, dx$$

$C + (6+x) \cos - : \text{ANS}$

$$\boxed{6} \int \cos(5x) \, dx$$

$C + \frac{5}{(x5) \sin} : \text{ANS}$

$$\boxed{7} \int \left(\frac{1}{x^2} + \sec^2(\pi x) \right) dx$$

Ans: $-\frac{1}{x} + \frac{1}{\pi} \tan(\pi x) + C$

$$\boxed{8} \int \sin^2(x) \cos(x) dx$$

Ans: $-\frac{1}{3} \sin^3(x) + C$

$$\boxed{9} \int \frac{\cos(\sqrt{x})}{\sqrt{x}} dx$$

Ans: $2 \sin(\sqrt{x}) + C$

$$\boxed{10} \int t^4 \sqrt[3]{3-5t^5} dt$$

Ans: $-\frac{3}{10} (3-5t^5)^{\frac{4}{3}} + C$

$$\boxed{11} \quad \int x^2 \sqrt{x-1} \, dx$$

$$\text{Ans: } \frac{2}{5}(1-x)^{\frac{5}{2}} + \frac{2}{5}(1+x)^{\frac{5}{2}} + \frac{2}{7}(1-x)^{\frac{7}{2}} + C$$

$$\boxed{12} \quad \int \frac{3x^2}{(x^3-1)^5} \, dx$$

$$\text{Ans: } \frac{1}{4(1-x^3)} + C$$

$$\boxed{13} \quad \int \cos^3(x) \, dx$$

$$\text{Ans: } \frac{\sin(x)}{2} - \frac{\cos(x)}{2} + C$$




Scan for guides

4.3 The Definite Integral

1. **First Fundamental Theorem of Calculus:** If f is continuous on $[a, b]$ and F is antiderivative of f on $[a, b]$, then

$$\int_a^b f(x) \, dx = F(b) - F(a)$$

2. **Area =**
The sum of the areas **above the x -axis** and **under the graph** –
The sum of the areas **under the x -axis** and **above the graph**
 $= A_2 - A_1 - A_3$
 $= \int_0^5 f(x) \, dx$



1

$\int_{-1}^4 \frac{1}{x^2} \, dx$

Ans: undefined

2

$\int_1^2 x \, dx$

Ans: $\frac{3}{2}$

$$\boxed{3} \int_0^3 (9 - x^2) dx$$

81 :suV

$$\boxed{4} \int_0^{\frac{\pi}{3}} \sec^2(x) dx$$

ε^ :suV

$$\boxed{5} \int_1^1 x^2 dx$$

0 :suV

$$\boxed{6} \int_4^0 x dx$$

8- :suV

7 Evaluate the integral $\int_0^6 f(x) dx$ if $f(x) = \begin{cases} x^2 & x < 2 \\ 3x - 2 & x \geq 2 \end{cases}$.

$\frac{3}{128}$:supv



Scan for guides

4.4 Evaluating Definite Integrals by Substitution

$$\boxed{1} \int_0^2 x(x^2 + 1)^3 dx$$

Ans: 78

$$\boxed{2} \int_0^{\frac{\pi}{8}} \sin^5(2x) \cos(2x) dx$$

Ans: $\frac{96}{1}$

$$\boxed{3} \int_2^5 (2x - 5)(x - 3)^9 dx$$

Ans: $\frac{110}{52233}$



Scan for guides

4.5 The Second Fundamental Theorem of Calculus

If f is continuous on interval I , A is any number in I , F is an antiderivative of F on I .

$$1. F(x) = \int_a^x f(t) dt \implies F'(x) = \frac{d}{dx} \int_a^x f(t) dt = f(x)$$

$$2. F(x) = \int_a^{g(x)} f(t) dt \implies F'(x) = \frac{d}{dx} \int_a^{g(x)} f(t) dt = f(g(x))g'(x)$$

$$\boxed{1} \quad \frac{d}{dx} \int_1^x t^3 dt$$

$\frac{d}{dx} : \text{sup}$

$$\boxed{2} \quad \frac{d}{dx} \int_1^x \frac{\sin(t)}{t} dt$$

$\frac{x}{(x) \text{ uis}} : \text{sup}$

$$\boxed{3} \quad \frac{d}{dx} \int_2^{3x^2} 4u du$$

$\text{Ans: } 72x^3$



Scan for guides

4.6 Mean-Value Theorem for Integrals

If f is continuous on $[a, b]$, then there is at least one number c in $[a, b]$ such that

$$\int_a^b f(x) dx = f(c)(b - a)$$

- 1** Find the value of c in $[1, 4]$, if $f(x) = x^2$ that satisfy the Mean-Value theorem for integrals.

Ans: $c = \frac{5}{3}$



Scan for guides

5 | Applications of Integration

5.1 Area Between Two Curves

Area between two curves $y = f(x)$ (upper function) and $y = g(x)$ (lower function) on the interval $[a, b]$ is given by

$$A = \int_a^b (f(x) - g(x)) \, dx$$

- 1** Find the area of the region
bounded above by $y = x + 6$,
bounded below by $y = x^2$, and
bounded of the sides by the lines $x = 0$ and $x = 2$.
Ans: $\frac{9}{2}$

- 2** Find the area of the region
that is enclosed between the curves
 $y = x^2$ and $y = x + 6$.
Ans: $\frac{9}{2}$

3 Find the area of the region that is enclosed between the curves $x = y^2$ and $y = x - 2$.

$\frac{2}{6}$:supv

Area between two curves $x = f(y)$ (right function) and $x = g(y)$ (left function) on the interval $[c, d]$ is given by


$$A = \int_c^d (f(y) - g(y)) \, dy$$

1 Find the area of the region that is enclosed between the curves

$$x = y^2 \text{ and } y = x - 2.$$

$\frac{7}{6}$:suV

Area between a curve and the x -axis.



Find the area under the curve $y = \cos(x)$ over the following intervals:

1 $\left[0, \frac{\pi}{2}\right]$


2 $\left[\frac{\pi}{2}, \pi\right]$

3 $[0, \pi]$



Scan for guides

5.2 Method of Disks/Washers (Perpendicular to the x -axis)



$$1. \text{ Area} = \pi (f(x) - 0)^2 = \pi (f(x))^2$$

$$2. \text{ Volume} = \pi \int_a^b [f(x)]^2 dx$$

1 Find the volume of the solid that is obtained when the region under the curve $y = \sqrt{x}$ over the interval $[1, 4]$ is revolved about the x -axis.

Ans: $\frac{16\pi}{5}$

2 Find the volume of the solid that is obtained when the region between the graph $f(x) = \frac{1}{2} + x^2$ and $g(x) = x$ over the interval $[0, 2]$ is revolved about the x -axis.

3 Find the volume of the solid that is obtained when the region bounded by the graph $x = y^2$ and $y = x^2$ is revolved about the x -axis.

$x \frac{01}{\varepsilon} : \text{sup}$


4 Find the volume of the solid that is obtained when the region bounded by the graph $y = x^2$ and $y = x^3$ is revolved about the line $y = -1$.

Ans: $\frac{210}{47}\pi$



Scan for guides

5.3 Method of Disks/Washers (Perpendicular to the y -axis)



$$1. \text{ Area} = \pi (g(y) - 0)^2 = \pi [g(y)]^2$$

$$2. \text{ Volume} = \pi \int_{y=c}^d [g(y)]^2 dy$$

1 Find the volume of the solid that is generated when the region enclosed by $y = \sqrt{x}$, $y = 2$ and $x = 0$ is revolved about the y -axis.

Ans: $\frac{32\pi}{5}$

2 Find the volume of the solid that is generated when the region enclosed by $x = y^2$ and $y = x^2$ is revolved about the y -axis.

$x \frac{01}{\varepsilon} : \text{sup}$


3 Find the volume of the solid that is generated when the region bounded by $y = x^2$ and $y = x^3$ is revolved about the line $x = -1$.

$x \frac{91}{7} : \text{sup}$



Scan for guides

5.4 Cylindrical Shells (Revolved about the y -axis)



1. Volume of a cylinder, $V = 2\pi r h$

2. $r = x$; $h = f(x)$

3. $V = 2\pi \int_a^b x f(x) dx$

1 Use cylindrical shells to find the volume of the solid generated when the region enclosed between $y = \sqrt{x}$, $x = 1$, $x = 4$ and the x -axis is revolved about the y -axis.

Ans: $\frac{5}{124}\pi$

2 Use cylindrical shells to find the volume of the solid generated when the region R in the first quadrant enclosed by $y = x$ and $y = x^2$ is revolved about the y -axis.

$\frac{9}{16}$:sup


3 Use cylindrical shells to find the volume of the solid generated when the region R in the first quadrant enclosed by $y = x$ and $y = x^2$ is revolved about the line $x = -1$.

$\frac{7}{12}$:suV



Scan for guides

5.5 Cylindrical Shells (Revolved about the x -axis)



1. Volume of a cylinder, $V = 2\pi r h$

2. $r = y$; $h = b - g(y)$

3. $V = 2\pi \int_{y=c}^d y(b - g(y)) dy$

1 Use cylindrical shells to find the volume of the solid generated when the region R under $y = x^2$ over the interval $[0, 2]$ is revolved about the x -axis.

$\frac{5}{28}$:sup

2 Use cylindrical shells to find the volume of the solid obtained by rotating the region bounded by $x = (y - 2)^2$ and $y = x$ about the line $y = -1$.

Ans: $\frac{7}{2}$



Scan for guides

5.6 Washer vs. Cylindrical Shell

a) Find the volume of the solid generated when the region enclosed between $y = \sqrt{x}$, $x = 1$, $x = 4$ and the x -axis is revolved about the y -axis.

1 Washer
Ans: $\frac{5}{124}\pi$

2 Cylindrical Shell
Ans: $\frac{5}{124}\pi$

b) Find the volume of the solid generated when the region R in the first quadrant enclosed by $y = x$ and $y = x^2$ is revolved about the x -axis.

1 Washer
 $\frac{9\pi}{2}$:ans

2 Cylindrical Shell
 $\frac{9\pi}{2}$:ans

c) Find the volume of the solid generated when the region R in the first quadrant enclosed by $y = x$ and $y = x^2$ is revolved about the y -axis.

3 Washer
 $\frac{9}{\pi}$:ans

4 Cylindrical Shell
 $\frac{9}{\pi}$:ans

d) Use cylindrical shells to find the volume of the solid generated when the region R in the first quadrant enclosed by $y = x$ and $y = x^2$ is revolved about the line $x = -1$.

1 Washer
Ans: $\frac{2}{\pi}$

2 Cylindrical Shell
Ans: $\frac{2}{\pi}$



Scan for guides

A | Important Formulas

A.1 Derivatives and Integrals

Derivatives:

$$\frac{d}{dx}c = 0$$

$$\frac{d}{dx}x^n = nx^{n-1}$$

$$\frac{d}{dx}e^x = e^x$$

$$\frac{d}{dx}a^x = \ln(a) \cdot a^x$$

$$\frac{d}{dx}\ln(x) = \frac{1}{x}$$

$$\frac{d}{dx}\log_a(x) = \frac{1}{x\ln(a)}$$

$$\frac{d}{dx}\sin(x) = \cos(x)$$

$$\frac{d}{dx}\cos(x) = -\sin(x)$$

$$\frac{d}{dx}\tan(x) = \sec^2(x)$$

$$\frac{d}{dx}\csc(x) = -\csc(x)\cot(x)$$

$$\frac{d}{dx}\sec(x) = \sec(x)\tan(x)$$

$$\frac{d}{dx}\cot(x) = -\csc^2(x)$$

$$\frac{d}{dx}e^{u(x)} = u'(x)e^{u(x)}$$

$$\frac{d}{dx}\ln|u(x)| = \frac{u'(x)}{u(x)}$$

Integrals:

$$\int 0 \, dx = C$$

$$\int x^n \, dx = \frac{x^{n+1}}{n+1} + C, \quad n \neq -1$$

$$\int e^x \, dx = e^x + C$$

$$\int a^x \, dx = \frac{a^x}{\ln(a)} + C$$

$$\int \frac{1}{x} \, dx = \ln|x| + C$$

$$\int \frac{1}{x\ln(a)} \, dx = \log_a|x| + C$$

$$\int \cos(x) \, dx = \sin(x) + C$$

$$\int \sin(x) \, dx = -\cos(x) + C$$

$$\int \sec^2(x) \, dx = \tan(x) + C$$

$$\int \csc^2(x) \, dx = -\cot(x) + C$$

$$\int \sec(x)\tan(x) \, dx = \sec(x) + C$$

$$\int \csc(x)\cot(x) \, dx = -\csc(x) + C$$

$$\int e^{u(x)}u'(x) \, dx = e^{u(x)} + C \quad (\text{use substitution})$$

$$\int \frac{1}{u(x)}u'(x) \, dx = \ln|u(x)| + C$$

A.2 Trigonometric Identities, Index (Exponent) Rules and Logarithmic Properties

Index (Exponent) Rules:

$$a^m \cdot a^n = a^{m+n}$$

$$a^m / a^n = a^{m-n}$$

$$(a^m)^n = a^{mn}$$

$$a^0 = 1 \quad (a \neq 0)$$

$$a^{-n} = 1/a^n$$

Logarithmic Properties:

$$\log_a(xy) = \log_a(x) + \log_a(y)$$

$$\log_a\left(\frac{x}{y}\right) = \log_a(x) - \log_a(y)$$

$$\log_a(x^n) = n \log_a(x)$$

$$\log_a(a) = 1$$

$$\log_a(1) = 0$$

Trigonometric Identities:

$$\sin^2(x) + \cos^2(x) = 1$$

$$1 + \tan^2(x) = \sec^2(x)$$

$$1 + \cot^2(x) = \csc^2(x)$$

$$\sin(2x) = 2 \sin(x) \cos(x)$$

$$\cos(2x) = \cos^2(x) - \sin^2(x)$$

$$\tan(2x) = \frac{2 \tan(x)}{1 - \tan^2(x)}$$

$$\sin(x + y) = \sin(x) \cos(y) + \cos(x) \sin(y)$$

$$\sin(x - y) = \sin(x) \cos(y) - \cos(x) \sin(y)$$

$$\cos(x + y) = \cos(x) \cos(y) - \sin(x) \sin(y)$$


$$\cos(x - y) = \cos(x) \cos(y) + \sin(x) \sin(y)$$

$$\tan(x + y) = \frac{\tan(x) + \tan(y)}{1 - \tan(x) \tan(y)}$$

$$\tan(x - y) = \frac{\tan(x) - \tan(y)}{1 + \tan(x) \tan(y)}$$

B Cheat Sheets

B.1 Computing Limits



B.2 Curve Sketching

<u>CURVE</u> <u>SKEETCHING</u>	<u>Intercept(s)</u> a) x-intercept b) y-intercept	<u>Behaviour as</u> a) $x \rightarrow \infty$ b) $x \rightarrow -\infty$	<u>Critical points</u> a) where f is not differentiable b) stationary points	<u>Interval(s) of</u> a) decrease b) increase	<u>Relative extremum</u>	<u>Concavity</u>	<u>Inflection point(s)</u>	<u>Vertical asymptote(s)</u>	<u>Horizontal asymptote(s)</u>																
$f(x) = (x+3)^x$ $y=0, x=-3$ $x=0, y=9$	$\lim_{x \rightarrow \infty} f(x) = +\infty$ $\lim_{x \rightarrow -\infty} f(x) = +\infty$	$f'(x) = 2(x+3)$ $f'(x) = 0 \Rightarrow x = -3$ <table><tr><td>f'</td><td>-</td><td>+</td></tr><tr><td>f</td><td>$\downarrow$</td><td>$\uparrow$</td></tr></table>	f'	-	+	f	$\downarrow$	$\uparrow$	interval of decrease: $(-\infty, -3)$ interval of increase: $(-3, \infty)$ rel. min: $(-3, 0)$ rel. max: none	$f''(x) = 2$ <table><tr><td>f''</td><td>+</td><td>+</td></tr><tr><td>f</td><td>$\uparrow$</td><td>$\uparrow$</td></tr></table>	f''	+	+	f	$\uparrow$	$\uparrow$	NO inflection point	none	none						
f'	-	+																							
f	$\downarrow$	$\uparrow$																							
f''	+	+																							
f	$\uparrow$	$\uparrow$																							
$f(x) = x(x+3)^2$ $y=0, x=0, x=-3$ $x=0, y=0$	$\lim_{x \rightarrow \infty} f(x) = +\infty$ $\lim_{x \rightarrow -\infty} f(x) = -\infty$	$f'(x) = (x+3)^2 + 2x(x+3)$ $= (x+3)(3x+3)$ $f'(x) = 0 \Rightarrow x = -3, x = -1$ <table><tr><td>f'</td><td>+</td><td>-</td><td>+</td></tr><tr><td>f</td><td>$\uparrow$</td><td>$\downarrow$</td><td>$\uparrow$</td></tr></table>	f'	+	-	+	f	$\uparrow$	$\downarrow$	$\uparrow$	interval of decrease: $(-3, -1)$ interval of increase: $(-1, \infty)$ rel. min: $(-1, -4)$ rel. max: $(-3, 0)$	$f''(x) = 6x+12$ $f''(x) = 0 \Rightarrow x = -2$ <table><tr><td>f''</td><td>-</td><td>+</td></tr><tr><td>f</td><td>$\downarrow$</td><td>$\uparrow$</td></tr></table>	f''	-	+	f	$\downarrow$	$\uparrow$	$(-2, -2)$	none	none				
f'	+	-	+																						
f	$\uparrow$	$\downarrow$	$\uparrow$																						
f''	-	+																							
f	$\downarrow$	$\uparrow$																							
$f(x) = x^2(x+3)^2$ $y=0, x=0, x=-3$ $x=0, y=0$	$\lim_{x \rightarrow \infty} f(x) = +\infty$ $\lim_{x \rightarrow -\infty} f(x) = +\infty$	$f'(x) = 2x(x+3)^2 + 2x^2(x+3)$ $= 2x(x+3)(2x+3)$ $f'(x) = 0 \Rightarrow x = 0, x = -3, x = -\frac{3}{2}$ <table><tr><td>f'</td><td>$\downarrow$</td><td>$\uparrow$</td><td>$\downarrow$</td><td>$\uparrow$</td></tr><tr><td>f</td><td>$\downarrow$</td><td>$\uparrow$</td><td>$\downarrow$</td><td>$\uparrow$</td></tr></table>	f'	$\downarrow$	$\uparrow$	$\downarrow$	$\uparrow$	f	$\downarrow$	$\uparrow$	$\downarrow$	$\uparrow$	interval of decrease: $(-\infty, -3) \cup (-\frac{3}{2}, 0)$ interval of increase: $(-3, -\frac{3}{2}) \cup (0, \infty)$ rel. min: $(-3, 0), (0, 0)$ rel. max: $(-\frac{3}{2}, 9)$	$f''(x) = 10x^2 + 2x + 9$ $f''(x) = 0 \Rightarrow x = -2.31 \pm 0.39$ <table><tr><td>f''</td><td>+</td><td>-</td><td>+</td></tr><tr><td>f</td><td>$\uparrow$</td><td>$\downarrow$</td><td>$\uparrow$</td></tr></table>	f''	+	-	+	f	$\uparrow$	$\downarrow$	$\uparrow$	$(-2.31, 2.5), (-0.39, 1.04)$	none	none
f'	$\downarrow$	$\uparrow$	$\downarrow$	$\uparrow$																					
f	$\downarrow$	$\uparrow$	$\downarrow$	$\uparrow$																					
f''	+	-	+																						
f	$\uparrow$	$\downarrow$	$\uparrow$																						
$f(x) = \frac{1}{x-2}$ $y=0$, none $x=0, y = -\frac{1}{2}$	$\lim_{x \rightarrow \infty} f(x) = 0$ $\lim_{x \rightarrow -\infty} f(x) = 0$ $x-2=0$ $x=2$ Critical point NO stationary point <table><tr><td>f'</td><td>-</td><td>+</td></tr><tr><td>f</td><td>$\downarrow$</td><td>$\uparrow$</td></tr></table>	f'	-	+	f	$\downarrow$	$\uparrow$	interval of decrease: $(-\infty, 2)$ interval of increase: $(2, \infty)$ rel. min: none rel. max: none	$f''(x) = -\frac{1}{(x-2)^3}$ <table><tr><td>f''</td><td>-</td><td>+</td></tr><tr><td>f</td><td>$\downarrow$</td><td>$\uparrow$</td></tr></table>	f''	-	+	f	$\downarrow$	$\uparrow$	NO inflection point	$x=2, x=\infty$ $\lim_{x \rightarrow 2^+} f(x) = +\infty, \lim_{x \rightarrow 2^-} f(x) = -\infty$	From 8, $y=0$							
f'	-	+																							
f	$\downarrow$	$\uparrow$																							
f''	-	+																							
f	$\downarrow$	$\uparrow$																							