


## Alumnos



The screenshot shows the Postman interface with a new GET request defined. The URL is `http://127.0.0.1:8000/api/alumnos`. The response is displayed in the Body tab, showing a JSON array of three student records. The status is 200 OK, with a response time of 240 ms and a size of 52.83 KB.


**Request:**

- Method: GET
- URL: `http://127.0.0.1:8000/api/alumnos`

**Response (JSON):**

```
[{"id": 1, "nombre": "Dakota Bailey II", "email": "xsauer@example.net", "created_at": "2023-10-22T22:43:24.000000Z", "updated_at": "2023-10-22T22:43:24.000000Z"}, {"id": 2, "nombre": "Skylar Bogisich", "email": "ashleigh.monahan@example.com", "created_at": "2023-10-22T22:43:24.000000Z", "updated_at": "2023-10-22T22:43:24.000000Z"}, {"id": 3, "nombre": "Jayce Schimmel", "email": "raynor.carissa@example.org", "created_at": "2023-10-22T22:43:24.000000Z", "updated_at": "2023-10-22T22:43:24.000000Z"}]
```

## Alumno eliminado



The screenshot shows the Postman interface with a new DELETE request defined. The URL is `http://127.0.0.1:8000/api/alumno/1`. The response is displayed in the Body tab, showing the text "Registro Eliminado Correctamente". The status is 200 OK, with a response time of 162 ms and a size of 347 B.


**Request:**

- Method: DELETE
- URL: `http://127.0.0.1:8000/api/alumno/1`


**Response (Text):**

```
1 Registro Eliminado Correctamente
```


## Alumno por id




## Docentes




## Docente por ID





## Asistencia eliminada




## Curso eliminado



## CURSOS





## Matricula

