

VoxOps

Complete feature catalogue — multi-tenant AI voice agent platform for phone and WhatsApp

PHONE SIM / PSTN calls	WA-CALL WhatsApp calls	WA-MSG WhatsApp messages	ALL every channel
------------------------	------------------------	--------------------------	-------------------

1 Accounts, workspaces and access

Every company is an isolated tenant. Nothing is shared between them.

Company sign-up	Self-serve registration with email and password, or Google. Email verification, password reset, and invitation acceptance.	ALL
Workspaces	One company = one workspace, fully isolated. A user may belong to several and switch between them without signing out.	ALL
Roles	Owner, Admin, Operator and Viewer. Operators can take calls but cannot change credentials; Viewers read only.	ALL
Team invitations	Invite by email with a pre-assigned role. Pending invitations can be resent or revoked.	ALL
Audit trail	Every credential change, setting change, agent go-live and deletion recorded with actor, action, target and time.	ALL
Guided onboarding	A resumable six-step wizard: company profile, agent, knowledge base, channel choice, credentials, then test and go live.	ALL
White-label branding	Company logo and accent colour theme the whole workspace. No rebuild, no per-customer deployment.	ALL

2 The voice agent

One agent definition drives every channel, so a company writes its persona once.

Multiple agents	Any number of named agents per company, each in draft, live or paused, each with its own persona, voice and channels.	ALL
Persona builder	Structured form for agent name, role, greeting, language policy, tone, forbidden phrases, escalation rules and closing behaviour.	ALL
Compiled prompt preview	The system prompt is assembled live beside the form, so a company sees exactly what its agent was told.	ALL
Prompt override	Power users can replace the compiled prompt wholesale, with a warning that it detaches from the form.	ALL
Persona templates	Ready-made starting points: Admissions, Customer support, Collections, Appointment booking, Lead qualification.	ALL
Spoken greeting	A line the agent says verbatim to open every call, set per agent.	PHONE WA-CALL
Gender-correct speech	The agent's gender drives verb agreement in languages that inflect by speaker, so it never breaks character mid-sentence.	PHONE WA-CALL
Language mirroring	Replies in whatever the caller just used - English, Urdu, Roman Urdu or a mix - and switches with them mid-call.	ALL
Voice selection	Voice, speaking speed and language per agent, with preview. Speed defaults below 1.0 because long vowels clip through a phone codec.	PHONE WA-CALL
Barge-in	The caller can interrupt mid-sentence and the agent stops speaking immediately.	PHONE WA-CALL
Turn-taking controls	Voice-activity threshold, silence window, prefix padding, eagerness and turn-detection mode, with safe defaults most companies never touch.	PHONE WA-CALL
Noise handling	Noise reduction on the inbound leg, plus a transcription prompt that biases toward the company's own vocabulary.	PHONE WA-CALL

Call pacing	Maximum call duration, wrap-up warning before the limit, connect timeout and hang-up grace period.	PHONE WA-CALL
Model choice	Speech model, reasoning effort and output limit per agent; a separate, cheaper text model for the chat feature.	ALL

3 Knowledge base and retrieval

Retrieval is given to the agent as a tool, not run as a pipeline stage, which is why answers stay near conversational speed.

Document upload	Drag and drop PDF, DOCX, TXT and Markdown. Per-file progress, page count and chunk count.	ALL
Structure-aware chunking	Split on the document's own section markers rather than a blind token window, so a fee table stays one fact.	ALL
Table extraction	Tables are pulled row-wise so a programme, its per-credit rate and its total remain a single retrievable line.	ALL
Embedding index	Documents are embedded and indexed on upload, cached, and rebuilt only when the file or the settings change.	ALL
Grounded answers	The agent calls a knowledge search tool mid-conversation and speaks only what the documents support.	ALL
Refusal threshold	Below a tunable similarity score the agent says it does not know rather than inventing an answer. This is the anti-hallucination control.	ALL
Retrieval tuning	Chunk size, overlap, embedding model, top-K, chunks per section, context budget and the threshold, all editable per company.	ALL
Test search console	Type a question, see ranked chunks with scores, with the threshold drawn across the results and a verdict on whether the agent would have answered.	ALL
Per-document status	Each file reports parsed, indexed or failed, with the real error, and can be re-indexed or deleted on its own.	ALL
Text chat (Ask)	A written chat against the same knowledge base, with cited sources, section, page and score - for staff training and for checking answers.	ALL

4 Phone channel (SIM / PSTN)

A real phone number. The carrier bridges the caller to the speech model directly, so audio never queues inside the platform.

Inbound answering	Calls to the company's number are answered by the agent automatically, around the clock.	PHONE
Outbound dialling	Place a call to any number from the dashboard; the agent opens with the configured greeting.	PHONE
Bulk and scheduled outbound	Queue a list of numbers for the agent to work through, with pacing and retry rules.	PHONE
Manual phone bridge	A staff member's own phone is dialled first, then the customer, and the two legs are bridged - no headset or app needed.	PHONE
Browser softphone	Staff can take or place calls from the browser over WebRTC, with a short-lived access token issued per session.	PHONE
Mid-call takeover	A human can step onto a live agent call and continue it.	PHONE
Caller ID control	The company's own verified number is presented on outbound calls.	PHONE
Number normalisation	Locally formatted numbers are expanded to international format before dialling, since carriers accept nothing else.	PHONE
Call reconciliation	A periodic sweep compares platform records against the carrier's, so a dropped webhook never leaves a call stuck open.	PHONE

5 WhatsApp calling channel

Voice calls over WhatsApp Business Calling, with media terminated inside the platform so audio can be recorded or handed to a person.

Inbound WhatsApp calls	Incoming WhatsApp calls are accepted and answered by the agent, with optional pre-accept for faster audio.	WA-CALL
Outbound WhatsApp calls	Call a WhatsApp user from the dashboard, with ring and answer timeouts surfaced in the UI.	WA-CALL
Call permission checks	Before dialling, the platform checks whether the user has permitted calls, and shows the reason when they have not.	WA-CALL
Permission requests	Send a permission request to a user who has not yet allowed calls, and track its status.	WA-CALL
Human counselor takeover	A staff member answers the WhatsApp call themselves, speaking through the browser microphone instead of the agent.	WA-CALL
Two-way media bridge	WhatsApp audio is terminated in-platform and bridged to the speech model or to a person, which is what makes recording and takeover possible.	WA-CALL
NAT traversal	STUN and TURN configuration, so media connects from restrictive networks rather than failing after signalling succeeds.	WA-CALL
Agent self-test	Generate a sample of the agent speaking, without placing a call, to verify voice and persona before going live.	WA-CALL
Webhook signature checks	Every incoming event is verified cryptographically; unsigned traffic is rejected outright.	WA-CALL WA-MSG

6 WhatsApp messaging channel

Written follow-up, in the same thread as the call.

Free-form messages	Send a WhatsApp message to any number from the dashboard, or in reply inside a 24-hour window.	WA-MSG
Template messages	Send approved templates with their variables filled, for business-initiated contact outside the reply window.	WA-MSG
Template manager	List the company's templates with approval status, body preview and variable mapping, pulled from their own account.	WA-MSG
Approval-aware tooling	An unapproved template means the agent is not offered that tool at all, so it never promises a message that cannot be sent.	WA-MSG
Agent-sent follow-up	Mid-call, the agent can offer to send details in writing and dispatch them itself once the caller agrees.	WA-MSG
Reference tokens	An unresolved question becomes a short reference the caller can quote later, sent to them by message and tracked to resolution.	WA-MSG
Inbound replies	When a customer replies in writing, the agent answers from the same knowledge base, in the same thread.	WA-MSG
Length guards	Topic and detail length limits, so a spoken answer never becomes an unreadable wall of text.	WA-MSG
Delivery status	Sent, delivered, read and failed per message, with the provider's reason on failure.	WA-MSG
Per-contact threads	The full written history with one person in one view.	WA-MSG

7 Recording, transcripts and summaries

What was said, kept and searchable.

Call recording	Record calls on either channel, with a per-company switch and a separate switch for the agent's own track.	PHONE WA-CALL
Two-way capture	Both voices in one file. Each recording also declares its scope - both sides, caller only, or agent only - so nothing is silently half-captured.	PHONE WA-CALL
Independent recorder	Audio is captured by the platform rather than relying on the carrier, so a provider that drops a recording cannot lose the call.	PHONE WA-CALL
Honest recording states	Recording, still composing, ready, or never recorded. A call with no audio says so plainly instead of offering a retry that cannot succeed.	PHONE WA-CALL
Playback	In-browser player with waveform, speed control, seeking from the transcript, and download.	PHONE WA-CALL
Transcoding	Recordings are converted to a compact, universally playable format for storage and sharing.	PHONE WA-CALL
Durable archive	Recordings are copied to object storage with expiring signed links, so they survive a host with no persistent disk.	PHONE WA-CALL
Live transcripts	Speech is transcribed as the call happens, speaker-labelled and timestamped, in Urdu or English.	PHONE WA-CALL
Stored transcripts	The full transcript is kept, searchable, and linked to playback position.	PHONE WA-CALL
Post-call summary	An automatic summary of what was asked, what was answered and what happens next, generated when the call ends.	PHONE WA-CALL
Outcome classification	Each call is tagged with how it ended, for filtering and reporting.	ALL
Retention policy	How long recordings and transcripts are kept, set per company.	ALL

8 Live operations

What is happening right now, for a supervisor watching the floor.

Live call monitor	Every active call, with caller, channel, direction, agent and elapsed time, updating in real time.	ALL
Streaming transcript	The conversation appears as it is spoken, auto-scrolling.	PHONE WA-CALL
Speaking indicator	An animated voice orb showing who currently holds the floor.	PHONE WA-CALL
Retrieval activity feed	Every knowledge-base lookup during the call, with its score against the threshold and whether it was answered - the fastest way to diagnose a wrong answer.	ALL
Listen in	Monitor a live call without joining it.	PHONE WA-CALL
Take over	Step onto a live call and continue it as a human.	PHONE WA-CALL
Force end	End a call from the dashboard.	ALL
Connection state	A persistent indicator showing live, reconnecting or offline, so the floor never mistakes a stale screen for a quiet day.	ALL
Operational dashboard	Calls today, talk time, answer rate, active calls, messages sent, a 14-day volume chart split by channel, and channel health at a glance.	ALL

9 History, search and reporting

The record, and what companies do with it.

Call history	Every call with time, direction, number, channel, who handled it, duration, outcome and recording state.	ALL
Filtering	By date range, channel, direction, agent or human, outcome and agent. Saved views for the filters a team uses daily.	ALL
Transcript search	Find calls by what was said, not only by number or date.	ALL
Call detail	Summary, transcript, recording and the raw event timeline for one call in one sheet.	ALL
Spreadsheet export	A multi-sheet workbook of calls, transcripts and summaries, generated on demand.	ALL
CSV export	The current filtered view, exported as it appears.	ALL
Drive and Sheets sync	Optionally keep a live copy of the workbook in the company's own Google Drive.	ALL
Outbound webhooks	Push call and message events to the company's own systems, with selectable event types and a signing secret.	ALL
API keys	Scoped keys for a company's own integrations, shown as last-four only, with last-used time.	ALL

10 Setup, credentials and self-serve guides

Companies bring their own provider accounts, so the platform never resells minutes and never holds the customer relationship.

Bring your own credentials	Each company connects its own telephony, WhatsApp and model accounts. Usage bills to them directly.	ALL
Write-only secrets	A saved credential is never shown again - only its last four characters, who set it and when, with a Replace action.	ALL
Channel health	Each channel reports disconnected, pending, verifying, connected or error, with the provider's own error text and a link to the fix.	ALL
Connection tests	Verify credentials before going live, rather than discovering the problem on a customer's call.	ALL
Everything off by default	Every capability switch starts off, so saving credentials alone can never make an agent answer or dial.	ALL
Readiness gating	Any control that cannot yet succeed is disabled and says what is missing, with a link to the relevant guide.	ALL
Webhook helper	The exact callback URL and verification token to paste into the provider's dashboard, with copy buttons.	ALL
Inline walkthroughs	Beside every credential field, where to find that value in the provider's own dashboard.	ALL
Guides library	Twelve written guides covering first setup, provider credentials, number verification, webhooks, writing a knowledge base, tuning the threshold, persona writing, template approval, recording and consent, error codes, and a pre-launch checklist.	ALL
Contextual help	Empty states and disabled controls link to the guide that unblocks them, so help arrives where the work stops.	ALL

11 Usage, limits and billing

Usage metering	Call minutes, messages and storage metered per company and per channel.	ALL
Plan limits	Minutes, messages, storage, agents and seats, each shown as a meter against the plan.	ALL
Limit warnings	Visible warnings at 80 and 100 per cent of any limit, before service is affected.	ALL
Cost breakdown	Spend split by channel, so a company can see what voice costs against messaging.	ALL
Plans and upgrades	Tier comparison with in-product upgrade, and invoice history.	ALL

12 Platform quality

Cross-cutting behaviour that applies to every screen.

Bilingual interface	The whole product in English and Urdu, with correct Nastaliq typesetting and full right-to-left layout.	ALL
Light and dark themes	Both designed first-class, not an inversion, and both respecting the system preference.	ALL
Accessibility	Full keyboard navigation, visible focus, screen-reader labelling on live regions and meters, and verified contrast in both themes.	ALL
Mobile and tablet	Every screen usable at phone width; supervisors can watch the floor from a handset.	ALL
Honest states	Designed empty states, skeleton loaders shaped like real content, and errors that say what failed and what to try.	ALL
Safe destruction	Every destructive action confirms and names exactly what will be lost.	ALL
Command palette	Keyboard-driven navigation and actions from anywhere in the product.	ALL

Delivery note. The current build covers the full interface and experience for everything above, running against realistic in-product sample data. Connecting it to the live calling, messaging and retrieval services is the following phase: those services already exist and run today as two single-company systems, and the work is to give them a company dimension and a shared settings store. The interface is deliberately built against a single typed data layer so that connection happens in one place.