



# COMPANY PROFILE



## TENTANG KAMI

---

PT. Malik Jaya Teknik merupakan Perusahaan Swasta yang berdiri pada tahun 2017 yang bergerak dibidang pengadaan dan suplai barang-barang untuk konstruksi dan industri.

Pada saat ini perusahaan kami memspesialisasikan pada pemasaran Baut, Mur, Fastener, Consumable, Perlengkapan Safety dan Peralatan Teknik.

# VISI & MISI

---

## MISI



- Memberikan qualitas kerja yang bermutu dan tepat waktu
- Menempatkan kebutuhan pelanggan sebagai prioritas utama dengan layanan berkualitas
- Memberikan pelayanan yang cepat untuk memenuhi kebutuhan dan keinginan pelanggan

## VISI

Menjadi perusahaan terkemuka dibidang supplier bolt, mur, fastener, consumable, peralatan safety dan peralatan teknik di seluruh indonesia



# PT. MALIK JAYA TEKNIK



Nama : PT. Malik Jaya Teknik  
Alamat : Jl. Raya serang-jakarta  
KM.14 Ko. Sentul RT 02/01  
Kecamatan Kragilan Kabupaten  
Serang- Banten 42184  
Email :  
[pt.malikjayatehnik@gmail.com](mailto:pt.malikjayatehnik@gmail.com)







Grinding and Cutting Wheel.

 **BOSCH**  
Security Systems

**HITACHI**  
Inspire the Next

**Makita**

**STANLEY**  
Security Solutions



Tools



Hand Gloves

The advertisement features a large orange background. At the top center is a heraldic crest with a shield containing a stylized letter 'K' flanked by two lions. Below the crest, the brand name "KING'S" is written in a bold, white, sans-serif font. Underneath "KING'S", the text "by Honeywell" is also visible in a smaller white font. A row of six different safety shoe models is displayed horizontally across the bottom of the ad. From left to right, the models are: KWS200 (low-top lace-up), KWD207 (mid-top lace-up), KWD301 (high-top lace-up), KWD106 (low-top zippered), KWD206 (mid-top zippered), and KWD205 (high-top zippered). Each shoe has a red accent on its collar.

KWS200      KWD207      KWD301      KWD106      KWD206      KWD205

Safety Shoes



Welding Shield

#### Eye Types of Webbing Sling



#### S.K.L. HEAVY DUTY LIFTING Duplex Synthetic Sling

##### ► WARNING

- Shall not be twisted or bent in excess of 90 degrees.
- Shall not be used on the floor or other abrasive surfaces.
- Shall not be twisted, shortened, lengthened or tied in knots.
- Shall not be pulled from under loads that are resting on it.
- Shall not be used in areas where there is a risk of exposure to ultraviolet light or direct heat.
- Shall always be protected from sharp edges, sharp corners, and abrasive surfaces.
- Shall always inspect sling before each use.
- Shall always be inspected to ensure that the correct sling is being used.
- Shall always have the load balanced before transporting.



Webbing Sling



*The Safety Company*

#### V-Gard Helmet Staz-On MEDIUM Size



#### Staz-On Suspension



Safety Helmet