PRACTICUM REPORT ADVANCED WEB PROGRAMMING MIDTERM EXAM



BY:

ATRINA SALSABIL NENGKODA – 1841720216 RIZKY PUTRA PRADHANA BUDIMAN – 1841720188 TI-2G

INFORMATICS ENGINEERING STUDY PROGRAM DEPARTMENT OF INFORMATION TECHNOLOGY STATE POLYTECHNIC OF MALANG

1. REST Client

Source Code:

```
controller/home.php
   <?php
2
3
   defined('BASEPATH') OR exit('No direct script access allowed');
4
5
   class Home extends CI Controller {
6
7
       public function index()
8
9
            $data['title']='Home';
1
            //$data['name']=$name;
            $this->load->view('template/header',$data);
0
            //echo "Selamat Datang di Halaman Home";
1
            $this->load->view('home/index',$data);
1
            $this->load->view('template/footer');
1
2
            $this->load->library('session');
1
3
            //validasi level
1
            if($this->session->userdata('level') !="admin"){
4
                redirect('login','refresh');
1
            }
5
       }
1
6
   }
1
7
   /* End of file Controllername.php */
1
8
   ?>
1
9
2
0
2
1
2
2
2
3
2
4
2
5
2
6
2
7
```

```
controller/login.php
1
   <?php
2
3
   defined('BASEPATH') OR exit('No direct script access allowed');
4
5
   class login extends CI Controller {
       public function __construct()
6
7
8
           parent:: construct();
9
           $this->load->helper('url');
           $this->load->helper('form');
1
0
           $this->load->model('login_model');
1
           //$this->load->library('session');
1
       }
1
2
       public function index()
1
3
           $data['title']='Login';
           $this->load->view('template/header_login', $data);
1
4
           $this->load->view('login/index');
1
           $this->load->view('template/footer');
5
1
       }
6
       public function proses_login(){
1
7
           $username=htmlspecialchars($this->input->post('uname1'));
           $password=htmlspecialchars($this->input->post('pwd1'));
1
8
1
           $ceklogin= $this->login model->login($username, $password);
9
2
           if($ceklogin){
0
                foreach($ceklogin as $row);
                    $this->session->set userdata('user', $row->username);
2
1
                    $this->session->set_userdata('level', $row->level);
2
2
                    //var dump($row)
2
                    if($this->session->userdata('level')=='admin'){
3
                        redirect('mahasiswa/index');
2
                    }elseif ($this->session->userdata('level')=='user') {
4
                        redirect('user');
2
                    }else{
5
                        redirect('login/index', 'refresh');
2
                    }
6
           }
           else{
2
                $data['pesan']='username dan password anda salah';
7
2
                $data['title']='Login';
                $this->load->view('template/header_login', $data);
8
2
                $this->load->view('login/index', $data);
9
                $this->load->view('template/footer');
```

```
//redirect('login/index','refresh');
0
           }
       }
3
1
       public function logout(){
3
2
            $this->session->sess_destroy();
            redirect('login', 'refresh');
3
3
3
       }
   }
4
3
   /* End of file login.php */
5
3
6
3
7
3
8
3
9
4
0
4
1
4
2
4
3
4
4
4
5
4
6
4
7
4
8
4
9
5
0
5
1
5
2
5
3
5
4
```

```
5
5
6
5
7
5
8
5
9
6
0
6
1
controller/mahasiswa.php
   <?php
   defined('BASEPATH') OR exit('No direct script access allowed');
2
3
4
   class mahasiswa extends CI_Controller {
5
6
       //fungsi yang akan dijalankan saat classnya diinstansiasi
7
       public function __construct()
8
9
           //digunakan untuk menjalankan fungsi construct pada class parent(ci
1
   controller)
           parent::__construct();
0
1
           $this->load->model('mahasiswa_model');
1
           $this->load->library('form_validation');
1
           //validasi level
2
1
           if($this->session->userdata('level') !="admin"){
3
                redirect('login','refresh');
1
           }
4
       }
1
5
       public function index()
1
6
           //modul for load database
1
           //$this->load->database();
7
           $data['title']='List Mahasiswa';
1
           $data['mahasiswa']=$this->mahasiswa model->getAllmahasiswa();
           if($this->input->post('keyword')){
8
1
                #code...
9
                $data['mahasiswa']=$this->mahasiswa model->cariDataMahasiswa();
2
0
           $this->load->view('template/header', $data);
           $this->load->view('mahasiswa/index', $data);
2
           $this->load->view('template/footer');
1
2
       }
2
```

```
public function tambah()
3
       {
2
           $data['title']='Form Menambahkan Data Mahasiswa';
4
           $data['majors']=['Teknik Informatika', 'Teknik Kimia', 'Teknik Indus
2
   tri', 'Teknik Mesin', 'Teknik Sipil'];
5
           $this->form_validation-
2
   >set_rules('student_name', 'Name', 'required');
           $this->form_validation->set_rules('nim', 'Nim', 'required|numeric');
6
2
           $this->form validation-
7
   >set_rules('birthplace', 'Birthplace', 'required');
2
           $this->form validation-
   >set_rules('birthdate', 'Birthdate', 'required|date');
8
           $this->form_validation->set_rules('address', 'Address', 'required');
2
9
           if($this->form validation->run() == FALSE)
3
0
           {
3
               #code...
1
               $this->load->view('template/header', $data);
3
               $this->load->view('mahasiswa/tambah', $data);
2
               $this->load->view('template/footer');
3
           }else{
               #code...
3
3
               $this->mahasiswa_model->tambahdatamhs();
4
               //untuk flashdata mempunyai 2 parameter (nama flashdata/alias, i
3
   si dari flashdatanya)
5
               $this->session->set_flashdata('flash-data', 'ditambahkan');
3
6
               redirect('mahasiswa','refresh');
3
           }
7
       }
3
       public function hapus($id)
8
3
9
           $this->mahasiswa model->hapusdatamhs($id);
           //untuk flashdata mempunyai 2 parameter (nama flashdata/alias, isi d
4
0
   ari flashdatanya)
           $this->session->set_flashdata('flash-data', 'dihapus');
4
1
           redirect('mahasiswa','refresh');
4
       }
2
4
       public function detail($id)
3
4
           $data['title']='Detail Mahasiswa';
           $data['mahasiswa']=$this->mahasiswa model->getmahasiswaByID($id);
4
4
           $this->load->view('template/header', $data);
5
           $this->load->view('mahasiswa/detail', $data);
4
           $this->load->view('template/footer');
6
4
       }
7
```

```
public function edit($id)
8
       {
           $data['title']='Form Edit Data Mahasiswa';
4
           $data['mahasiswa']=$this->mahasiswa model->getmahasiswaByID($id);
9
5
           $data['majors']=['Teknik Informatika', 'Teknik Kimia', 'Teknik Indus
   tri', 'Teknik Mesin', 'Teknik Sipil'];
0
5
           $this->form_validation-
   >set_rules('student_name', 'Name', 'required');
1
5
           $this->form validation->set rules('nim', 'Nim', 'required|numeric');
2
           $this->form validation-
5
   >set_rules('birthplace', 'Birthplace', 'required');
3
           $this->form validation-
5
   >set_rules('birthdate', 'Birthdate', 'required|date');
4
           $this->form_validation->set_rules('address', 'Address', 'required');
5
5
           if ($this->form validation->run() == FALSE) {
5
               $this->load->view('template/header', $data);
               $this->load->view('mahasiswa/edit', $data);
6
               $this->load->view('template/footer');
5
7
           } else {
5
               $this->mahasiswa model->ubahdatamhs();
               $this->session->set_flashdata('flash-data', 'diedit');
8
5
               redirect('mahasiswa', 'refresh');
9
           };
6
       }
0
   }
6
1
   /* End of file Controllername.php */
6
   ?>
2
6
3
6
4
6
5
6
6
6
7
6
8
6
9
7
0
7
1
7
2
```

7	
2	
3 7	
7	
4	
7	
/	
5	
7	
6	
7	
7	
7	
8	
8 7	
,	
9 8	
8	
0	
0	
8	
1	
Q	
8 2 8 3 8	
2	
8	
2	
,	
8	
4	
-	
5	
8	
6	
8 5 8 6 8 7	
ð	
7	
8	
0	
8	
8	
9	
9	
0	
9	
1	
1	
9 2	
2	
_	
9	
3	
3 9	
_	
4	
9	
5	
5 9	
9	
6	
9	
7	

```
8
9
9
1
0
0
1
0
1
1
0
2
controller/user.php
   <?php
1
2
3
   defined('BASEPATH') OR exit('No direct script access allowed');
4
5
   class user extends CI_Controller {
6
7
       public function __construct()
8
            parent:: construct();
9
            $this->load->helper('url');
1
            $this->load->helper('form');
0
            $this->load->model('login_model');
1
1
            $this->load->model('mahasiswa_model');
1
            $this->load->model('cetak_model');
2
            //$this->load->library('session');
1
3
            //validasi level
            if($this->session->userdata('level') !="user"){
1
4
                redirect('login','refresh');
1
            }
5
       }
1
6
       public function index()
1
7
            $data = array(
1
                'title' => 'data mahasiswa',
8
                'mahasiswa' => $this->mahasiswa model->datatables()
1
9
            $this->load->view('template/header_datatables_user', $data);
2
            $this->load->view('mahasiswa/user', $data);
            $this->load->view('template/footer_datatables_user');
0
2
       }
1
2
       public function laporan pdf(){
2
            $this->load->library('pdf');
            $data['mahasiswa'] = $this->cetak_model->view();
2
```

```
$this->load->library('pdf');
2
           $this->pdf->setPaper('A4', 'potrrait');
4
           $this->pdf->filename = "laporan-petanikode.pdf";
2
           $this->pdf->load_view('mahasiswa/laporan', $data);
5
2
       }
6
2
   }
7
   /* End of file user.php */
2
8
2
   ?>
9
3
0
3
1
3
2
3
3
3
4
3
5
3
6
3
7
3
8
3
9
4
0
4
1
4
2
4
3
4
4
4
5
4
6
4
7
```

```
8
models/cetak_model.php
   <?php
2
   defined('BASEPATH') OR exit('No direct script access allowed');
3
4
5
   class cetak_model extends CI_Model {
6
7
       public function view(){
8
            $this->db-
9
   >select('student name, nim, birthplace, birthdate, majors, address');
            $query = $this->db->get('mahasiswa');
1
0
            return $query->result();
1
       }
1
1
   }
2
   /* End of file cetak model.php */
1
3
1
   ?>
4
1
5
1
6
1
7
models/login model.php
   <?php
1
2
3
   defined('BASEPATH') OR exit('No direct script access allowed');
4
   class login model extends CI Model {
5
6
       function login($username, $password){
7
8
            //var_dump($username);
9
            //var dump($password);
1
            //die();
            $this->db->select('username, password, level');
0
1
            $this->db->from('user');
1
            $this->db-
   >where('username', $username); //maksudnya selama inputan user yang disimpan
1
2
    pada parameter $user sama dengan username
            $this->db->where('password', $password);
1
3
            $this->db->limit(1); //maksudnya data yang diambil cuma 1
1
4
            $query= $this->db->get();
            if($query->num rows()==1)//jika data ditemukan
1
5
```

```
return $query->result();
1
            }else{
6
                return false;
1
7
            }
        }
1
8
1
   }
9
2
   /* End of file login model.php */
0
2
   ?>
1
2
2
2
3
2
4
2
5
2
6
2
7
2
8
2
9
3
0
3
1
models/mahasiswa model.php
1
   <?php
2
   defined('BASEPATH') OR exit('No direct script access allowed');
3
4
5
   class mahasiswa model extends CI Model {
       public function getAllmahasiswa()
6
7
            //https://www.codeigniter.com/user guide/database/query builder.html
8
9
   #selectingdata
1
            //$query digunakan untuk menampung isi dari tabel mahasiswa
0
            $query=$this->db->get('mahasiswa');
1
            //https://www.codeigniter.com/user_guide/database/results.html
1
```

//untuk menampilkan isi dari query

//atau bisa juga menggunakan code berikut

return \$query->result array();

```
//return $this->db->get('mahasiswa')->result array();
4
       }
1
5
       public function tambahdatamhs()
1
6
           $data=[
               "student_name" => $this->input->post('student_name', true),
1
7
               "nim" => $this->input->post('nim', true),
               "birthplace" => $this->input->post('birthplace', true),
1
               "birthdate" => $this->input->post('birthdate', true),
8
1
               "majors" => $this->input->post('majors', true),
               "address" => $this->input->post('address', true),
9
2
0
           $this->db->insert('mahasiswa', $data);
2
       }
1
2
       public function hapusdatamhs($id)
2
2
           $this->db->where('id', $id);
3
           $this->db->delete('mahasiswa');
2
       }
4
2
       public function getmahasiswaByID($id)
5
2
           return $this->db->get where('mahasiswa',['id'=>$id])->row array();
6
       }
2
7
       public function ubahdatamhs()
2
8
           $data=[
               "student name" => $this->input->post('student name', true),
2
9
               "nim" => $this->input->post('nim', true),
3
               "birthplace" => $this->input->post('birthplace', true),
               "birthdate" => $this->input->post('birthdate', true),
0
3
               "majors" => $this->input->post('majors', true),
               "address" => $this->input->post('address', true),
1
3
2
           $this->db->where('id', $this->input->post('id'));
3
           $this->db->update('mahasiswa', $data);
3
       }
3
4
       public function cariDataMahasiswa()
3
5
           $keyword=$this->input->post('keyword');
3
           $this->db->like('nama', $keyword);
6
           $this->db->or_like('jurusan', $keyword);
3
           return $this->db->get('mahasiswa')->result_array();
7
       }
3
8
       public function datatables(){
```

```
$query = $this->db->order_by('id', 'desc')->get('mahasiswa');
           return $query->result();
9
       }
4
   }
0
4
   /* End of file ModelName.php */
1
4
2
   ?>
4
3
4
4
4
5
4
6
4
7
4
8
4
9
5
0
5
1
5
2
5
3
5
4
5
5
5
6
5
7
5
8
5
9
6
0
6
1
6
2
6
3
```

```
4
6
5
6
6
6
7
6
8
6
9
7
0
7
1
7
2
7
3
7
4
view/login/index.php
1
   <?=
2
       form_open('login/proses_login');
3
   ?>
   <div class="container py-5">
4
5
        <div class="row">
            <div class="col-md-12">
6
                <div class="row">
7
                    <div class="col-md-6 mx-auto">
8
9
1
                         <!-- form card login -->
                         <!-- cek pesan -->
0
1
                         <div class="alert alert-info" role="alert">
1
                                 <?php
1
                                     if(isset($pesan)){
2
                                         echo $pesan;
1
                                     }else{
3
                                         echo "Masukkan username dan password and
1
   a";
4
                                     }
1
                                 ?>
5
                             </div>
                         <div class="card rounded-0">
1
                             <div class="card-header">
6
                                 <h3 class="mb-0">Login</h3>
1
7
                             </div>
1
                             <div class="card-body">
```

```
<form class="form" role="form" autocomplete="off</pre>
9
   " id="formLogin" novalidate="" method="POST">
2
                                     <div class="form-group">
0
                                         <label for="uname1">Username</label>
2
                                         <input type="text" class="form-</pre>
1
   control form-control-lg rounded-0" name="uname1" id="uname1" required="">
                                         <div class="invalid-
2
2
   feedback">Oops, you missed this one.</div>
2
3
                                     <div class="form-group">
2
                                          <label>Password</label>
4
                                          <input type="password" class="form-</pre>
2
   control form-control-lg rounded-
5
   0" name="pwd1" id="pwd1" required="" autocomplete="new-password">
2
                                         <div class="invalid-
6
   feedback">Enter your password too!</div>
2
7
                                     <button type="submit" class="btn btn-</pre>
2
   success btn-lg float-right" id="btnLogin">Login</button>
8
                                 </form>
2
                             </div>
9
                             <!--/card-block-->
                        </div>
3
                        <!--/form card login -->
0
3
                    </div>
1
                </div>
3
                <!--/row-->
2
            </div>
3
            <!--/col-->
3
       </div>
3
       <!--row-->
4
   </div>
3
   <!--container-->
5
3
   <?=
6
       form close();
3
   ?>
7
3
8
3
9
4
0
4
1
4
2
4
3
```

```
4
4
5
4
6
4
7
4
8
4
9
5
0
5
1
5
2
5
3
5
4
5
5
5
6
5
7
5
8
view/mahasiswa/detail.php
   <div class="container">
2
       <div class="row mt-3">
           <div class="col-md-6">
3
4
              <div class="card">
                  <div class="card-header">
5
6
                      Detail Data Mahasiswa
7
                  </div>
8
                  <div class="card-body">
9
                  <h5 class="card-
   title"><?= $mahasiswa['student_name']; ?></h5>
1
0
                      1
                          <label for=""><b> Nim:</b></label>
1
                          <?= $mahasiswa['nim']; ?>
1
                      2
                      1
                          <label for=""><b> Birthplace:</b></label>
3
                          <?= $mahasiswa['birthplace']; ?>
```

```
5
                          <?= $mahasiswa['birthdate']; ?>
1
                      6
                          <label for=""><b> Majors:</b></label>
1
7
                          <?= $mahasiswa['majors']; ?>
1
                      8
                          <label for=""><b> Address:</b></label>
1
9
                          <?= $mahasiswa['address']; ?>
2
0
                      <a href="<?= base_url();?>mahasiswa" class="btn btn-
2
   primary">Kembali</a>
1
                  </div>
2
               </div>
2
           </div>
       </div>
2
3
   </div>
2
4
2
5
2
6
2
7
2
8
2
9
3
0
3
1
3
2
3
3
3
4
3
5
view/mahasiswa/edit.php
   <div class="container">
       <div class="row mt-3">
2
3
           <div class="col-md-6">
               <!-- http://getbootstrap.com/docs/4.1/components/card/ -->
4
5
               <div class="card">
6
                  <div class="card-header">
7
                      Form Merubah Data Mahasiswa
```

<label for=""> Birthdate:</label>

```
</div>
                    <div class="card-body">
9
1
                    <!-- untuk menampilkan pesan error -->
                    <?php if (validation errors()):?>
0
                         <div class="alert alert-danger" role="alert">
1
1
                             <?= validation_errors() ?>
                         </div>
1
2
                    <?php endif ?>
                         <form action=""method="post">
1
3
                             <input type="hidden" name="id" value="<?= $mahasiswa</pre>
1
   ['id'];?>">
4
                             <!-
1
   - http://getbootstrap.com/docs/4.1/components/forms/ -->
5
                             <div class="form-group">
1
                                 <label for="student name">Name</label>
6
                                 <input type="text" class="form-</pre>
1
   control" id="student_name" name="student_name" value="<?= $mahasiswa['studen</pre>
7
   t name'];?>">
1
                             </div>
                             <div class="form-group">
8
1
                                 <label for="nim">Nim</label>
9
                                 <input type="number" class="form-</pre>
   control" id="nim" name="nim" value="<?= $mahasiswa['nim'];?>">
2
                             </div>
0
2
                             <div class="form-group">
1
                                 <label for="birthplace">Birthplace</label>
2
                                 <input type="text" class="form-</pre>
   control" id="birthplace" name="birthplace" value="<?= $mahasiswa['birthplace"</pre>
2
2
   '];?>">
3
                             </div>
                             <div class="form-group">
2
4
                                 <label for="birthdate">Birthdate</label>
2
                                 <input type="date" class="form-</pre>
5
   control" id="birthdate" name="birthdate" value="<?= $mahasiswa['birthdate'];</pre>
2
   ?>">
6
                             </div>
2
                             <div class="form-group">
7
                                 <label for="majors">Majors</label>
2
                                 <select class="form-</pre>
   control" id="majors" name="majors">
8
2
                                      <?php foreach($majors as $key): ?>
9
                                          <?php if($key == $mahasiswa['majors']):</pre>
3
   ?>
                                               <option value="<?= $key ?>"selected>
0
3
   <?= $key ?></option>
1
                                          <?php else :?>
3
                                               <option value="<?= $key ?>"><?= $key</pre>
2
    ?></option>
3
                                          <?php endif;?>
3
                                      <?php endforeach; ?>
```

```
</select>
                             </div>
4
3
                             <div class="form-group">
5
                                 <label for="address">Address</label>
                                 <input type="text" class="form-</pre>
3
   control" id="address" name="address" value="<?= $mahasiswa['address'];?>">
6
3
                             </div>
                             <button type="submit" name="submit" class="btn btn-</pre>
7
3
   primary float-right">Submit</button>
8
                         </form>
3
                    </div>
9
                </div>
4
            </div>
       </div>
0
   </div>
4
1
4
2
4
3
4
4
4
5
4
6
4
7
4
8
4
9
5
0
5
1
5
2
5
3
5
4
5
5
5
6
5
7
5
8
```

```
9
6
0
6
1
6
2
6
3
view/mahasiswa/index.php
   <div class="container">
   <?php if($this->session->flashdata('flash-data')):?>
2
3
        <div class="row mt-4">
            <div class="col-md-6">
4
                <div class="alert alert-success alert-</pre>
5
   dismissible fade show" role="alert">
6
7
                Data Mahasiswa <strong>Berhasil</strong> <?= $this->session-
8
   >flashdata('flash-data');?>
9
                <button type="button" class="close" data-dismiss="alert" aria-</pre>
1
   label="Close">
0
                    <span aria-hidden="true">&times;</span>
                </button>
1
1
                </div>
            </div>
1
2
       </div>
1
   <?php endif; ?>
3
       <div class="row mt-4">
1
            <div class="col-md-6">
4
                <a href="<?= base url();?>mahasiswa/tambah"class="btn btn-
1
   primary"> Tambah Data</a>
5
            </div>
       </div>
1
6
   <div class="row mt-3">
1
       <div class="col-md-6">
7
            <form action="" method="post">
1
8
            <div class="input-group">
                <input type="text" class="form-</pre>
1
9
   control" placehorder="Cari Data Mahasiswa" name="keyword">
2
                <div class="input-group-append">
                    <button class="btn btn-primary" type="submit">Cari</button>
0
2
                </div>
1
            </div>
2
            </form>
2
       </div>
2
   </div>
3
2
   <div class="row mt-3">
4
       <div class="col-md-6">
```

```
<h2>Daftar Mahasiswa</h2>
5
2
          <!-- alert -->
          <?php if(empty($mahasiswa)): ?>
6
2
              <div class="alert alert-danger" role="alert">
7
                  Data Mahasiswa tidak ditemukan
              </div>
2
          <?php endif; ?>
8
2
       <?php foreach($mahasiswa as $mhs): ?>
9
3
              0
                  <?= $mhs['student_name'];?>
                  <a href="<?= base_url();?>mahasiswa/hapus/<?= $mhs['id'];?>"
3
1
                  class="badge badge-danger float-right"
3
                  onclick="return confirm('Yakin Data ini akan dihapus?');">Ha
2
  pus</a>
3
                  <a href="<?= base_url();?>mahasiswa/edit/<?= $mhs['id'];?>"
3
                  class="badge badge-success float-right">Edit</a>
3
                  <a href="<?= base url();?>mahasiswa/detail/<?= $mhs['id'];?>
4
3
                  class="badge badge-primary float-right">Detail</a>
5
              3
          <?php endforeach; ?>
6
       </div>
3
7
   </div>
3
   </div>
8
3
9
4
0
4
1
4
2
4
3
4
4
4
5
4
6
4
7
4
8
4
9
```

```
0
5
1
5
2
5
3
5
4
5
5
5
6
5
7
5
8
5
9
view/mahasiswa/laporan.php
   <!DOCTYPE html>
2
   <html>
3
   <head>
4
        <title>Report Table</title>
5
        <style type="text/css">
6
            #outtable{
7
                padding:20px;
                border:1px solid #e3e3e3;
8
9
                width:600px;
1
                border-radius:5px;
0
1
            .short{
                width:50px;
1
1
            }
2
            .normal{
1
                width:150px;
3
1
            table{
4
                border-collapse:collapse;
1
                font-family:arial;
5
                color:#5E5B5C;
1
            }
6
            thead th{
                text-align:left;
1
7
                padding:10px;
1
            tbody td{
8
1
                border-top:1px solid #e3e3e3;
```

padding:10px;

```
2
0
        tbody tr:nth-child(even){
2
           background: #F6F5FA;
1
2
        tbody tr:hover{
2
           background:#EAE9F5;
2
        }
3
     </style>
2
  </head>
4
  <body>
     <div id="outtable">
2
5
        2
           <thead>
6
             2
                #
7
                Name
2
                Nim
8
                Birthplace
2
                Birthdate
9
                Majors
3
                Address
0
             3
           </thead>
1
           3
             <?php $no=1; ?>
2
             <?php foreach($mahasiswa as $user): ?>
3
                3
                   <?php echo $no; ?>
3
                   <?php echo $user->student_name; ?>
4
                   <?php echo $user->nim; ?>
3
                   <?php echo $user->birthplace; ?>
5
                   <?php echo $user->birthdate; ?>
3
                   <?php echo $user->majors; ?>
6
                   <?php echo $user->address; ?>
3
                7
             <?php $no++; ?>
             <?php endforeach; ?>
3
8
           3
        </div>
9
4
  </body>
0
  </html>
4
1
4
2
4
3
4
4
```

4	
5	
-	
4	
6	
-	
4	
7	
'_	
4	
8	
0	
4	
9	
5	
a	
0	
5	
1	
_	
5	
2	
5	
2	
5 0 5 1 5 2 5 3 5 4	
5	
1	
4	
5	
_	
)	
5	
6	
5 5 5 6 5 7 5 8 5 9	
5	
7	
/	
5	
0	
0	
5	
٥	
7	
6	
0	
U	
6	
1	
1 6	
6	
2	
-	
6	
2	
_ ا	
2 6 3 6 4 6 5 6 6 6 7 6 8 6 9	
4	
-	
6	
5	
_ ا	
6	
6	
"	
6	
7	
'	
6	
0	
٥	
6	
۵	

```
0
7
1
view/mahasiswa/tambah.php
   <div class="container">
2
        <div class="row mt-3">
3
            <div class="col-md-6">
                <!-- http://getbootstrap.com/docs/4.1/components/card/ -->
4
5
                <div class="card">
                    <div class="card-header">
6
7
                         Form Tambah Data Mahasiswa
8
                    </div>
9
                    <div class="card-body">
1
                    <!-- untuk menampilkan pesan error -->
0
                    <?php if (validation_errors()):?>
                         <div class="alert alert-danger" role="alert">
1
                             <?= validation errors() ?>
1
1
                         </div>
2
                    <?php endif ?>
1
                         <form action=""method="post">
3
                             <!-
1
   - http://getbootstrap.com/docs/4.1/components/forms/ -->
4
                             <div class="form-group">
                                 <label for="student name">Name</label>
1
5
                                 <input type="text" class="form-</pre>
   control" id="student_name" name="student_name">
1
6
                             </div>
1
                             <div class="form-group">
                                 <label for="nim">Nim</label>
7
1
                                 <input type="number" class="form-</pre>
8
   control" id="nim" name="nim">
1
                             </div>
9
                             <div class="form-group">
2
                                 <label for="birthplace">Birthplace</label>
                                 <input type="text" class="form-</pre>
0
2
   control" id="birthplace" name="birthplace">
1
                             </div>
2
                             <div class="form-group">
2
                                 <label for="birthdate">Birthdate</label>
2
                                 <input type="date" class="form-</pre>
3
   control" id="birthdate" name="birthdate">
2
                             </div>
4
                             <div class="form-group">
2
                                 <label for="majors">Majors</label>
                                 <select class="form-</pre>
5
2
   control" id="majors" name="majors">
6
                                 <?php foreach($majors as $key): ?>
2
                                     <option value="<?= $key ?>"selected><?= $key</pre>
7
    ?></option>
```

```
2
                                  <?php endforeach; ?>
8
                                  </select>
2
                             </div>
9
                             <div class="form-group">
3
                                  <label for="address">Address</label>
                                  <input type="text" class="form-</pre>
0
   control" id="address" name="address">
3
                             </div>
1
3
                             <button type="submit" name="submit" class="btn btn-</pre>
   primary float-right">Submit</button>
2
3
                         </form>
3
                    </div>
3
                </div>
            </div>
4
       </div>
3
5
   </div>
3
6
3
7
3
8
3
9
4
0
4
1
4
2
4
3
4
4
4
5
4
6
4
7
4
8
4
9
5
0
5
1
5
2
```

```
view/mahasiswa/user.php
  <div class="container" style="margin-top:20px">
2
     <div class="col-md-12">
3
        <h1 style="text-align: center; margin-
4
  bottom:30px"> Data Mahasiswa</h1>
5
     </div>
6
        7
        <thead>
8
           #
9
1
              Name
              Nim
0
1
              Birthplace
1
              Birthdate
1
              Majors
2
              Address
1
           3
        </thead>
1
        4
           <?php
1
              $no=1;
5
              foreach($mahasiswa as $mhs){?>
1
                 6
                    <?= $no++; ?>
1
                    <?= $mhs->student_name; ?>
7
                    <?= $mhs->nim; ?>
1
                    <?= $mhs->birthplace; ?>
8
                    <?= $mhs->birthdate; ?>
1
                    <?= $mhs->majors; ?>
9
                    <?= $mhs->address; ?>
2
                 <?php } ?>
0
2
        1
2
  </div>
2
2
3
2
4
2
5
2
6
2
7
2
8
2
9
```

```
0
3
1
3
2
3
3
view/template/footer datatables user.php
   <script type="text/javascript">
2
   $(document).ready(function() {
3
       $('#list mhs').DataTable();
4
   });
5
   </script>
6
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/boots</pre>
7
   trap.min/js" crossorigin="anonymous"></script>
8
        </body>
   </html>
view/template/footer.php
   <!-- Optional JavaScript -->
2
        <!-- jQuery first, then Popper.js, then Bootstrap JS -->
3
        <script src="https://code.jquery.com/jquery-</pre>
   3.3.1.slim.min.js" integrity="sha384-
4
   q8i/X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" crossorigi
5
6
   n="anonymous"></script>
7
        <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd</pre>
8
   /popper.min.js" integrity="sha384-
   ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/18WvCWPIPm49" crossorigi
9
   n="anonymous"></script>
1
        <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/js/boots</pre>
   trap.min.js" integrity="sha384-
   ChfqqxuZUCnJSK3+MXmPNIyE6ZbWh2IMqE241rYiqJxyMiZ6OW/JmZQ5stwEULTy" crossorigi
   n="anonymous"></script>
     </body>
   </html>
view/mahasiswa/header datatables user.php
   <!doctype html>
2
   <html lang="en">
3
     <head>
4
       <!-- Required meta tags -->
5
        <meta charset="utf-8">
6
        <meta name="viewport" content="width=device-width, initial-</pre>
7
   scale=1, shrink-to-fit=no">
8
9
       <!-- Bootstrap CSS -->
        <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstra</pre>
1
0
   p/4.1.3/css/bootstrap.min.css" integrity="sha384-
   MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPMO" crossorigi
1
   n="anonymous">
1
1
```


```
<!-- <title>Hello, world!</title> -->
1
       <title><?= $title ?></title>
3
1
       <script src="//ajax.googleapis.com/ajax/libs/jquery/1.10.2/jquery.min.js</pre>
   "></script>
4
1
     <link rel="stylesheet" type="text/css" href="https://cdn.datatables.net/v/</pre>
5
   dt/dt-1.10.13/datatables.min.css"/>
     <script type="text/javascript" src="https://cdn.datatables.net/v/dt/dt-</pre>
1
   1.10.13/datatables.min.js"></script>
6
1
   </head>
7
   <body>
1
8
       <!-- navbar -->
1
       <nav class="navbar navbar-expand-lg navbar-light bg-light">
9
          <div class="container">
2
       <a class="navbar-brand" href="#">CI</a>
0
       <button class="navbar-toggler" type="button" data-</pre>
2
   toggle="collapse" data-target="#navbarNavAltMarkup" aria-
   controls="navbarNavAltMarkup" aria-expanded="false" aria-
1
2
   label="Toggle navigation">
2
           <span class="navbar-toggler-icon"></span>
2
       </button>
3
       <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
2
            <div class="navbar-nav">
4
            <!-- <a class="nav-item nav-
2
   link" href="<?= base_url(); ?>">Home</a> -->
5
           <a class="nav-item nav-</pre>
   link" href="<?= base_url(); ?>user/laporan_pdf">Cetak Laporan</a>
2
6
           <a class="nav-item nav-</pre>
2
   link" href="<?= base url(); ?>login/logout">Logout</a>
7
           </div>
       </div>
2
8
       </div>
2
       </nav>
9
3
0
3
1
3
2
3
3
3
4
3
5
3
6
```

```
7
view/mahasiswa/header_login.php
   <!doctype html>
2
   <html lang="en">
3
       <head>
4
            <!-- Required meta tags -->
5
            <meta charset="utf-8">
            <meta name="viewport" content="width=device-width, initial-</pre>
6
   scale=1, shrink-to-fit=no">
7
8
9
            <!-- Bootstrap CSS -->
            <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/boot</pre>
1
   strap/4.1.3/css/bootstrap.min.css" integrity="sha384-
0
1
   MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPM0" crossorigi
1
   n="anonymous">
1
2
            <!-- style css -->
1
            <style>
3
            .badge{
1
                margin-left:3px;
4
            }
1
            </style>
5
1
            <!-- <title>Hello, world!</title> -->
6
            <title><?= $title ?></title>
1
       </head>
7
        <body></body>
1
   </html>
8
1
9
2
0
2
1
2
2
2
3
view/mahasiswa/header.php
   <!doctype html>
2
   <html lang="en">
3
     <head>
4
       <!-- Required meta tags -->
5
        <meta charset="utf-8">
6
       <meta name="viewport" content="width=device-width, initial-</pre>
7
   scale=1, shrink-to-fit=no">
8
9
       <!-- Bootstrap CSS -->
```


```
p/4.1.3/css/bootstrap.min.css" integrity="sha384-
0
   MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkF0JwJ8ERdknLPM0" crossorigi
1
1
   n="anonymous">
1
2
       <!-- style css -->
1
       <style>
3
         .badge{
1
           margin-left:3px;
4
1
       </style>
5
1
       <!-- <title>Hello, world!</title> -->
6
       <title><?= $title ?></title>
     </head>
1
     <body>
7
1
8
       <!-- navbar -->
1
       <nav class="navbar navbar-expand-lg navbar-light bg-light">
9
       <a class="navbar-brand" href="#">CI</a>
2
       <button class="navbar-toggler" type="button" data-</pre>
   toggle="collapse" data-target="#navbarNavAltMarkup" aria-
0
2
   controls="navbarNavAltMarkup" aria-expanded="false" aria-
1
   label="Toggle navigation">
2
           <span class="navbar-toggler-icon"></span>
2
       </button>
2
       <div class="collapse navbar-collapse" id="navbarNavAltMarkup">
3
           <div class="navbar-nav">
2
           <a class="nav-item nav-</pre>
  link" href="<?= base url(); ?>mahasiswa">Home</a>
4
2
           <a class="nav-item nav-</pre>
5
   link" href="<?= base url(); ?>mahasiswa">Data Mahasiswa</a>
           <a class="nav-item nav-</pre>
2
6
   link" href="<?= base_url(); ?>login/logout">Logout</a>
2
           <!-- <a class="nav-item nav-link disabled" href="#">Disabled</a> -->
7
           </div>
       </div>
2
8
       </nav>
2
9
3
0
3
1
3
2
3
3
3
4
```




Admin Login:




Show record in mahasiswa table:




Show details of selected student:





Edit student record:






Delete student record:






Add student record to mahasiswa table:



User Login:



View record inside "mahasiswa" table:




Data Mahasiswa



Showing 1 to 6 of 6 entries

Download the record to pdf file:



2. REST Server

Source Code:

```
controllers/Rest server.php
   <?php
1
2
   defined('BASEPATH') OR exit('No direct script access allowed');
3
4
5
   class Rest_server extends CI_Controller {
6
       public function index()
7
8
           $this->load->helper('url');
9
1
           $this->load->view('rest_server');
0
1
       }
1
   }
1
2
1
3
models/mahasiswa_model.php
```

```
<?php
2
3
   defined('BASEPATH') OR exit('No direct script access allowed');
4
5
   class mahasiswa model extends CI Model {
6
       public function getMahasiswa($id = null){
7
           if($id===null){
               return $this->db->get('mahasiswa')->result_array();
8
9
               return $this->db->get where('mahasiswa',['id' => $id])-
1
0
   >result_array();
1
1
       }
1
2
       public function deleteMahasiswa($id){
1
           $this->db->delete('mahasiswa', ['id'=>$id]);
3
           return $this->db->affected_rows();
1
       }
4
1
       public function createMahasiswa($data){
5
           $this->db->insert('mahasiswa', $data);
1
           return $this->db->affected_rows();
       }
6
1
       public function updateMahasiswa($data, $id){
7
1
           $this->db->update('mahasiswa', $data, ['id' => $id]);
           return $this->db->affected rows();
8
1
       }
9
   }
2
   /* End of file ModelName.php */
0
2
1
   ?>
2
2
2
3
2
4
2
5
2
6
2
7
2
8
2
9
3
```

```
0
3
1
3
2
view/rest server.php
  <?php
2
       defined('BASEPATH') OR exit('No direct script access allowed');
3
  ?>
4
5
  <!DOCTYPE html>
   <html lang="en">
6
  <head>
7
8
       <meta charset="utf-8">
9
       <title>REST Server Tests</title>
1
0
       <style>
1
       ::selection { background-color: #E13300; color: white; }
1
1
       ::-moz-selection { background-color: #E13300; color: white; }
2
1
       body {
3
           background-color: #FFF;
           margin: 40px;
1
           font: 16px/20px normal Helvetica, Arial, sans-serif;
4
           color: #4F5155;
1
5
           word-wrap: break-word;
1
       }
6
       a {
1
7
           color: #039;
1
           background-color: transparent;
           font-weight: normal;
8
1
       }
9
       h1 {
2
0
           color: #444;
2
           background-color: transparent;
           border-bottom: 1px solid #D0D0D0;
1
2
           font-size: 24px;
2
           font-weight: normal;
2
           margin: 0 0 14px 0;
3
           padding: 14px 15px 10px 15px;
2
       }
4
2
       code {
5
           font-family: Consolas, Monaco, Courier New, Courier, monospace;
2
           font-size: 16px;
6
           background-color: #f9f9f9;
2
           border: 1px solid #D0D0D0;
```

```
color: #002166;
2
           display: block;
8
           margin: 14px 0 14px 0;
2
           padding: 12px 10px 12px 10px;
9
       }
3
0
       #body {
3
           margin: 0 15px 0 15px;
1
       }
3
2
       p.footer {
3
           text-align: right;
3
           font-size: 16px;
           border-top: 1px solid #D0D0D0;
3
4
           line-height: 32px;
3
           padding: 0 10px 0 10px;
5
           margin: 20px 0 0 0;
3
       }
6
3
       #container {
7
           margin: 10px;
3
           border: 1px solid #D0D0D0;
8
           box-shadow: 0 0 8px #D0D0D0;
3
9
       </style>
4
   </head>
0
   <body>
4
1
   <div id="container">
4
       <h1>REST Server Tests</h1>
2
4
       <div id="body">
3
4
           <h2><a href="<?php echo site_url(); ?>">Home</a></h2>
4
4
           >
               See the article
5
4
               <a href="http://net.tutsplus.com/tutorials/php/working-with-</pre>
   restful-services-in-codeigniter-2/" target="_blank">
6
4
                   http://net.tutsplus.com/tutorials/php/working-with-restful-
7
   services-in-codeigniter-2/
4
               </a>
8
           4
9
           >
5
               The master project repository is
               <a href="https://github.com/chriskacerguis/codeigniter-</pre>
0
5
   restserver" target=" blank">
1
                   https://github.com/chriskacerguis/codeigniter-restserver
5
               </a>
```

```
2
          5
3
5
              Click on the links to check whether the REST server is working.
4
          5
5
          <01>
5
              <a href="<?php echo site_url('api/example/users'); ?>">Users</a>
6
  /a> - defaulting to JSON
5
              <a href="<?php echo site url('api/example/users/format/csv');</a>
   ?>">Users</a> - get it in CSV
7
5
              <a href="<?php echo site url('api/example/users/id/1'); ?>">U</a>
8
  ser #1</a> - defaulting to JSON (users/id/1)
5
              <a href="<?php echo site url('api/example/users/1'); ?>">User</a>
9
   #1</a> - defaulting to JSON (users/1)
              <a href="<?php echo site url('api/example/users/id/1.xml'); ?</pre>
6
  >">User #1</a> - get it in XML (users/id/1.xml)
0
              <a href="<?php echo site url('api/example/users/id/1/format/x</li>
6
1
  ml'); ?>">User #1</a> - get it in XML (users/id/1/format/xml)
              <a href="<?php echo site url('api/example/users/id/1?format=x</a>
6
2
  ml'); ?>">User #1</a> - get it in XML (users/id/1?format=xml)
              <a href="<?php echo site_url('api/example/users/1.xml'); ?>"></a>
6
3
  User #1</a> - get it in XML (users/1.xml)
6
              <a id="ajax" href="<?php echo site_url('api/example/users/for
  mat/json'); ?>">Users</a> - get it in JSON (AJAX request)
4
6
              <a href="<?php echo site_url('api/example/users.html'); ?>">U</a>
  sers</a> - get it in HTML (users.html)
5
              <a href="<?php echo site_url('api/example/users/format/html')</a>
6
  ; ?>">Users</a> - get it in HTML (users/format/html)
6
              <a href="<?php echo site url('api/example/users?format=html')</pre>
6
  ; ?>">Users</a> - get it in HTML (users?format=html)
7
          6
8
      </div>
6
9
7
      Page rendered in <strong>{elapsed time}</strong> second
  s. <?php echo (ENVIRONMENT === 'development') ? 'CodeIgniter Version <stron</pre>
0
7
  g>'.CI VERSION.'</strong>' : '' ?>
1
  </div>
7
2
  <script src="https://code.jquery.com/jquery-1.12.0.js"></script>
7
3
  <script>
7
      // Create an 'App' namespace
      var App = App || {};
4
7
5
      // Basic rest module using an IIFE as a way of enclosing private variable
7
  S
6
      App.rest = (function restModule(window) {
7
          // Fields
```

```
var _alert = window.alert;
7
           var _JSON = window.JSON;
8
           // Cache the jQuery selector
7
           var _$ajax = null;
9
8
0
           // Cache the jQuery object
8
           var $ = null;
1
8
           // Methods (private)
2
           /**
8
3
            * Called on Ajax done
8
4
            * @return {undefined}
8
5
           function _ajaxDone(data) {
8
               // The 'data' parameter is an array of objects that can be iterat
6
   ed over
8
               _alert(_JSON.stringify(data, null, 2));
7
           }
8
8
8
            * Called on Ajax fail
9
9
            * @return {undefined}
0
9
           function _ajaxFail() {
               _alert('Oh no! A problem with the Ajax request!');
1
9
           }
2
9
3
            * On Ajax request
9
4
            * @param {jQuery} $element Current element selected
9
            * @return {undefined}
5
9
           function _ajaxEvent($element) {
6
               $.ajax({
9
                        // URL from the link that was 'clicked' on
7
                        url: $element.attr('href')
9
                    })
8
                    .done(_ajaxDone)
                    .fail( ajaxFail);
9
9
           }
1
0
0
              Bind events
1
0
            * @return {undefined}
```

```
*/
1
1
           function _bindEvents() {
0
               // Namespace the 'click' event
2
               _$ajax.on('click.app.rest.module', function (event) {
1
                    event.preventDefault();
0
3
                    // Pass this to the Ajax event function
                    _ajaxEvent($(this));
1
0
               });
4
           }
1
0
5
            * Cache the DOM node(s)
1
0
            * @return {undefined}
            */
6
1
           function _cacheDom() {
0
               _$ajax = $('#ajax');
7
           }
1
0
           // Public API
8
           return {
1
0
                 * Initialise the following module
9
1
                 * @param {object} jQuery Reference to jQuery
                 * @return {undefined}
1
                 */
0
1
               init: function init(jQuery) {
1
                    $ = jQuery;
1
1
                    // Cache the DOM and bind event(s)
1
                    _cacheDom();
2
                    _bindEvents();
1
               }
1
           };
3
       }(window));
1
       // DOM ready event
1
4
       $(function domReady($) {
1
           // Initialise the App module
1
           App.rest.init($);
5
       });
1
   </script>
1
6
   </body>
1
   </html>
1
7
1
```

1 8 1 1 9	
0	
0	
1	
1	
-	
9	
1	
1 2	
2	
0	
1	
_	
2	
1	
-	
1	
2	
2	
_	
1	
2	
2	
1 1 1 2 2 1 2 3 1 2 4	
1	
2	
-	
4	
1 2	
2	
5	
1	
_	
2	
5 1 2 6 1 2 7	
1	
_	
2	
7	
_	
2	
1 2 8 1 2 9	
4	
1	
2	
۵	
1	
3	
0	
1 3 1	
3	
1	
1	
1 3 2	
ر	
_	
3	
1 3 1 3	
1	
_	
3	
1	

1	
1 3 5 1 3	
3	
_	
2	
1	
_	
3	
6	
U	
1	
_	
1 3 7	
7	
-	
1	
2	
2	
8	
4	
1	
3	
_	
9	
1 3 8 1 3 9 1	
4	
α	
0	
1 4	
_	
4	
1	
-	
1	
4	
-	
2	
2 1 4 3 1	
-	
4	
2	
٥	
1	
4	
4	
4	
_	
1 4	
4	
7	
5	
1	
5 1 4	
4	
_	
6	
1	
-	
4	
7	
1	
4	
8	
_	
1	
4	
9	
1	
1	
5	
_	
0	
1	
1	
_	

1	
_	
1	
_	
5	
2	
_	
1 5 2 1	
_	
5	
2	
2	
1	
5 3 1 5 4	
5	
4	
1	
_	
5	
_	
)	
5 1 5 6	
_	
5	
6	
O	
1	
_	
5	
7	
/	
1	
_	
5	
0	
0	
1	
5 7 1 5 8 1 5 9	
5	
0	
9	
1 6	
-	
6	
•	
0	
1	
0 1 6 1	
6	
4	
T	
1	
_	
6	
2	
_	
6 2 1	
_	
6	
6 3	
2	
1	
_	
6	
4	
1	
_	
6	
_	
)	
5 1	
_	
6	
_	
6	
1	
-	
6	
7	
/	
6 7 1	
_	

6	
8	
1	
1	
6	
9	
-	
1 7	
7	
'	
0	
1	
-	
1 7	
1	
-	
1	
1 7	
1	
2	
1 7	
7	
′	
3	
1	
7	
4	
1	
7	
-	
ן כ	
7 5 1	
7	
6	
1	
-	
7 7	
7	
1	
-	
1 7	
8	
1	
1 7	
7	
9	
1	
1 8	
2	
0	
1	
1 8 1	
0	
1	
-	
8	
1 8 2	
1	
8	
ح	
ح	
1	
8	
-	
4	

1	
1 8 5 1 8 6	
ð	
5	
1	
Τ	
8	
_	
6	
1	
-	
1 8 7 1 8 8 1 8	
7	
1	
Q	
0	
8	
1	
-	
8	
۵	
9	
1	
0	
9 0	
0	
1	
1 9 1	
9	
1	
_	
1	
_	
9	
2	
_	
Τ	
9 2 1 9 3 1 9	
2	
3	
1	
_	
9	
4	
1	
9	
_	
1 9 5 1 9	
1	
_	
6	
_	
1	
9	
_	
7	
1	
_	
9	
8	
2	
1	
9	
ا ر	
9	
9 2	
-	
0	
9	
2	
0 2 0	
•	

1	
_	
2	
•	
0	
2	
2	
_	
0	
_	
3	
1 2 0 2 2 0 3 2 0	
2	
a	
U	
4	
-	
2	
•	
0	
5	
,	
2	
2 0 5 2 0	
0	
6	
O	
6 2	
-	
0	
_	
7	
2	
2	
a	
U	
8	
_	
7 2 0 8 2 0	
0	
a	
,	
9 1 0 2 1 1 2 1 2 2	
_	
1	
•	
0	
2	
_	
1	
_	
1	
2	
_	
1	
_	
2	
2	
2	
1	
1 3 2	
3	
_	
2	
4	
1	
4	
-	
2	
1 5 2	
_	
)	
2	
~	
1	
-	
6	
2	
2	
1	
-	
6 2 1 7 2	
_	
2	

```
8
2
1
9
2
2
0
2
2
1
2
2
2
controller/api/mahasiswa.php
  <?php
2
3
  defined('BASEPATH') OR exit('No direct script access allowed');
4
5
  require APPPATH.'libraries/REST_Controller.php';
   require APPPATH.'libraries/Format.php';
6
   use Restserver\Libraries\REST_Controller;
7
8
9
  class Mahasiswa extends REST Controller {
1
       public function __construct()
0
1
1
           parent::__construct();
           $this->load->model('Mahasiswa model','mahasiswa');
1
2
1
3
       public function index get()
1
       {
4
           $id = $this->get('id');
1
           if($id===null){
5
               $mahasiswa = $this->mahasiswa->getMahasiswa();
1
           }else{
6
               $mahasiswa = $this->mahasiswa->getMahasiswa($id);
1
7
           if($mahasiswa){
1
8
               $this->response([
                   'status' => true,
1
9
                   'data' => $mahasiswa
2
               ], REST_Controller::HTTP_OK);
0
           }else{
2
               $this->response([
                   'status' => false,
1
2
                   'message' => 'id not found'
2
               ], REST_Controller::HTTP_NOT_FOUND);
```

```
3
       }
2
4
       public function index delete()
2
5
           $id = $this->delete('id');
2
6
           if($id===null){
2
               $this->response([
7
                    'status' => false,
2
                    'message' => 'provide an id!'
8
               ], REST_Controller::HTTP_BAD_REQUEST);
2
           }else{
9
               if($this->mahasiswa->deleteMahasiswa($id) > 0){
3
                   //ok
0
                   $this->response([
3
                        'status' => true,
                        'id' => $id,
1
                        'message' => 'deleted'
3
2
                   ], REST_Controller::HTTP_OK);
3
               }else{
3
                   //id not found
3
                   $this->response([
4
                        'status' => false,
                        'message' => 'id not found!'
3
5
                   ], REST_Controller::HTTP_BAD_REQUEST);
3
               }
6
           }
3
       }
7
3
       public function index_post()
8
3
           $data = [
9
                'student_name' => $this->post('student_name'),
4
                'nim' => $this->post('nim'),
                'birthplace' => $this->post('birthplace'),
0
                'birthdate' => $this->post('birthdate'),
4
1
               'majors' => $this->post('majors'),
4
                'address' => $this->post('address'),
2
           ];
4
3
           if($this->mahasiswa->createMahasiswa($data) > 0){
4
               $this->response([
4
                    'status' => true,
4
                    'message' => 'new mahasiswa has been created'
5
               ], REST_Controller::HTTP_CREATED);
4
           }else{
6
               //id not found
4
               $this->response([
7
                    'status' => false,
```

```
4
                    'message' => 'failed to create new data!'
8
               ], REST_Controller::HTTP_BAD_REQUEST);
4
           }
9
       }
5
0
       public function index_put()
5
           $id = $this->put('id');
1
5
           $data = [
2
                'student name' => $this->post('student name'),
5
                'nim' => $this->post('nim'),
                'birthplace' => $this->post('birthplace'),
3
5
                'birthdate' => $this->post('birthdate'),
                'majors' => $this->post('majors'),
4
5
                'address' => $this->post('address'),
5
           ];
5
6
           if($this->mahasiswa->updateMahasiswa($data, $id) > 0){
5
               $this->response([
7
                    'status' => true,
5
                    'message' => 'data mahasiswa has been updated'
               ], REST_Controller::HTTP_OK);
8
5
           }else{
9
               //id not found
               $this->response([
6
0
                    'status' => false,
                    'message' => 'failed to update data!'
6
1
                ], REST_Controller::HTTP_BAD_REQUEST);
6
           }
2
       }
6
   }
3
6
   /* End of file Mahasiswa.php */
4
6
5
6
6
6
7
6
8
6
9
7
0
7
1
7
2
```


7 3 7	
2	
)	
7	
1 -	
4	
7	
_ /	
5	
5 7	
_	
6 7 7	
7	
'	
7	
7	
_ /	
8	
8 7	
7	
9	
9	
8	
0	
8	
0	
1	
8	
2	
_	
8	
3	
3	
8 2 8 3 8	
4	
8	
5	
5 8	
8	
6	
О	
8 7	
_	
/	
8	
0	
8	
0	
8 9	
9	
9	
9	
0	
0	
9	
4	
1	
9	
9 2 9	
2	
۵	
7	
3 9	
_	
9	
4	
4	
9	
-	
5	
5 9	
3	
6	
9 7	
7	

	T
9	
_	
8	
_	
9	
-	
9	
_	
1	
_	
0	
0	
1	
-	
0	
_	
1	
-	
1	
_	
a	
_	
0 2	
_	
1	
_	
0	
-	
3	
-	
1	
1	
0	
4	
1	
_	
0	
5 1	
_	
1	
_	
0	
_	
6	
_	
1	
_	
0	
_	
7	
1	
0	
_	
8	
4	
8 1	
0	
0	
9	
9	
1	
1	
*	
0	
٦	
1	
1 -	
1 1 1	
-	
1	
-	
1	
1	
_	
2	
1 2 1	
1	
-	
1 3 1	
-	
3	
_	
1	
ı –	
1	
1 -	
4	
-	
1	


1	
5	
1	
1	
6	
1	
1	
7	
1	
1	
8	
1	
1	
9	

Postman CRUD


GET:



PUT:



POST:



DELETE:

