53. Maximum Subarray

23 August 2021 15:23

Given an integer array `nums`, find the contiguous subarray (containing at least one number) which has the largest sum and return *its sum*.

A **subarray** is a **contiguous** part of an array.

Example 1:

```
Input: nums = [-2,1,-3,4,-1,2,1,-5,4]
Output: 6
Explanation: [4,-1,2,1] has the largest sum = 6.
```



(1) Brute force

* Iterate over all the subarray
* Try to find out the max subarray



i j j

j

for (i → (0 - n - 1)

for (j → (i - n - 1)

for (k → (i ... j))

sum +=

maxi = max (maxi, sum)

}

}

T.C ⇒ O(N³)

(2) Better Approach :

```
for(i ⟶ 0-n-1)
    for(j ⟶ i-n-1)                    O(N²)
        sum += a[j]
        maxi = max(maxi, sum)
    }
```

(3) Kadane's Algorithm :



sum = 0 -2 0 4 3 1 6 5 4

maxi = a[0] // must have one element (given in the question)

= -2 0 4 6 ⇒ output

Carrying a -ve is of none so can change it to 0. because it decrease the value

```java
class Solution {
    public int maxSubArray(int[] nums) {
        int sum = 0;
        int maxi = nums[0];
        for(int i = 0; i < nums.length; i++){
            sum += nums[i];
            maxi = Math.max(sum, maxi);
            if(sum < 0) sum = 0;
        }
        return maxi;
    }
}
```