
17 May 2022 08:42 AM

\* To print anything into the console : echo.

rizon@rizon:-\$ echo Hello Rizon!
Hello Rizon!
rizon@rizon:-\$

& pwd: (print/present working directory) It tell us where you are in your computer.

rizon@rizon:~\$ pwd
/home/rizon
rizon@rizon:~\$



of Cist Items (18) -

Where do you want to go So for that you use Is command.

```
rizon@rizon:~$ ls
Jesktop Documents Downloads Music Pictures Public snap Templates Videos
rizon@rizon:~$
```

### + Change Directory (ch):

If you want to go to other directory we use ad command.

```
rizon@rizon:~$ cd Downloads/
rizon@rizon:~/Downloads$

You are in Download directory.
```

& Now if you want to go back of it to the home directory the Command is:

```
rizon@rizon:~/Downloads$ cd -
/home/rizon
rizon@rizon:~$

Cd —
```

#### \* Flags:

In linux some files/folder are hidden that are not visible in the 601, so to access that 1S - a,  $(-a \Rightarrow flag)$ 

```
rizon@rizon:~$ ls -a
. Documents Public
.. Downloads snap
.bash_history .gnupg .ssh
.bash_logout .local .sudo_as_admin_successful
.bashrc Music Templates
.cache Pictures Videos
.config .pki .vscode
Desktop .profile
```

here . , . . what is that?

- . => It mean it's current directory.
- · · > It mean parent directory.

```
rizon@rizon:~$ cd .
rizon@rizon:~$ cd ..
rizon@rizon:/home$ S
```

- ~: Home Directory
- : Previous Directory

# \* (ist All (ls-a):

```
rizon@rizon:~$ ls -a
. . .cache .gnupg .profile Templates
. . .config .local Public Videos
.bash_history Desktop Music snap .vscode
.bash_logout Documents Pictures .ssh
.bashrc Downloads .pki .sudo_as_admin_successful
```

## t list long (ls-1):

Gives detailed impression on all the folder that present.

```
rizon@rizon:~$ ls -l

total 36
drwxr-xr-x 2 rizon rizon 4096 May 16 23:44 Desktop
drwxr-xr-x 2 rizon rizon 4096 May 16 23:44 Documents
drwxr-xr-x 3 rizon rizon 4096 May 17 08:25 Downloads
drwxr-xr-x 2 rizon rizon 4096 May 17 09:12 Pictures
drwxr-xr-x 3 rizon rizon 4096 May 17 09:12 Pictures
drwxr-xr-x 2 rizon rizon 4096 May 16 23:44 Public
drwx------ 7 rizon rizon 4096 May 17 08:28 snap
drwxr-xr-x 2 rizon rizon 4096 May 16 23:44 Templates
drwxr-xr-x 2 rizon rizon 4096 May 16 23:44 Videos
rizon@rizon:~$
```

### & Comments in Shell:

I Plack symbol & wek.

```
rizon@rizon:~$ #This is comment!
rizon@rizon:~$
```

\* Make Directory (mkdir):

It create new folder

+ touch:

It simple create a file.

rizon@rizon:~/linux\_masterclass\$ touch test.txt
rizon@rizon:~/linux\_masterclass\$ ls
test.txt
rizon@rizon:~/linux\_masterclass\$

Other way of doing

rizon@rizon:--> touch linux\_masterclass/b.txt
rizon@rizon:--> ls

Desktop Downloads Music Public Templates

Documents linux\_masterclass Pictures snap Videos
rizon@rizon:--> ls linux\_masterclass/
b.txt test.txt

\* File and gedit:

rizon@rizon:~\$ cd linux\_masterclass/
rizon@rizon:~/linux\_masterclass\$ file b.txt
b.txt: empty

Here file b. txt says it's empty now

Dopon the b. txt and we can edit the file.

\* Concatenate:

Cat: It display the file content

#### \* Liston:

To know what command is executed by fore we use history.

\* Exit:

\* Peverse Search:

\* tab: Autocomplete with the key

\* Remove (vm): To remove any file or folder:

t Copy;

```
rizon@rizon:~$ ls

Desktop Downloads Music Public Templates Videos

Documents linux_masterclass Pictures snap test.txt

rizon@rizon:~$ cp test.txt linux_masterclass/

rizon@rizon:~$ ls

Desktop Downloads Music Public Templates Videos

Documents linux_masterclass Pictures snap test.txt

rizon@rizon:~$ cd linux_masterclass/

rizon@rizon:~/linux_masterclass$ ls

b.txt test.txt

rizon@rizon:~/linux_masterclass$
```

\* Mole: To move the file from one location to another location (mv)

I fest is not present as it moved it into linux-masterclass

\* Relative and Absolute Path:

Relative Path:

Absolute Path:

linux-masterclass directory

(> 2 path

Absolute cath

Relative path

from home directory to cirus most touchuse & m dir ? Perrose the directory.

+ Crenting directory with subdirectory;

OR (In one line mkdir -p \_\_\_)

Remove Recursively: (m - m)

```
rizon@rizon:~$ mkdir linux_masterclass
rizon@rizon:~$ ls
Desktop Downloads Music Public Templates
Documents linux_masterclass Pictures snap Videos
rizon@rizon:~$ cd linux_masterclass/
rizon@rizon:~/linux_masterclass$ touch a.txt
rizon@rizon:~/linux_masterclass$ cd ..
rizon@rizon:~$ rmdir linux_masterclass/
rmdir: failed to remove 'linux_masterclass/': Directory not empty
rizon@rizon:~$
```

A flex you can see that you cannot remove the folder as it's not

o to tackle that we have rm-r

```
rizon@rizon:~$ rm -r linux_masterclass/
rizon@rizon:~$ ls
Desktop Documents Downloads Music Pictures Public snap Templates Videos
rizon@rizon:~$
```

of Find: Finding files and direction. (find ~ -name)

\* But incase you just know the name of the file, not the extension. So for that find ~-name a.\*

I Now yo want to list the file of the particular contension ful ~ - name 1. txt

A Marriel (mm): Show the entire documentation of the ind command find for all the command it's avaliable.

+ cohatis: Short description of the Command.