Rizquna ERP API Reference

OpenAPI reference for the Rizquna Publishing platform, author portal, digital library, and administration APIs.

Version: 1.0.0

Base URL: http://localhost:9000

Generated at: 2026-03-15 03:57:33

This PDF is a compact export. Use Swagger UI or ReDoc for the full interactive reference and detailed examples.

Method	Path	Summary	Auth
GET	/api/documentation	Handles the API request and renders the Swagger documentation view.	Public
GET	/api/oauth2-callback	Handles the OAuth2 callback and retrieves the required file for the redirect.	Public
GET	/api/v1/admin/author-verification/pending	GET /api/v1/admin/author-verification/pending Daftar penulis yang menunggu verifikasi.	Bearer token require
POST	/api/v1/admin/author-verification/{userId}/approve	POST /api/v1/admin/author-verification/{userId}/approve Admin menyetujui verifikasi penulis.	Bearer token require
PARAMETERS	/api/v1/admin/author-verification/{userId}/approve	API operation	Public

Method	Path	Summary	Auth
POST	/api/v1/admin/author-verification/{userId}/reject	POST /api/v1/admin/author-verification/{userId}/reject Admin menolak verifikasi penulis.	Bearer token require
PARAMETERS	/api/v1/admin/author-verification/{userId}/reject	API operation	Public
GET	/api/v1/admin/authors	List all authors (with pagination, search, filter).	Bearer token require
POST	/api/v1/admin/authors	Store a new author.	Bearer token require
GET	/api/v1/admin/authors/stats	Get author statistics.	Bearer token require
GET	/api/v1/admin/authors/without-account	GET /api/v1/admin/authors/without-account List all authors that don't have a user account yet.	Bearer token require
POST	/api/v1/admin/authors/{author_id}/create-account	POST /api/v1/admin/authors/{author}/create-account Create a user account for the given author.	Public

Method	Path	Summary	Auth
PARAMETERS	/api/v1/admin/authors/{author_id}/create-account	API operation	Public
GET	/api/v1/admin/authors/{id}	Show author detail.	Bearer token require
PUT	/api/v1/admin/authors/{id}	Update an author.	Bearer token require
DELETE	/api/v1/admin/authors/{id}	Delete an author (only if no books).	Bearer token require
PARAMETERS	/api/v1/admin/authors/{id}	API operation	Public
GET	/api/v1/admin/book-access	GET /api/v1/admin/book-access Daftar semua akses buku.	Bearer token require
POST	/api/v1/admin/book-access	POST /api/v1/admin/book-access Grant akses manual.	Bearer token require

Method	Path	Summary	Auth
PATCH	/api/v1/admin/book-access/{bookAccess_id}	PATCH /api/v1/admin/book-access/{id} Toggle ON/OFF.	Public
PARAMETERS	/api/v1/admin/book-access/{bookAccess_id}	API operation	Public
POST	/api/v1/admin/books/{book_id}/upload-cover	POST /api/v1/admin/books/{book}/upload-cover Admin only.	Public
PARAMETERS	/api/v1/admin/books/{book_id}/upload-cover	API operation	Public
POST	/api/v1/admin/books/{book_id}/upload-pdf	POST /api/v1/admin/books/{book}/upload-pdf Admin only.	Public
PARAMETERS	/api/v1/admin/books/{book_id}/upload-pdf	API operation	Public
POST	/api/v1/admin/books/{id}/parse	Trigger parse metadata akademik untuk buku tertentu.	Bearer token require

Method	Path	Summary	Auth
PARAMETERS	/api/v1/admin/books/{id}/parse	API operation	Public
GET	/api/v1/admin/chat/conversations	Admin: list all conversations (one row per author)	Bearer token require
GET	/api/v1/admin/chat/{userId}/messages	Admin: get full conversation with a specific author	Bearer token require
PARAMETERS	/api/v1/admin/chat/{userId}/messages	API operation	Public
POST	/api/v1/admin/chat/{userId}/reply	Admin: reply to an author's conversation	Bearer token require
PARAMETERS	/api/v1/admin/chat/{userId}/reply	API operation	Public
GET	/api/v1/admin/dashboard-stats	Get consolidated stats for the React Dashboard.	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/admin/purchases	GET /api/v1/admin/purchases Admin: Daftar semua pembelian.	Bearer token require
GET	/api/v1/admin/users	Get a list of all users.	Bearer token require
POST	/api/v1/admin/users	Create a new user.	Bearer token require
GET	/api/v1/admin/users/roles	Get all available system roles.	Bearer token require
GET	/api/v1/admin/users/{user_id}	Display the specified user.	Public
PUT	/api/v1/admin/users/{user_id}	Update the specified user.	Public
DELETE	/api/v1/admin/users/{user_id}	Remove the specified user from storage.	Public

Method	Path	Summary	Auth
PARAMETERS	/api/v1/admin/users/{user_id}	API operation	Public
PATCH	/api/v1/admin/users/{user_id}/toggle-active	Toggle the active status of the user.	Public
PARAMETERS	/api/v1/admin/users/{user_id}/toggle-active	API operation	Public
POST	/api/v1/auth/change-password	Change password (supports first-time mandatory change)	Bearer token require
POST	/api/v1/auth/forgot-password	Send password reset link	Public
GET	/api/v1/auth/google/callback	GET /api/v1/auth/google/callback Handle the callback from Google, create/login user, return token.	Public
GET	/api/v1/auth/google/redirect	GET /api/v1/auth/google/redirect Redirect user to Google's OAuth consent screen.	Public

Method	Path	Summary	Auth
POST	/api/v1/auth/login	API Login - Returns token for SPA/Mobile Accepts: email, username, or login (auto-detect)	Public
POST	/api/v1/auth/logout	Handle logout for both API and Web	Bearer token require
GET	/api/v1/auth/me	Get Current Authenticated User (Legacy Support)	Bearer token require
POST	/api/v1/auth/register	Register a new user	Public
POST	/api/v1/auth/reset-password	Reset password	Public
GET	/api/v1/author/dashboard	Dashboard	Bearer token require
GET	/api/v1/author/manuscripts	Manuscripts	Bearer token require

Method	Path	Summary	Auth
POST	/api/v1/author/manuscripts	Store Manuscript	Bearer token require
GET	/api/v1/author/manuscripts/{id}	Show Manuscript	Bearer token require
PUT	/api/v1/author/manuscripts/{id}	Update Manuscript	Bearer token require
DELETE	/api/v1/author/manuscripts/{id}	Delete Manuscript	Bearer token require
PARAMETERS	/api/v1/author/manuscripts/{id}	API operation	Public
GET	/api/v1/author/profile	Profile	Bearer token require
PUT	/api/v1/author/profile	Update Profile	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/author/royalties	Royalties	Bearer token require
GET	/api/v1/author/royalties/{id}	Show Royalty	Bearer token require
PARAMETERS	/api/v1/author/royalties/{id}	API operation	Public
GET	/api/v1/authors	Authors	Bearer token require
POST	/api/v1/authors	Store Author	Bearer token require
GET	/api/v1/authors/check-email	GET /api/v1/authors/check-email	Public
GET	/api/v1/authors/check-username	GET /api/v1/authors/check-username	Public

Method	Path	Summary	Auth
POST	/api/v1/authors/register	POST /api/v1/authors/register	Public
GET	/api/v1/book-statuses	Status List	Bearer token require
GET	/api/v1/books	Books	Bearer token require
POST	/api/v1/books	Store Book	Bearer token require
GET	/api/v1/books/isbn-tracking	ISBN tracking: books in ISBN-related statuses.	Bearer token require
POST	/api/v1/books/{book_id}/purchase	POST /api/v1/books/{book}/purchase Initiate pembelian buku.	Public
PARAMETERS	/api/v1/books/{book_id}/purchase	API operation	Public

Method	Path	Summary	Auth
GET	/api/v1/books/{book_id}/read	GET /api/v1/books/{book}/read Protected — harus auth + punya akses beli.	Public
PARAMETERS	/api/v1/books/{book_id}/read	API operation	Public
GET	/api/v1/books/{id}	Book Detail	Bearer token require
PATCH	/api/v1/books/{id}	Update Book	Bearer token require
DELETE	/api/v1/books/{id}	Delete Book	Bearer token require
PARAMETERS	/api/v1/books/{id}	API operation	Public
GET	/api/v1/books/{id}/cite	GET /api/v1/books/{id}/cite?format=apa	Public

Method	Path	Summary	Auth
PARAMETERS	/api/v1/books/{id}/cite	API operation	Public
GET	/api/v1/books/{id}/cite/all	GET /api/v1/books/{id}/cite/all	Public
PARAMETERS	/api/v1/books/{id}/cite/all	API operation	Public
GET	/api/v1/books/{id}/cite/download	GET /api/v1/books/{id}/cite/download?type=ris|bib	Public
PARAMETERS	/api/v1/books/{id}/cite/download	API operation	Public
GET	/api/v1/books/{id}/files	Book Files	Bearer token require
POST	/api/v1/books/{id}/files	Upload Book File	Bearer token require

Method	Path	Summary	Auth
PARAMETERS	/api/v1/books/{id}/files	API operation	Public
GET	/api/v1/books/{id}/logs	Book Status Logs	Bearer token require
PARAMETERS	/api/v1/books/{id}/logs	API operation	Public
POST	/api/v1/books/{id}/restore	Restore Book	Bearer token require
PARAMETERS	/api/v1/books/{id}/restore	API operation	Public
PATCH	/api/v1/books/{id}/status	Update Book Status	Bearer token require
PARAMETERS	/api/v1/books/{id}/status	API operation	Public

Method	Path	Summary	Auth
GET	/api/v1/contracts	Contracts	Bearer token require
POST	/api/v1/contracts	Store	Bearer token require
GET	/api/v1/contracts/{id}	Contract Detail	Bearer token require
PATCH	/api/v1/contracts/{id}	Update Contract	Bearer token require
PARAMETERS	/api/v1/contracts/{id}	API operation	Public
PUT	/api/v1/contracts/{id}/approve	Approve Contract	Bearer token require
PARAMETERS	/api/v1/contracts/{id}/approve	API operation	Public

Method	Path	Summary	Auth
PUT	/api/v1/contracts/{id}/reject	Reject Contract	Bearer token require
PARAMETERS	/api/v1/contracts/{id}/reject	API operation	Public
GET	/api/v1/dashboard/authors	Get authors with filters	Bearer token require
GET	/api/v1/dashboard/books	Get books with filters (Refactored for efficiency)	Bearer token require
GET	/api/v1/dashboard/books/stats	Get consolidated stats for the React Dashboard.	Bearer token require
GET	/api/v1/health	Simple health check endpoint	Public
GET	/api/v1/legal-deposits	Legal Deposits	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/live	Liveness probe for Kubernetes/Docker	Public
GET	/api/v1/marketplaces	Marketplaces	Bearer token require
PUT	/api/v1/payments/{payment_id}/mark-paid	API operation	Public
PARAMETERS	/api/v1/payments/{payment_id}/mark-paid	API operation	Public
GET	/api/v1/percetakan/customers	Display a listing of customers.	Bearer token require
POST	/api/v1/percetakan/customers	Store a newly created customer.	Bearer token require
GET	/api/v1/percetakan/customers/list	Get customer list for dropdown/autocomplete.	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/percetakan/customers/statistics	Get all customer statistics.	Bearer token require
GET	/api/v1/percetakan/customers/{customer_id}/orders	Get customer's orders.	Public
PARAMETERS	/api/v1/percetakan/customers/{customer_id}/orders	API operation	Public
GET	/api/v1/percetakan/customers/{customer_id}/statistics	Get customer statistics.	Public
PARAMETERS	/api/v1/percetakan/customers/{customer_id}/statistics	API operation	Public
GET	/api/v1/percetakan/customers/{id}	Display the specified customer.	Public
PUT	/api/v1/percetakan/customers/{id}	Update the specified customer.	Public

Method	Path	Summary	Auth
DELETE	/api/v1/percetakan/customers/{id}	Remove the specified customer.	Public
PARAMETERS	/api/v1/percetakan/customers/{id}	API operation	Public
GET	/api/v1/percetakan/materials	Display a listing of materials.	Bearer token require
POST	/api/v1/percetakan/materials	Store a newly created material.	Bearer token require
GET	/api/v1/percetakan/materials/low-stock	Get low stock materials.	Bearer token require
GET	/api/v1/percetakan/materials/statistics	Get material statistics.	Bearer token require
GET	/api/v1/percetakan/materials/{id}	Display the specified material.	Public

Method	Path	Summary	Auth
PUT	/api/v1/percetakan/materials/{id}	Update the specified material.	Public
DELETE	/api/v1/percetakan/materials/{id}	Remove the specified material.	Public
PARAMETERS	/api/v1/percetakan/materials/{id}	API operation	Public
POST	/api/v1/percetakan/materials/{material_id}/adjust-stock	Adjust material stock.	Public
PARAMETERS	/api/v1/percetakan/materials/{material_id}/adjust-stock	API operation	Public
GET	/api/v1/percetakan/orders	Index	Bearer token require
POST	/api/v1/percetakan/orders	Store	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/percetakan/orders/statistics	Statistics	Bearer token require
GET	/api/v1/percetakan/orders/{id}	API operation	Public
PUT	/api/v1/percetakan/orders/{id}	API operation	Public
DELETE	/api/v1/percetakan/orders/{id}	API operation	Public
PARAMETERS	/api/v1/percetakan/orders/{id}	API operation	Public
GET	/api/v1/percetakan/production-jobs	Display a listing of production jobs.	Bearer token require
POST	/api/v1/percetakan/production-jobs	Store a newly created production job.	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/percetakan/production-jobs/statistics	Get production statistics.	Bearer token require
GET	/api/v1/percetakan/production-jobs/{id}	Display the specified production job.	Public
PUT	/api/v1/percetakan/production-jobs/{id}	Update the specified production job.	Public
DELETE	/api/v1/percetakan/production-jobs/{id}	Remove the specified production job.	Public
PARAMETERS	/api/v1/percetakan/production-jobs/{id}	API operation	Public
GET	/api/v1/print-orders	Display a listing of print orders.	Bearer token require
POST	/api/v1/print-orders	Store a new print order.	Bearer token require

Method	Path	Summary	Auth
PATCH	/api/v1/print-orders/{order_id}/status	Update print order status.	Public
PARAMETERS	/api/v1/print-orders/{order_id}/status	API operation	Public
GET	/api/v1/public/authors	GET /api/v1/public/authors Returns featured authors for the landing page.	Public
GET	/api/v1/public/blog	GET /api/v1/public/blog Returns published announcements/articles for the blog page.	Public
GET	/api/v1/public/blog/{id}	GET /api/v1/public/blog/{id} Returns a single blog post detail.	Public
PARAMETERS	/api/v1/public/blog/{id}	API operation	Public
GET	/api/v1/public/books/{book_id}/cover	GET /api/v1/public/books/{book}/cover?size=medium Publik — tidak perlu auth.	Public

Method	Path	Summary	Auth
PARAMETERS	/api/v1/public/books/{book_id}/cover	API operation	Public
GET	/api/v1/public/books/{book_id}/cover-image	GET /api/v1/public/books/{book}/cover-image Direct image response for <img src>, supports private books disk and public imports.	Public
PARAMETERS	/api/v1/public/books/{book_id}/cover-image	API operation	Public
GET	/api/v1/public/books/{book_id}/preview	GET /api/v1/public/books/{book}/preview Publik — tidak perlu auth.	Public
PARAMETERS	/api/v1/public/books/{book_id}/preview	API operation	Public
GET	/api/v1/public/books/{book_id}/preview-stream	GET /api/v1/public/books/{book}/preview-stream Publik — stream preview PDF langsung melalui Laravel.	Public
PARAMETERS	/api/v1/public/books/{book_id}/preview-stream	API operation	Public

Method	Path	Summary	Auth
GET	/api/v1/public/catalog	GET /api/v1/public/catalog Returns published books for the landing page catalog.	Public
GET	/api/v1/public/catalog/grouped	GET /api/v1/public/catalog/grouped Returns books grouped by category for the homepage.	Public
GET	/api/v1/public/catalog/{id}	GET /api/v1/public/catalog/{id} Returns a single book detail for public view.	Public
PARAMETERS	/api/v1/public/catalog/{id}	API operation	Public
GET	/api/v1/public/categories	GET /api/v1/public/categories Returns active categories with book count.	Public
GET	/api/v1/public/faqs	GET /api/v1/public/faqs	Public
GET	/api/v1/public/repository	GET /api/v1/public/repository Daftar buku mode akademis (untuk sitasi).	Public

Method	Path	Summary	Auth
GET	/api/v1/public/repository/{slug}	GET /api/v1/public/repository/{slug} Detail buku + data sitasi.	Public
PARAMETERS	/api/v1/public/repository/{slug}	API operation	Public
GET	/api/v1/public/repository/{slug}/cite	GET /api/v1/public/repository/{slug}/cite?format=apa Get sitasi dalam format tertentu.	Public
PARAMETERS	/api/v1/public/repository/{slug}/cite	API operation	Public
GET	/api/v1/public/sitasi	GET /api/v1/public/repository Daftar buku mode akademis (untuk sitasi).	Public
GET	/api/v1/public/sitasi/{slug}	GET /api/v1/public/repository/{slug} Detail buku + data sitasi.	Public
PARAMETERS	/api/v1/public/sitasi/{slug}	API operation	Public

Method	Path	Summary	Auth
GET	/api/v1/public/sitasi/{slug}/cite	GET /api/v1/public/repository/{slug}/cite?format=apa Get sitasi dalam format tertentu.	Public
PARAMETERS	/api/v1/public/sitasi/{slug}/cite	API operation	Public
GET	/api/v1/public/site-content	GET /api/v1/public/site-content Returns all active site content grouped by section.	Public
GET	/api/v1/public/stats	GET /api/v1/public/stats Returns aggregate stats for the landing page.	Public
GET	/api/v1/public/testimonials	GET /api/v1/public/testimonials	Public
GET	/api/v1/publishing-requests	List all publishing requests (Admin).	Bearer token require
GET	/api/v1/publishing-requests/stats	Get statistics for publishing requests.	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/publishing-requests/{id}	Show a single publishing request detail.	Bearer token require
DELETE	/api/v1/publishing-requests/{id}	Delete (soft) a publishing request.	Bearer token require
PARAMETERS	/api/v1/publishing-requests/{id}	API operation	Public
PATCH	/api/v1/publishing-requests/{id}/notes	Add admin/editor notes to a publishing request.	Bearer token require
PARAMETERS	/api/v1/publishing-requests/{id}/notes	API operation	Public
PATCH	/api/v1/publishing-requests/{id}/status	Update status of a publishing request (state machine transition).	Bearer token require
PARAMETERS	/api/v1/publishing-requests/{id}/status	API operation	Public

Method	Path	Summary	Auth
GET	/api/v1/purchases/{transactionId}/status	GET /api/v1/purchases/{transactionId}/status Cek status pembelian.	Bearer token require
PARAMETERS	/api/v1/purchases/{transactionId}/status	API operation	Public
GET	/api/v1/ready	Detailed health check with dependencies	Public
GET	/api/v1/royalties	Index	Bearer token require
POST	/api/v1/royalties/calculate	Calculate	Bearer token require
GET	/api/v1/royalties/{royaltyCalculation_id}	API operation	Public
PUT	/api/v1/royalties/{royaltyCalculation_id}	API operation	Public

Method	Path	Summary	Auth
PARAMETERS	/api/v1/royalties/{royaltyCalculation_id}	API operation	Public
PUT	/api/v1/royalties/{royaltyCalculation_id}/finalize	API operation	Public
PARAMETERS	/api/v1/royalties/{royaltyCalculation_id}/finalize	API operation	Public
POST	/api/v1/royalties/{royaltyCalculation_id}/invoice	API operation	Public
PARAMETERS	/api/v1/royalties/{royaltyCalculation_id}/invoice	API operation	Public
GET	/api/v1/sales	Display a listing of sales.	Bearer token require
POST	/api/v1/sales	Store a new sale.	Bearer token require

Method	Path	Summary	Auth
POST	/api/v1/sales/import	API operation	Bearer token require
GET	/api/v1/sales/stats	Get sales statistics.	Bearer token require
GET	/api/v1/search	GET /api/v1/search Full-text search endpoint (scholar mode).	Public
GET	/api/v1/settings/banners	GET /api/v1/admin/settings/banners List all homepage banners	Bearer token require
POST	/api/v1/settings/banners	POST /api/v1/admin/settings/banners Create new banner	Bearer token require
PUT	/api/v1/settings/banners/{id}	PUT /api/v1/admin/settings/banners/{id} Update banner	Bearer token require
DELETE	/api/v1/settings/banners/{id}	DELETE /api/v1/admin/settings/banners/{id} Delete banner	Bearer token require

Method	Path	Summary	Auth
PARAMETERS	/api/v1/settings/banners/{id}	API operation	Public
GET	/api/v1/settings/email-templates	GET /api/v1/admin/settings/email-templates List email templates	Bearer token require
GET	/api/v1/settings/email-templates/{id}	GET /api/v1/admin/settings/email-templates/{id} Get email template content	Bearer token require
PUT	/api/v1/settings/email-templates/{id}	PUT /api/v1/admin/settings/email-templates/{id} Update email template	Bearer token require
PARAMETERS	/api/v1/settings/email-templates/{id}	API operation	Public
POST	/api/v1/settings/email-templates/{id}/test	POST /api/v1/admin/settings/email-templates/{id}/test Send test email	Bearer token require
PARAMETERS	/api/v1/settings/email-templates/{id}/test	API operation	Public

Method	Path	Summary	Auth
GET	/api/v1/settings/faqs	GET /api/v1/admin/faqs List all FAQs	Bearer token require
POST	/api/v1/settings/faqs	POST /api/v1/admin/faqs Create new FAQ	Bearer token require
PUT	/api/v1/settings/faqs/{id}	PUT /api/v1/admin/faqs/{id} Update FAQ	Bearer token require
DELETE	/api/v1/settings/faqs/{id}	DELETE /api/v1/admin/faqs/{id} Delete FAQ	Bearer token require
PARAMETERS	/api/v1/settings/faqs/{id}	API operation	Public
GET	/api/v1/settings/general	GET /api/v1/admin/settings/general Get general settings	Bearer token require
PUT	/api/v1/settings/general	PUT /api/v1/admin/settings/general Update general settings	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/settings/publish	GET /api/v1/admin/settings/publish Get publish settings	Bearer token require
PUT	/api/v1/settings/publish	PUT /api/v1/admin/settings/publish Update publish settings	Bearer token require
GET	/api/v1/settings/testimonials	GET /api/v1/admin/testimonials List all testimonials	Bearer token require
POST	/api/v1/settings/testimonials	POST /api/v1/admin/testimonials Create new testimonial	Bearer token require
PUT	/api/v1/settings/testimonials/{id}	PUT /api/v1/admin/testimonials/{id} Update testimonial	Bearer token require
DELETE	/api/v1/settings/testimonials/{id}	DELETE /api/v1/admin/testimonials/{id} Delete testimonial	Bearer token require
PARAMETERS	/api/v1/settings/testimonials/{id}	API operation	Public

Method	Path	Summary	Auth
GET	/api/v1/tracking	Track a book by tracking code.	Public
GET	/api/v1/user/books	Books	Bearer token require
PATCH	/api/v1/user/books/{book}	Update Book	Bearer token require
PARAMETERS	/api/v1/user/books/{book}	API operation	Public
POST	/api/v1/user/books/{book}/short-pdf	Upload Short Pdf	Bearer token require
PARAMETERS	/api/v1/user/books/{book}/short-pdf	API operation	Public
GET	/api/v1/user/books/{book}/tracking	Book Tracking	Bearer token require

Method	Path	Summary	Auth
PARAMETERS	/api/v1/user/books/{book}/tracking	API operation	Public
GET	/api/v1/user/chat	Author: get own messages (conversation with admin)	Bearer token require
POST	/api/v1/user/chat	Author: send a message to admin	Bearer token require
GET	/api/v1/user/chat/unread	Author: get unread count (admin replies not yet read)	Bearer token require
GET	/api/v1/user/contracts	Contracts	Bearer token require
GET	/api/v1/user/contracts/{contract}/download-template	Download Template	Bearer token require
PARAMETERS	/api/v1/user/contracts/{contract}/download-template	API operation	Public

Method	Path	Summary	Auth
POST	/api/v1/user/contracts/{contract}/sign	Sign Contract	Bearer token require
PARAMETERS	/api/v1/user/contracts/{contract}/sign	API operation	Public
POST	/api/v1/user/contracts/{contract}/upload-signed	Upload Signed	Bearer token require
PARAMETERS	/api/v1/user/contracts/{contract}/upload-signed	API operation	Public
GET	/api/v1/user/dashboard	Dashboard	Bearer token require
GET	/api/v1/user/ebooks	Ebooks	Bearer token require
GET	/api/v1/user/ebooks/{id}/stats	Ebook Stats	Bearer token require

Method	Path	Summary	Auth
PARAMETERS	/api/v1/user/ebooks/{id}/stats	API operation	Public
GET	/api/v1/user/library	GET /api/v1/user/library Daftar buku yang sudah dibeli/diakses user.	Bearer token require
GET	/api/v1/user/manuscripts	Index	Bearer token require
POST	/api/v1/user/manuscripts	Store	Bearer token require
GET	/api/v1/user/manuscripts/{id}	Show	Bearer token require
PUT	/api/v1/user/manuscripts/{id}	Update	Bearer token require
DELETE	/api/v1/user/manuscripts/{id}	Destroy	Bearer token require

Method	Path	Summary	Auth
PARAMETERS	/api/v1/user/manuscripts/{id}	API operation	Public
GET	/api/v1/user/manuscripts/{id}/progress	Progress	Bearer token require
PARAMETERS	/api/v1/user/manuscripts/{id}/progress	API operation	Public
POST	/api/v1/user/manuscripts/{id}/submit	Submit	Bearer token require
PARAMETERS	/api/v1/user/manuscripts/{id}/submit	API operation	Public
POST	/api/v1/user/manuscripts/{id}/upload	Upload File	Bearer token require
PARAMETERS	/api/v1/user/manuscripts/{id}/upload	API operation	Public

Method	Path	Summary	Auth
PUT	/api/v1/user/notification-preferences	Update Preferences	Bearer token require
GET	/api/v1/user/notifications	Index	Bearer token require
PUT	/api/v1/user/notifications/read-all	Mark All Read	Bearer token require
PUT	/api/v1/user/notifications/{id}/read	Mark Read	Bearer token require
PARAMETERS	/api/v1/user/notifications/{id}/read	API operation	Public
GET	/api/v1/user/print-orders	Print Orders	Bearer token require
POST	/api/v1/user/print-orders	Store Print Order	Bearer token require

Method	Path	Summary	Auth
GET	/api/v1/user/profile	Profile	Bearer token require
PATCH	/api/v1/user/profile	Update Profile	Bearer token require
POST	/api/v1/user/profile/upload-ktp	Upload Ktp	Bearer token require
POST	/api/v1/user/profile/upload-photo	Upload Photo	Bearer token require
GET	/api/v1/user/publishing-requests	Publishing Requests	Bearer token require
POST	/api/v1/user/publishing-requests	Store Publishing Request	Bearer token require
GET	/api/v1/user/purchases	GET /api/v1/user/purchases Riwayat pembelian user.	Bearer token require

Method	Path	Summary	Auth
POST	/api/v1/user/request-author-verification	POST /api/v1/user/request-author-verification User mengajukan verifikasi sebagai penulis.	Bearer token require
GET	/api/v1/user/royalties	Royalties	Bearer token require
GET	/api/v1/user/royalties/{id}/report	Royalty Report	Bearer token require
PARAMETERS	/api/v1/user/royalties/{id}/report	API operation	Public
GET	/api/v1/user/sales	Sales	Bearer token require
GET	/api/v1/user/saved-searches	Index	Bearer token require
POST	/api/v1/user/saved-searches	Store	Bearer token require

Method	Path	Summary	Auth
DELETE	/api/v1/user/saved-searches/{savedSearch_id}	API operation	Public
PARAMETERS	/api/v1/user/saved-searches/{savedSearch_id}	API operation	Public
GET	/api/v1/user/sessions	Index	Bearer token require
DELETE	/api/v1/user/sessions/{id}	Destroy	Bearer token require
PARAMETERS	/api/v1/user/sessions/{id}	API operation	Public
GET	/api/v1/user/verification-status	GET /api/v1/user/verification-status Cek status verifikasi penulis.	Bearer token require
POST	/api/v1/webhooks/payment	POST /api/v1/webhooks/payment Callback dari payment gateway (Midtrans/Xendit).	Public

Method	Path	Summary	Auth
GET	/api/v1/website/content	Index	Bearer token require
POST	/api/v1/website/content	Store	Bearer token require
POST	/api/v1/website/content/bulk	POST /api/v1/admin/site-content/bulk Bulk upsert site content (used by the CMS editor).	Bearer token require
GET	/api/v1/website/faqs	Faq Index	Bearer token require
POST	/api/v1/website/faqs	Faq Store	Bearer token require
PUT	/api/v1/website/faqs/{faq_id}	API operation	Public
DELETE	/api/v1/website/faqs/{faq_id}	API operation	Public

Method	Path	Summary	Auth
PARAMETERS	/api/v1/website/faqs/{faq_id}	API operation	Public
GET	/api/v1/website/testimonials	Testimonial Index	Bearer token require
POST	/api/v1/website/testimonials	Testimonial Store	Bearer token require
PUT	/api/v1/website/testimonials/{testimonial_id}	API operation	Public
DELETE	/api/v1/website/testimonials/{testimonial_id}	API operation	Public
PARAMETERS	/api/v1/website/testimonials/{testimonial_id}	API operation	Public