

Nama: Muhammad rizqy Aryaputra

NIM: 242410101046

Kelas: A

Mata Kuliah: PWEB

AKTIVITAS MANDIRI 5- CRUD Lengkap Mahasiswa

1. Buat Resource Controller: `php artisan make:controller MahasiswaController --resource --model=Mahasiswa`


```
PS C:\laragon\www\SecondChance-app> php artisan make:controller ProductController --resource --model=Products
INFO Controller [C:\laragon\www\SecondChance-app\app\Http\Controllers\ProductController.php] created successfully.
```

2. Daftarkan di routes/web.php: `Route::resource('mahasiswa', MahasiswaController::class)`



```
routes > web.php
4 use App\Http\Controllers\DashboardController;
5 use App\Http\Controllers\ProductController;
6
7 Route::get('/', [DashboardController::class, 'index'])->name('dashboard');
8 Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
9
10 Route::get('/katalog', [DashboardController::class, 'katalog'])->name('katalog');
11
12 Route::get('/detail/{id}', [DashboardController::class, 'detail'])->name('detail');
13
14 Route::view('/tentang', 'tentang')->name('tentang');
15
16 Route::get('/admin', [DashboardController::class, 'admin'])->name('admin');
17
18 Route::get('/admin/edit/{id}', [DashboardController::class, 'adminEdit'])->name('admin.edit');
19
20 Route::resource('products', ProductController::class);
21
```

3. Buat semua view: mahasiswa/index.blade.php (tabel + pagination), create.blade.php (form), edit.blade.php (form pre-filled), show.blade.php (detail)




```
products
├── create.blade.php U
├── edit.blade.php   U
├── index.blade.php  U
├── show.blade.php   U
└── admin.blade.php
```

4. Implementasi method index() ambil semua mahasiswa dengan paginate(10) dan tampilkan ke view

```
{
    public function index()
    {
        $products = Product::latest()
            ->paginate(10);

        return view('products.index', compact('products'));
    }
}
```



5. Implementasi create() dan store() dengan validasi nim (unique), nama (min:3), email (email unique), jurusan (in:SI, TI,MI)

```

public function create()
{
    return view('products.create');
}

public function store(Request $request)
{
    $validated = $request->validate([
        'kode' => 'required|unique:products',
        'nama' => 'required|min:3',
        'kategori' => 'required|in:Bag,Shoes,Accessories,Watch',
        'stok' => 'required|numeric',
        'harga' => 'required|numeric',
        'tanggal_masuk' => 'required',
        'foto' => 'nullable|image|mimes:jpg,png,jpeg|max:2048'
    ]);

    if ($request->hasFile('foto')) {
        $foto = $request->file('foto');
        $namaFoto = time() . '_' . $foto->getClientOriginalName();
        $foto->move(public_path('uploads'), $namaFoto);
        $validated['foto'] = 'uploads/' . $namaFoto;
    }

    Product::create($validated);

    return redirect()
        ->route('products.index')
        ->with('success', 'Produk berhasil ditambahkan!');
}

```

```

@extends('layouts.app')

@section('content')
<h1>Tambah Product</h1>

@if ($errors->any())
    <div style="
        background:#f8d7da;
        color:#721c24;
        padding:15px;
        margin-bottom:20px;
        border-radius:10px;
    ">
        <ul>
            @foreach ($errors->all() as $error)
                <li>{{ $error }}</li>
            @endforeach
        </ul>
    </div>
@endif

```

SECOND CHANCE

Tambah Product

- The kode has already been taken.
- The nama field must be at least 3 characters.
- The selected kategori is invalid.
- The tanggal masuk field is required.

6. Implementasi edit() dan update()- tampilkan form dengan old() atau Smahasiswa- >field, validasi unique kecuali ID ini

```
public function update(Request $request, Product $product)
{
    $validated = $request->validate([
        'kode' => 'required|unique:products,kode,' . $product->id,
        'nama' => 'required|min:3',
        'kategori' => 'required|in:Bag,Shoes,Accessories,Watch',
        'stok' => 'required|numeric',
        'harga' => 'required|numeric',
        'tanggal_masuk' => 'required',
        'foto' => 'nullable|image|mimes:jpg,png,jpeg|max:2048'
    ]);

    if ($request->hasFile('foto')) {
        $foto = $request->file('foto');
        $namaFoto = time() . '.' . $foto->getClientOriginalName();
        $foto->move(public_path('uploads'), $namaFoto);
        $validated['foto'] = 'uploads/' . $namaFoto;
    }

    $product->update($validated);

    return redirect()
        ->route('products.index')
        ->with('success', 'Produk berhasil diupdate!');
}
```

```
@extends('layouts.app')

@section('content')

<h1>Edit Product</h1>

<form
    action="{{ route('products.update', $product->id) }}"
    method="POST"
    enctype="multipart/form-data"
>

    @csrf
    @method('PUT')

    <input
        type="text"
        name="kode"
        value="{{ old('kode', $product->kode) }}"
    >
    <br><br>

    <input
        type="text"
        name="nama"
        value="{{ old('nama', $product->nama) }}"
    >
    <br><br>

</form>
```


Edit Product

- The kode has already been taken.
- The selected kategori is invalid.

7. Implementasi destroy() dengan konfirmasi JavaScript sebelum hapus

```
public function destroy(Product $product)
{
    $product->delete();

    return redirect()
        ->route('products.index')
        ->with('success', 'Produk berhasil dihapus!');
}
```



8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```
@yield('content')
@if(session('success'))

<div class="alert-success">

    {{ session('success') }}

</div>

@endif

@if(session('error'))

<div class="alert-error">

    {{ session('error') }}

</div>

@endif
```

```
.alert-success{
    background:#d4edda;
    color:#155724;
    padding:15px;
    border-radius:10px;
    margin-bottom:20px;
}

.alert-error{
    background:#f8d7da;
    color:#721c24;
    padding:15px;
    border-radius:10px;
    margin-bottom:20px;
}
```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image mimes:jpg,png|max:2048

```
public function store(Request $request)
{
    $validated = $request->validate([
        'kode' => 'required|unique:products',
        'nama' => 'required|min:3',
        'kategori' => 'required|in:Bag,Shoes,Accessories,Watch',
        'stok' => 'required|numeric',
        'harga' => 'required|numeric',
        'tanggal_masuk' => 'required',
        'foto' => 'nullable|image|mimes:jpg,png,jpeg|max:2048'
    ]);

    if ($request->hasFile('foto')) {
        $foto = $request->file('foto');
        $namaFoto = time() . '_' . $foto->getClientOriginalName();
        $foto->move(public_path('uploads/'), $namaFoto);
        $validated['foto'] = 'uploads/' . $namaFoto;
    }

    Product::create($validated);
}
```


Tips: Gunakan Route Model Binding (Mahasiswa Smahasiswa sebagai parameter method) agar Laravel otomatis query findOrFail. Lebih bersih dari Mahasiswa::findOrFail(\$id) manual.

AKTIVITAS MANDIRI 6 - Middleware & Autentikasi


1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```
PS C:\laragon\www\SecondChance-app> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
  - locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
  - Downloading laravel/breeze (v2.4.1)
  - Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
> illuminate\Foundation\ComposerScripts::postAutoloadDump
> @php artisan package:discover --ansi

 INFO  Discovering packages.

laravel/breeze ..... DONE
laravel/pail ..... DONE
laravel/tinker ..... DONE
nesbot/carbon ..... DONE
nunomaduro/collision ..... DONE
nunomaduro/termwind ..... DONE

78 packages you are using are looking for funding.
Use the `composer fund` command to find out more!
> @php artisan vendor:publish --tag=laravel-assets --ansi --force
 INFO  No publishable resources for tag [laravel-assets].
```



2. Jalankan `php artisan migrate` untuk membuat tabel users

```
PS C:\laragon\www\SecondChance-app> php artisan migrate
 INFO  Nothing to migrate.
```

3. Jalankan `npm install` & `npm run dev` untuk build assets

`npm install`

`npm run dev`


```
VITE v8.0.12 ready in 751 ms

  Local: http://localhost:5173/
  Network: use --host to expose
  press h + enter to show help

LARAVEL v13.6.0 plugin v3.1.0

  APP_URL: http://localhost
:08:39 PM [vite] (client) [optimizer] scanning dependencies...
:08:40 PM [vite] (client) [optimizer] bundling dependencies...
```

4. Coba register dan login di <http://127.0.0.1:8000/register>



5. Amankan semua route mahasiswa dengan middleware auth:
Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

```
<?php
use App\Http\Controllers\ProductController;
use App\Http\Controllers\ProfileController;
use Illuminate\Support\Facades\Route;


Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', function () {
    return view('dashboard');
})->middleware(['auth', 'verified'])->name('dashboard');


Route::middleware('auth')->group(function () {
    Route::get('/profile', [ProfileController::class, 'edit'])->name('profile.edit');
    Route::patch('/profile', [ProfileController::class, 'update'])->name('profile.update');
    Route::delete('/profile', [ProfileController::class, 'destroy'])->name('profile.destroy');
});

Route::middleware('auth')->group(function () {
    Route::resource('products', ProductController::class);
});


require __DIR__.'/auth.php';
```



6. Coba akses/mahasiswa tanpa login pastikan diredirect ke halaman login sudah redirect ke login



7. Tambahkan nama user di navbar: {{ auth()->user()->name }}



8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu

```
PS C:\laragon\www\SecondChance-app> php artisan make:migration add_role_to_users_table
INFO Migration [C:\laragon\www\SecondChance-app\database\migrations\2026_05_13_134511_add_role_to_users_table.php] created successfully.
PS C:\laragon\www\SecondChance-app>
```

```

return new class extends Migration
{
    /**
     * Run the migrations.
     */
    public function up(): void
    {
        Schema::table('users', function (Blueprint $table) {
            $table->string('role')
                ->default('user');
        });
    }
}

```

```

PS C:\laragon\www\SecondChance-app> php artisan migrate
INFO: Running migrations.
2026_05_13_134511_add_role_to_users_table ..... 282.84ms DONE
PS C:\laragon\www\SecondChance-app>

```

```

PS C:\laragon\www\SecondChance-app> php artisan make:middleware CekAdmin
INFO: Middleware [C:\laragon\www\SecondChance-app\app\Http\Middleware\CekAdmin.php] created successfully.
PS C:\laragon\www\SecondChance-app>

```

```

public function handle(Request $request, Closure $next)
{
    if(auth()->user()->role != 'admin'){
        return redirect('/')
            ->with('error', 'Akses ditolak!');
    }

    return $next($request);
}

```

```

use Illuminate\Foundation\Configuration\Exceptions;
use Illuminate\Foundation\Configuration\Middleware;

return Application::configure(basePath: dirname(__DIR__))
    ->withRouting(
        web: __DIR__.'/../routes/web.php',
        commands: __DIR__.'/../routes/console.php',
        health: '/up',
    )
    ->withMiddleware(function (Middleware $middleware) {
        $middleware->alias([
            'cekadmin' => \App\Http\Middleware\CekAdmin::class
        ]);
    })
    ->withExceptions(function (Exceptions $exceptions): void {
        //
    })->create();

```

```

Route::resource('products', ProductController::class)
    ->only(['index', 'show']);

Route::middleware(['auth', 'cekadmin'])->group(function () {
    Route::resource('products', ProductController::class)
        ->except(['index', 'show']);
});


```

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

```

PS C:\laragon\www\SecondChance-app> php artisan make:migration add_user_id_to_products_table
INFO: Migration [C:\laragon\www\SecondChance-app\database\migrations\2026_05_13_143028_add_user_id_to_products_table.php] created successfully.
PS C:\laragon\www\SecondChance-app>

```

Tips: Setelah Breeze terinstal, semua file autentikasi ada di resources/views/auth/. Anda bebas modifikasi

tampilannya sesuai kebutuhan.