


Nama: Muhammad Rizqy Aryaputra
NIM: 242410101046
Mata kuliah: PWEB
Kelas: A

AKTIVITAS MANDIRI 3 — Membuat Layout Master & Halaman-Halaman

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer

- layout master: resources/views/layouts/app.blade.php



- Navbar

```
8      <nav>
9          <a href="/dashboard">Dashboard</a> |
10         <a href="/tentang">Tentang</a> |
11         <a href="/kontak">Kontak</a>
12     </nav>
```


- Main content area (@yield('content'))

```
16     <main>
17         @yield('content')
18     </main>
```

- Footer

```
22     <footer>
23         <p>&copy; 2026 Second Chance</p>
24     </footer>
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout



```
7
8     @include('partials.navbar')
9
```


3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')

```
resources > views > dashboard.blade.php
1  @extends('layouts.app')
2
3  @section('content')
4
5      <h1>Dashboard Second Chance</h1>
6      <p>Selamat datang di halaman dashboard.</p>
7
8  @endsection
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```
12 <main>
13
14 @if(session('success'))
15     <p>{{ session('success') }}</p>
16 @endif
17
18 @yield('content')
19
20 </main>
21
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)



```
@extends('layouts.app')

@section('content')

<h1>Dashboard Second Chance</h1>

<x-stat-card
    judul="Total Produk"
    nilai="25"
    ikon="📦"
    warna="Produk Aktif"
/>

<x-stat-card
    judul="Total Pesanan"
    nilai="12"
    ikon="📦"
    warna="Pesanan Masuk"
/>

<x-stat-card
    judul="Produk Terjual"
    nilai="8"
    ikon="✅"
    warna="Laris"
/>

@endsection
```

6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```
@extends('layouts.app')

@section('content')

<h1>Dashboard Second Chance</h1>

@php
    $statistik = [
        ['judul' => 'Total Produk', 'nilai' => 25, 'ikon' => '📦', 'warna' => 'Produk Aktif'],
        ['judul' => 'Total Pesanan', 'nilai' => 12, 'ikon' => '📦', 'warna' => 'Pesanan Masuk'],
        ['judul' => 'Produk Terjual', 'nilai' => 8, 'ikon' => '✅', 'warna' => 'Laris'],
    ];
@endphp

@forelse ($statistik as $item)

    <x-stat-card
        :judul="$item['judul']"
        :nilai="$item['nilai']"
        :ikon="$item['ikon']"
        :warna="$item['warna']"
    />

@empty

    <p>Data statistik belum tersedia.</p>

@endforelse

@endsection
```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama

```
tentang.blade.php M X dashboard.blade.php stat-card.blade.php U
ces > views > tentang.blade.php
@extends('layouts.app')

@section('content')

<h1>Tentang Second Chance</h1>

<p>
    Second Chance adalah aplikasi untuk mengelola produk preloved,
    data pesanan, dan transaksi penjualan.
</p>

@endsection
```

```

tentang.blade.php kontak.blade.php U X
resources > views > kontak.blade.php
1 @extends('layouts.app')
2
3 @section('content')
4
5 <h1>Kontak</h1>
6
7 <p>Email: secondchance@email.com</p>
8 <p>WhatsApp: 08123456789</p>
9
10 @endsection

```

8. Gunakan `@push('scripts')` dan `@stack('scripts')` untuk menambahkan JavaScript spesifik per halaman
app.blade.php

```

1 <footer>
2     <p>&copy; 2026 Second Chance</p>
3 </footer>
4
5 @stack('scripts')
6
7 </body>
8 </html>

```

dashboard.blade.php

```

1 @push('scripts')
2 <script>
3     console.log('Script khusus halaman dashboard Second Chance berjalan');
4 </script>
5 @endpush

```

kontak.blade.php

```

1 @push('scripts')
2 <script>
3     console.log('Script khusus halaman kontak berjalan');
4 </script>
5 @endpush

```

AKTIVITAS MANDIRI 4 — Migration, Model & Seeder

1. Buat Model dan Migration sekaligus: `php artisan make:model Mahasiswa -m`

```

PS C:\laragon\www\SecondChance-app> php artisan make:model Produk -m

INFO Model [C:\laragon\www\SecondChance-app\app\Models\Produk.php] created successfully.

INFO Migration [C:\laragon\www\SecondChance-app\database\migrations\2026_05_05_132907_create_produk_table.php] created successfully.

PS C:\laragon\www\SecondChance-app>

```


2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

```

2026_04_28_121707_create_products_table.php M 2026_05_05_132907_create_produk_table.php U X DashboardCont
database > migrations > 2026_05_05_132907_create_produk_table.php
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9
10     public function up(): void
11     {
12         Schema::create('produk', function (Blueprint $table) {
13             $table->id();
14             $table->string('kode_produk')->unique();
15             $table->string('nama_produk');
16             $table->enum('kategori', ['Baju', 'Celana', 'Sepatu', 'Tas', 'Aksesoris']);
17             $table->decimal('harga', 10, 2);
18             $table->integer('stok');
19             $table->boolean('aktif')->default(true);
20             $table->string('foto')->nullable();
21             $table->timestamps();
22         });
23     }
24
25     public function down(): void
26     {
27         Schema::dropIfExists('produk');
28     }
29 };

```


3. Jalankan migration: php artisan migrate — cek di phpMyAdmin bahwa tabel sudah terbuat



4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()



5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy



```

<?php
namespace Database\Seeders;

use Illuminate\Database\Seeder;
use App\Models\Produk;

class ProdukSeeder extends Seeder
{
    public function run(): void
    {
        Produk::create([
            'kode_produk' => 'SC001',
            'nama_produk' => 'Kemeja Denim Preloved',
            'kategori' => 'Baju',
            'harga' => 85000,
            'stok' => 5,
            'aktif' => true,
            'foto' => null,
        ]);

        Produk::create([
            'kode_produk' => 'SC002',
            'nama_produk' => 'Sneakers Second',
            'kategori' => 'Sepatu',
            'harga' => 150000,
            'stok' => 3,
            'aktif' => true,
            'foto' => null,
        ]);

        Produk::create([
            'kode_produk' => 'SC003',
            'nama_produk' => 'Tas Vintage',
            'kategori' => 'Tas',
            'harga' => 95000,
            'stok' => 4,
            'aktif' => true,
            'foto' => null,
        ]);

        Produk::create([
            'kode_produk' => 'SC004',
            'nama_produk' => 'Celana Jeans Preloved',
            'kategori' => 'Celana',
            'harga' => 120000,
            'stok' => 2,
            'aktif' => false,
            'foto' => null,
        ]);

        Produk::create([
            'kode_produk' => 'SC005',
            'nama_produk' => 'Gelang Aksesoris',
            'kategori' => 'Aksesoris',
            'harga' => 25000,
            'stok' => 10,
            'aktif' => true,
            'foto' => null,
        ]);
    }
}

```

6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed

```

database > seeders > DatabaseSeeder.php
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6
7  class DatabaseSeeder extends Seeder
8  {
9      public function run(): void
10     {
11         $this->call([
12             ProdukSeeder::class,
13         ]);
14     }
15 }


```

```

PS C:\laragon\www\SecondChance-app> php artisan db:seed
INFO Seeding database.
Database\Seeders\ProdukSeeder ..... RUNNING
Database\Seeders\ProdukSeeder ..... 289 ms DONE

```

Hasil:



7. Buka php artisan tinker dan coba query: Mahasiswa::all(), Mahasiswa::where('jurusan','SI')->get(), Mahasiswa::avg('ipk')

```

PS C:\Programas\secondchance-app> php artisan tinker
> App\Models\Produk::all()
Illuminate\Database\Eloquent\Collection (5/5)
array (
    0 => stdClass Object
        (
            id => 1,
            kode_produk => "SC001",
            nama_produk => "Kemeja Denim Preloved",
            kategori => "Baju",
            harga => "85000.00",
            stok => 5,
            aktif => 1,
            foto => null,
            created_at => "2026-05-05 13:48:22",
            updated_at => "2026-05-05 13:48:22",
        )
    1 => stdClass Object
        (
            id => 2,
            kode_produk => "SC002",
            nama_produk => "Sneakers Second",
            kategori => "Sepatu",
            harga => "150000.00",
            stok => 3,
            aktif => 1,
            foto => null,
            created_at => "2026-05-05 13:48:22",
            updated_at => "2026-05-05 13:48:22",
        )
    2 => stdClass Object
        (
            id => 3,
            kode_produk => "SC003",
            nama_produk => "Tas Vintage",
            kategori => "Tas",
            harga => "95000.00",
            stok => 4,
            aktif => 1,
            foto => null,
            created_at => "2026-05-05 13:48:22",
            updated_at => "2026-05-05 13:48:22",
        )
    3 => stdClass Object
        (
            id => 4,
            kode_produk => "SC004",
            nama_produk => "Celana Jeans Preloved",
            kategori => "Celana",
            harga => "120000.00",
            stok => 2,
            aktif => 0,
            foto => null,
            created_at => "2026-05-05 13:48:22",
            updated_at => "2026-05-05 13:48:22",
        )
    4 => stdClass Object
        (
            id => 5,
            kode_produk => "SC005",
            nama_produk => "Gelang Aksesoris",
            kategori => "Aksesoris",
            harga => "25000.00",
            stok => 10,
            aktif => 1,
            foto => null,
            created_at => "2026-05-05 13:48:22",
            updated_at => "2026-05-05 13:48:22",
        )
)

```

```

> App\Models\Produk::where('kategori', 'Baju')->get();

< Illuminate\Database\Eloquent\Collection {#7376}
  all: [
    App\Models\Produk {#7380}
      id: 1,
      kode_produk: "SC001",
      nama_produk: "Kemeja Denim Preloved",
      kategori: "Baju",
      harga: "95000.00",
      stok: 5,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 13:48:22",
      updated_at: "2026-05-05 13:48:22",
    ],
  ],
}

> App\Models\Produk::avg('harga');

< "95000.000000"

> App\Models\Produk::aktif()->get();

< Illuminate\Database\Eloquent\Collection {#7367}
  all: [
    App\Models\Produk {#8075}
      id: 1,
      kode_produk: "SC001",
      nama_produk: "Kemeja Denim Preloved",
      kategori: "Baju",
      harga: "95000.00",
      stok: 5,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 13:48:22",
      updated_at: "2026-05-05 13:48:22",
    ],
    App\Models\Produk {#7368}
      id: 2,
      kode_produk: "SC002",
      nama_produk: "Sneakers Second",
      kategori: "Sepatu",
      harga: "150000.00",
      stok: 3,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 13:48:22",
      updated_at: "2026-05-05 13:48:22",
    ],
    App\Models\Produk {#8095}
      id: 3,
      kode_produk: "SC003",
      nama_produk: "Tas Vintage",
      kategori: "Tas",
      harga: "95000.00",
      stok: 4,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 13:48:22",
      updated_at: "2026-05-05 13:48:22",
    ],
    App\Models\Produk {#8094}
      id: 5,
      kode_produk: "SC005",
      nama_produk: "Sepang Aksesoris",
      kategori: "Aksesoris",
      harga: "25000.00",
      stok: 10,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 13:48:22",
      updated_at: "2026-05-05 13:48:22",
    ],
  ],
}

```

```

      kategori: "Aksesoris",
      harga: "25000.00",
      stok: 10,
      aktif: 1,
      foto: null,
      created_at: "2026-05-05 13:48:22",
      updated_at: "2026-05-05 13:48:22",
    ],
  ],
}

> exit

< EOF Goodbye.

PS C:\laragon\www\SecondChance-app>

```

8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model

```

PS C:\laragon\www\SecondChance-app> php artisan make:model Pesanan --m
< [INFO] Model [C:\laragon\www\SecondChance-app\app\Models\Pesanan.php] created successfully.
< [INFO] Migration [C:\laragon\www\SecondChance-app\database\migrations\2026_05_05_135433_create_pesananans_table.php] created successfully.
PS C:\laragon\www\SecondChance-app> php artisan make:migration create_pesanan_produk_table
< [INFO] Migration [C:\laragon\www\SecondChance-app\database\migrations\2026_05_05_135443_create_pesanan_produk_table.php] created successfully.
PS C:\laragon\www\SecondChance-app>

```

```

<?php

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up(): void
    {
        Schema::create('pesananans', function (Blueprint $table) {
            $table->id();
            $table->string('kode_pesanan')->unique();
            $table->string('nama_customer');
            $table->date('tanggal_pesanan');
            $table->enum('status', ['Diproses', 'Dikirim', 'Selesai']);
            $table->timestamps();
        });
    }

    public function down(): void
    {
        Schema::dropIfExists('pesananans');
    }
};

```

```

database > migrations > 2026_05_05_135443_create_pesanan_produk_table.php
1  <?php
2
3  use Illuminate\Database\Migrations\Migration;
4  use Illuminate\Database\Schema\Blueprint;
5  use Illuminate\Support\Facades\Schema;
6
7  return new class extends Migration
8  {
9      public function up(): void
10     {
11         Schema::create('pesanan_produk', function (Blueprint $table) {
12             $table->id();
13             $table->foreignId('produk_id')->constrained('produk')->onDelete('cascade');
14             $table->foreignId('pesanan_id')->constrained('pesanans')->onDelete('cascade');
15             $table->integer('jumlah');
16             $table->timestamps();
17         });
18     }
19     public function down(): void
20     {
21         Schema::dropIfExists('pesanan_produk');
22     }
23 };

```

```

app > Models > Produk.php
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class Produk extends Model
8  {
9      protected $fillable = [
10         'kode_produk',
11         'nama_produk',
12         'kategori',
13         'harga',
14         'stok',
15         'aktif',
16         'foto',
17     ];
18
19     protected $casts = [
20         'harga' => 'decimal:2',
21         'stok' => 'integer',
22         'aktif' => 'boolean',
23     ];
24
25     public function scopeAktif($query)
26     {
27         return $query->where('aktif', true);
28     }
29
30     public function pesanans()
31     {
32         return $this->belongsToMany(Pesanan::class, 'pesanan_produk')
33             ->withPivot('jumlah')
34             ->withTimestamps();
35     }
36 }
37
38

```

```

app > Models > Pesanan.php
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  class Pesanan extends Model
8  {
9      protected $fillable = [
10         'kode_pesanan',
11         'nama_customer',
12         'tanggal_pesanan',
13         'status',
14     ];
15
16     public function produk()
17     {
18         return $this->belongsToMany(Produk::class, 'pesanan_produk')
19             ->withPivot('jumlah')
20             ->withTimestamps();
21     }
22 }
23

```

```

PS C:\laragon\www\SecondChance-app> php artisan migrate

INFO: Running migrations.
2026_05_05_135443_create_pesanans_table ..... 81.34ms DONE
2026_05_05_135443_create_pesanan_produk_table ..... 341.66ms DONE
PS C:\laragon\www\SecondChance-app>

```


localhost/phpmyadmin/index.php?route=/sql&pos=0&db=secondchance_db&table=produk

phpMyAdmin

Server: localhost:3307 > Database: secondchance_db > Table: produk

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Showing rows 0 - 4 (5 total, Query took 0.0017 seconds.)

SELECT * FROM `produk`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				id	kode_produk	nama_produk	kategori	harga	stok	aktif	foto	created_at	updated_at
☐	Edit	Copy	Delete	1	SC001	Kemeja Denim Preloved	Baju	85000.00	5	1	NULL	2026-05-05 13:48:22	2026-05-05 13:48:22
☐	Edit	Copy	Delete	2	SC002	Sneakers Second	Sepatu	150000.00	3	1	NULL	2026-05-05 13:48:22	2026-05-05 13:48:22
☐	Edit	Copy	Delete	3	SC003	Tas Vintage	Tas	95000.00	4	1	NULL	2026-05-05 13:48:22	2026-05-05 13:48:22
☐	Edit	Copy	Delete	4	SC004	Celana Jeans Preloved	Celana	120000.00	2	0	NULL	2026-05-05 13:48:22	2026-05-05 13:48:22
☐	Edit	Copy	Delete	5	SC005	Gelang Aksesoris	Aksesoris	25000.00	10	1	NULL	2026-05-05 13:48:22	2026-05-05 13:48:22

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Console