



The background of the advertisement features a dark blue night cityscape with several skyscrapers. In the foreground, a tall, slender, modern light pole stands prominently. It has a horizontal arm at the top that holds a light fixture, which is emitting a wide, bright yellow beam of light that illuminates the buildings behind it. Above the light pole and other distant poles, there are small circular icons with three curved lines radiating from them, representing wireless signals. The overall aesthetic is sleek and futuristic.

ViaLights

**Bringing New
Perspectives To Light**

About SLS

We are a
Product & Service Company

Into
Hardware and Software

Established as a
Turnkey Solution Provider

100 +

Active projects
across the
globe

300 +

In-house
staff

21 +

Years and
counting


7 +

No. Of
Business
Verticals

- Operating Basis: India, UK, USA
- No. Of Manufacturing Plants: 2
- In-House Design & Manufacturing capability
- Part of Make-in-India Initiative

About ViaLights

Addressing the Government of India Smart City initiative, ViaLights is providing cutting-edge smart street light solutions for a sustainable future and safe livelihood of citizens. The state-of-the-art Live Dashboard and Mobile App help the DISCOMs to manage and monitor the citywide spread Smart Street Light Ecosystem.



Individual Light
Controller(ILC)



Centralized Control &
Monitoring System



Lighting Management
System

ViaLights specializes in providing innovative Smart Street Light ILCs, CCMS, and Gateways. ViaLights has designed and commissioned Smart Street Light solutions to reduce energy waste and carbon emissions to improve efficiency. Our safe, secure, and sustainable offerings cater to the Government of India-led Smart City initiative.



12000+
ILCs and NEMAs




9586
kW Energy Saved



3 +
Smart City
Projects

ViaLights Architecture





HARDWARE OFFERINGS

Individual Light Controller

ILCs are used to control and monitor each light individually. In addition, the ILC controller includes dimming, on/off control, fault monitoring, and alerts for each of the lights individually. It also utilizes wireless communication protocols such as 6LowPAN, Wi-SUN, LoRa, GSM, NB-IoT, and more.

ILC Types



Retrofit



Pole Mount



NEMA Mount

Retrofit Type ILC

Retrofit type controllers are available as an internal enclosure. Lighting can be selected based on existing fixtures. This is an ideal fit for the conventional streetlights that need to be converted to smart streetlights.

Benefits

- Increases lamp life up to 15 years
- Up to 70% energy savings
- Reduces maintenance time
- Allows to control them in group
- Converts to smart lighting control system
- Cost effective solution



Pole Mount Type ILC

Pole mount controllers are available as an external enclosure. This ILC is fitted outside the streetlight pole and comes with ambient sensors that allow dimming control of streetlights.

Benefits

- Increases lamp life up to 15 years
- Up to 70% energy savings
- Reduces maintenance time
- Allows to control them in group
- Converts to smart lighting control system




NEMA Mount Type ILC

NEMA lights are top-mounted controllers for streetlights. Typically, NEMA comes with two options, 5-Pin and 7-Pin, based on the existing lights, along with using various RF Technologies like 6LowPAN, Wi-SUN, LoRa, GSM, and NB-IoT for communication.

Benefits

- Increases lamp life up to 15 years
- Up to 70% energy savings
- Reduces maintenance time
- Allows to control them in group
- Converts to smart lighting control system



Centralized Control & Monitoring System (CCMS)


CCMS gives control over the group of streetlights. This can be chosen for a group of streetlights with and without ILCs. A cost-efficient way to save more on your existing street lighting infrastructure.

Benefits

- Remote ON/OFF of a particular feeder or group of feeder panels of street lighting infrastructure
- Real-time alerts for field abnormalities like lamp failure, power failure, and under and over voltage
- Fault detection, Earth Leakage detection and power theft alerts
- Complete remote control of the network
- WEB API to 3rd party head end system integration



CCMS (Centralized Control & Monitoring System)



LoRaWAN Gateway

LoRaWAN-enabled gateways are installed in nearby areas to cover all streetlights. Data from the streetlights is transmitted through RF channels to the gateways through suitable backhaul.

Benefits

- Open-source embedded Linux system
- Built-In GPS for location and timing
- Supports Gateway bridge with TLS encryption
- IP68, UL94 5VA flame and NMEA 4x rated case
- Long-range wireless data transmission
- External fiber glass antenna with 5 dBi gain






SOFTWARE OFFERINGS

Lighting Management System (LMS)


ViaLights Portal is LMS solution to manage the street light infrastructure installed around city.

Features

- Energy consumption monitoring for an individual as well as group/zones
- Device status for real-time data collection of the working status of lamps
- A binding device with Motion sensor, photocells, and other add-on sensors
- Total Control with Dashboard
- Live map view of Street light implementation
- Users can set brightness and ON/OFF devices manually




LMS (Lighting Management System)



Energy Consumption Report

LMS (Lighting Management System)



KPI Reports

LMS (Lighting Management System)

ViaLights

USER

Dashboard

Live

User Management

Asset management

Configuration

Alert Analysis

Reports Analysis

- Device Burn Hour
- Data Analysis
- Uptime Analysis
- Group Energy Analysis
- Group Alert Analysis
- Device Alert Report
- Panel Wise Energy Report
- Device Status Report
- Burn Hour Report
- Device Uptime Report
- Ticket Management

KPI Reports

Company Management

MORE

Device Status Report

Select Date08/06/2022 - 07/07/2022

ZoneGujarat

WardSLS Head Office

Feeder PanelSLS RF Gateway

Device Type*Individual Lamp Controller

Get Data

Get Data

ColumnsExcelPDF

Show60 entries

Search:

Sr.No.	Ward	Panel Name	Panel No.	Type	Device No.	Wattage	Latitude	Longitude	Status	Downtime (DD HH:MM)	Uptime (DD HH:MM)	Duration (DD HH:MM)	Remarks
1	SLS Head Office	SLS RF Gateway		Lora Street Light	Security Cabin	180	22.536340	72.926631	Online	00 02:03	00 10:03	00 08:00	
2	SLS Head Office	SLS RF Gateway		Lora Street Light	Cafeteria	150	22.536200	72.926473	Online	00 00:24	00 00:00	00 00:00	

Showing 1 to 2 of 2 entries

Previous1Next

Website : www.vialights.com

2022 © System Level Solutions. - Powered by Nebulae™

ViaLights Live Version : 2.0.35

Device Status Report

ViaLights Mobile App

ViaLights Mobile App is LMS solution to manage & monitor the street light infrastructure installed around city.

Features

- Energy consumption monitoring for an individual as well as group/zones
- Device status for real-time data collection of the working status of lamps
- A binding device with Motion sensor, photocells, and other add-on sensors
- Total Control with Dashboard
- Live map view of Street light implementation
- Users can set brightness and ON/OFF devices manually





Thank you



India Office

32, D4, Phase 1, GIDC Estate
V.U. Nagar - 388 121, Gujarat, India



UK Office

20 Mortlake, 20 Mortlake High
Street, London, SW148JN



USA Office

511 N. Washington Avenue,
Marshal, Texas - 75670

✉ info@slscorp.com

☎ 02692 232 501

🌐 www.vialights.com