

Your partner in
switching to smarter
means of mobility



KSIPRA AC 7S

Take a glance at the technical features

Load Management

- Built-in energy meter
- Set up for external energy meter integration or dynamic load management
- Ready for integration with advanced smart building energy systems

Connectors

- Type 2 AC (IEC 62196-2)

Connectivity

- GSM, Ethernet, and WiFi
- OCPP 1.6J
- Authentication via App or RFID
- Configuration via the App web portal

Design

- Single phase up to 7.5kW
- 1x Type 2 AC (IEC 62196-2)

Built-in Safety

- Over Current
- Over Voltage and Under Voltage
- Ground Fault Detection
- Surge Protection
- Emergency Stop Button



KSIPRA AC 7S

INPUT POWER

Input Voltage (AC)	> 230 Vac + 10% or -6%
Input Frequency	> 50Hz
Wires	> Single Phase

OUTPUT POWER

Output Connector	> Type 2 AC [IEC 62196-2]
Number of Outputs	> 1
Output Current	> 32A Max Per output
Output Rating	> 230 Vac

ENVIRONMENT

Ambient Temperature	> 0° C to 55° C
Storage Temperature	> -20° C to 60° C
Altitude	> < 2000 mtr
Humidity	> 5% to 95%, non-condensing

USER INTERFACE AND CONTROL

Display	> 4.3" Graphic Display
Language	> English
Push Button	> Emergency Stop (Mushroom Red)
User Authentication	> Using Mobile Application or User Interface / QR Code/ RFID Card/ Password Login
Visual Indication	> RGB LEDs
RFID Specifications	> RC 522 RFID Reader ISO/IEC 14443A/MIFARE

PROTECTION

Protection	> Over Current, Under Voltage, Over Voltage, Residual Current, Surge Protection, Short Circuit, Ground Fault Protection, Emergency Shutdown with Alarm, Over Temperature, Protection Against Electric Shock
------------	---

COMMUNICATION

Connectivity and CMS	> OCPP v 1.6 over 10/100 Base-T Ethernet (Standard), GSM Modem (4G) and WiFi
Charger and Vehicle	> Type 2 AC as per IS 17017

MECHANICAL


IP Rating	> IP 54
Shell Material	> CRCA Sheet
Cooling	> Natural Cooled
Product Dimension(L*W*H)	> 405mm* 320mm* 191mm
Certification	> ARAI Certified
Product Weight	> 26kgs

Product packaging Weight

Wooden Box	> additional 6-7 kgs
Corrugated Box	> additional 2-3 kgs



India Office





LET'S CONNECT



INDIA CORPORATE OFFICE

401-402, Cube 0675
Near Sardar Patel Statue,
V.V. Nagar, Gujarat - 388 120



MANUFACTURING UNIT

Plot#32, Zone-D/4, Phase-1,
GIDC Estate, V.U. Nagar,
Gujarat - 388121



info@verdemobility.com



www.verdemobility.com



02692 232 501 Ext : 47

