Highway: fixed FIFO command-delay results

Each cell: mean episode RMSE (m); corridor-completed/total records. Actor-dependent methods reuse each traffic case for actors 42/43/44. These are descriptive counts, not independent pooled samples. Route-completion counts and collisions are in the companion CSV.

Delay (ms)	LANS-RISK	Nominal MPC	LQR	LQR + ACC	Predictor LQR	PPO only
0	0.078; 300/300	0.027; 100/100	0.000; 0/100	0.000; 100/100	0.000; 100/100	0.140; 300/300
200	0.077; 300/300	0.026; 100/100	0.000; 0/100	0.000; 100/100	0.000; 100/100	0.598; 207/300
500	0.078; 300/300	0.026; 100/100	0.000; 0/100	0.000; 100/100	0.000; 100/100	7.080; 0/300
700	0.079; 300/300	0.026; 100/100	0.000; 0/100	0.000; 100/100	0.000; 100/100	9.154; 0/300
1000	0.080; 300/300	0.025; 100/100	0.000; 0/100	0.000; 100/100	0.000; 100/100	11.060; 0/300

Delay (ms)	Delay CBF	No prediction	No actor	Robust LANS	Robust MPC	Robust no actor
0	0.140; 300/300	0.078; 300/300	0.081; 100/100	0.095; 300/300	0.053; 100/100	0.096; 100/100
200	0.473; 300/300	5.122; 0/300	0.081; 100/100	0.097; 300/300	0.052; 100/100	0.096; 100/100
500	0.830; 300/300	27.840; 0/300	0.081; 100/100	0.095; 300/300	0.052; 100/100	0.098; 100/100
700	0.929; 300/300	33.969; 0/300	0.082; 100/100	0.094; 300/300	0.052; 100/100	0.099; 100/100
1000	1.048; 297/300	14.599; 0/300	0.082; 100/100	0.096; 300/300	0.053; 100/100	0.100; 100/100

Merge: fixed FIFO command-delay results

Each cell: mean episode RMSE (m); corridor-completed/total records. Actor-dependent methods reuse each traffic case for actors 42/43/44. These are descriptive counts, not independent pooled samples. Route-completion counts and collisions are in the companion CSV.

Delay (ms)	LANS-RISK	Nominal MPC	LQR	LQR + ACC	Predictor LQR	PPO only
0	0.066; 300/300	0.023; 100/100	0.031; 0/100	0.013; 100/100	0.013; 100/100	0.294; 294/300
200	0.069; 300/300	0.023; 100/100	1.332; 0/100	0.859; 43/100	0.012; 99/100	1.479; 113/300
500	0.095; 297/300	0.064; 99/100	5.553; 0/100	5.417; 0/100	0.054; 96/100	14.748; 0/300
700	0.174; 297/300	0.158; 97/100	6.330; 0/100	6.156; 0/100	0.157; 92/100	24.973; 0/300
1000	0.378; 105/300	0.416; 34/100	17.870; 0/100	16.982; 0/100	0.448; 34/100	35.224; 0/300

Delay (ms)	Delay CBF	No prediction	No actor	Robust LANS	Robust MPC	Robust no actor
0	0.295; 300/300	0.066; 300/300	0.070; 100/100	0.081; 300/300	0.044; 100/100	0.082; 100/100
200	0.603; 300/300	4.339; 0/300	0.073; 100/100	0.082; 300/300	0.043; 100/100	0.084; 100/100
500	1.026; 297/300	27.532; 0/300	0.096; 99/100	0.105; 300/300	0.071; 100/100	0.106; 100/100
700	1.084; 285/300	39.108; 0/300	0.169; 99/100	0.200; 291/300	0.177; 96/100	0.202; 97/100
1000	1.248; 103/300	16.687; 0/300	0.392; 35/100	0.450; 105/300	0.463; 34/100	0.452; 34/100

Intersection: fixed FIFO command-delay results

Each cell: mean episode RMSE (m); corridor-completed/total records. Actor-dependent methods reuse each traffic case for actors 42/43/44. These are descriptive counts, not independent pooled samples. Route-completion counts and collisions are in the companion CSV.

Delay (ms)	LANS-RISK	Nominal MPC	LQR	LQR + ACC	Predictor LQR	PPO only
0	0.026; 300/300	0.012; 100/100	0.000; 60/100	0.000; 60/100	0.000; 60/100	0.271; 299/300
200	0.030; 300/300	0.019; 100/100	0.000; 59/100	0.000; 59/100	0.000; 59/100	3.768; 0/300
500	0.036; 300/300	0.027; 100/100	0.000; 59/100	0.000; 59/100	0.000; 56/100	9.024; 0/300
700	0.036; 300/300	0.026; 100/100	0.000; 59/100	0.000; 59/100	0.000; 56/100	12.130; 0/300
1000	0.043; 297/300	0.031; 99/100	0.000; 58/100	0.000; 58/100	0.000; 56/100	14.573; 0/300

Delay (ms)	Delay CBF	No prediction	No actor	Robust LANS	Robust MPC	Robust no actor
0	0.270; 300/300	0.026; 300/300	0.013; 100/100	0.031; 300/300	0.011; 100/100	0.016; 100/100
200	0.513; 300/300	3.924; 0/300	0.017; 100/100	0.033; 300/300	0.014; 100/100	0.018; 100/100
500	0.849; 291/300	11.903; 0/300	0.024; 100/100	0.035; 300/300	0.018; 100/100	0.020; 100/100
700	0.952; 299/300	17.453; 0/300	0.024; 100/100	0.037; 300/300	0.021; 100/100	0.022; 100/100
1000	1.090; 285/300	11.149; 0/300	0.032; 99/100	0.036; 300/300	0.022; 100/100	0.022; 100/100

Roundabout: fixed FIFO command-delay results

Each cell: mean episode RMSE (m); corridor-completed/total records. Actor-dependent methods reuse each traffic case for actors 42/43/44. These are descriptive counts, not independent pooled samples. Route-completion counts and collisions are in the companion CSV.

Delay (ms)	LANS-RISK	Nominal MPC	LQR	LQR + ACC	Predictor LQR	PPO only
0	0.083; 300/300	0.051; 100/100	0.125; 0/100	0.062; 100/100	0.062; 100/100	0.904; 234/300
200	0.086; 300/300	0.058; 100/100	0.461; 0/100	0.076; 100/100	0.065; 100/100	1.301; 93/300
500	0.249; 300/300	0.250; 100/100	1.351; 0/100	2.903; 0/100	0.318; 100/100	4.106; 5/300
700	0.479; 72/300	0.487; 23/100	2.713; 0/100	3.320; 0/100	0.652; 15/100	3.501; 0/300
1000	0.927; 0/300	0.939; 0/100	3.058; 0/100	3.426; 0/100	1.266; 0/100	3.687; 0/300

Delay (ms)	Delay CBF	No prediction	No actor	Robust LANS	Robust MPC	Robust no actor
0	0.887; 300/300	0.083; 300/300	0.081; 100/100	0.089; 300/300	0.070; 100/100	0.087; 100/100
200	1.012; 300/300	0.960; 121/300	0.084; 100/100	0.093; 300/300	0.075; 100/100	0.090; 100/100
500	1.296; 175/300	1.776; 0/300	0.248; 100/100	0.267; 294/300	0.266; 98/100	0.267; 98/100
700	1.445; 7/300	3.314; 0/300	0.478; 24/100	0.499; 66/300	0.506; 23/100	0.501; 22/100
1000	2.305; 0/300	3.025; 0/300	0.927; 0/100	1.037; 0/300	0.999; 0/100	1.036; 0/100