



Create New Serverless Instance

Serverless

Dedicated

Shared

For application development and testing, or workloads with variable traffic. Minimal configuration required.

Resources scale seamlessly to meet your workload and you pay only for the operations you run. [See pricing.](#)
Serverless instances run on the latest MongoDB release with always-on security and backups. [Learn more.](#)

Cloud Provider & Region

AWS, Mumbai (ap-south-1) ^

aws

Google Cloud

Azure

★ Recommended region ⓘ

NORTH AMERICA

🇺🇸 N. Virginia (us-east-1) ★

🇺🇸 Oregon (us-west-2) ★

EUROPE

🇮🇪 Ireland (eu-west-1) ★

AUSTRALIA

🇦🇺 Sydney (ap-southeast-2) ★

ASIA

🇸🇬 Singapore (ap-southeast-1) ★

🇮🇳 Mumbai (ap-south-1) ★

Additional Settings

Basic Backup ^

Snapshots are taken every 6 hours. You can switch backup plans at any time.



Serverless Continuous Backup

- ✓ Daily snapshots are retained for 35 days.
- ✓ Point in time restore enabled with a restore window of last 72 hours.

[View Pricing](#)

Basic Backup

- ✓ Only the two most recent snapshots are available.
- ✓ Included for free.

Termination Protection



When enabled, prevent any user from accidentally deleting this cluster. Termination protection will need to be disabled before this cluster can be deleted.
[Learn more.](#)

Serverless Instance Name

AmAssignmentsInstance ^

One time only: once your instance is created, you won't be able to change its name.

AmAssignmentsInstance

Instance names can only contain ASCII letters, numbers, and hyphens.

\$0.1/1M reads

Pay per operation! Starting at \$0.1/1M reads. You will be billed monthly for reads, writes, storage, and data transfer. See [Pricing](#).

Cancel

Create Instance