

**MODUL PRAKTIKUM REKAYASA
PERANGKAT LUNAK**

Nama & Nim: Yassirlana Saputra_2403015080



**PROGRAM STUDI TEKNIK INFORMATIKA FAKULTAS TEKNOLOGI
INDUSTRI DAN INFORMATIKA
UNIVERSITAS MUHAMMADIYAH PROF.DR HAMKA**

Pertemuan 13 – Dokumentasi dan Deployment

Tujuan: Mahasiswa mampu mendokumentasikan seluruh rancangan, pekerjaan dan rencana perawatan sistem yang dibangun

Teori Singkat

Dokumentasi penting untuk pemeliharaan dan pengembangan lanjutan.

Bahan dan Alat


- Markdown / Word
- Hosting (opsional)



Contoh Permasalahan



Sistem sulit dikembangkan ulang karena tidak ada dokumentasi.


Studi Kasus

- Buat dokumentasi pengguna











- UML dan Simulasikan deployment



User (Web Browser)



Website RismaQue (HTML, SQL, PHP)

```
Simpe Spoon.html
ml > html > body > section#menu-section.py-5 > div.container > div#menu-container.row.g-4 > div.col-md-4.menu-item.puding > div.card
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title>RismaQue</title>
7 <!-- Bootstrap CSS -->
8 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
9 <!-- Google Fonts -->
10 <link href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@700&family=Poppins:wght@300;400;" rel="stylesheet">
11 <!-- Bootstrap Icons -->
12 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.0/font/bootstrap-icons.css">
13
14 <style>
15 body { font-family: 'Poppins', sans-serif; background-color: #fdfbf7; color: #4a4a4a; }
16 h1, h2, .navbar-brand { font-family: 'Playfair Display', serif; }
17
18 .navbar { background-color: #ffffff; box-shadow: 0 2px 10px rgba(0,0,0,0.05); }
19 .hero-section { background: linear-gradient(rgba(0,0,0,0.4), rgba(0,0,0,0.4)), url('KueUltah (1).jp
20
21 .card-menu { border: none; border-radius: 15px; transition: transform 0.3s; cursor: pointer; position: r
22 .card-menu:hover { transform: translateY(-5px); box-shadow: 0 10px 20px rgba(0,0,0,0.1); }
23 .selected-icon { position: absolute; top: 10px; right: 10px; font-size: 1.5rem; color: #28a745; displ
24 /* Menyesuaikan tampilan panah carousel agar lebih cantik di dalam card */
25 .carousel-control-prev, .carousel-control-next { width: 10%; z-index: 5; }
26 .carousel-control-prev-icon, .carousel-control-next-icon { background-color: rgba(0,0,0,0.3); border-
27 .card-menu.selected .selected-icon { display: block; }
28 .card-menu.selected { border: 2px solid #28a745; }
29
30 .btn-gold { background-color: #d4af37; color: white; border-radius: 25px; padding: 10px 25px; }
31 .btn-gold:hover { background-color: #b8962e; color: white; }
32
33 footer { background-color: #2c2c2c; color: #d1d1d1; padding: 50px 0 20px; }
34 .footer-title { color: #d4af37; font-weight: 600; margin-bottom: 20px; }
35 .map-container iframe { width: 100%; height: 200px; border-radius: 10px; }
36 </style>
37 </head>
38 <body>
```

```
database.sql
1 -- =====
2 -- DATABASE: rismaque
3 -- Dibuat sesuai program website RismaQue (toko kue online)
4 -- Berisi: kategori, menu, pesanan, detail pesanan, gambar menu
5 -- =====
6
7 CREATE DATABASE IF NOT EXISTS rismaque
8     CHARACTER SET utf8mb4
9     COLLATE utf8mb4_unicode_ci;
10
11 USE rismaque;
12
13 -- =====
14 -- TABEL 1: kategori
15 -- Sesuai filter menu di website: Snack, Kue Ulang Tahun, Puding
16 -- =====
17 CREATE TABLE IF NOT EXISTS kategori (
18     id          TINYINT UNSIGNED NOT NULL AUTO_INCREMENT,
19     slug        VARCHAR(30)      NOT NULL COMMENT 'Filter CSS class (snack / ulangtahun / puding)',
20     nama        VARCHAR(50)      NOT NULL COMMENT 'Label tampil di tombol filter',
21     urutan     TINYINT UNSIGNED NOT NULL DEFAULT 0 COMMENT 'Urutan tampil tombol filter',
22
23     PRIMARY KEY (id),
24     UNIQUE KEY uq_slug (slug)
25 ) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci
26 COMMENT='Kategori menu sesuai tombol filter di website';
27
28 -- Data kategori (sesuai data-filter di HTML)
29 INSERT INTO kategori (slug, nama, urutan) VALUES
30 ('snack', 'Snack', 1),
31 ('ulangtahun', 'Kue Ulang Tahun', 2),
32 ('puding', 'Puding', 3);
33
34 -- =====
35 -- TABEL 2: menu
36 -- Semua item kue yang tampil di halaman website
37 -- =====
38
39 CREATE TABLE IF NOT EXISTS menu (
```



```

header.php
1 <!DOCTYPE html>
2 <html lang="id">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <title><?php echo $page_title ?? 'Admin'; ?> - <?php echo SITE_NAME; ?></title>
7 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
8 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.0/font/bootstrap-icons.css">
9 <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@300;400;600;700&display=swap" rel="stylesheet">
10 <style>
11     body {
12         font-family: 'Poppins', sans-serif;
13         background-color: #f8f9fa;
14     }
15     .sidebar {
16         min-height: 100vh;
17         background: linear-gradient(180deg, #667eea 0%, #764ba2 100%);
18         color: white;
19         position: fixed;
20         top: 0;
21         left: 0;
22         width: 250px;
23         padding: 20px 0;
24         transition: all 0.3s;
25         z-index: 1000;
26     }
27     .sidebar .brand {
28         padding: 0 20px 20px;
29         border-bottom: 1px solid rgba(255,255,255,0.1);
30         margin-bottom: 20px;
31     }
32     .sidebar .brand h4 {
33         font-weight: 700;
34         margin: 0;
35     }
36     .sidebar .nav-link {
37         color: rgba(255,255,255,0.8);
38         padding: 12px 20px;
39         transition: all 0.3s;

```

Web Hosting (Netlify/Vercel)

› update_topic ›

I will list the contents of the assets directory and check what extraction tools are available on the system to extract `Simple Spoon_ywaw.rar`.

Run command `ls -la /opt/build/repo/.netlify/assets/6a20ee4d8938559d02f1a7d8/` && which `unrar` `unrar 7z 7za unzip tar`

I will check if python3, node, and package managers are available, and see if there are standard libraries or npm packages we can use to extract the RAR file.

Run command `python3 --version && node --version && npm --version`

I will check if Python has `rarfile` or any other tool that can extract RAR files, or if `npx` has an extractor.

Run command `python3 -c "import rarfile; print('rarfile installed')"` || `python3 -c "import zipfile; print('zipfile installed')"`

I will check if `apt-get` or `apt` is available to install `unrar` or `unrar`.

Run command `apt-get --version || apt --version`

I will attempt to install `unrar` (a versatile archive unpacker) to extract the RAR archive.

Run command `apt-get install -y unrar` ↓ `sudo apt-get install -y unrar`

I will search for any `package.json` or other files in the project root to understand the

Google Maps

Lokasi Kami



Kunjungi Toko Kami

Kami berlokasi di pusat kota yang strategis, mudah dijangkau untuk pengambilan pesanan langsung.

Buka di Google Maps

Aspek Penilaian

Aspek	4	3	2	1
Dokumentasi pengguna	Lengkap & mudah dipahami	Cukup jelas	Kurang jelas	Tidak ada
Dokumentasi teknis	Lengkap	Cukup	Kurang	Tidak ada
Deployment	Berhasil	Sebagian	Gagal	Tidak dilakukan