

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 AND REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, Men	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, Women	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, Men	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, Women	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, Men	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, Women	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug users (IDU), Men	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug users (IDU), Women	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, Men	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, Women	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2015

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2019. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses N	%	Without AIDS N	%	Concurrent with AIDS diagnoses N	%	N	%	N	%	N	%
TOTAL	2,426	100.0	2,015	83.1	411	16.9	1,440	100.0	124,961	100.0	1,768	100.0
GENDER												
Men	1,947	80.3	1,628	80.8	319	77.6	1,075	74.7	89,860	71.9	1,247	70.5
Women	419	17.3	335	16.6	84	20.4	334	23.2	33,365	26.7	505	28.6
Transgender	60	2.5	52	2.6	8	1.9	31	2.2	1,736	1.4	16	0.9
RACE/ETHNICITY												
Black	987	40.7	799	39.7	188	45.7	719	49.9	54,684	43.8	914	51.7
Latino/Hispanic	907	37.4	766	38.0	141	34.3	454	31.5	40,919	32.7	541	30.6
White	395	16.3	339	16.8	56	13.6	196	13.6	25,775	20.6	275	15.6
Asian/Pacific Islander	112	4.6	91	4.5	21	5.1	58	4.0	2,643	2.1	27	1.5
Native American	4	0.2	4	0.2	0	0.0	4	0.3	296	0.2	6	0.3
Multiracial	21	0.9	16	0.8	5	1.2	9	0.6	316	0.3	5	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	328	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.1	3	0.1	0	0.0	2	0.1	132	0.1	0	0.0
13-19	79	3.3	76	3.8	3	0.7	23	1.6	706	0.6	0	0.0
20-29	892	36.8	828	41.1	64	15.6	250	17.4	10,895	8.7	38	2.1
30-39	602	24.8	495	24.6	107	26.0	356	24.7	18,756	15.0	112	6.3
40-49	405	16.7	302	15.0	103	25.1	359	24.9	29,764	23.8	297	16.8
50-59	307	12.7	216	10.7	91	22.1	297	20.6	40,170	32.1	628	35.5
60+	138	5.7	95	4.7	43	10.5	153	10.6	24,538	19.6	693	39.2
BOROUGH OF RESIDENCE												
Bronx	491	20.2	401	19.9	90	21.9	297	20.6	28,874	23.1	461	26.1
Brooklyn	634	26.1	520	25.8	114	27.7	354	24.6	29,103	23.3	407	23.0
Manhattan	545	22.5	466	23.1	79	19.2	236	16.4	31,832	25.5	320	18.1
Queens	423	17.4	331	16.4	92	22.4	246	17.1	17,789	14.2	165	9.3
Staten Island	61	2.5	52	2.6	9	2.2	27	1.9	2,351	1.9	41	2.3
Outside NYC	217	8.9	190	9.4	27	6.6	237	16.5	13,019	10.4	77	4.4
Unknown	55	2.3	55	2.7	0	0.0	43	3.0	1,993	1.6	297	16.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	211	8.7	184	9.1	27	6.6	102	7.1	10,670	8.5	94	5.3
Medium poverty (10 to <20% below FPL)	805	33.2	647	32.1	158	38.4	431	29.9	40,663	32.5	395	22.3
High poverty (20 to <30% below FPL)	586	24.2	479	23.8	107	26.0	303	21.0	27,498	22.0	366	20.7
Very high poverty (≥30% below FPL)	549	22.6	457	22.7	92	22.4	322	22.4	29,742	23.8	539	30.5
Area-based poverty level not available	275	11.3	248	12.3	27	6.6	282	19.6	16,388	13.1	374	21.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,415	58.3	1,230	61.0	185	45.0	625	43.4	49,957	40.0	386	21.8
Injection drug use history (IDU)	47	1.9	44	2.2	3	0.7	71	4.9	16,128	12.9	484	27.4
MSM-IDU	49	2.0	48	2.4	1	0.2	32	2.2	3,205	2.6	71	4.0
Heterosexual contact	411	16.9	315	15.6	96	23.4	295	20.5	24,608	19.7	353	20.0
Transgender people with sexual contact	57	2.3	49	2.4	8	1.9	29	2.0	1,457	1.2	10	0.6
Perinatal	3	0.1	3	0.1	0	0.0	36	2.5	2,583	2.1	19	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	199	0.2	4	0.2
Unknown	444	18.3	326	16.2	118	28.7	352	24.4	26,824	21.5	441	24.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.2.1. Men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,950	100.0	1,631	83.6	319	16.4	1,075	100.0	89,884	100.0	1,249	100.0
RACE/ETHNICITY												
Black	712	36.5	582	35.7	130	40.8	491	45.7	34,385	38.3	612	49.0
Latino/Hispanic	748	38.4	636	39.0	112	35.1	347	32.3	29,380	32.7	377	30.2
White	370	19.0	317	19.4	53	16.6	178	16.6	23,216	25.8	229	18.3
Asian/Pacific Islander	98	5.0	79	4.8	19	6.0	48	4.5	2,190	2.4	22	1.8
Native American	3	0.2	3	0.2	0	0.0	3	0.3	215	0.2	5	0.4
Multiracial	19	1.0	14	0.9	5	1.6	8	0.7	246	0.3	4	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.2	3	0.2	0	0.0	1	0.1	69	0.1	0	0.0
13-19	68	3.5	65	4.0	3	0.9	16	1.5	374	0.4	0	0.0
20-29	763	39.1	706	43.3	57	17.9	203	18.9	8,325	9.3	28	2.2
30-39	497	25.5	410	25.1	87	27.3	273	25.4	13,996	15.6	70	5.6
40-49	304	15.6	228	14.0	76	23.8	258	24.0	20,882	23.2	199	15.9
50-59	227	11.6	157	9.6	70	21.9	227	21.1	28,326	31.5	430	34.4
60+	88	4.5	62	3.8	26	8.2	97	9.0	17,912	19.9	522	41.8
BOROUGH OF RESIDENCE												
Bronx	337	17.3	279	17.1	58	18.2	195	18.1	17,737	19.7	289	23.1
Brooklyn	490	25.1	410	25.1	80	25.1	248	23.1	19,131	21.3	285	22.8
Manhattan	493	25.3	420	25.8	73	22.9	194	18.0	26,600	29.6	259	20.7
Queens	354	18.2	275	16.9	79	24.8	198	18.4	12,890	14.3	110	8.8
Staten Island	44	2.3	37	2.3	7	2.2	19	1.8	1,518	1.7	26	2.1
Outside NYC	189	9.7	167	10.2	22	6.9	190	17.7	10,552	11.7	59	4.7
Unknown	43	2.2	43	2.6	0	0.0	31	2.9	1,456	1.6	221	17.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	177	9.1	155	9.5	22	6.9	78	7.3	8,464	9.4	70	5.6
Medium poverty (10 to <20% below FPL)	664	34.1	535	32.8	129	40.4	344	32.0	30,696	34.2	289	23.1
High poverty (20 to <30% below FPL)	481	24.7	398	24.4	83	26.0	222	20.7	18,992	21.1	248	19.9
Very high poverty (≥30% below FPL)	394	20.2	331	20.3	63	19.7	209	19.4	18,640	20.7	362	29.0
Area-based poverty level not available	234	12.0	212	13.0	22	6.9	222	20.7	13,092	14.6	280	22.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,415	72.6	1,230	75.4	185	58.0	625	58.1	49,957	55.6	386	30.9
Injection drug use history (IDU)	29	1.5	27	1.7	2	0.6	38	3.5	10,506	11.7	337	27.0
MSM-IDU	49	2.5	48	2.9	1	0.3	32	3.0	3,205	3.6	71	5.7
Heterosexual contact	93	4.8	61	3.7	32	10.0	89	8.3	6,151	6.8	104	8.3
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	15	0.0	0	0.0
Perinatal	3	0.2	3	0.2	0	0.0	20	1.9	1,263	1.4	11	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	109	0.1	1	0.1
Unknown	360	18.5	261	16.0	99	31.0	271	25.2	18,678	20.8	339	27.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.2.2. Women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	476	100.0	384	80.7	92	19.3	365	100.0	35,077	100.0	519	100.0
RACE/ETHNICITY												
Black	275	57.8	217	56.5	58	63.0	228	62.5	20,299	57.9	302	58.2
Latino/Hispanic	159	33.4	130	33.9	29	31.5	107	29.3	11,539	32.9	164	31.6
White	25	5.3	22	5.7	3	3.3	18	4.9	2,559	7.3	46	8.9
Asian/Pacific Islander	14	2.9	12	3.1	2	2.2	10	2.7	453	1.3	5	1.0
Native American	1	0.2	1	0.3	0	0.0	1	0.3	81	0.2	1	0.2
Multiracial	2	0.4	2	0.5	0	0.0	1	0.3	70	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.3	63	0.2	0	0.0
13-19	11	2.3	11	2.9	0	0.0	7	1.9	332	0.9	0	0.0
20-29	129	27.1	122	31.8	7	7.6	47	12.9	2,570	7.3	10	1.9
30-39	105	22.1	85	22.1	20	21.7	83	22.7	4,760	13.6	42	8.1
40-49	101	21.2	74	19.3	27	29.3	101	27.7	8,882	25.3	98	18.9
50-59	80	16.8	59	15.4	21	22.8	70	19.2	11,844	33.8	198	38.2
60+	50	10.5	33	8.6	17	18.5	56	15.3	6,626	18.9	171	32.9
BOROUGH OF RESIDENCE												
Bronx	154	32.4	122	31.8	32	34.8	102	27.9	11,137	31.8	172	33.1
Brooklyn	144	30.3	110	28.6	34	37.0	106	29.0	9,972	28.4	122	23.5
Manhattan	52	10.9	46	12.0	6	6.5	42	11.5	5,232	14.9	61	11.8
Queens	69	14.5	56	14.6	13	14.1	48	13.2	4,899	14.0	55	10.6
Staten Island	17	3.6	15	3.9	2	2.2	8	2.2	833	2.4	15	2.9
Outside NYC	28	5.9	23	6.0	5	5.4	47	12.9	2,467	7.0	18	3.5
Unknown	12	2.5	12	3.1	0	0.0	12	3.3	537	1.5	76	14.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	34	7.1	29	7.6	5	5.4	24	6.6	2,206	6.3	24	4.6
Medium poverty (10 to <20% below FPL)	141	29.6	112	29.2	29	31.5	87	23.8	9,967	28.4	106	20.4
High poverty (20 to <30% below FPL)	105	22.1	81	21.1	24	26.1	81	22.2	8,506	24.2	118	22.7
Very high poverty (≥30% below FPL)	155	32.6	126	32.8	29	31.5	113	31.0	11,102	31.7	177	34.1
Area-based poverty level not available	41	8.6	36	9.4	5	5.4	60	16.4	3,296	9.4	94	18.1
TRANSMISSION RISK												
Injection drug use history (IDU)	18	3.8	17	4.4	1	1.1	33	9.0	5,622	16.0	147	28.3
Heterosexual contact	318	66.8	254	66.1	64	69.6	206	56.4	18,457	52.6	249	48.0
Transgender people with sexual contact	56	11.8	48	12.5	8	8.7	29	7.9	1,442	4.1	10	1.9
Perinatal	0	0.0	0	0.0	0	0.0	16	4.4	1,320	3.8	8	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	90	0.3	3	0.6
Unknown	84	17.6	65	16.9	19	20.7	81	22.2	8,146	23.2	102	19.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.1. Black men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
TOTAL	712	100.0	582	81.7	130	18.3	491	100.0	34,385	100.0	612	100.0
AGE GROUP (YEARS)												
0-12	2	0.3	2	0.3	0	0.0	1	0.2	43	0.1	0	0.0
13-19	36	5.1	33	5.7	3	2.3	11	2.2	216	0.6	0	0.0
20-29	297	41.7	275	47.3	22	16.9	91	18.5	4,078	11.9	13	2.1
30-39	140	19.7	110	18.9	30	23.1	118	24.0	5,329	15.5	35	5.7
40-49	101	14.2	68	11.7	33	25.4	120	24.4	7,169	20.8	74	12.1
50-59	89	12.5	62	10.7	27	20.8	99	20.2	10,454	30.4	219	35.8
60+	47	6.6	32	5.5	15	11.5	51	10.4	7,096	20.6	271	44.3
BOROUGH OF RESIDENCE												
Bronx	155	21.8	124	21.3	31	23.8	93	18.9	7,925	23.0	137	22.4
Brooklyn	262	36.8	208	35.7	54	41.5	162	33.0	10,754	31.3	177	28.9
Manhattan	120	16.9	102	17.5	18	13.8	60	12.2	6,997	20.3	112	18.3
Queens	76	10.7	60	10.3	16	12.3	62	12.6	4,256	12.4	51	8.3
Staten Island	15	2.1	12	2.1	3	2.3	6	1.2	543	1.6	8	1.3
Outside NYC	67	9.4	59	10.1	8	6.2	97	19.8	3,466	10.1	27	4.4
Unknown	17	2.4	17	2.9	0	0.0	11	2.2	444	1.3	100	16.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	51	7.2	44	7.6	7	5.4	36	7.3	1,982	5.8	19	3.1
Medium poverty (10 to <20% below FPL)	202	28.4	155	26.6	47	36.2	149	30.3	10,888	31.7	134	21.9
High poverty (20 to <30% below FPL)	192	27.0	154	26.5	38	29.2	96	19.6	8,343	24.3	124	20.3
Very high poverty (≥30% below FPL)	183	25.7	153	26.3	30	23.1	101	20.6	8,865	25.8	208	34.0
Area-based poverty level not available	84	11.8	76	13.1	8	6.2	109	22.2	4,307	12.5	127	20.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	432	60.7	374	64.3	58	44.6	241	49.1	15,341	44.6	151	24.7
Injection drug use history (IDU)	7	1.0	7	1.2	0	0.0	13	2.6	4,230	12.3	169	27.6
MSM-IDU	12	1.7	11	1.9	1	0.8	11	2.2	1,143	3.3	26	4.2
Heterosexual contact	62	8.7	42	7.2	20	15.4	63	12.8	3,356	9.8	69	11.3
Transgender people with sexual contact	1	0.1	1	0.2	0	0.0	0	0.0	12	0.0	0	0.0
Perinatal	2	0.3	2	0.3	0	0.0	10	2.0	709	2.1	6	1.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	33	0.1	1	0.2
Unknown	196	27.5	145	24.9	51	39.2	153	31.2	9,561	27.8	190	31.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.2. Black women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	275	100.0	217	78.9	58	21.1	228	100.0	20,299	100.0	302	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	0.4	35	0.2	0	0.0
13-19	5	1.8	5	2.3	0	0.0	6	2.6	208	1.0	0	0.0
20-29	79	28.7	76	35.0	3	5.2	28	12.3	1,516	7.5	7	2.3
30-39	65	23.6	52	24.0	13	22.4	55	24.1	2,912	14.3	26	8.6
40-49	51	18.5	36	16.6	15	25.9	62	27.2	5,257	25.9	59	19.5
50-59	45	16.4	31	14.3	14	24.1	44	19.3	6,705	33.0	105	34.8
60+	30	10.9	17	7.8	13	22.4	32	14.0	3,666	18.1	105	34.8
BOROUGH OF RESIDENCE												
Bronx	75	27.3	57	26.3	18	31.0	60	26.3	5,687	28.0	88	29.1
Brooklyn	109	39.6	82	37.8	27	46.6	82	36.0	6,952	34.2	80	26.5
Manhattan	27	9.8	23	10.6	4	6.9	23	10.1	2,858	14.1	36	11.9
Queens	32	11.6	26	12.0	6	10.3	29	12.7	2,753	13.6	39	12.9
Staten Island	11	4.0	10	4.6	1	1.7	3	1.3	399	2.0	6	2.0
Outside NYC	16	5.8	14	6.5	2	3.4	23	10.1	1,344	6.6	10	3.3
Unknown	5	1.8	5	2.3	0	0.0	8	3.5	306	1.5	43	14.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	19	6.9	16	7.4	3	5.2	16	7.0	1,278	6.3	13	4.3
Medium poverty (10 to <20% below FPL)	81	29.5	63	29.0	18	31.0	55	24.1	6,078	29.9	58	19.2
High poverty (20 to <30% below FPL)	68	24.7	51	23.5	17	29.3	54	23.7	5,026	24.8	75	24.8
Very high poverty (≥30% below FPL)	85	30.9	67	30.9	18	31.0	71	31.1	6,105	30.1	103	34.1
Area-based poverty level not available	22	8.0	20	9.2	2	3.4	32	14.0	1,812	8.9	53	17.5
TRANSMISSION RISK												
Injection drug use history (IDU)	8	2.9	8	3.7	0	0.0	16	7.0	2,658	13.1	66	21.9
Heterosexual contact	201	73.1	153	70.5	48	82.8	141	61.8	10,967	54.0	156	51.7
Transgender people with sexual contact	16	5.8	15	6.9	1	1.7	12	5.3	731	3.6	5	1.7
Perinatal	0	0.0	0	0.0	0	0.0	10	4.4	768	3.8	4	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	1	0.3
Unknown	50	18.2	41	18.9	9	15.5	49	21.5	5,128	25.3	70	23.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.3. Latino/Hispanic men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	748	100.0	636	85.0	112	15.0	347	100.0	29,380	100.0	377	100.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.2	0	0.0	0	0.0	19	0.1	0	0.0
13-19	19	2.5	19	3.0	0	0.0	4	1.2	118	0.4	0	0.0
20-29	299	40.0	276	43.4	23	20.5	75	21.6	2,783	9.5	12	3.2
30-39	221	29.5	181	28.5	40	35.7	103	29.7	4,930	16.8	18	4.8
40-49	113	15.1	90	14.2	23	20.5	74	21.3	7,382	25.1	82	21.8
50-59	71	9.5	49	7.7	22	19.6	66	19.0	8,954	30.5	134	35.5
60+	24	3.2	20	3.1	4	3.6	25	7.2	5,194	17.7	131	34.7
BOROUGH OF RESIDENCE												
Bronx	165	22.1	141	22.2	24	21.4	90	25.9	8,638	29.4	129	34.2
Brooklyn	137	18.3	118	18.6	19	17.0	56	16.1	4,772	16.2	76	20.2
Manhattan	185	24.7	161	25.3	24	21.4	61	17.6	7,300	24.8	71	18.8
Queens	175	23.4	136	21.4	39	34.8	83	23.9	5,410	18.4	28	7.4
Staten Island	16	2.1	14	2.2	2	1.8	8	2.3	442	1.5	8	2.1
Outside NYC	54	7.2	50	7.9	4	3.6	38	11.0	2,235	7.6	9	2.4
Unknown	16	2.1	16	2.5	0	0.0	11	3.2	583	2.0	56	14.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	50	6.7	45	7.1	5	4.5	13	3.7	1,848	6.3	11	2.9
Medium poverty (10 to <20% below FPL)	249	33.3	206	32.4	43	38.4	106	30.5	9,329	31.8	86	22.8
High poverty (20 to <30% below FPL)	198	26.5	165	25.9	33	29.5	88	25.4	6,761	23.0	86	22.8
Very high poverty (≥30% below FPL)	181	24.2	154	24.2	27	24.1	91	26.2	8,277	28.2	129	34.2
Area-based poverty level not available	70	9.4	66	10.4	4	3.6	49	14.1	3,165	10.8	65	17.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	583	77.9	512	80.5	71	63.4	213	61.4	14,932	50.8	97	25.7
Injection drug use history (IDU)	15	2.0	15	2.4	0	0.0	16	4.6	4,984	17.0	132	35.0
MSM-IDU	23	3.1	23	3.6	0	0.0	14	4.0	1,234	4.2	32	8.5
Heterosexual contact	18	2.4	9	1.4	9	8.0	21	6.1	2,070	7.0	22	5.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	1	0.1	1	0.2	0	0.0	10	2.9	459	1.6	4	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	0	0.0
Unknown	108	14.4	76	11.9	32	28.6	73	21.0	5,676	19.3	90	23.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.4. Latina/Hispanic women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	159	100.0	130	81.8	29	18.2	107	100.0	11,539	100.0	164	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	24	0.2	0	0.0
13-19	6	3.8	6	4.6	0	0.0	1	0.9	109	0.9	0	0.0
20-29	39	24.5	35	26.9	4	13.8	17	15.9	841	7.3	3	1.8
30-39	30	18.9	25	19.2	5	17.2	22	20.6	1,428	12.4	12	7.3
40-49	43	27.0	32	24.6	11	37.9	30	28.0	2,845	24.7	32	19.5
50-59	28	17.6	22	16.9	6	20.7	22	20.6	4,007	34.7	70	42.7
60+	13	8.2	10	7.7	3	10.3	15	14.0	2,285	19.8	47	28.7
BOROUGH OF RESIDENCE												
Bronx	75	47.2	61	46.9	14	48.3	40	37.4	4,994	43.3	75	45.7
Brooklyn	28	17.6	22	16.9	6	20.7	19	17.8	2,317	20.1	34	20.7
Manhattan	18	11.3	16	12.3	2	6.9	16	15.0	1,745	15.1	16	9.8
Queens	19	11.9	15	11.5	4	13.8	11	10.3	1,485	12.9	9	5.5
Staten Island	3	1.9	2	1.5	1	3.4	2	1.9	244	2.1	5	3.0
Outside NYC	9	5.7	7	5.4	2	6.9	17	15.9	584	5.1	4	2.4
Unknown	7	4.4	7	5.4	0	0.0	2	1.9	170	1.5	21	12.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.1	4	3.1	1	3.4	3	2.8	451	3.9	5	3.0
Medium poverty (10 to <20% below FPL)	43	27.0	34	26.2	9	31.0	24	22.4	2,768	24.0	35	21.3
High poverty (20 to <30% below FPL)	30	18.9	24	18.5	6	20.7	20	18.7	2,921	25.3	29	17.7
Very high poverty (≥30% below FPL)	65	40.9	54	41.5	11	37.9	41	38.3	4,579	39.7	70	42.7
Area-based poverty level not available	16	10.1	14	10.8	2	6.9	19	17.8	820	7.1	25	15.2
TRANSMISSION RISK												
Injection drug use history (IDU)	6	3.8	5	3.8	1	3.4	15	14.0	2,288	19.8	58	35.4
Heterosexual contact	93	58.5	78	60.0	15	51.7	51	47.7	5,938	51.5	72	43.9
Transgender people with sexual contact	37	23.3	31	23.8	6	20.7	13	12.1	573	5.0	3	1.8
Perinatal	0	0.0	0	0.0	0	0.0	6	5.6	468	4.1	4	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	0	0.0
Unknown	23	14.5	16	12.3	7	24.1	22	20.6	2,249	19.5	27	16.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.5. White men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	370	100.0	317	85.7	53	14.3	178	100.0	23,216	100.0	229	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
13-19	6	1.6	6	1.9	0	0.0	0	0.0	26	0.1	0	0.0
20-29	117	31.6	112	35.3	5	9.4	24	13.5	1,084	4.7	2	0.9
30-39	105	28.4	93	29.3	12	22.6	36	20.2	3,147	13.6	13	5.7
40-49	72	19.5	57	18.0	15	28.3	51	28.7	5,527	23.8	36	15.7
50-59	54	14.6	39	12.3	15	28.3	48	27.0	8,180	35.2	67	29.3
60+	16	4.3	10	3.2	6	11.3	19	10.7	5,249	22.6	111	48.5
BOROUGH OF RESIDENCE												
Bronx	9	2.4	6	1.9	3	5.7	7	3.9	944	4.1	19	8.3
Brooklyn	78	21.1	72	22.7	6	11.3	24	13.5	3,139	13.5	29	12.7
Manhattan	158	42.7	134	42.3	24	45.3	60	33.7	11,362	48.9	68	29.7
Queens	51	13.8	41	12.9	10	18.9	23	12.9	2,410	10.4	23	10.0
Staten Island	10	2.7	8	2.5	2	3.8	5	2.8	496	2.1	9	3.9
Outside NYC	55	14.9	47	14.8	8	15.1	50	28.1	4,541	19.6	21	9.2
Unknown	9	2.4	9	2.8	0	0.0	9	5.1	324	1.4	60	26.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	63	17.0	54	17.0	9	17.0	25	14.0	4,292	18.5	37	16.2
Medium poverty (10 to <20% below FPL)	149	40.3	127	40.1	22	41.5	52	29.2	9,246	39.8	57	24.9
High poverty (20 to <30% below FPL)	70	18.9	61	19.2	9	17.0	29	16.3	3,319	14.3	34	14.8
Very high poverty (≥30% below FPL)	22	5.9	17	5.4	5	9.4	13	7.3	1,230	5.3	20	8.7
Area-based poverty level not available	66	17.8	58	18.3	8	15.1	59	33.1	5,129	22.1	81	35.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	304	82.2	268	84.5	36	67.9	131	73.6	17,901	77.1	124	54.1
Injection drug use history (IDU)	4	1.1	3	0.9	1	1.9	7	3.9	1,208	5.2	33	14.4
MSM-IDU	11	3.0	11	3.5	0	0.0	6	3.4	768	3.3	13	5.7
Heterosexual contact	8	2.2	5	1.6	3	5.7	5	2.8	519	2.2	9	3.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	72	0.3	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	46	0.2	0	0.0
Unknown	43	11.6	30	9.5	13	24.5	29	16.3	2,700	11.6	49	21.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.6. White women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	22	88.0	3	12.0	18	100.0	2,559	100.0	46	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	13	0.5	0	0.0
20-29	8	32.0	8	36.4	0	0.0	1	5.6	150	5.9	0	0.0
30-39	5	20.0	3	13.6	2	66.7	5	27.8	289	11.3	3	6.5
40-49	4	16.0	4	18.2	0	0.0	3	16.7	585	22.9	5	10.9
50-59	5	20.0	5	22.7	0	0.0	3	16.7	954	37.3	22	47.8
60+	3	12.0	2	9.1	1	33.3	6	33.3	566	22.1	16	34.8
BOROUGH OF RESIDENCE												
Bronx	3	12.0	3	13.6	0	0.0	2	11.1	356	13.9	9	19.6
Brooklyn	4	16.0	3	13.6	1	33.3	3	16.7	540	21.1	6	13.0
Manhattan	6	24.0	6	27.3	0	0.0	1	5.6	523	20.4	8	17.4
Queens	6	24.0	5	22.7	1	33.3	2	11.1	437	17.1	4	8.7
Staten Island	3	12.0	3	13.6	0	0.0	2	11.1	180	7.0	4	8.7
Outside NYC	3	12.0	2	9.1	1	33.3	6	33.3	484	18.9	4	8.7
Unknown	0	0.0	0	0.0	0	0.0	2	11.1	39	1.5	11	23.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	24.0	5	22.7	1	33.3	3	16.7	422	16.5	5	10.9
Medium poverty (10 to <20% below FPL)	9	36.0	9	40.9	0	0.0	3	16.7	844	33.0	11	23.9
High poverty (20 to <30% below FPL)	4	16.0	3	13.6	1	33.3	4	22.2	425	16.6	12	26.1
Very high poverty (≥30% below FPL)	3	12.0	3	13.6	0	0.0	0	0.0	316	12.3	3	6.5
Area-based poverty level not available	3	12.0	2	9.1	1	33.3	8	44.4	552	21.6	15	32.6
TRANSMISSION RISK												
Injection drug use history (IDU)	4	16.0	4	18.2	0	0.0	1	5.6	637	24.9	22	47.8
Heterosexual contact	13	52.0	12	54.5	1	33.3	7	38.9	1,185	46.3	17	37.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	2	11.1	93	3.6	1	2.2
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	70	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.7	2	4.3
Unknown	8	32.0	6	27.3	2	66.7	8	44.4	557	21.8	4	8.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	98	100.0	79	80.6	19	19.4	48	100.0	2,190	100.0	22	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
13-19	5	5.1	5	6.3	0	0.0	0	0.0	7	0.3	0	0.0
20-29	42	42.9	36	45.6	6	31.6	11	22.9	282	12.9	1	4.5
30-39	25	25.5	20	25.3	5	26.3	13	27.1	470	21.5	4	18.2
40-49	14	14.3	12	15.2	2	10.5	11	22.9	643	29.4	4	18.2
50-59	11	11.2	6	7.6	5	26.3	11	22.9	531	24.2	7	31.8
60+	1	1.0	0	0.0	1	5.3	2	4.2	253	11.6	6	27.3
BOROUGH OF RESIDENCE												
Bronx	8	8.2	8	10.1	0	0.0	3	6.3	136	6.2	2	9.1
Brooklyn	9	9.2	8	10.1	1	5.3	5	10.4	365	16.7	2	9.1
Manhattan	21	21.4	17	21.5	4	21.1	8	16.7	673	30.7	6	27.3
Queens	51	52.0	38	48.1	13	68.4	28	58.3	704	32.1	6	27.3
Staten Island	1	1.0	1	1.3	0	0.0	0	0.0	22	1.0	0	0.0
Outside NYC	7	7.1	6	7.6	1	5.3	4	8.3	199	9.1	2	9.1
Unknown	1	1.0	1	1.3	0	0.0	0	0.0	91	4.2	4	18.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	10.2	10	12.7	0	0.0	3	6.3	268	12.2	2	9.1
Medium poverty (10 to <20% below FPL)	55	56.1	40	50.6	15	78.9	33	68.8	987	45.1	9	40.9
High poverty (20 to <30% below FPL)	18	18.4	15	19.0	3	15.8	7	14.6	446	20.4	3	13.6
Very high poverty (≥30% below FPL)	7	7.1	7	8.9	0	0.0	1	2.1	179	8.2	2	9.1
Area-based poverty level not available	8	8.2	7	8.9	1	5.3	4	8.3	310	14.2	6	27.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	79	80.6	62	78.5	17	89.5	35	72.9	1,441	65.8	10	45.5
Injection drug use history (IDU)	3	3.1	2	2.5	1	5.3	1	2.1	53	2.4	1	4.5
MSM-IDU	1	1.0	1	1.3	0	0.0	1	2.1	42	1.9	0	0.0
Heterosexual contact	5	5.1	5	6.3	0	0.0	0	0.0	179	8.2	4	18.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	10	10.2	9	11.4	1	5.3	11	22.9	459	21.0	7	31.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	12	85.7	2	14.3	10	100.0	453	100.0	5	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	3	21.4	3	25.0	0	0.0	1	10.0	33	7.3	0	0.0
30-39	3	21.4	3	25.0	0	0.0	1	10.0	105	23.2	1	20.0
40-49	3	21.4	2	16.7	1	50.0	5	50.0	130	28.7	2	40.0
50-59	2	14.3	1	8.3	1	50.0	1	10.0	109	24.1	0	0.0
60+	3	21.4	3	25.0	0	0.0	2	20.0	75	16.6	2	40.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	42	9.3	0	0.0
Brooklyn	2	14.3	2	16.7	0	0.0	1	10.0	101	22.3	1	20.0
Manhattan	1	7.1	1	8.3	0	0.0	2	20.0	67	14.8	0	0.0
Queens	11	78.6	9	75.0	2	100.0	6	60.0	184	40.6	3	60.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	1	10.0	37	8.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	18	4.0	1	20.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	21.4	3	25.0	0	0.0	2	20.0	44	9.7	1	20.0
Medium poverty (10 to <20% below FPL)	7	50.0	5	41.7	2	100.0	4	40.0	212	46.8	1	20.0
High poverty (20 to <30% below FPL)	3	21.4	3	25.0	0	0.0	2	20.0	83	18.3	2	40.0
Very high poverty (≥30% below FPL)	1	7.1	1	8.3	0	0.0	1	10.0	53	11.7	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	10.0	61	13.5	1	20.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	20	4.4	0	0.0
Heterosexual contact	10	71.4	10	83.3	0	0.0	6	60.0	266	58.7	3	60.0
Transgender people with sexual contact	3	21.4	2	16.7	1	50.0	2	20.0	27	6.0	1	20.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	1	7.1	0	0.0	1	50.0	2	20.0	135	29.8	1	20.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.3.9. Native American men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	3	100.0	215	100.0	5	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	33.3	17	7.9	0	0.0
30-39	3	100.0	3	100.0	0	0.0	1	33.3	40	18.6	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	63	29.3	3	60.0
50-59	0	0.0	0	0.0	0	0.0	1	33.3	61	28.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	34	15.8	2	40.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	39	18.1	2	40.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	43	20.0	0	0.0
Manhattan	2	66.7	2	66.7	0	0.0	2	66.7	56	26.0	2	40.0
Queens	0	0.0	0	0.0	0	0.0	1	33.3	49	22.8	1	20.0
Other/Unknown	1	33.3	1	33.3	0	0.0	0	0.0	28	13.0	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	12	5.6	0	0.0
Medium poverty (10 to <20% below FPL)	2	66.7	2	66.7	0	0.0	1	33.3	82	38.1	1	20.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	2	66.7	50	23.3	1	20.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	45	20.9	3	60.0
Area-based poverty level not available	1	33.3	1	33.3	0	0.0	0	0.0	26	12.1	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	66.7	2	66.7	0	0.0	1	33.3	118	54.9	2	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	15	7.0	1	20.0
MSM-IDU	1	33.3	1	33.3	0	0.0	0	0.0	9	4.2	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	18	8.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	2	66.7	53	24.7	2	40.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.3.10. Native American women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	1	100.0	81	100.0	1	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	8	9.9	0	0.0
30-39	1	100.0	1	100.0	0	0.0	0	0.0	10	12.3	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	28	34.6	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	23	28.4	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	100.0	11	13.6	1	100.0
BOROUGH OF RESIDENCE												
Bronx	1	100.0	1	100.0	0	0.0	0	0.0	26	32.1	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	27	33.3	1	100.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	11	13.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	11	13.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	100.0	6	7.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	27	33.3	1	100.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	21	25.9	0	0.0
Very high poverty (≥30% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	28	34.6	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	4	4.9	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	6	7.4	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	100.0	50	61.7	1	100.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	7.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.2	0	0.0
Unknown	1	100.0	1	100.0	0	0.0	0	0.0	15	18.5	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.4.1. Boys 0-12 Years

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	1	100.0	69	100.0	0	0.0
RACE/ETHNICITY												
Black	2	66.7	2	66.7	0	0.0	1	100.0	43	62.3	0	0.0
Latino/Hispanic	1	33.3	1	33.3	0	0.0	0	0.0	19	27.5	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	3	4.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	5.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	1	33.3	1	33.3	0	0.0	0	0.0	20	29.0	0	0.0
Brooklyn	1	33.3	1	33.3	0	0.0	0	0.0	15	21.7	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	12	17.4	0	0.0
Queens	1	33.3	1	33.3	0	0.0	0	0.0	12	17.4	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	1	100.0	1	1.4	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	3	4.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	8.7	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	5	7.2	0	0.0
Medium poverty (10 to <20% below FPL)	2	66.7	2	66.7	0	0.0	0	0.0	17	24.6	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	17	24.6	0	0.0
Very high poverty (≥30% below FPL)	1	33.3	1	33.3	0	0.0	0	0.0	21	30.4	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	9	13.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	3	100.0	3	100.0	0	0.0	1	100.0	69	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.4.2. Girls 0-12 Years

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	0	0.0	0	0.0	0	0.0	1	100.0	63	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	1	100.0	35	55.6	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	24	38.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	3.2	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	21	33.3	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	18	28.6	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	1	100.0	9	14.3	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	4	6.3	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	3	4.8	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	4	6.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	6.3	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	3	4.8	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	14	22.2	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	1	100.0	16	25.4	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	22	34.9	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	8	12.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	100.0	62	98.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.4.3. Men 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,947	100.0	1,628	83.6	319	16.4	1,074	100.0	89,815	100.0	1,249	100.0
RACE/ETHNICITY												
Black	710	36.5	580	35.6	130	40.8	490	45.6	34,342	38.2	612	49.0
Latino/Hispanic	747	38.4	635	39.0	112	35.1	347	32.3	29,361	32.7	377	30.2
White	370	19.0	317	19.5	53	16.6	178	16.6	23,213	25.8	229	18.3
Asian/Pacific Islander	98	5.0	79	4.9	19	6.0	48	4.5	2,186	2.4	22	1.8
Native American	3	0.2	3	0.2	0	0.0	3	0.3	215	0.2	5	0.4
Multiracial	19	1.0	14	0.9	5	1.6	8	0.7	246	0.3	4	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	68	3.5	65	4.0	3	0.9	16	1.5	374	0.4	0	0.0
20-29	763	39.2	706	43.4	57	17.9	203	18.9	8,325	9.3	28	2.2
30-39	497	25.5	410	25.2	87	27.3	273	25.4	13,996	15.6	70	5.6
40-49	304	15.6	228	14.0	76	23.8	258	24.0	20,882	23.3	199	15.9
50-59	227	11.7	157	9.6	70	21.9	227	21.1	28,326	31.5	430	34.4
60+	88	4.5	62	3.8	26	8.2	97	9.0	17,912	19.9	522	41.8
BOROUGH OF RESIDENCE												
Bronx	336	17.3	278	17.1	58	18.2	195	18.2	17,717	19.7	289	23.1
Brooklyn	489	25.1	409	25.1	80	25.1	248	23.1	19,116	21.3	285	22.8
Manhattan	493	25.3	420	25.8	73	22.9	194	18.1	26,588	29.6	259	20.7
Queens	353	18.1	274	16.8	79	24.8	198	18.4	12,878	14.3	110	8.8
Staten Island	44	2.3	37	2.3	7	2.2	18	1.7	1,517	1.7	26	2.1
Outside NYC	189	9.7	167	10.3	22	6.9	190	17.7	10,549	11.7	59	4.7
Unknown	43	2.2	43	2.6	0	0.0	31	2.9	1,450	1.6	221	17.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	177	9.1	155	9.5	22	6.9	77	7.2	8,459	9.4	70	5.6
Medium poverty (10 to <20% below FPL)	662	34.0	533	32.7	129	40.4	344	32.0	30,679	34.2	289	23.1
High poverty (20 to <30% below FPL)	481	24.7	398	24.4	83	26.0	222	20.7	18,975	21.1	248	19.9
Very high poverty (≥30% below FPL)	393	20.2	330	20.3	63	19.7	209	19.5	18,619	20.7	362	29.0
Area-based poverty level not available	234	12.0	212	13.0	22	6.9	222	20.7	13,083	14.6	280	22.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,415	72.7	1,230	75.6	185	58.0	625	58.2	49,957	55.6	386	30.9
Injection drug use history (IDU)	29	1.5	27	1.7	2	0.6	38	3.5	10,506	11.7	337	27.0
MSM-IDU	49	2.5	48	2.9	1	0.3	32	3.0	3,205	3.6	71	5.7
Heterosexual contact	93	4.8	61	3.7	32	10.0	89	8.3	6,151	6.8	104	8.3
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	15	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	19	1.8	1,194	1.3	11	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	109	0.1	1	0.1
Unknown	360	18.5	261	16.0	99	31.0	271	25.2	18,678	20.8	339	27.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.4.4. Women 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	476	100.0	384	80.7	92	19.3	364	100.0	35,014	100.0	519	100.0
RACE/ETHNICITY												
Black	275	57.8	217	56.5	58	63.0	227	62.4	20,264	57.9	302	58.2
Latino/Hispanic	159	33.4	130	33.9	29	31.5	107	29.4	11,515	32.9	164	31.6
White	25	5.3	22	5.7	3	3.3	18	4.9	2,557	7.3	46	8.9
Asian/Pacific Islander	14	2.9	12	3.1	2	2.2	10	2.7	453	1.3	5	1.0
Native American	1	0.2	1	0.3	0	0.0	1	0.3	80	0.2	1	0.2
Multiracial	2	0.4	2	0.5	0	0.0	1	0.3	69	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	11	2.3	11	2.9	0	0.0	7	1.9	332	0.9	0	0.0
20-29	129	27.1	122	31.8	7	7.6	47	12.9	2,570	7.3	10	1.9
30-39	105	22.1	85	22.1	20	21.7	83	22.8	4,760	13.6	42	8.1
40-49	101	21.2	74	19.3	27	29.3	101	27.7	8,882	25.4	98	18.9
50-59	80	16.8	59	15.4	21	22.8	70	19.2	11,844	33.8	198	38.2
60+	50	10.5	33	8.6	17	18.5	56	15.4	6,626	18.9	171	32.9
BOROUGH OF RESIDENCE												
Bronx	154	32.4	122	31.8	32	34.8	102	28.0	11,116	31.7	172	33.1
Brooklyn	144	30.3	110	28.6	34	37.0	106	29.1	9,954	28.4	122	23.5
Manhattan	52	10.9	46	12.0	6	6.5	41	11.3	5,223	14.9	61	11.8
Queens	69	14.5	56	14.6	13	14.1	48	13.2	4,895	14.0	55	10.6
Staten Island	17	3.6	15	3.9	2	2.2	8	2.2	830	2.4	15	2.9
Outside NYC	28	5.9	23	6.0	5	5.4	47	12.9	2,463	7.0	18	3.5
Unknown	12	2.5	12	3.1	0	0.0	12	3.3	533	1.5	76	14.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	34	7.1	29	7.6	5	5.4	24	6.6	2,203	6.3	24	4.6
Medium poverty (10 to <20% below FPL)	141	29.6	112	29.2	29	31.5	87	23.9	9,953	28.4	106	20.4
High poverty (20 to <30% below FPL)	105	22.1	81	21.1	24	26.1	80	22.0	8,490	24.2	118	22.7
Very high poverty (≥30% below FPL)	155	32.6	126	32.8	29	31.5	113	31.0	11,080	31.6	177	34.1
Area-based poverty level not available	41	8.6	36	9.4	5	5.4	60	16.5	3,288	9.4	94	18.1
TRANSMISSION RISK												
Injection drug use history (IDU)	18	3.8	17	4.4	1	1.1	33	9.1	5,622	16.1	147	28.3
Heterosexual contact	318	66.8	254	66.1	64	69.6	206	56.6	18,457	52.7	249	48.0
Transgender people with sexual contact	56	11.8	48	12.5	8	8.7	29	8.0	1,442	4.1	10	1.9
Perinatal	0	0.0	0	0.0	0	0.0	15	4.1	1,258	3.6	8	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	90	0.3	3	0.6
Unknown	84	17.6	65	16.9	19	20.7	81	22.3	8,145	23.3	102	19.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.1. Bronx, men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	337	100.0	279	82.8	58	17.2	195	100.0	17,737	100.0	289	100.0
RACE/ETHNICITY												
Black	155	46.0	124	44.4	31	53.4	93	47.7	7,925	44.7	137	47.4
Latino/Hispanic	165	49.0	141	50.5	24	41.4	90	46.2	8,638	48.7	129	44.6
White	9	2.7	6	2.2	3	5.2	7	3.6	944	5.3	19	6.6
Asian/Pacific Islander	8	2.4	8	2.9	0	0.0	3	1.5	136	0.8	2	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	39	0.2	2	0.7
Multiracial	0	0.0	0	0.0	0	0.0	2	1.0	32	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	20	0.1	0	0.0
13-19	15	4.5	15	5.4	0	0.0	7	3.6	105	0.6	0	0.0
20-29	131	38.9	123	44.1	8	13.8	26	13.3	1,831	10.3	6	2.1
30-39	70	20.8	54	19.4	16	27.6	44	22.6	2,554	14.4	10	3.5
40-49	57	16.9	40	14.3	17	29.3	49	25.1	3,921	22.1	58	20.1
50-59	47	13.9	34	12.2	13	22.4	46	23.6	5,815	32.8	103	35.6
60+	16	4.7	12	4.3	4	6.9	23	11.8	3,491	19.7	112	38.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	2.4	7	2.5	1	1.7	3	1.5	351	2.0	2	0.7
Medium poverty (10 to <20% below FPL)	49	14.5	42	15.1	7	12.1	29	14.9	2,898	16.3	35	12.1
High poverty (20 to <30% below FPL)	47	13.9	35	12.5	12	20.7	27	13.8	1,857	10.5	25	8.7
Very high poverty (≥30% below FPL)	233	69.1	195	69.9	38	65.5	136	69.7	12,518	70.6	227	78.5
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	113	0.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	200	59.3	181	64.9	19	32.8	71	36.4	6,735	38.0	60	20.8
Injection drug use history (IDU)	9	2.7	9	3.2	0	0.0	16	8.2	3,334	18.8	101	34.9
MSM-IDU	6	1.8	6	2.2	0	0.0	5	2.6	800	4.5	25	8.7
Heterosexual contact	33	9.8	19	6.8	14	24.1	28	14.4	1,704	9.6	23	8.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	11	0.1	0	0.0
Perinatal	1	0.3	1	0.4	0	0.0	10	5.1	414	2.3	1	0.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	1	0.3
Unknown	88	26.1	63	22.6	25	43.1	65	33.3	4,721	26.6	78	27.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.2. Bronx, women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	154	100.0	122	79.2	32	20.8	102	100.0	11,137	100.0	172	100.0
RACE/ETHNICITY												
Black	75	48.7	57	46.7	18	56.3	60	58.8	5,687	51.1	88	51.2
Latino/Hispanic	75	48.7	61	50.0	14	43.8	40	39.2	4,994	44.8	75	43.6
White	3	1.9	3	2.5	0	0.0	2	2.0	356	3.2	9	5.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	42	0.4	0	0.0
Native American	1	0.6	1	0.8	0	0.0	0	0.0	26	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
13-19	6	3.9	6	4.9	0	0.0	2	2.0	100	0.9	0	0.0
20-29	40	26.0	35	28.7	5	15.6	13	12.7	835	7.5	2	1.2
30-39	34	22.1	29	23.8	5	15.6	25	24.5	1,568	14.1	13	7.6
40-49	36	23.4	24	19.7	12	37.5	30	29.4	2,930	26.3	34	19.8
50-59	28	18.2	21	17.2	7	21.9	19	18.6	3,775	33.9	71	41.3
60+	10	6.5	7	5.7	3	9.4	13	12.7	1,908	17.1	52	30.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	2.6	2	1.6	2	6.3	4	3.9	218	2.0	0	0.0
Medium poverty (10 to <20% below FPL)	30	19.5	21	17.2	9	28.1	12	11.8	1,878	16.9	28	16.3
High poverty (20 to <30% below FPL)	12	7.8	11	9.0	1	3.1	11	10.8	1,202	10.8	18	10.5
Very high poverty (≥30% below FPL)	108	70.1	88	72.1	20	62.5	75	73.5	7,801	70.0	126	73.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	38	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	5	3.2	5	4.1	0	0.0	9	8.8	1,990	17.9	55	32.0
Heterosexual contact	114	74.0	91	74.6	23	71.9	64	62.7	5,799	52.1	80	46.5
Transgender people with sexual contact	14	9.1	12	9.8	2	6.3	8	7.8	398	3.6	5	2.9
Perinatal	0	0.0	0	0.0	0	0.0	2	2.0	434	3.9	1	0.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	2	1.2
Unknown	21	13.6	14	11.5	7	21.9	19	18.6	2,498	22.4	29	16.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.3. Brooklyn, men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	490	100.0	410	83.7	80	16.3	248	100.0	19,131	100.0	285	100.0
RACE/ETHNICITY												
Black	262	53.5	208	50.7	54	67.5	162	65.3	10,754	56.2	177	62.1
Latino/Hispanic	137	28.0	118	28.8	19	23.8	56	22.6	4,772	24.9	76	26.7
White	78	15.9	72	17.6	6	7.5	24	9.7	3,139	16.4	29	10.2
Asian/Pacific Islander	9	1.8	8	2.0	1	1.3	5	2.0	365	1.9	2	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	43	0.2	0	0.0
Multiracial	4	0.8	4	1.0	0	0.0	1	0.4	33	0.2	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	25	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	15	0.1	0	0.0
13-19	24	4.9	23	5.6	1	1.3	3	1.2	117	0.6	0	0.0
20-29	200	40.8	180	43.9	20	25.0	57	23.0	1,960	10.2	9	3.2
30-39	105	21.4	86	21.0	19	23.8	67	27.0	3,262	17.1	18	6.3
40-49	69	14.1	55	13.4	14	17.5	43	17.3	4,349	22.7	38	13.3
50-59	57	11.6	40	9.8	17	21.3	54	21.8	5,652	29.5	95	33.3
60+	34	6.9	25	6.1	9	11.3	24	9.7	3,776	19.7	125	43.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	11	2.2	10	2.4	1	1.3	7	2.8	680	3.6	5	1.8
Medium poverty (10 to <20% below FPL)	189	38.6	153	37.3	36	45.0	110	44.4	7,957	41.6	107	37.5
High poverty (20 to <30% below FPL)	175	35.7	146	35.6	29	36.3	76	30.6	6,264	32.7	86	30.2
Very high poverty (≥30% below FPL)	114	23.3	100	24.4	14	17.5	55	22.2	4,060	21.2	87	30.5
Area-based poverty level not available	1	0.2	1	0.2	0	0.0	0	0.0	170	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	331	67.6	291	71.0	40	50.0	125	50.4	9,503	49.7	70	24.6
Injection drug use history (IDU)	10	2.0	9	2.2	1	1.3	6	2.4	2,395	12.5	85	29.8
MSM-IDU	9	1.8	8	2.0	1	1.3	9	3.6	623	3.3	13	4.6
Heterosexual contact	26	5.3	19	4.6	7	8.8	24	9.7	1,627	8.5	29	10.2
Transgender people with sexual contact	1	0.2	1	0.2	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	5	2.0	323	1.7	5	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	0	0.0
Unknown	112	22.9	81	19.8	31	38.8	79	31.9	4,636	24.2	83	29.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	144	100.0	110	76.4	34	23.6	106	100.0	9,972	100.0	122	100.0
RACE/ETHNICITY												
Black	109	75.7	82	74.5	27	79.4	82	77.4	6,952	69.7	80	65.6
Latino/Hispanic	28	19.4	22	20.0	6	17.6	19	17.9	2,317	23.2	34	27.9
White	4	2.8	3	2.7	1	2.9	3	2.8	540	5.4	6	4.9
Asian/Pacific Islander	2	1.4	2	1.8	0	0.0	1	0.9	101	1.0	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	27	0.3	1	0.8
Multiracial	1	0.7	1	0.9	0	0.0	1	0.9	14	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
13-19	3	2.1	3	2.7	0	0.0	2	1.9	94	0.9	0	0.0
20-29	37	25.7	37	33.6	0	0.0	8	7.5	661	6.6	4	3.3
30-39	38	26.4	31	28.2	7	20.6	20	18.9	1,387	13.9	8	6.6
40-49	24	16.7	16	14.5	8	23.5	27	25.5	2,485	24.9	18	14.8
50-59	21	14.6	13	11.8	8	23.5	28	26.4	3,329	33.4	49	40.2
60+	21	14.6	10	9.1	11	32.4	21	19.8	1,998	20.0	43	35.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	4.2	4	3.6	2	5.9	4	3.8	336	3.4	4	3.3
Medium poverty (10 to <20% below FPL)	53	36.8	43	39.1	10	29.4	38	35.8	3,798	38.1	32	26.2
High poverty (20 to <30% below FPL)	49	34.0	33	30.0	16	47.1	33	31.1	3,403	34.1	49	40.2
Very high poverty (≥30% below FPL)	36	25.0	30	27.3	6	17.6	30	28.3	2,368	23.7	37	30.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.9	67	0.7	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	3	2.1	2	1.8	1	2.9	11	10.4	1,434	14.4	25	20.5
Heterosexual contact	98	68.1	71	64.5	27	79.4	64	60.4	5,452	54.7	64	52.5
Transgender people with sexual contact	14	9.7	13	11.8	1	2.9	3	2.8	315	3.2	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	3	2.8	353	3.5	2	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	26	0.3	0	0.0
Unknown	29	20.1	24	21.8	5	14.7	25	23.6	2,392	24.0	30	24.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.5. Manhattan, men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	493	100.0	420	85.2	73	14.8	194	100.0	26,600	100.0	259	100.0
RACE/ETHNICITY												
Black	120	24.3	102	24.3	18	24.7	60	30.9	6,997	26.3	112	43.2
Latino/Hispanic	185	37.5	161	38.3	24	32.9	61	31.4	7,300	27.4	71	27.4
White	158	32.0	134	31.9	24	32.9	60	30.9	11,362	42.7	68	26.3
Asian/Pacific Islander	21	4.3	17	4.0	4	5.5	8	4.1	673	2.5	6	2.3
Native American	2	0.4	2	0.5	0	0.0	2	1.0	56	0.2	2	0.8
Multiracial	7	1.4	4	1.0	3	4.1	3	1.5	66	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	146	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
13-19	11	2.2	10	2.4	1	1.4	2	1.0	41	0.2	0	0.0
20-29	183	37.1	173	41.2	10	13.7	31	16.0	1,673	6.3	3	1.2
30-39	144	29.2	126	30.0	18	24.7	47	24.2	3,855	14.5	14	5.4
40-49	83	16.8	64	15.2	19	26.0	55	28.4	6,379	24.0	36	13.9
50-59	56	11.4	35	8.3	21	28.8	42	21.6	8,702	32.7	80	30.9
60+	16	3.2	12	2.9	4	5.5	17	8.8	5,938	22.3	126	48.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	86	17.4	74	17.6	12	16.4	26	13.4	4,931	18.5	38	14.7
Medium poverty (10 to <20% below FPL)	160	32.5	135	32.1	25	34.2	68	35.1	10,330	38.8	70	27.0
High poverty (20 to <30% below FPL)	199	40.4	174	41.4	25	34.2	82	42.3	8,623	32.4	103	39.8
Very high poverty (≥30% below FPL)	47	9.5	36	8.6	11	15.1	18	9.3	2,062	7.8	48	18.5
Area-based poverty level not available	1	0.2	1	0.2	0	0.0	0	0.0	654	2.5	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	404	81.9	350	83.3	54	74.0	137	70.6	18,135	68.2	97	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	3	1.5	2,179	8.2	57	22.0
MSM-IDU	18	3.7	18	4.3	0	0.0	7	3.6	909	3.4	15	5.8
Heterosexual contact	8	1.6	5	1.2	3	4.1	7	3.6	968	3.6	21	8.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.5	180	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	17	0.1	0	0.0
Unknown	63	12.8	47	11.2	16	21.9	39	20.1	4,212	15.8	69	26.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.6. Manhattan, women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	52	100.0	46	88.5	6	11.5	42	100.0	5,232	100.0	61	100.0
RACE/ETHNICITY												
Black	27	51.9	23	50.0	4	66.7	23	54.8	2,858	54.6	36	59.0
Latino/Hispanic	18	34.6	16	34.8	2	33.3	16	38.1	1,745	33.4	16	26.2
White	6	11.5	6	13.0	0	0.0	1	2.4	523	10.0	8	13.1
Asian/Pacific Islander	1	1.9	1	2.2	0	0.0	2	4.8	67	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	1	1.6
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.4	9	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	41	0.8	0	0.0
20-29	15	28.8	15	32.6	0	0.0	7	16.7	342	6.5	1	1.6
30-39	9	17.3	6	13.0	3	50.0	8	19.0	596	11.4	6	9.8
40-49	15	28.8	13	28.3	2	33.3	12	28.6	1,210	23.1	9	14.8
50-59	5	9.6	5	10.9	0	0.0	5	11.9	1,850	35.4	20	32.8
60+	8	15.4	7	15.2	1	16.7	9	21.4	1,184	22.6	25	41.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	7.7	4	8.7	0	0.0	0	0.0	471	9.0	2	3.3
Medium poverty (10 to <20% below FPL)	10	19.2	9	19.6	1	16.7	8	19.0	1,039	19.9	13	21.3
High poverty (20 to <30% below FPL)	27	51.9	25	54.3	2	33.3	26	61.9	2,675	51.1	32	52.5
Very high poverty (≥30% below FPL)	11	21.2	8	17.4	3	50.0	8	19.0	933	17.8	14	23.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	114	2.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	7	13.5	7	15.2	0	0.0	8	19.0	1,028	19.6	27	44.3
Heterosexual contact	25	48.1	22	47.8	3	50.0	18	42.9	2,440	46.6	23	37.7
Transgender people with sexual contact	7	13.5	6	13.0	1	16.7	4	9.5	261	5.0	1	1.6
Perinatal	0	0.0	0	0.0	0	0.0	4	9.5	187	3.6	2	3.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Unknown	13	25.0	11	23.9	2	33.3	8	19.0	1,300	24.8	8	13.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.7. Queens, men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	354	100.0	275	77.7	79	22.3	198	100.0	12,890	100.0	110	100.0
RACE/ETHNICITY												
Black	76	21.5	60	21.8	16	20.3	62	31.3	4,256	33.0	51	46.4
Latino/Hispanic	175	49.4	136	49.5	39	49.4	83	41.9	5,410	42.0	28	25.5
White	51	14.4	41	14.9	10	12.7	23	11.6	2,410	18.7	23	20.9
Asian/Pacific Islander	51	14.4	38	13.8	13	16.5	28	14.1	704	5.5	6	5.5
Native American	0	0.0	0	0.0	0	0.0	1	0.5	49	0.4	1	0.9
Multiracial	1	0.3	0	0.0	1	1.3	1	0.5	32	0.2	1	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	12	0.1	0	0.0
13-19	5	1.4	5	1.8	0	0.0	0	0.0	47	0.4	0	0.0
20-29	131	37.0	117	42.5	14	17.7	35	17.7	1,085	8.4	2	1.8
30-39	111	31.4	83	30.2	28	35.4	57	28.8	2,078	16.1	9	8.2
40-49	53	15.0	37	13.5	16	20.3	53	26.8	3,286	25.5	17	15.5
50-59	43	12.1	27	9.8	16	20.3	37	18.7	4,135	32.1	37	33.6
60+	10	2.8	5	1.8	5	6.3	16	8.1	2,247	17.4	45	40.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	52	14.7	45	16.4	7	8.9	35	17.7	2,075	16.1	20	18.2
Medium poverty (10 to <20% below FPL)	262	74.0	201	73.1	61	77.2	137	69.2	9,303	72.2	75	68.2
High poverty (20 to <30% below FPL)	40	11.3	29	10.5	11	13.9	25	12.6	1,379	10.7	15	13.6
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.5	133	1.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	266	75.1	214	77.8	52	65.8	123	62.1	6,874	53.3	38	34.5
Injection drug use history (IDU)	7	2.0	6	2.2	1	1.3	5	2.5	1,504	11.7	26	23.6
MSM-IDU	7	2.0	7	2.5	0	0.0	3	1.5	386	3.0	2	1.8
Heterosexual contact	19	5.4	13	4.7	6	7.6	17	8.6	1,126	8.7	7	6.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	0.3	1	0.4	0	0.0	0	0.0	185	1.4	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.2	0	0.0
Unknown	54	15.3	34	12.4	20	25.3	50	25.3	2,793	21.7	36	32.7

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.8. Queens, women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	69	100.0	56	81.2	13	18.8	48	100.0	4,899	100.0	55	100.0
RACE/ETHNICITY												
Black	32	46.4	26	46.4	6	46.2	29	60.4	2,753	56.2	39	70.9
Latino/Hispanic	19	27.5	15	26.8	4	30.8	11	22.9	1,485	30.3	9	16.4
White	6	8.7	5	8.9	1	7.7	2	4.2	437	8.9	4	7.3
Asian/Pacific Islander	11	15.9	9	16.1	2	15.4	6	12.5	184	3.8	3	5.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	1	1.4	1	1.8	0	0.0	0	0.0	15	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	1	1.4	1	1.8	0	0.0	3	6.3	45	0.9	0	0.0
20-29	22	31.9	20	35.7	2	15.4	11	22.9	351	7.2	1	1.8
30-39	12	17.4	10	17.9	2	15.4	10	20.8	626	12.8	4	7.3
40-49	14	20.3	10	17.9	4	30.8	10	20.8	1,279	26.1	12	21.8
50-59	10	14.5	7	12.5	3	23.1	6	12.5	1,675	34.2	24	43.6
60+	10	14.5	8	14.3	2	15.4	8	16.7	919	18.8	14	25.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	12	17.4	11	19.6	1	7.7	14	29.2	988	20.2	14	25.5
Medium poverty (10 to <20% below FPL)	45	65.2	37	66.1	8	61.5	27	56.3	3,132	63.9	30	54.5
High poverty (20 to <30% below FPL)	11	15.9	7	12.5	4	30.8	7	14.6	708	14.5	11	20.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	1.4	1	1.8	0	0.0	0	0.0	71	1.4	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	691	14.1	11	20.0
Heterosexual contact	47	68.1	40	71.4	7	53.8	25	52.1	2,755	56.2	34	61.8
Transgender people with sexual contact	13	18.8	10	17.9	3	23.1	6	12.5	204	4.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	12.5	179	3.7	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
Unknown	9	13.0	6	10.7	3	23.1	11	22.9	1,052	21.5	9	16.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.5.9. Staten Island, men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	37	84.1	7	15.9	19	100.0	1,518	100.0	26	100.0
RACE/ETHNICITY												
Black	15	34.1	12	32.4	3	42.9	6	31.6	543	35.8	8	30.8
Latino/Hispanic	16	36.4	14	37.8	2	28.6	8	42.1	442	29.1	8	30.8
White	10	22.7	8	21.6	2	28.6	5	26.3	496	32.7	9	34.6
Asian/Pacific Islander	1	2.3	1	2.7	0	0.0	0	0.0	22	1.4	0	0.0
Other/Unknown	2	4.5	2	5.4	0	0.0	0	0.0	15	1.0	1	3.8
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	5.3	1	0.1	0	0.0
13-19	1	2.3	1	2.7	0	0.0	1	5.3	6	0.4	0	0.0
20-29	22	50.0	22	59.5	0	0.0	2	10.5	118	7.8	0	0.0
30-39	10	22.7	8	21.6	2	28.6	4	21.1	197	13.0	0	0.0
40-49	6	13.6	5	13.5	1	14.3	2	10.5	316	20.8	2	7.7
50-59	2	4.5	1	2.7	1	14.3	3	15.8	554	36.5	13	50.0
60+	3	6.8	0	0.0	3	42.9	6	31.6	326	21.5	11	42.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	20	45.5	19	51.4	1	14.3	7	36.8	427	28.1	5	19.2
Medium poverty (10 to <20% below FPL)	4	9.1	4	10.8	0	0.0	0	0.0	208	13.7	2	7.7
High poverty (20 to <30% below FPL)	20	45.5	14	37.8	6	85.7	12	63.2	869	57.2	19	73.1
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	14	0.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	30	68.2	27	73.0	3	42.9	9	47.4	628	41.4	10	38.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	10.5	278	18.3	10	38.5
MSM-IDU	1	2.3	1	2.7	0	0.0	0	0.0	73	4.8	1	3.8
Heterosexual contact	2	4.5	1	2.7	1	14.3	2	10.5	140	9.2	1	3.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	10.5	35	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	11	25.0	8	21.6	3	42.9	4	21.1	364	24.0	4	15.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.5.10. Staten Island, women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	15	88.2	2	11.8	8	100.0	833	100.0	15	100.0
RACE/ETHNICITY												
Black	11	64.7	10	66.7	1	50.0	3	37.5	399	47.9	6	40.0
Latino/Hispanic	3	17.6	2	13.3	1	50.0	2	25.0	244	29.3	5	33.3
White	3	17.6	3	20.0	0	0.0	2	25.0	180	21.6	4	26.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	12.5	6	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	1.2	0	0.0
20-29	4	23.5	4	26.7	0	0.0	0	0.0	47	5.6	1	6.7
30-39	1	5.9	1	6.7	0	0.0	2	25.0	103	12.4	2	13.3
40-49	4	23.5	3	20.0	1	50.0	1	12.5	211	25.3	3	20.0
50-59	7	41.2	6	40.0	1	50.0	4	50.0	318	38.2	4	26.7
60+	1	5.9	1	6.7	0	0.0	1	12.5	141	16.9	5	33.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	47.1	8	53.3	0	0.0	2	25.0	193	23.2	4	26.7
Medium poverty (10 to <20% below FPL)	3	17.6	2	13.3	1	50.0	2	25.0	120	14.4	3	20.0
High poverty (20 to <30% below FPL)	6	35.3	5	33.3	1	50.0	4	50.0	518	62.2	8	53.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	2	11.8	2	13.3	0	0.0	0	0.0	140	16.8	5	33.3
Heterosexual contact	10	58.8	9	60.0	1	50.0	6	75.0	458	55.0	7	46.7
Transgender people with sexual contact	1	5.9	1	6.7	0	0.0	0	0.0	26	3.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	33	4.0	1	6.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	4	23.5	3	20.0	1	50.0	2	25.0	172	20.6	2	13.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,415	100.0	1,230	86.9	185	13.1	625	100.0	49,957	100.0	386	100.0
RACE/ETHNICITY												
Black	432	30.5	374	30.4	58	31.4	241	38.6	15,341	30.7	151	39.1
Latino/Hispanic	583	41.2	512	41.6	71	38.4	213	34.1	14,932	29.9	97	25.1
White	304	21.5	268	21.8	36	19.5	131	21.0	17,901	35.8	124	32.1
Asian/Pacific Islander	79	5.6	62	5.0	17	9.2	35	5.6	1,441	2.9	10	2.6
Native American	2	0.1	2	0.2	0	0.0	1	0.2	118	0.2	2	0.5
Multiracial	15	1.1	12	1.0	3	1.6	4	0.6	193	0.4	2	0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	60	4.2	58	4.7	2	1.1	5	0.8	124	0.2	0	0.0
20-29	647	45.7	600	48.8	47	25.4	163	26.1	6,492	13.0	17	4.4
30-39	395	27.9	333	27.1	62	33.5	205	32.8	10,708	21.4	38	9.8
40-49	180	12.7	144	11.7	36	19.5	134	21.4	12,714	25.4	78	20.2
50-59	106	7.5	75	6.1	31	16.8	93	14.9	13,264	26.6	124	32.1
60+	27	1.9	20	1.6	7	3.8	25	4.0	6,655	13.3	129	33.4
BOROUGH OF RESIDENCE												
Bronx	200	14.1	181	14.7	19	10.3	71	11.4	6,735	13.5	60	15.5
Brooklyn	331	23.4	291	23.7	40	21.6	125	20.0	9,503	19.0	70	18.1
Manhattan	404	28.6	350	28.5	54	29.2	137	21.9	18,135	36.3	97	25.1
Queens	266	18.8	214	17.4	52	28.1	123	19.7	6,874	13.8	38	9.8
Staten Island	30	2.1	27	2.2	3	1.6	9	1.4	628	1.3	10	2.6
Outside NYC	159	11.2	142	11.5	17	9.2	138	22.1	7,020	14.1	23	6.0
Unknown	25	1.8	25	2.0	0	0.0	22	3.5	1,062	2.1	88	22.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	137	9.7	124	10.1	13	7.0	45	7.2	5,617	11.2	29	7.5
Medium poverty (10 to <20% below FPL)	484	34.2	405	32.9	79	42.7	200	32.0	18,168	36.4	106	27.5
High poverty (20 to <30% below FPL)	360	25.4	307	25.0	53	28.6	135	21.6	10,250	20.5	72	18.7
Very high poverty (≥30% below FPL)	248	17.5	225	18.3	23	12.4	85	13.6	7,431	14.9	68	17.6
Area-based poverty level not available	186	13.1	169	13.7	17	9.2	160	25.6	8,491	17.0	111	28.8

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	29	100.0	27	93.1	2	6.9	38	100.0	10,506	100.0	337	100.0
RACE/ETHNICITY												
Black	7	24.1	7	25.9	0	0.0	13	34.2	4,230	40.3	169	50.1
Latino/Hispanic	15	51.7	15	55.6	0	0.0	16	42.1	4,984	47.4	132	39.2
White	4	13.8	3	11.1	1	50.0	7	18.4	1,208	11.5	33	9.8
Asian/Pacific Islander	3	10.3	2	7.4	1	50.0	1	2.6	53	0.5	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	1	0.3
Multiracial	0	0.0	0	0.0	0	0.0	1	2.6	10	0.1	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
20-29	4	13.8	4	14.8	0	0.0	0	0.0	34	0.3	0	0.0
30-39	8	27.6	7	25.9	1	50.0	4	10.5	261	2.5	5	1.5
40-49	4	13.8	4	14.8	0	0.0	9	23.7	1,279	12.2	32	9.5
50-59	9	31.0	9	33.3	0	0.0	12	31.6	4,239	40.3	120	35.6
60+	4	13.8	3	11.1	1	50.0	13	34.2	4,692	44.7	180	53.4
BOROUGH OF RESIDENCE												
Bronx	9	31.0	9	33.3	0	0.0	16	42.1	3,334	31.7	101	30.0
Brooklyn	10	34.5	9	33.3	1	50.0	6	15.8	2,395	22.8	85	25.2
Manhattan	0	0.0	0	0.0	0	0.0	3	7.9	2,179	20.7	57	16.9
Queens	7	24.1	6	22.2	1	50.0	5	13.2	1,504	14.3	26	7.7
Staten Island	0	0.0	0	0.0	0	0.0	2	5.3	278	2.6	10	3.0
Outside NYC	2	6.9	2	7.4	0	0.0	5	13.2	770	7.3	16	4.7
Unknown	1	3.4	1	3.7	0	0.0	1	2.6	46	0.4	42	12.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	3.4	1	3.7	0	0.0	1	2.6	557	5.3	11	3.3
Medium poverty (10 to <20% below FPL)	11	37.9	10	37.0	1	50.0	8	21.1	3,082	29.3	64	19.0
High poverty (20 to <30% below FPL)	5	17.2	4	14.8	1	50.0	11	28.9	2,314	22.0	76	22.6
Very high poverty (≥30% below FPL)	9	31.0	9	33.3	0	0.0	12	31.6	3,498	33.3	128	38.0
Area-based poverty level not available	3	10.3	3	11.1	0	0.0	6	15.8	1,055	10.0	58	17.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	17	94.4	1	5.6	33	100.0	5,622	100.0	147	100.0
RACE/ETHNICITY												
Black	8	44.4	8	47.1	0	0.0	16	48.5	2,658	47.3	66	44.9
Latino/Hispanic	6	33.3	5	29.4	1	100.0	15	45.5	2,288	40.7	58	39.5
White	4	22.2	4	23.5	0	0.0	1	3.0	637	11.3	22	15.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	20	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	3.0	9	0.2	1	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	5	27.8	5	29.4	0	0.0	1	3.0	58	1.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	2	6.1	290	5.2	4	2.7
40-49	4	22.2	4	23.5	0	0.0	11	33.3	1,127	20.0	20	13.6
50-59	7	38.9	6	35.3	1	100.0	7	21.2	2,588	46.0	69	46.9
60+	2	11.1	2	11.8	0	0.0	12	36.4	1,557	27.7	54	36.7
BOROUGH OF RESIDENCE												
Bronx	5	27.8	5	29.4	0	0.0	9	27.3	1,990	35.4	55	37.4
Brooklyn	3	16.7	2	11.8	1	100.0	11	33.3	1,434	25.5	25	17.0
Manhattan	7	38.9	7	41.2	0	0.0	8	24.2	1,028	18.3	27	18.4
Queens	0	0.0	0	0.0	0	0.0	0	0.0	691	12.3	11	7.5
Staten Island	2	11.1	2	11.8	0	0.0	0	0.0	140	2.5	5	3.4
Outside NYC	0	0.0	0	0.0	0	0.0	4	12.1	321	5.7	2	1.4
Unknown	1	5.6	1	5.9	0	0.0	1	3.0	18	0.3	22	15.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	5.6	1	5.9	0	0.0	0	0.0	286	5.1	9	6.1
Medium poverty (10 to <20% below FPL)	4	22.2	4	23.5	0	0.0	5	15.2	1,492	26.5	25	17.0
High poverty (20 to <30% below FPL)	6	33.3	5	29.4	1	100.0	8	24.2	1,365	24.3	35	23.8
Very high poverty (≥30% below FPL)	6	33.3	6	35.3	0	0.0	15	45.5	2,073	36.9	54	36.7
Area-based poverty level not available	1	5.6	1	5.9	0	0.0	5	15.2	406	7.2	24	16.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	49	100.0	48	98.0	1	2.0	32	100.0	3,205	100.0	71	100.0
RACE/ETHNICITY												
Black	12	24.5	11	22.9	1	100.0	11	34.4	1,143	35.7	26	36.6
Latino/Hispanic	23	46.9	23	47.9	0	0.0	14	43.8	1,234	38.5	32	45.1
White	11	22.4	11	22.9	0	0.0	6	18.8	768	24.0	13	18.3
Asian/Pacific Islander	1	2.0	1	2.1	0	0.0	1	3.1	42	1.3	0	0.0
Native American	1	2.0	1	2.1	0	0.0	0	0.0	9	0.3	0	0.0
Multiracial	1	2.0	1	2.1	0	0.0	0	0.0	9	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	3.1	3	0.1	0	0.0
20-29	22	44.9	22	45.8	0	0.0	7	21.9	248	7.7	1	1.4
30-39	14	28.6	14	29.2	0	0.0	4	12.5	506	15.8	2	2.8
40-49	8	16.3	8	16.7	0	0.0	7	21.9	781	24.4	14	19.7
50-59	3	6.1	3	6.3	0	0.0	9	28.1	1,092	34.1	29	40.8
60+	2	4.1	1	2.1	1	100.0	4	12.5	575	17.9	25	35.2
BOROUGH OF RESIDENCE												
Bronx	6	12.2	6	12.5	0	0.0	5	15.6	800	25.0	25	35.2
Brooklyn	9	18.4	8	16.7	1	100.0	9	28.1	623	19.4	13	18.3
Manhattan	18	36.7	18	37.5	0	0.0	7	21.9	909	28.4	15	21.1
Queens	7	14.3	7	14.6	0	0.0	3	9.4	386	12.0	2	2.8
Staten Island	1	2.0	1	2.1	0	0.0	0	0.0	73	2.3	1	1.4
Outside NYC	7	14.3	7	14.6	0	0.0	8	25.0	386	12.0	1	1.4
Unknown	1	2.0	1	2.1	0	0.0	0	0.0	28	0.9	14	19.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	4.1	2	4.2	0	0.0	0	0.0	225	7.0	4	5.6
Medium poverty (10 to <20% below FPL)	18	36.7	17	35.4	1	100.0	14	43.8	1,033	32.2	6	8.5
High poverty (20 to <30% below FPL)	12	24.5	12	25.0	0	0.0	3	9.4	677	21.1	20	28.2
Very high poverty (≥30% below FPL)	9	18.4	9	18.8	0	0.0	7	21.9	834	26.0	26	36.6
Area-based poverty level not available	8	16.3	8	16.7	0	0.0	8	25.0	436	13.6	15	21.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.6.5. Heterosexual contact, men

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	61	65.6	32	34.4	89	100.0	6,151	100.0	104	100.0
RACE/ETHNICITY												
Black	62	66.7	42	68.9	20	62.5	63	70.8	3,356	54.6	69	66.3
Latino/Hispanic	18	19.4	9	14.8	9	28.1	21	23.6	2,070	33.7	22	21.2
White	8	8.6	5	8.2	3	9.4	5	5.6	519	8.4	9	8.7
Asian/Pacific Islander	5	5.4	5	8.2	0	0.0	0	0.0	179	2.9	4	3.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.1	1	1.6	0	0.0	0	0.0	4	0.1	0	0.0
20-29	17	18.3	13	21.3	4	12.5	5	5.6	125	2.0	0	0.0
30-39	12	12.9	9	14.8	3	9.4	14	15.7	542	8.8	5	4.8
40-49	25	26.9	15	24.6	10	31.3	30	33.7	1,629	26.5	16	15.4
50-59	23	24.7	12	19.7	11	34.4	31	34.8	2,497	40.6	43	41.3
60+	15	16.1	11	18.0	4	12.5	9	10.1	1,354	22.0	40	38.5
BOROUGH OF RESIDENCE												
Bronx	33	35.5	19	31.1	14	43.8	28	31.5	1,704	27.7	23	22.1
Brooklyn	26	28.0	19	31.1	7	21.9	24	27.0	1,627	26.5	29	27.9
Manhattan	8	8.6	5	8.2	3	9.4	7	7.9	968	15.7	21	20.2
Queens	19	20.4	13	21.3	6	18.8	17	19.1	1,126	18.3	7	6.7
Staten Island	2	2.2	1	1.6	1	3.1	2	2.2	140	2.3	1	1.0
Outside NYC	2	2.2	1	1.6	1	3.1	9	10.1	533	8.7	6	5.8
Unknown	3	3.2	3	4.9	0	0.0	2	2.2	53	0.9	17	16.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	4.3	1	1.6	3	9.4	7	7.9	397	6.5	6	5.8
Medium poverty (10 to <20% below FPL)	27	29.0	21	34.4	6	18.8	24	27.0	1,905	31.0	22	21.2
High poverty (20 to <30% below FPL)	25	26.9	15	24.6	10	31.3	19	21.3	1,454	23.6	22	21.2
Very high poverty (≥30% below FPL)	32	34.4	20	32.8	12	37.5	28	31.5	1,777	28.9	31	29.8
Area-based poverty level not available	5	5.4	4	6.6	1	3.1	11	12.4	618	10.0	23	22.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.6.6. Heterosexual contact, women

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	318	100.0	254	79.9	64	20.1	206	100.0	18,457	100.0	249	100.0
RACE/ETHNICITY												
Black	201	63.2	153	60.2	48	75.0	141	68.4	10,967	59.4	156	62.7
Latino/Hispanic	93	29.2	78	30.7	15	23.4	51	24.8	5,938	32.2	72	28.9
White	13	4.1	12	4.7	1	1.6	7	3.4	1,185	6.4	17	6.8
Asian/Pacific Islander	10	3.1	10	3.9	0	0.0	6	2.9	266	1.4	3	1.2
Native American	0	0.0	0	0.0	0	0.0	1	0.5	50	0.3	1	0.4
Multiracial	1	0.3	1	0.4	0	0.0	0	0.0	41	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	8	2.5	8	3.1	0	0.0	0	0.0	36	0.2	0	0.0
20-29	85	26.7	81	31.9	4	6.3	18	8.7	1,029	5.6	2	0.8
30-39	67	21.1	54	21.3	13	20.3	51	24.8	2,886	15.6	26	10.4
40-49	70	22.0	50	19.7	20	31.3	64	31.1	5,056	27.4	49	19.7
50-59	50	15.7	34	13.4	16	25.0	46	22.3	6,163	33.4	94	37.8
60+	38	11.9	27	10.6	11	17.2	27	13.1	3,287	17.8	78	31.3
BOROUGH OF RESIDENCE												
Bronx	114	35.8	91	35.8	23	35.9	64	31.1	5,799	31.4	80	32.1
Brooklyn	98	30.8	71	28.0	27	42.2	64	31.1	5,452	29.5	64	25.7
Manhattan	25	7.9	22	8.7	3	4.7	18	8.7	2,440	13.2	23	9.2
Queens	47	14.8	40	15.7	7	10.9	25	12.1	2,755	14.9	34	13.7
Staten Island	10	3.1	9	3.5	1	1.6	6	2.9	458	2.5	7	2.8
Outside NYC	18	5.7	15	5.9	3	4.7	22	10.7	1,246	6.8	11	4.4
Unknown	6	1.9	6	2.4	0	0.0	7	3.4	307	1.7	30	12.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	21	6.6	19	7.5	2	3.1	13	6.3	1,219	6.6	11	4.4
Medium poverty (10 to <20% below FPL)	96	30.2	77	30.3	19	29.7	45	21.8	5,339	28.9	57	22.9
High poverty (20 to <30% below FPL)	67	21.1	49	19.3	18	28.1	52	25.2	4,483	24.3	60	24.1
Very high poverty (≥30% below FPL)	109	34.3	87	34.3	22	34.4	66	32.0	5,783	31.3	80	32.1
Area-based poverty level not available	25	7.9	22	8.7	3	4.7	30	14.6	1,633	8.8	41	16.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	49	86.0	8	14.0	29	100.0	1,457	100.0	10	100.0
GENDER												
Men	1	1.8	1	2.0	0	0.0	0	0.0	15	1.0	0	0.0
Women	56	98.2	48	98.0	8	100.0	29	100.0	1,442	99.0	10	100.0
RACE/ETHNICITY												
Black	17	29.8	16	32.7	1	12.5	12	41.4	743	51.0	5	50.0
Latino/Hispanic	37	64.9	31	63.3	6	75.0	13	44.8	574	39.4	3	30.0
White	0	0.0	0	0.0	0	0.0	2	6.9	95	6.5	1	10.0
Asian/Pacific Islander	3	5.3	2	4.1	1	12.5	2	6.9	27	1.9	1	10.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	12	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	3	5.3	3	6.1	0	0.0	0	0.0	11	0.8	0	0.0
20-29	27	47.4	26	53.1	1	12.5	8	27.6	441	30.3	0	0.0
30-39	17	29.8	13	26.5	4	50.0	16	55.2	489	33.6	2	20.0
40-49	6	10.5	4	8.2	2	25.0	4	13.8	324	22.2	2	20.0
50-59	4	7.0	3	6.1	1	12.5	1	3.4	156	10.7	4	40.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	36	2.5	2	20.0
BOROUGH OF RESIDENCE												
Bronx	14	24.6	12	24.5	2	25.0	8	27.6	409	28.1	5	50.0
Brooklyn	15	26.3	14	28.6	1	12.5	3	10.3	317	21.8	1	10.0
Manhattan	7	12.3	6	12.2	1	12.5	4	13.8	261	17.9	1	10.0
Queens	13	22.8	10	20.4	3	37.5	6	20.7	204	14.0	0	0.0
Staten Island	1	1.8	1	2.0	0	0.0	0	0.0	26	1.8	0	0.0
Outside NYC	5	8.8	4	8.2	1	12.5	7	24.1	182	12.5	0	0.0
Unknown	2	3.5	2	4.1	0	0.0	1	3.4	58	4.0	3	30.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	1.8	1	2.0	0	0.0	0	0.0	52	3.6	0	0.0
Medium poverty (10 to <20% below FPL)	19	33.3	16	32.7	3	37.5	9	31.0	425	29.2	1	10.0
High poverty (20 to <30% below FPL)	15	26.3	14	28.6	1	12.5	4	13.8	334	22.9	2	20.0
Very high poverty (≥30% below FPL)	15	26.3	12	24.5	3	37.5	8	27.6	399	27.4	4	40.0
Area-based poverty level not available	7	12.3	6	12.2	1	12.5	8	27.6	247	17.0	3	30.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	10	76.9	3	23.1	4	100.0	693	100.0	7	100.0
GENDER												
Men	8	61.5	7	70.0	1	33.3	2	50.0	467	67.4	3	42.9
Women	5	38.5	3	30.0	2	66.7	2	50.0	226	32.6	4	57.1
RACE/ETHNICITY												
Black	4	30.8	4	40.0	0	0.0	0	0.0	236	34.1	3	42.9
Latino/Hispanic	8	61.5	5	50.0	3	100.0	4	100.0	316	45.6	3	42.9
White	1	7.7	1	10.0	0	0.0	0	0.0	131	18.9	1	14.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
20-29	4	30.8	4	40.0	0	0.0	1	25.0	51	7.4	0	0.0
30-39	4	30.8	4	40.0	0	0.0	0	0.0	90	13.0	0	0.0
40-49	2	15.4	1	10.0	1	33.3	1	25.0	155	22.4	3	42.9
50-59	3	23.1	1	10.0	2	66.7	2	50.0	212	30.6	2	28.6
60+	0	0.0	0	0.0	0	0.0	0	0.0	182	26.3	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	46.2	6	60.0	0	0.0	0	0.0	260	37.5	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	95	13.7	3	42.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	1	14.3
Heterosexual contact	3	23.1	2	20.0	1	33.3	1	25.0	150	21.6	1	14.3
Transgender people with sexual contact	1	7.7	1	10.0	0	0.0	0	0.0	4	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	25.0	12	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	23.1	1	10.0	2	66.7	2	50.0	162	23.4	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	52	100.0	41	78.8	11	21.2	26	100.0	2,594	100.0	34	100.0
GENDER												
Men	33	63.5	29	70.7	4	36.4	16	61.5	1,468	56.6	23	67.6
Women	19	36.5	12	29.3	7	63.6	10	38.5	1,126	43.4	11	32.4
RACE/ETHNICITY												
Black	33	63.5	24	58.5	9	81.8	22	84.6	1,657	63.9	12	35.3
Latino/Hispanic	16	30.8	14	34.1	2	18.2	4	15.4	759	29.3	18	52.9
White	2	3.8	2	4.9	0	0.0	0	0.0	134	5.2	3	8.8
Asian/Pacific Islander	1	1.9	1	2.4	0	0.0	0	0.0	24	0.9	1	2.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
13-19	3	5.8	3	7.3	0	0.0	2	7.7	38	1.5	0	0.0
20-29	13	25.0	13	31.7	0	0.0	3	11.5	276	10.6	1	2.9
30-39	9	17.3	8	19.5	1	9.1	3	11.5	375	14.5	2	5.9
40-49	15	28.8	10	24.4	5	45.5	9	34.6	621	23.9	10	29.4
50-59	9	17.3	6	14.6	3	27.3	5	19.2	811	31.3	11	32.4
60+	3	5.8	1	2.4	2	18.2	4	15.4	468	18.0	10	29.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	34.6	17	41.5	1	9.1	4	15.4	577	22.2	6	17.6
Injection drug use history (IDU)	1	1.9	1	2.4	0	0.0	1	3.8	326	12.6	12	35.3
MSM-IDU	1	1.9	1	2.4	0	0.0	0	0.0	64	2.5	0	0.0
Heterosexual contact	19	36.5	12	29.3	7	63.6	10	38.5	784	30.2	7	20.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	3.8	27	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	11.5	110	4.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	13	25.0	10	24.4	3	27.3	7	26.9	703	27.1	9	26.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	100	100.0	81	81.0	19	19.0	55	100.0	5,500	100.0	71	100.0
GENDER												
Men	73	73.0	60	74.1	13	68.4	38	69.1	3,550	64.5	44	62.0
Women	27	27.0	21	25.9	6	31.6	17	30.9	1,950	35.5	27	38.0
RACE/ETHNICITY												
Black	42	42.0	29	35.8	13	68.4	28	50.9	2,419	44.0	28	39.4
Latino/Hispanic	57	57.0	51	63.0	6	31.6	26	47.3	2,768	50.3	35	49.3
White	1	1.0	1	1.2	0	0.0	1	1.8	252	4.6	8	11.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	34	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.2	0	0.0	0	0.0	6	0.1	0	0.0
13-19	3	3.0	3	3.7	0	0.0	1	1.8	30	0.5	0	0.0
20-29	38	38.0	34	42.0	4	21.1	8	14.5	546	9.9	1	1.4
30-39	24	24.0	17	21.0	7	36.8	16	29.1	852	15.5	3	4.2
40-49	20	20.0	17	21.0	3	15.8	10	18.2	1,357	24.7	13	18.3
50-59	9	9.0	6	7.4	3	15.8	12	21.8	1,787	32.5	33	46.5
60+	5	5.0	3	3.7	2	10.5	8	14.5	922	16.8	21	29.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	48	48.0	43	53.1	5	26.3	18	32.7	1,533	27.9	10	14.1
Injection drug use history (IDU)	1	1.0	1	1.2	0	0.0	3	5.5	953	17.3	25	35.2
MSM-IDU	1	1.0	1	1.2	0	0.0	0	0.0	149	2.7	4	5.6
Heterosexual contact	29	29.0	21	25.9	8	42.1	17	30.9	1,297	23.6	18	25.4
Transgender people with sexual contact	1	1.0	1	1.2	0	0.0	0	0.0	100	1.8	2	2.8
Perinatal	1	1.0	1	1.2	0	0.0	1	1.8	130	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	19	19.0	13	16.0	6	31.6	16	29.1	1,333	24.2	12	16.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	70	100.0	57	81.4	13	18.6	49	100.0	4,355	100.0	56	100.0
GENDER												
Men	46	65.7	37	64.9	9	69.2	35	71.4	2,675	61.4	30	53.6
Women	24	34.3	20	35.1	4	30.8	14	28.6	1,680	38.6	26	46.4
RACE/ETHNICITY												
Black	33	47.1	27	47.4	6	46.2	20	40.8	1,770	40.6	23	41.1
Latino/Hispanic	30	42.9	25	43.9	5	38.5	23	46.9	2,239	51.4	27	48.2
White	3	4.3	1	1.8	2	15.4	4	8.2	292	6.7	5	8.9
Asian/Pacific Islander	3	4.3	3	5.3	0	0.0	2	4.1	35	0.8	0	0.0
Native American	1	1.4	1	1.8	0	0.0	0	0.0	9	0.2	1	1.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	7	10.0	7	12.3	0	0.0	2	4.1	29	0.7	0	0.0
20-29	26	37.1	24	42.1	2	15.4	9	18.4	375	8.6	1	1.8
30-39	11	15.7	8	14.0	3	23.1	11	22.4	575	13.2	3	5.4
40-49	13	18.6	9	15.8	4	30.8	11	22.4	1,010	23.2	9	16.1
50-59	11	15.7	7	12.3	4	30.8	9	18.4	1,550	35.6	21	37.5
60+	2	2.9	2	3.5	0	0.0	7	14.3	812	18.6	22	39.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	41.4	27	47.4	2	15.4	15	30.6	1,061	24.4	5	8.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.1	760	17.5	20	35.7
MSM-IDU	0	0.0	0	0.0	0	0.0	2	4.1	102	2.3	1	1.8
Heterosexual contact	18	25.7	12	21.1	6	46.2	14	28.6	1,120	25.7	15	26.8
Transgender people with sexual contact	4	5.7	4	7.0	0	0.0	1	2.0	47	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	8.2	156	3.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	2	3.6
Unknown	19	27.1	14	24.6	5	38.5	11	22.4	1,098	25.2	13	23.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	102	100.0	89	87.3	13	12.7	44	100.0	5,826	100.0	91	100.0
GENDER												
Men	76	74.5	67	75.3	9	69.2	24	54.5	3,463	59.4	60	65.9
Women	26	25.5	22	24.7	4	30.8	20	45.5	2,363	40.6	31	34.1
RACE/ETHNICITY												
Black	53	52.0	46	51.7	7	53.8	23	52.3	2,770	47.5	46	50.5
Latino/Hispanic	46	45.1	40	44.9	6	46.2	18	40.9	2,836	48.7	42	46.2
White	1	1.0	1	1.1	0	0.0	1	2.3	156	2.7	3	3.3
Asian/Pacific Islander	2	2.0	2	2.2	0	0.0	1	2.3	35	0.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	2.3	12	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
13-19	2	2.0	2	2.2	0	0.0	2	4.5	43	0.7	0	0.0
20-29	40	39.2	37	41.6	3	23.1	7	15.9	552	9.5	2	2.2
30-39	17	16.7	14	15.7	3	23.1	9	20.5	815	14.0	7	7.7
40-49	15	14.7	12	13.5	3	23.1	12	27.3	1,390	23.9	18	19.8
50-59	19	18.6	17	19.1	2	15.4	10	22.7	1,952	33.5	31	34.1
60+	9	8.8	7	7.9	2	15.4	4	9.1	1,065	18.3	33	36.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	44	43.1	42	47.2	2	15.4	6	13.6	1,213	20.8	12	13.2
Injection drug use history (IDU)	5	4.9	5	5.6	0	0.0	5	11.4	1,161	19.9	29	31.9
MSM-IDU	2	2.0	2	2.2	0	0.0	2	4.5	173	3.0	7	7.7
Heterosexual contact	27	26.5	22	24.7	5	38.5	16	36.4	1,598	27.4	17	18.7
Transgender people with sexual contact	1	1.0	1	1.1	0	0.0	1	2.3	98	1.7	2	2.2
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	171	2.9	1	1.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	23	22.5	17	19.1	6	46.2	13	29.5	1,407	24.2	23	25.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	87	100.0	73	83.9	14	16.1	60	100.0	5,970	100.0	134	100.0
GENDER												
Men	58	66.7	48	65.8	10	71.4	41	68.3	3,677	61.6	84	62.7
Women	29	33.3	25	34.2	4	28.6	19	31.7	2,293	38.4	50	37.3
RACE/ETHNICITY												
Black	37	42.5	31	42.5	6	42.9	32	53.3	3,090	51.8	74	55.2
Latino/Hispanic	46	52.9	38	52.1	8	57.1	26	43.3	2,636	44.2	53	39.6
White	2	2.3	2	2.7	0	0.0	1	1.7	192	3.2	5	3.7
Asian/Pacific Islander	2	2.3	2	2.7	0	0.0	0	0.0	25	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.2	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	1	1.7	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
13-19	3	3.4	3	4.1	0	0.0	1	1.7	33	0.6	0	0.0
20-29	29	33.3	27	37.0	2	14.3	4	6.7	491	8.2	2	1.5
30-39	23	26.4	21	28.8	2	14.3	10	16.7	823	13.8	6	4.5
40-49	17	19.5	10	13.7	7	50.0	23	38.3	1,410	23.6	24	17.9
50-59	13	14.9	10	13.7	3	21.4	15	25.0	1,977	33.1	50	37.3
60+	2	2.3	2	2.7	0	0.0	7	11.7	1,226	20.5	52	38.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	31	35.6	27	37.0	4	28.6	12	20.0	1,275	21.4	18	13.4
Injection drug use history (IDU)	5	5.7	5	6.8	0	0.0	8	13.3	1,174	19.7	47	35.1
MSM-IDU	2	2.3	2	2.7	0	0.0	1	1.7	196	3.3	7	5.2
Heterosexual contact	29	33.3	25	34.2	4	28.6	19	31.7	1,576	26.4	27	20.1
Transgender people with sexual contact	2	2.3	1	1.4	1	7.1	1	1.7	66	1.1	1	0.7
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	146	2.4	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	1	0.7
Unknown	18	20.7	13	17.8	5	35.7	18	30.0	1,530	25.6	32	23.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	67	100.0	50	74.6	17	25.4	59	100.0	3,785	100.0	68	100.0
GENDER												
Men	43	64.2	31	62.0	12	70.6	39	66.1	2,324	61.4	45	66.2
Women	24	35.8	19	38.0	5	29.4	20	33.9	1,461	38.6	23	33.8
RACE/ETHNICITY												
Black	28	41.8	20	40.0	8	47.1	28	47.5	1,619	42.8	39	57.4
Latino/Hispanic	37	55.2	29	58.0	8	47.1	29	49.2	2,007	53.0	26	38.2
White	2	3.0	1	2.0	1	5.9	2	3.4	128	3.4	3	4.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	3	4.5	3	6.0	0	0.0	1	1.7	29	0.8	0	0.0
20-29	21	31.3	19	38.0	2	11.8	7	11.9	374	9.9	1	1.5
30-39	16	23.9	11	22.0	5	29.4	20	33.9	586	15.5	2	2.9
40-49	11	16.4	5	10.0	6	35.3	13	22.0	871	23.0	15	22.1
50-59	11	16.4	8	16.0	3	17.6	12	20.3	1,244	32.9	26	38.2
60+	5	7.5	4	8.0	1	5.9	6	10.2	674	17.8	24	35.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	35.8	19	38.0	5	29.4	16	27.1	803	21.2	9	13.2
Injection drug use history (IDU)	2	3.0	2	4.0	0	0.0	6	10.2	803	21.2	20	29.4
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	105	2.8	5	7.4
Heterosexual contact	22	32.8	16	32.0	6	35.3	15	25.4	969	25.6	18	26.5
Transgender people with sexual contact	5	7.5	4	8.0	1	5.9	4	6.8	67	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.7	122	3.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	14	20.9	9	18.0	5	29.4	17	28.8	912	24.1	16	23.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	22	88.0	3	12.0	10	100.0	883	100.0	8	100.0
GENDER												
Men	21	84.0	19	86.4	2	66.7	9	90.0	710	80.4	7	87.5
Women	4	16.0	3	13.6	1	33.3	1	10.0	173	19.6	1	12.5
RACE/ETHNICITY												
Black	11	44.0	9	40.9	2	66.7	1	10.0	138	15.6	0	0.0
Latino/Hispanic	6	24.0	5	22.7	1	33.3	4	40.0	386	43.7	5	62.5
White	8	32.0	8	36.4	0	0.0	4	40.0	341	38.6	3	37.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	1.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	1	10.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.0	1	4.5	0	0.0	0	0.0	2	0.2	0	0.0
20-29	13	52.0	12	54.5	1	33.3	4	40.0	73	8.3	1	12.5
30-39	2	8.0	2	9.1	0	0.0	1	10.0	190	21.5	0	0.0
40-49	5	20.0	5	22.7	0	0.0	2	20.0	242	27.4	0	0.0
50-59	1	4.0	1	4.5	0	0.0	2	20.0	252	28.5	5	62.5
60+	3	12.0	1	4.5	2	66.7	1	10.0	123	13.9	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	60.0	13	59.1	2	66.7	7	70.0	486	55.0	2	25.0
Injection drug use history (IDU)	1	4.0	1	4.5	0	0.0	2	20.0	107	12.1	4	50.0
MSM-IDU	2	8.0	2	9.1	0	0.0	1	10.0	17	1.9	0	0.0
Heterosexual contact	4	16.0	3	13.6	1	33.3	0	0.0	110	12.5	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
Unknown	3	12.0	3	13.6	0	0.0	0	0.0	141	16.0	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	42	100.0	41	97.6	1	2.4	13	100.0	2,700	100.0	41	100.0
GENDER												
Men	27	64.3	27	65.9	0	0.0	11	84.6	2,057	76.2	31	75.6
Women	15	35.7	14	34.1	1	100.0	2	15.4	643	23.8	10	24.4
RACE/ETHNICITY												
Black	18	42.9	17	41.5	1	100.0	7	53.8	1,104	40.9	17	41.5
Latino/Hispanic	14	33.3	14	34.1	0	0.0	2	15.4	687	25.4	17	41.5
White	10	23.8	10	24.4	0	0.0	3	23.1	837	31.0	7	17.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	7.7	53	2.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
20-29	15	35.7	15	36.6	0	0.0	2	15.4	179	6.6	0	0.0
30-39	10	23.8	10	24.4	0	0.0	5	38.5	362	13.4	2	4.9
40-49	5	11.9	5	12.2	0	0.0	1	7.7	633	23.4	4	9.8
50-59	8	19.0	7	17.1	1	100.0	4	30.8	882	32.7	13	31.7
60+	4	9.5	4	9.8	0	0.0	1	7.7	631	23.4	22	53.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	57.1	24	58.5	0	0.0	7	53.8	1,325	49.1	15	36.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	350	13.0	10	24.4
MSM-IDU	1	2.4	1	2.4	0	0.0	0	0.0	62	2.3	1	2.4
Heterosexual contact	12	28.6	11	26.8	1	100.0	3	23.1	420	15.6	7	17.1
Transgender people with sexual contact	1	2.4	1	2.4	0	0.0	0	0.0	14	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	48	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	4	9.5	4	9.8	0	0.0	3	23.1	479	17.7	8	19.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	170	100.0	142	83.5	28	16.5	106	100.0	7,628	100.0	128	100.0
GENDER												
Men	127	74.7	109	76.8	18	64.3	69	65.1	4,863	63.8	95	74.2
Women	43	25.3	33	23.2	10	35.7	37	34.9	2,765	36.2	33	25.8
RACE/ETHNICITY												
Black	134	78.8	107	75.4	27	96.4	89	84.0	5,940	77.9	109	85.2
Latino/Hispanic	24	14.1	23	16.2	1	3.6	13	12.3	1,132	14.8	13	10.2
White	11	6.5	11	7.7	0	0.0	2	1.9	470	6.2	4	3.1
Asian/Pacific Islander	1	0.6	1	0.7	0	0.0	2	1.9	49	0.6	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	19	0.2	1	0.8
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
13-19	10	5.9	10	7.0	0	0.0	1	0.9	64	0.8	0	0.0
20-29	67	39.4	59	41.5	8	28.6	22	20.8	716	9.4	8	6.3
30-39	41	24.1	34	23.9	7	25.0	24	22.6	1,259	16.5	7	5.5
40-49	19	11.2	13	9.2	6	21.4	24	22.6	1,834	24.0	20	15.6
50-59	20	11.8	17	12.0	3	10.7	20	18.9	2,288	30.0	42	32.8
60+	13	7.6	9	6.3	4	14.3	15	14.2	1,459	19.1	51	39.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	84	49.4	75	52.8	9	32.1	33	31.1	2,366	31.0	21	16.4
Injection drug use history (IDU)	2	1.2	2	1.4	0	0.0	8	7.5	993	13.0	35	27.3
MSM-IDU	2	1.2	2	1.4	0	0.0	1	0.9	181	2.4	5	3.9
Heterosexual contact	43	25.3	30	21.1	13	46.4	31	29.2	1,931	25.3	25	19.5
Transgender people with sexual contact	3	1.8	3	2.1	0	0.0	0	0.0	106	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	2.8	182	2.4	4	3.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	36	21.2	30	21.1	6	21.4	30	28.3	1,860	24.4	38	29.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	80	100.0	58	72.5	22	27.5	35	100.0	3,340	100.0	54	100.0
GENDER												
Men	55	68.8	45	77.6	10	45.5	19	54.3	1,897	56.8	30	55.6
Women	25	31.3	13	22.4	12	54.5	16	45.7	1,443	43.2	24	44.4
RACE/ETHNICITY												
Black	53	66.3	35	60.3	18	81.8	26	74.3	2,142	64.1	32	59.3
Latino/Hispanic	24	30.0	20	34.5	4	18.2	8	22.9	1,040	31.1	21	38.9
White	2	2.5	2	3.4	0	0.0	1	2.9	98	2.9	0	0.0
Asian/Pacific Islander	1	1.3	1	1.7	0	0.0	0	0.0	42	1.3	1	1.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	6	7.5	6	10.3	0	0.0	0	0.0	43	1.3	0	0.0
20-29	27	33.8	24	41.4	3	13.6	4	11.4	382	11.4	2	3.7
30-39	13	16.3	9	15.5	4	18.2	8	22.9	563	16.9	3	5.6
40-49	15	18.8	12	20.7	3	13.6	6	17.1	753	22.5	9	16.7
50-59	8	10.0	3	5.2	5	22.7	8	22.9	1,061	31.8	21	38.9
60+	11	13.8	4	6.9	7	31.8	9	25.7	534	16.0	19	35.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	43.8	29	50.0	6	27.3	8	22.9	826	24.7	2	3.7
Injection drug use history (IDU)	3	3.8	2	3.4	1	4.5	2	5.7	453	13.6	17	31.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	61	1.8	2	3.7
Heterosexual contact	14	17.5	6	10.3	8	36.4	15	42.9	1,022	30.6	18	33.3
Transgender people with sexual contact	5	6.3	4	6.9	1	4.5	1	2.9	59	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	98	2.9	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	23	28.8	17	29.3	6	27.3	9	25.7	815	24.4	14	25.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	24	100.0	19	79.2	5	20.8	8	100.0	847	100.0	9	100.0
GENDER												
Men	23	95.8	18	94.7	5	100.0	8	100.0	633	74.7	8	88.9
Women	1	4.2	1	5.3	0	0.0	0	0.0	214	25.3	1	11.1
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	25.0	149	17.6	0	0.0
Latino/Hispanic	18	75.0	14	73.7	4	80.0	5	62.5	477	56.3	7	77.8
White	4	16.7	3	15.8	1	20.0	1	12.5	163	19.2	2	22.2
Asian/Pacific Islander	2	8.3	2	10.5	0	0.0	0	0.0	55	6.5	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	2	8.3	2	10.5	0	0.0	0	0.0	4	0.5	0	0.0
20-29	4	16.7	3	15.8	1	20.0	2	25.0	49	5.8	0	0.0
30-39	10	41.7	8	42.1	2	40.0	4	50.0	141	16.6	2	22.2
40-49	4	16.7	4	21.1	0	0.0	0	0.0	223	26.3	1	11.1
50-59	2	8.3	0	0.0	2	40.0	2	25.0	266	31.4	2	22.2
60+	2	8.3	2	10.5	0	0.0	0	0.0	164	19.4	4	44.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	66.7	14	73.7	2	40.0	3	37.5	283	33.4	2	22.2
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	156	18.4	5	55.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	40	4.7	0	0.0
Heterosexual contact	2	8.3	1	5.3	1	20.0	2	25.0	180	21.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	25.0	4	21.1	2	40.0	2	25.0	167	19.7	2	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	17	65.4	9	34.6	20	100.0	1,086	100.0	16	100.0
GENDER												
Men	23	88.5	15	88.2	8	88.9	17	85.0	804	74.0	10	62.5
Women	3	11.5	2	11.8	1	11.1	3	15.0	282	26.0	6	37.5
RACE/ETHNICITY												
Black	6	23.1	5	29.4	1	11.1	4	20.0	302	27.8	4	25.0
Latino/Hispanic	9	34.6	4	23.5	5	55.6	10	50.0	406	37.4	6	37.5
White	9	34.6	6	35.3	3	33.3	6	30.0	318	29.3	5	31.3
Asian/Pacific Islander	2	7.7	2	11.8	0	0.0	0	0.0	56	5.2	1	6.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	12	46.2	10	58.8	2	22.2	7	35.0	70	6.4	0	0.0
30-39	6	23.1	4	23.5	2	22.2	6	30.0	173	15.9	0	0.0
40-49	3	11.5	2	11.8	1	11.1	2	10.0	271	25.0	3	18.8
50-59	5	19.2	1	5.9	4	44.4	5	25.0	354	32.6	6	37.5
60+	0	0.0	0	0.0	0	0.0	0	0.0	216	19.9	7	43.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	65.4	13	76.5	4	44.4	13	65.0	422	38.9	4	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	171	15.7	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	25	2.3	1	6.3
Heterosexual contact	2	7.7	1	5.9	1	11.1	2	10.0	207	19.1	4	25.0
Transgender people with sexual contact	1	3.8	1	5.9	0	0.0	0	0.0	12	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.0	19	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	6	23.1	2	11.8	4	44.4	4	20.0	229	21.1	2	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	91	100.0	72	79.1	19	20.9	69	100.0	5,178	100.0	60	100.0
GENDER												
Men	70	76.9	56	77.8	14	73.7	52	75.4	3,302	63.8	45	75.0
Women	21	23.1	16	22.2	5	26.3	17	24.6	1,876	36.2	15	25.0
RACE/ETHNICITY												
Black	62	68.1	48	66.7	14	73.7	52	75.4	4,077	78.7	45	75.0
Latino/Hispanic	20	22.0	16	22.2	4	21.1	13	18.8	715	13.8	12	20.0
White	5	5.5	4	5.6	1	5.3	2	2.9	302	5.8	2	3.3
Asian/Pacific Islander	1	1.1	1	1.4	0	0.0	1	1.4	53	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	3	3.3	3	4.2	0	0.0	1	1.4	10	0.2	1	1.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	1	1.4	0	0.0	0	0.0	6	0.1	0	0.0
13-19	4	4.4	4	5.6	0	0.0	0	0.0	31	0.6	0	0.0
20-29	35	38.5	33	45.8	2	10.5	9	13.0	439	8.5	1	1.7
30-39	19	20.9	13	18.1	6	31.6	24	34.8	808	15.6	5	8.3
40-49	11	12.1	6	8.3	5	26.3	17	24.6	1,189	23.0	6	10.0
50-59	11	12.1	8	11.1	3	15.8	14	20.3	1,570	30.3	30	50.0
60+	10	11.0	7	9.7	3	15.8	5	7.2	1,135	21.9	18	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	47	51.6	38	52.8	9	47.4	30	43.5	1,528	29.5	11	18.3
Injection drug use history (IDU)	3	3.3	3	4.2	0	0.0	1	1.4	506	9.8	8	13.3
MSM-IDU	1	1.1	0	0.0	1	5.3	4	5.8	92	1.8	1	1.7
Heterosexual contact	19	20.9	14	19.4	5	26.3	13	18.8	1,417	27.4	15	25.0
Transgender people with sexual contact	2	2.2	2	2.8	0	0.0	0	0.0	48	0.9	0	0.0
Perinatal	1	1.1	1	1.4	0	0.0	1	1.4	104	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	18	19.8	14	19.4	4	21.1	20	29.0	1,470	28.4	25	41.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	28	63.6	16	36.4	35	100.0	1,668	100.0	17	100.0
GENDER												
Men	33	75.0	21	75.0	12	75.0	22	62.9	904	54.2	11	64.7
Women	11	25.0	7	25.0	4	25.0	13	37.1	764	45.8	6	35.3
RACE/ETHNICITY												
Black	37	84.1	22	78.6	15	93.8	33	94.3	1,331	79.8	13	76.5
Latino/Hispanic	6	13.6	5	17.9	1	6.3	2	5.7	203	12.2	3	17.6
White	0	0.0	0	0.0	0	0.0	0	0.0	110	6.6	1	5.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	16	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	1	2.3	1	3.6	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	4.5	1	3.6	1	6.3	3	8.6	24	1.4	0	0.0
20-29	12	27.3	12	42.9	0	0.0	3	8.6	160	9.6	1	5.9
30-39	9	20.5	7	25.0	2	12.5	3	8.6	240	14.4	0	0.0
40-49	8	18.2	4	14.3	4	25.0	8	22.9	374	22.4	1	5.9
50-59	8	18.2	2	7.1	6	37.5	13	37.1	522	31.3	6	35.3
60+	5	11.4	2	7.1	3	18.8	5	14.3	347	20.8	9	52.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	34.1	13	46.4	2	12.5	4	11.4	325	19.5	2	11.8
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	146	8.8	4	23.5
MSM-IDU	1	2.3	1	3.6	0	0.0	1	2.9	18	1.1	0	0.0
Heterosexual contact	10	22.7	7	25.0	3	18.8	11	31.4	575	34.5	6	35.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	8	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	5.7	62	3.7	1	5.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	18	40.9	7	25.0	11	68.8	17	48.6	532	31.9	4	23.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
TOTAL	11	100.0	10	90.9	1	9.1	1	100.0	665	100.0	6	100.0
GENDER												
Men	11	100.0	10	100.0	1	100.0	1	100.0	496	74.6	5	83.3
Women	0	0.0	0	0.0	0	0.0	0	0.0	169	25.4	1	16.7
RACE/ETHNICITY												
Black	3	27.3	3	30.0	0	0.0	0	0.0	79	11.9	0	0.0
Latino/Hispanic	2	18.2	1	10.0	1	100.0	1	100.0	203	30.5	2	33.3
White	6	54.5	6	60.0	0	0.0	0	0.0	340	51.1	4	66.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	41	6.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	3	27.3	3	30.0	0	0.0	0	0.0	26	3.9	0	0.0
30-39	2	18.2	1	10.0	1	100.0	1	100.0	110	16.5	0	0.0
40-49	4	36.4	4	40.0	0	0.0	0	0.0	161	24.2	0	0.0
50-59	1	9.1	1	10.0	0	0.0	0	0.0	222	33.4	4	66.7
60+	1	9.1	1	10.0	0	0.0	0	0.0	144	21.7	2	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	72.7	7	70.0	1	100.0	1	100.0	292	43.9	1	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	98	14.7	2	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	114	17.1	2	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	3	27.3	3	30.0	0	0.0	0	0.0	131	19.7	1	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	25	100.0	22	88.0	3	12.0	13	100.0	1,122	100.0	12	100.0
GENDER												
Men	19	76.0	16	72.7	3	100.0	7	53.8	688	61.3	8	66.7
Women	6	24.0	6	27.3	0	0.0	6	46.2	434	38.7	4	33.3
RACE/ETHNICITY												
Black	7	28.0	7	31.8	0	0.0	4	30.8	448	39.9	4	33.3
Latino/Hispanic	7	28.0	6	27.3	1	33.3	4	30.8	343	30.6	3	25.0
White	9	36.0	8	36.4	1	33.3	3	23.1	287	25.6	5	41.7
Asian/Pacific Islander	1	4.0	0	0.0	1	33.3	2	15.4	33	2.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	1	4.0	1	4.5	0	0.0	0	0.0	7	0.6	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	0.9	0	0.0
20-29	8	32.0	8	36.4	0	0.0	0	0.0	100	8.9	0	0.0
30-39	8	32.0	6	27.3	2	66.7	4	30.8	166	14.8	2	16.7
40-49	4	16.0	4	18.2	0	0.0	2	15.4	257	22.9	2	16.7
50-59	4	16.0	4	18.2	0	0.0	3	23.1	342	30.5	3	25.0
60+	1	4.0	0	0.0	1	33.3	4	30.8	246	21.9	5	41.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	32.0	7	31.8	1	33.3	1	7.7	302	26.9	2	16.7
Injection drug use history (IDU)	2	8.0	1	4.5	1	33.3	1	7.7	188	16.8	4	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	17	1.5	0	0.0
Heterosexual contact	4	16.0	4	18.2	0	0.0	3	23.1	297	26.5	3	25.0
Transgender people with sexual contact	1	4.0	1	4.5	0	0.0	1	7.7	10	0.9	1	8.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	32	2.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	10	40.0	9	40.9	1	33.3	7	53.8	272	24.2	2	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	95	100.0	88	92.6	7	7.4	43	100.0	3,749	100.0	56	100.0
GENDER												
Men	80	84.2	73	83.0	7	100.0	33	76.7	2,607	69.5	35	62.5
Women	15	15.8	15	17.0	0	0.0	10	23.3	1,142	30.5	21	37.5
RACE/ETHNICITY												
Black	40	42.1	37	42.0	3	42.9	25	58.1	1,864	49.7	33	58.9
Latino/Hispanic	35	36.8	32	36.4	3	42.9	13	30.2	1,437	38.3	21	37.5
White	17	17.9	16	18.2	1	14.3	5	11.6	379	10.1	2	3.6
Asian/Pacific Islander	3	3.2	3	3.4	0	0.0	0	0.0	51	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	2	2.1	2	2.3	0	0.0	1	2.3	22	0.6	0	0.0
20-29	41	43.2	38	43.2	3	42.9	12	27.9	420	11.2	0	0.0
30-39	22	23.2	22	25.0	0	0.0	7	16.3	613	16.4	5	8.9
40-49	15	15.8	12	13.6	3	42.9	8	18.6	857	22.9	10	17.9
50-59	10	10.5	9	10.2	1	14.3	10	23.3	1,137	30.3	12	21.4
60+	5	5.3	5	5.7	0	0.0	5	11.6	694	18.5	29	51.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	61	64.2	57	64.8	4	57.1	18	41.9	1,306	34.8	8	14.3
Injection drug use history (IDU)	2	2.1	2	2.3	0	0.0	2	4.7	596	15.9	16	28.6
MSM-IDU	2	2.1	2	2.3	0	0.0	2	4.7	89	2.4	3	5.4
Heterosexual contact	14	14.7	13	14.8	1	14.3	7	16.3	783	20.9	13	23.2
Transgender people with sexual contact	2	2.1	2	2.3	0	0.0	1	2.3	41	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	2.3	94	2.5	1	1.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	14	14.7	12	13.6	2	28.6	12	27.9	837	22.3	15	26.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	112	100.0	95	84.8	17	15.2	45	100.0	4,515	100.0	37	100.0
GENDER												
Men	104	92.9	89	93.7	15	88.2	36	80.0	3,657	81.0	32	86.5
Women	8	7.1	6	6.3	2	11.8	9	20.0	858	19.0	5	13.5
RACE/ETHNICITY												
Black	31	27.7	26	27.4	5	29.4	12	26.7	1,481	32.8	14	37.8
Latino/Hispanic	61	54.5	51	53.7	10	58.8	24	53.3	1,977	43.8	15	40.5
White	16	14.3	15	15.8	1	5.9	6	13.3	962	21.3	8	21.6
Asian/Pacific Islander	3	2.7	2	2.1	1	5.9	3	6.7	62	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	0	0.0
Multiracial	1	0.9	1	1.1	0	0.0	0	0.0	13	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
13-19	1	0.9	1	1.1	0	0.0	0	0.0	19	0.4	0	0.0
20-29	43	38.4	42	44.2	1	5.9	7	15.6	398	8.8	1	2.7
30-39	32	28.6	28	29.5	4	23.5	11	24.4	767	17.0	2	5.4
40-49	15	13.4	10	10.5	5	29.4	11	24.4	1,137	25.2	3	8.1
50-59	12	10.7	7	7.4	5	29.4	10	22.2	1,314	29.1	14	37.8
60+	9	8.0	7	7.4	2	11.8	6	13.3	873	19.3	17	45.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	85	75.9	73	76.8	12	70.6	28	62.2	2,404	53.2	9	24.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	2.2	394	8.7	12	32.4
MSM-IDU	3	2.7	3	3.2	0	0.0	2	4.4	116	2.6	4	10.8
Heterosexual contact	9	8.0	7	7.4	2	11.8	6	13.3	630	14.0	3	8.1
Transgender people with sexual contact	1	0.9	1	1.1	0	0.0	1	2.2	41	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	71	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	0	0.0
Unknown	14	12.5	11	11.6	3	17.6	7	15.6	852	18.9	9	24.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	87	100.0	81	93.1	6	6.9	48	100.0	4,725	100.0	67	100.0
GENDER												
Men	71	81.6	65	80.2	6	100.0	33	68.8	3,377	71.5	48	71.6
Women	16	18.4	16	19.8	0	0.0	15	31.3	1,348	28.5	19	28.4
RACE/ETHNICITY												
Black	45	51.7	39	48.1	6	100.0	37	77.1	3,035	64.2	52	77.6
Latino/Hispanic	27	31.0	27	33.3	0	0.0	7	14.6	981	20.8	11	16.4
White	12	13.8	12	14.8	0	0.0	3	6.3	622	13.2	2	3.0
Asian/Pacific Islander	2	2.3	2	2.5	0	0.0	0	0.0	55	1.2	1	1.5
Other/Unknown	1	1.1	1	1.2	0	0.0	1	2.1	32	0.7	1	1.5
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	2.1	6	0.1	0	0.0
13-19	4	4.6	3	3.7	1	16.7	1	2.1	22	0.5	0	0.0
20-29	38	43.7	36	44.4	2	33.3	12	25.0	442	9.4	2	3.0
30-39	23	26.4	22	27.2	1	16.7	13	27.1	793	16.8	3	4.5
40-49	10	11.5	9	11.1	1	16.7	11	22.9	1,168	24.7	10	14.9
50-59	9	10.3	8	9.9	1	16.7	6	12.5	1,400	29.6	24	35.8
60+	3	3.4	3	3.7	0	0.0	4	8.3	894	18.9	28	41.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	58	66.7	54	66.7	4	66.7	25	52.1	1,944	41.1	13	19.4
Injection drug use history (IDU)	1	1.1	1	1.2	0	0.0	4	8.3	582	12.3	19	28.4
MSM-IDU	3	3.4	3	3.7	0	0.0	0	0.0	113	2.4	4	6.0
Heterosexual contact	11	12.6	10	12.3	1	16.7	8	16.7	863	18.3	12	17.9
Transgender people with sexual contact	3	3.4	3	3.7	0	0.0	1	2.1	44	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	8.3	88	1.9	1	1.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	11	12.6	10	12.3	1	16.7	6	12.5	1,086	23.0	18	26.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	58	100.0	44	75.9	14	24.1	26	100.0	2,995	100.0	62	100.0
GENDER												
Men	47	81.0	36	81.8	11	78.6	18	69.2	2,062	68.8	48	77.4
Women	11	19.0	8	18.2	3	21.4	8	30.8	933	31.2	14	22.6
RACE/ETHNICITY												
Black	26	44.8	21	47.7	5	35.7	9	34.6	1,407	47.0	38	61.3
Latino/Hispanic	24	41.4	19	43.2	5	35.7	13	50.0	1,190	39.7	20	32.3
White	7	12.1	4	9.1	3	21.4	3	11.5	349	11.7	2	3.2
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	30	1.0	0	0.0
Other/Unknown	1	1.7	0	0.0	1	7.1	1	3.8	19	0.6	2	3.2
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	2	3.4	2	4.5	0	0.0	0	0.0	12	0.4	0	0.0
20-29	23	39.7	20	45.5	3	21.4	7	26.9	255	8.5	0	0.0
30-39	16	27.6	11	25.0	5	35.7	5	19.2	408	13.6	4	6.5
40-49	12	20.7	8	18.2	4	28.6	6	23.1	690	23.0	6	9.7
50-59	2	3.4	1	2.3	1	7.1	2	7.7	948	31.7	19	30.6
60+	3	5.2	2	4.5	1	7.1	6	23.1	679	22.7	33	53.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	35	60.3	29	65.9	6	42.9	10	38.5	1,006	33.6	8	12.9
Injection drug use history (IDU)	2	3.4	2	4.5	0	0.0	2	7.7	591	19.7	19	30.6
MSM-IDU	3	5.2	3	6.8	0	0.0	1	3.8	81	2.7	1	1.6
Heterosexual contact	5	8.6	4	9.1	1	7.1	2	7.7	612	20.4	14	22.6
Transgender people with sexual contact	1	1.7	0	0.0	1	7.1	1	3.8	29	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.8	88	2.9	1	1.6
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	12	20.7	6	13.6	6	42.9	9	34.6	585	19.5	19	30.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in East Harlem: 10029, 10035.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	38	100.0	34	89.5	4	10.5	22	100.0	3,131	100.0	41	100.0
GENDER												
Men	34	89.5	30	88.2	4	100.0	20	90.9	2,684	85.7	34	82.9
Women	4	10.5	4	11.8	0	0.0	2	9.1	447	14.3	7	17.1
RACE/ETHNICITY												
Black	6	15.8	5	14.7	1	25.0	6	27.3	851	27.2	13	31.7
Latino/Hispanic	14	36.8	13	38.2	1	25.0	7	31.8	792	25.3	15	36.6
White	17	44.7	15	44.1	2	50.0	9	40.9	1,398	44.7	12	29.3
Asian/Pacific Islander	1	2.6	1	2.9	0	0.0	0	0.0	64	2.0	1	2.4
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	26	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.6	1	2.9	0	0.0	1	4.5	9	0.3	0	0.0
20-29	16	42.1	14	41.2	2	50.0	4	18.2	168	5.4	0	0.0
30-39	10	26.3	10	29.4	0	0.0	4	18.2	320	10.2	3	7.3
40-49	5	13.2	4	11.8	1	25.0	6	27.3	611	19.5	11	26.8
50-59	5	13.2	4	11.8	1	25.0	4	18.2	1,063	34.0	11	26.8
60+	1	2.6	1	2.9	0	0.0	3	13.6	960	30.7	16	39.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	31	81.6	27	79.4	4	100.0	14	63.6	1,881	60.1	13	31.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.5	294	9.4	9	22.0
MSM-IDU	0	0.0	0	0.0	0	0.0	1	4.5	96	3.1	1	2.4
Heterosexual contact	1	2.6	1	2.9	0	0.0	3	13.6	288	9.2	3	7.3
Transgender people with sexual contact	1	2.6	1	2.9	0	0.0	0	0.0	31	1.0	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	5	13.2	5	14.7	0	0.0	3	13.6	508	16.2	14	34.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	38	100.0	33	86.8	5	13.2	8	100.0	1,428	100.0	15	100.0
GENDER												
Men	37	97.4	32	97.0	5	100.0	8	100.0	1,242	87.0	12	80.0
Women	1	2.6	1	3.0	0	0.0	0	0.0	186	13.0	3	20.0
RACE/ETHNICITY												
Black	6	15.8	5	15.2	1	20.0	1	12.5	263	18.4	5	33.3
Latino/Hispanic	13	34.2	11	33.3	2	40.0	3	37.5	339	23.7	2	13.3
White	18	47.4	16	48.5	2	40.0	3	37.5	768	53.8	7	46.7
Asian/Pacific Islander	1	2.6	1	3.0	0	0.0	1	12.5	52	3.6	1	6.7
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	8	21.1	8	24.2	0	0.0	0	0.0	52	3.6	1	6.7
30-39	11	28.9	9	27.3	2	40.0	3	37.5	171	12.0	1	6.7
40-49	11	28.9	10	30.3	1	20.0	2	25.0	304	21.3	0	0.0
50-59	6	15.8	5	15.2	1	20.0	2	25.0	500	35.0	5	33.3
60+	2	5.3	1	3.0	1	20.0	1	12.5	398	27.9	8	53.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	63.2	21	63.6	3	60.0	4	50.0	883	61.8	6	40.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	102	7.1	3	20.0
MSM-IDU	2	5.3	2	6.1	0	0.0	0	0.0	36	2.5	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	118	8.3	1	6.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	12	31.6	10	30.3	2	40.0	4	50.0	271	19.0	5	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	82	88.2	11	11.8	40	100.0	6,737	100.0	34	100.0
GENDER												
Men	89	95.7	78	95.1	11	100.0	37	92.5	6,294	93.4	31	91.2
Women	4	4.3	4	4.9	0	0.0	3	7.5	443	6.6	3	8.8
RACE/ETHNICITY												
Black	10	10.8	9	11.0	1	9.1	8	20.0	1,071	15.9	9	26.5
Latino/Hispanic	33	35.5	29	35.4	4	36.4	13	32.5	1,493	22.2	8	23.5
White	41	44.1	38	46.3	3	27.3	16	40.0	3,906	58.0	14	41.2
Asian/Pacific Islander	3	3.2	2	2.4	1	9.1	1	2.5	188	2.8	3	8.8
Other/Unknown	6	6.5	4	4.9	2	18.2	2	5.0	79	1.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
20-29	30	32.3	28	34.1	2	18.2	3	7.5	329	4.9	0	0.0
30-39	37	39.8	36	43.9	1	9.1	9	22.5	1,034	15.3	4	11.8
40-49	16	17.2	13	15.9	3	27.3	16	40.0	1,797	26.7	4	11.8
50-59	10	10.8	5	6.1	5	45.5	9	22.5	2,352	34.9	7	20.6
60+	0	0.0	0	0.0	0	0.0	3	7.5	1,217	18.1	19	55.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	81	87.1	73	89.0	8	72.7	27	67.5	5,069	75.2	22	64.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	5.0	349	5.2	3	8.8
MSM-IDU	2	2.2	2	2.4	0	0.0	2	5.0	212	3.1	1	2.9
Heterosexual contact	3	3.2	3	3.7	0	0.0	1	2.5	261	3.9	5	14.7
Transgender people with sexual contact	1	1.1	1	1.2	0	0.0	1	2.5	47	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	20	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Unknown	6	6.5	3	3.7	3	27.3	7	17.5	777	11.5	3	8.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	25	83.3	5	16.7	13	100.0	1,954	100.0	14	100.0
GENDER												
Men	26	86.7	22	88.0	4	80.0	10	76.9	1,793	91.8	12	85.7
Women	4	13.3	3	12.0	1	20.0	3	23.1	161	8.2	2	14.3
RACE/ETHNICITY												
Black	7	23.3	5	20.0	2	40.0	4	30.8	381	19.5	4	28.6
Latino/Hispanic	8	26.7	7	28.0	1	20.0	3	23.1	455	23.3	4	28.6
White	11	36.7	9	36.0	2	40.0	5	38.5	1,038	53.1	6	42.9
Asian/Pacific Islander	4	13.3	4	16.0	0	0.0	1	7.7	63	3.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	17	0.9	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	11	36.7	11	44.0	0	0.0	2	15.4	80	4.1	0	0.0
30-39	4	13.3	2	8.0	2	40.0	3	23.1	209	10.7	0	0.0
40-49	7	23.3	7	28.0	0	0.0	3	23.1	444	22.7	3	21.4
50-59	5	16.7	3	12.0	2	40.0	3	23.1	681	34.9	6	42.9
60+	3	10.0	2	8.0	1	20.0	2	15.4	539	27.6	5	35.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	60.0	16	64.0	2	40.0	8	61.5	1,276	65.3	5	35.7
Injection drug use history (IDU)	2	6.7	2	8.0	0	0.0	0	0.0	166	8.5	5	35.7
MSM-IDU	2	6.7	2	8.0	0	0.0	0	0.0	67	3.4	0	0.0
Heterosexual contact	1	3.3	1	4.0	0	0.0	1	7.7	117	6.0	1	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	12	0.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	23.3	4	16.0	3	60.0	4	30.8	305	15.6	3	21.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	32	100.0	23	71.9	9	28.1	12	100.0	1,941	100.0	12	100.0
GENDER												
Men	31	96.9	22	95.7	9	100.0	12	100.0	1,842	94.9	12	100.0
Women	1	3.1	1	4.3	0	0.0	0	0.0	99	5.1	0	0.0
RACE/ETHNICITY												
Black	2	6.3	2	8.7	0	0.0	2	16.7	379	19.5	2	16.7
Latino/Hispanic	10	31.3	8	34.8	2	22.2	2	16.7	400	20.6	1	8.3
White	18	56.3	12	52.2	6	66.7	7	58.3	1,096	56.5	9	75.0
Asian/Pacific Islander	2	6.3	1	4.3	1	11.1	1	8.3	53	2.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	13	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	21.9	7	30.4	0	0.0	3	25.0	93	4.8	0	0.0
30-39	9	28.1	5	21.7	4	44.4	3	25.0	234	12.1	0	0.0
40-49	10	31.3	7	30.4	3	33.3	3	25.0	446	23.0	1	8.3
50-59	5	15.6	3	13.0	2	22.2	3	25.0	696	35.9	4	33.3
60+	1	3.1	1	4.3	0	0.0	0	0.0	471	24.3	7	58.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	84.4	19	82.6	8	88.9	8	66.7	1,314	67.7	8	66.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	142	7.3	1	8.3
MSM-IDU	1	3.1	1	4.3	0	0.0	1	8.3	62	3.2	1	8.3
Heterosexual contact	1	3.1	0	0.0	1	11.1	1	8.3	64	3.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	31	1.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	9.4	3	13.0	0	0.0	2	16.7	322	16.6	2	16.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	37	100.0	32	86.5	5	13.5	18	100.0	3,051	100.0	36	100.0
GENDER												
Men	34	91.9	29	90.6	5	100.0	16	88.9	2,488	81.5	28	77.8
Women	3	8.1	3	9.4	0	0.0	2	11.1	563	18.5	8	22.2
RACE/ETHNICITY												
Black	9	24.3	9	28.1	0	0.0	1	5.6	586	19.2	10	27.8
Latino/Hispanic	8	21.6	7	21.9	1	20.0	5	27.8	1,067	35.0	10	27.8
White	16	43.2	12	37.5	4	80.0	9	50.0	1,233	40.4	16	44.4
Asian/Pacific Islander	4	10.8	4	12.5	0	0.0	2	11.1	133	4.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	1	5.6	32	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	5.4	2	6.3	0	0.0	0	0.0	9	0.3	0	0.0
20-29	16	43.2	16	50.0	0	0.0	0	0.0	158	5.2	0	0.0
30-39	5	13.5	3	9.4	2	40.0	4	22.2	352	11.5	2	5.6
40-49	9	24.3	7	21.9	2	40.0	8	44.4	664	21.8	7	19.4
50-59	3	8.1	2	6.3	1	20.0	5	27.8	1,108	36.3	10	27.8
60+	2	5.4	2	6.3	0	0.0	1	5.6	758	24.8	17	47.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	78.4	25	78.1	4	80.0	10	55.6	1,676	54.9	12	33.3
Injection drug use history (IDU)	2	5.4	2	6.3	0	0.0	1	5.6	401	13.1	12	33.3
MSM-IDU	1	2.7	1	3.1	0	0.0	0	0.0	94	3.1	3	8.3
Heterosexual contact	2	5.4	1	3.1	1	20.0	2	11.1	357	11.7	5	13.9
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	17	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	35	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	3	8.1	3	9.4	0	0.0	5	27.8	465	15.2	4	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	19	100.0	16	84.2	3	15.8	4	100.0	587	100.0	2	100.0
GENDER												
Men	19	100.0	16	100.0	3	100.0	4	100.0	507	86.4	2	100.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	80	13.6	0	0.0
RACE/ETHNICITY												
Black	5	26.3	4	25.0	1	33.3	3	75.0	117	19.9	1	50.0
Latino/Hispanic	5	26.3	5	31.3	0	0.0	0	0.0	143	24.4	1	50.0
White	7	36.8	6	37.5	1	33.3	0	0.0	303	51.6	0	0.0
Asian/Pacific Islander	2	10.5	1	6.3	1	33.3	1	25.0	20	3.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	5.3	1	6.3	0	0.0	0	0.0	1	0.2	0	0.0
20-29	5	26.3	5	31.3	0	0.0	0	0.0	27	4.6	0	0.0
30-39	6	31.6	6	37.5	0	0.0	0	0.0	81	13.8	1	50.0
40-49	3	15.8	2	12.5	1	33.3	1	25.0	168	28.6	0	0.0
50-59	4	21.1	2	12.5	2	66.7	3	75.0	210	35.8	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	100	17.0	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	78.9	12	75.0	3	100.0	3	75.0	362	61.7	1	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	45	7.7	1	50.0
MSM-IDU	1	5.3	1	6.3	0	0.0	0	0.0	17	2.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	25.0	53	9.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	15.8	3	18.8	0	0.0	0	0.0	101	17.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	57	100.0	44	77.2	13	22.8	26	100.0	2,058	100.0	7	100.0
GENDER												
Men	55	96.5	43	97.7	12	92.3	24	92.3	1,737	84.4	7	100.0
Women	2	3.5	1	2.3	1	7.7	2	7.7	321	15.6	0	0.0
RACE/ETHNICITY												
Black	6	10.5	5	11.4	1	7.7	4	15.4	357	17.3	3	42.9
Latino/Hispanic	25	43.9	20	45.5	5	38.5	7	26.9	810	39.4	1	14.3
White	23	40.4	16	36.4	7	53.8	13	50.0	785	38.1	3	42.9
Asian/Pacific Islander	3	5.3	3	6.8	0	0.0	2	7.7	89	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
20-29	18	31.6	17	38.6	1	7.7	4	15.4	131	6.4	0	0.0
30-39	25	43.9	18	40.9	7	53.8	12	46.2	430	20.9	0	0.0
40-49	10	17.5	7	15.9	3	23.1	7	26.9	601	29.2	0	0.0
50-59	2	3.5	1	2.3	1	7.7	2	7.7	613	29.8	1	14.3
60+	2	3.5	1	2.3	1	7.7	1	3.8	278	13.5	6	85.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	51	89.5	41	93.2	10	76.9	21	80.8	1,288	62.6	3	42.9
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	3.8	133	6.5	0	0.0
MSM-IDU	2	3.5	2	4.5	0	0.0	0	0.0	36	1.7	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	3.8	252	12.2	1	14.3
Transgender people with sexual contact	2	3.5	1	2.3	1	7.7	1	3.8	23	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	17	0.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	2	3.5	0	0.0	2	15.4	2	7.7	306	14.9	3	42.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	134	100.0	97	72.4	37	27.6	72	100.0	5,784	100.0	27	100.0
GENDER												
Men	116	86.6	84	86.6	32	86.5	65	90.3	4,691	81.1	24	88.9
Women	18	13.4	13	13.4	5	13.5	7	9.7	1,093	18.9	3	11.1
RACE/ETHNICITY												
Black	13	9.7	9	9.3	4	10.8	9	12.5	1,600	27.7	5	18.5
Latino/Hispanic	93	69.4	68	70.1	25	67.6	49	68.1	3,224	55.7	14	51.9
White	9	6.7	8	8.2	1	2.7	1	1.4	640	11.1	5	18.5
Asian/Pacific Islander	19	14.2	12	12.4	7	18.9	12	16.7	292	5.0	3	11.1
Native American	0	0.0	0	0.0	0	0.0	1	1.4	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	1.5	2	2.1	0	0.0	0	0.0	12	0.2	0	0.0
20-29	48	35.8	39	40.2	9	24.3	18	25.0	445	7.7	1	3.7
30-39	42	31.3	30	30.9	12	32.4	22	30.6	963	16.6	1	3.7
40-49	20	14.9	15	15.5	5	13.5	12	16.7	1,619	28.0	6	22.2
50-59	18	13.4	10	10.3	8	21.6	15	20.8	1,843	31.9	11	40.7
60+	4	3.0	1	1.0	3	8.1	5	6.9	898	15.5	8	29.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	96	71.6	71	73.2	25	67.6	46	63.9	2,442	42.2	13	48.1
Injection drug use history (IDU)	5	3.7	4	4.1	1	2.7	1	1.4	928	16.0	7	25.9
MSM-IDU	1	0.7	1	1.0	0	0.0	1	1.4	172	3.0	1	3.7
Heterosexual contact	14	10.4	8	8.2	6	16.2	9	12.5	918	15.9	2	7.4
Transgender people with sexual contact	8	6.0	6	6.2	2	5.4	3	4.2	111	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	63	1.1	1	3.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	10	7.5	7	7.2	3	8.1	12	16.7	1,146	19.8	3	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	20	87.0	3	13.0	10	100.0	662	100.0	8	100.0
GENDER												
Men	22	95.7	19	95.0	3	100.0	10	100.0	496	74.9	5	62.5
Women	1	4.3	1	5.0	0	0.0	0	0.0	166	25.1	3	37.5
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	97	14.7	3	37.5
Latino/Hispanic	12	52.2	11	55.0	1	33.3	5	50.0	255	38.5	2	25.0
White	2	8.7	2	10.0	0	0.0	3	30.0	190	28.7	2	25.0
Asian/Pacific Islander	9	39.1	7	35.0	2	66.7	2	20.0	108	16.3	1	12.5
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	1	4.3	1	5.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	4.3	1	5.0	0	0.0	0	0.0	3	0.5	0	0.0
20-29	10	43.5	9	45.0	1	33.3	2	20.0	49	7.4	0	0.0
30-39	4	17.4	3	15.0	1	33.3	3	30.0	79	11.9	0	0.0
40-49	1	4.3	1	5.0	0	0.0	2	20.0	153	23.1	1	12.5
50-59	5	21.7	4	20.0	1	33.3	2	20.0	228	34.4	5	62.5
60+	1	4.3	1	5.0	0	0.0	1	10.0	149	22.5	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	73.9	14	70.0	3	100.0	7	70.0	288	43.5	2	25.0
Injection drug use history (IDU)	1	4.3	1	5.0	0	0.0	0	0.0	68	10.3	1	12.5
MSM-IDU	1	4.3	1	5.0	0	0.0	1	10.0	17	2.6	0	0.0
Heterosexual contact	1	4.3	1	5.0	0	0.0	0	0.0	140	21.1	2	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	4.3	1	5.0	0	0.0	0	0.0	9	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	8.7	2	10.0	0	0.0	2	20.0	138	20.8	3	37.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	0	0.0	0	0.0	0	0.0	2	100.0	141	100.0	0	0.0
GENDER												
Men	0	0.0	0	0.0	0	0.0	1	50.0	115	81.6	0	0.0
Women	0	0.0	0	0.0	0	0.0	1	50.0	26	18.4	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	100.0	28	19.9	0	0.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	27	19.1	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	75	53.2	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	7.1	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0
20-29	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	15	10.6	0	0.0
40-49	0	0.0	0	0.0	0	0.0	2	100.0	26	18.4	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	60	42.6	0	0.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	37	26.2	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	58	41.1	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	13	9.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	50.0	26	18.4	0	0.0
Transgender people with sexual c	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	50.0	36	25.5	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	34	100.0	30	88.2	4	11.8	17	100.0	1,222	100.0	14	100.0
GENDER												
Men	25	73.5	21	70.0	4	100.0	14	82.4	929	76.0	10	71.4
Women	9	26.5	9	30.0	0	0.0	3	17.6	293	24.0	4	28.6
RACE/ETHNICITY												
Black	3	8.8	2	6.7	1	25.0	4	23.5	159	13.0	1	7.1
Latino/Hispanic	11	32.4	11	36.7	0	0.0	5	29.4	570	46.6	8	57.1
White	9	26.5	9	30.0	0	0.0	3	17.6	417	34.1	4	28.6
Asian/Pacific Islander	9	26.5	7	23.3	2	50.0	4	23.5	63	5.2	0	0.0
Other/Unknown	2	5.9	1	3.3	1	25.0	1	5.9	13	1.1	1	7.1
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
20-29	14	41.2	13	43.3	1	25.0	4	23.5	99	8.1	0	0.0
30-39	6	17.6	6	20.0	0	0.0	3	17.6	157	12.8	1	7.1
40-49	5	14.7	5	16.7	0	0.0	3	17.6	306	25.0	2	14.3
50-59	6	17.6	4	13.3	2	50.0	5	29.4	425	34.8	7	50.0
60+	3	8.8	2	6.7	1	25.0	2	11.8	228	18.7	4	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	52.9	15	50.0	3	75.0	10	58.8	592	48.4	3	21.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	99	8.1	2	14.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	33	2.7	1	7.1
Heterosexual contact	9	26.5	9	30.0	0	0.0	3	17.6	247	20.2	2	14.3
Transgender people with sexual contact	1	2.9	1	3.3	0	0.0	0	0.0	9	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	28	2.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
Unknown	6	17.6	5	16.7	1	25.0	4	23.5	209	17.1	6	42.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses							
	N	%	N	%	N	%	N	%	N	%	N	%
TOTAL	9	100.0	6	66.7	3	33.3	8	100.0	271	100.0	3	100.0
GENDER												
Men	7	77.8	4	66.7	3	100.0	6	75.0	168	62.0	2	66.7
Women	2	22.2	2	33.3	0	0.0	2	25.0	103	38.0	1	33.3
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	2	25.0	125	46.1	1	33.3
Latino/Hispanic	4	44.4	2	33.3	2	66.7	4	50.0	78	28.8	0	0.0
White	4	44.4	3	50.0	1	33.3	1	12.5	49	18.1	2	66.7
Asian/Pacific Islander	1	11.1	1	16.7	0	0.0	1	12.5	18	6.6	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	12.5	4	1.5	0	0.0
20-29	3	33.3	3	50.0	0	0.0	1	12.5	24	8.9	0	0.0
30-39	3	33.3	1	16.7	2	66.7	3	37.5	30	11.1	0	0.0
40-49	3	33.3	2	33.3	1	33.3	3	37.5	61	22.5	1	33.3
50-59	0	0.0	0	0.0	0	0.0	0	0.0	91	33.6	1	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	61	22.5	1	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	33.3	2	33.3	1	33.3	3	37.5	77	28.4	1	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	8.9	1	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	1	12.5	4	1.5	0	0.0
Heterosexual contact	4	44.4	4	66.7	0	0.0	0	0.0	77	28.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	1	12.5	1	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	10	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Unknown	2	22.2	0	0.0	2	66.7	2	25.0	76	28.0	1	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	44	100.0	37	84.1	7	15.9	23	100.0	1,811	100.0	18	100.0
GENDER												
Men	37	84.1	31	83.8	6	85.7	17	73.9	1,261	69.6	10	55.6
Women	7	15.9	6	16.2	1	14.3	6	26.1	550	30.4	8	44.4
RACE/ETHNICITY												
Black	6	13.6	6	16.2	0	0.0	6	26.1	509	28.1	11	61.1
Latino/Hispanic	20	45.5	17	45.9	3	42.9	8	34.8	821	45.3	3	16.7
White	5	11.4	5	13.5	0	0.0	1	4.3	293	16.2	2	11.1
Asian/Pacific Islander	13	29.5	9	24.3	4	57.1	8	34.8	162	8.9	2	11.1
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.3	1	2.7	0	0.0	0	0.0	10	0.6	0	0.0
20-29	12	27.3	11	29.7	1	14.3	4	17.4	163	9.0	1	5.6
30-39	16	36.4	16	43.2	0	0.0	1	4.3	258	14.2	1	5.6
40-49	6	13.6	4	10.8	2	28.6	7	30.4	475	26.2	5	27.8
50-59	6	13.6	3	8.1	3	42.9	7	30.4	604	33.4	7	38.9
60+	3	6.8	2	5.4	1	14.3	4	17.4	298	16.5	4	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	27	61.4	24	64.9	3	42.9	8	34.8	698	38.5	3	16.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.3	201	11.1	2	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	1.1	0	0.0
Heterosexual contact	10	22.7	9	24.3	1	14.3	6	26.1	429	23.7	11	61.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	20	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.3	48	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	7	15.9	4	10.8	3	42.9	7	30.4	393	21.7	2	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.
Men includes transgender men and women includes transgender women.
The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	74	100.0	61	82.4	13	17.6	46	100.0	3,153	100.0	49	100.0
GENDER												
Men	58	78.4	46	75.4	12	92.3	35	76.1	1,933	61.3	33	67.3
Women	16	21.6	15	24.6	1	7.7	11	23.9	1,220	38.7	16	32.7
RACE/ETHNICITY												
Black	47	63.5	39	63.9	8	61.5	30	65.2	2,291	72.7	38	77.6
Latino/Hispanic	21	28.4	16	26.2	5	38.5	11	23.9	593	18.8	7	14.3
White	1	1.4	1	1.6	0	0.0	1	2.2	157	5.0	3	6.1
Asian/Pacific Islander	5	6.8	5	8.2	0	0.0	4	8.7	88	2.8	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	1	2.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.4	1	1.6	0	0.0	1	2.2	25	0.8	0	0.0
20-29	30	40.5	29	47.5	1	7.7	6	13.0	293	9.3	1	2.0
30-39	15	20.3	10	16.4	5	38.5	15	32.6	421	13.4	6	12.2
40-49	16	21.6	11	18.0	5	38.5	12	26.1	722	22.9	6	12.2
50-59	9	12.2	7	11.5	2	15.4	8	17.4	1,028	32.6	17	34.7
60+	3	4.1	3	4.9	0	0.0	4	8.7	661	21.0	19	38.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	32	43.2	28	45.9	4	30.8	17	37.0	849	26.9	6	12.2
Injection drug use history (IDU)	1	1.4	1	1.6	0	0.0	2	4.3	363	11.5	14	28.6
MSM-IDU	3	4.1	3	4.9	0	0.0	0	0.0	55	1.7	0	0.0
Heterosexual contact	12	16.2	12	19.7	0	0.0	8	17.4	931	29.5	12	24.5
Transgender people with sexual contact	1	1.4	1	1.6	0	0.0	1	2.2	24	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	4.3	98	3.1	1	2.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	0	0.0
Unknown	25	33.8	16	26.2	9	69.2	16	34.8	824	26.1	16	32.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	20	76.9	6	23.1	25	100.0	1,291	100.0	14	100.0
GENDER												
Men	18	69.2	13	65.0	5	83.3	16	64.0	740	57.3	7	50.0
Women	8	30.8	7	35.0	1	16.7	9	36.0	551	42.7	7	50.0
RACE/ETHNICITY												
Black	18	69.2	12	60.0	6	100.0	22	88.0	997	77.2	11	78.6
Latino/Hispanic	3	11.5	3	15.0	0	0.0	2	8.0	153	11.9	0	0.0
White	2	7.7	2	10.0	0	0.0	0	0.0	94	7.3	1	7.1
Asian/Pacific Islander	3	11.5	3	15.0	0	0.0	1	4.0	39	3.0	2	14.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
13-19	1	3.8	1	5.0	0	0.0	0	0.0	10	0.8	0	0.0
20-29	10	38.5	10	50.0	0	0.0	4	16.0	119	9.2	0	0.0
30-39	5	19.2	3	15.0	2	33.3	6	24.0	174	13.5	2	14.3
40-49	2	7.7	0	0.0	2	33.3	7	28.0	280	21.7	5	35.7
50-59	7	26.9	5	25.0	2	33.3	2	8.0	427	33.1	3	21.4
60+	1	3.8	1	5.0	0	0.0	6	24.0	279	21.6	4	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	12	46.2	10	50.0	2	33.3	8	32.0	271	21.0	2	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	139	10.8	4	28.6
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	1.4	0	0.0
Heterosexual contact	8	30.8	6	30.0	2	33.3	7	28.0	412	31.9	4	28.6
Transgender people with sexual contact	1	3.8	1	5.0	0	0.0	0	0.0	8	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.0	49	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.6	0	0.0
Unknown	5	19.2	3	15.0	2	33.3	9	36.0	386	29.9	4	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	15	71.4	6	28.6	16	100.0	1,192	100.0	25	100.0
GENDER												
Men	16	76.2	14	93.3	2	33.3	9	56.3	687	57.6	12	48.0
Women	5	23.8	1	6.7	4	66.7	7	43.8	505	42.4	13	52.0
RACE/ETHNICITY												
Black	14	66.7	12	80.0	2	33.3	11	68.8	760	63.8	17	68.0
Latino/Hispanic	5	23.8	3	20.0	2	33.3	3	18.8	296	24.8	2	8.0
White	2	9.5	0	0.0	2	33.3	2	12.5	116	9.7	5	20.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	1	4.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	6.3	15	1.3	0	0.0
20-29	7	33.3	5	33.3	2	33.3	3	18.8	102	8.6	0	0.0
30-39	7	33.3	6	40.0	1	16.7	2	12.5	161	13.5	2	8.0
40-49	4	19.0	2	13.3	2	33.3	7	43.8	273	22.9	3	12.0
50-59	0	0.0	0	0.0	0	0.0	2	12.5	413	34.6	9	36.0
60+	3	14.3	2	13.3	1	16.7	1	6.3	227	19.0	11	44.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	10	47.6	9	60.0	1	16.7	3	18.8	277	23.2	5	20.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	183	15.4	6	24.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	25	2.1	0	0.0
Heterosexual contact	7	33.3	3	20.0	4	66.7	7	43.8	414	34.7	7	28.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	7	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	6.3	37	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Unknown	4	19.0	3	20.0	1	16.7	5	31.3	247	20.7	7	28.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	8	80.0	2	20.0	5	100.0	593	100.0	3	100.0
GENDER												
Men	6	60.0	5	62.5	1	50.0	4	80.0	360	60.7	1	33.3
Women	4	40.0	3	37.5	1	50.0	1	20.0	233	39.3	2	66.7
RACE/ETHNICITY												
Black	4	40.0	3	37.5	1	50.0	2	40.0	300	50.6	1	33.3
Latino/Hispanic	6	60.0	5	62.5	1	50.0	3	60.0	199	33.6	1	33.3
White	0	0.0	0	0.0	0	0.0	0	0.0	82	13.8	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	1.2	1	33.3
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	1	20.0	6	1.0	0	0.0
20-29	3	30.0	3	37.5	0	0.0	0	0.0	45	7.6	0	0.0
30-39	2	20.0	1	12.5	1	50.0	2	40.0	94	15.9	0	0.0
40-49	2	20.0	2	25.0	0	0.0	0	0.0	137	23.1	1	33.3
50-59	3	30.0	2	25.0	1	50.0	1	20.0	204	34.4	2	66.7
60+	0	0.0	0	0.0	0	0.0	1	20.0	106	17.9	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	50.0	4	50.0	1	50.0	3	60.0	143	24.1	1	33.3
Injection drug use history (IDU)	2	20.0	2	25.0	0	0.0	0	0.0	118	19.9	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	14	2.4	0	0.0
Heterosexual contact	1	10.0	0	0.0	1	50.0	1	20.0	164	27.7	2	66.7
Transgender people with sexual contact	1	10.0	1	12.5	0	0.0	0	0.0	6	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	3.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	1	10.0	1	12.5	0	0.0	1	20.0	130	21.9	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	23	100.0	17	73.9	6	26.1	13	100.0	1,122	100.0	29	100.0
GENDER												
Men	18	78.3	13	76.5	5	83.3	8	61.5	717	63.9	20	69.0
Women	5	21.7	4	23.5	1	16.7	5	38.5	405	36.1	9	31.0
RACE/ETHNICITY												
Black	14	60.9	11	64.7	3	50.0	5	38.5	526	46.9	12	41.4
Latino/Hispanic	3	13.0	1	5.9	2	33.3	6	46.2	313	27.9	8	27.6
White	5	21.7	4	23.5	1	16.7	1	7.7	263	23.4	9	31.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	11	1.0	0	0.0
Other/Unknown	1	4.3	1	5.9	0	0.0	1	7.7	9	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.3	1	5.9	0	0.0	0	0.0	5	0.4	0	0.0
20-29	8	34.8	8	47.1	0	0.0	0	0.0	83	7.4	1	3.4
30-39	3	13.0	2	11.8	1	16.7	3	23.1	142	12.7	2	6.9
40-49	6	26.1	4	23.5	2	33.3	3	23.1	236	21.0	4	13.8
50-59	3	13.0	2	11.8	1	16.7	2	15.4	427	38.1	9	31.0
60+	2	8.7	0	0.0	2	33.3	5	38.5	228	20.3	13	44.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	8	34.8	6	35.3	2	33.3	3	23.1	314	28.0	8	27.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	15.4	189	16.8	10	34.5
MSM-IDU	1	4.3	1	5.9	0	0.0	0	0.0	45	4.0	1	3.4
Heterosexual contact	6	26.1	5	29.4	1	16.7	5	38.5	291	25.9	5	17.2
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	16	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	30	2.7	1	3.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	34.8	5	29.4	3	50.0	3	23.1	237	21.1	4	13.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	10	100.0	10	100.0	0	0.0	1	100.0	205	100.0	2	100.0
GENDER												
Men	6	60.0	6	60.0	0	0.0	0	0.0	143	69.8	1	50.0
Women	4	40.0	4	40.0	0	0.0	1	100.0	62	30.2	1	50.0
RACE/ETHNICITY												
Black	4	40.0	4	40.0	0	0.0	0	0.0	35	17.1	0	0.0
Latino/Hispanic	3	30.0	3	30.0	0	0.0	0	0.0	62	30.2	2	100.0
White	2	20.0	2	20.0	0	0.0	1	100.0	99	48.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	2.9	0	0.0
Other/Unknown	1	10.0	1	10.0	0	0.0	0	0.0	3	1.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
20-29	5	50.0	5	50.0	0	0.0	0	0.0	17	8.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	28	13.7	0	0.0
40-49	2	20.0	2	20.0	0	0.0	0	0.0	43	21.0	0	0.0
50-59	2	20.0	2	20.0	0	0.0	1	100.0	70	34.1	1	50.0
60+	1	10.0	1	10.0	0	0.0	0	0.0	45	22.0	1	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	4	40.0	4	40.0	0	0.0	0	0.0	73	35.6	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	31	15.1	1	50.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	5	2.4	0	0.0
Heterosexual contact	3	30.0	3	30.0	0	0.0	1	100.0	39	19.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	3	30.0	3	30.0	0	0.0	0	0.0	47	22.9	1	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2015 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2015, NEW YORK CITY**
Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2015						AIDS DIAGNOSES, 2015		PLWH AS OF 12/31/2015		DEATHS, 2015	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	18	100.0	17	94.4	1	5.6	8	100.0	415	100.0	7	100.0
GENDER												
Men	14	77.8	13	76.5	1	100.0	7	87.5	284	68.4	4	57.1
Women	4	22.2	4	23.5	0	0.0	1	12.5	131	31.6	3	42.9
RACE/ETHNICITY												
Black	4	22.2	4	23.5	0	0.0	2	25.0	75	18.1	1	14.3
Latino/Hispanic	7	38.9	7	41.2	0	0.0	1	12.5	106	25.5	2	28.6
White	6	33.3	5	29.4	1	100.0	5	62.5	229	55.2	4	57.1
Asian/Pacific Islander	1	5.6	1	5.9	0	0.0	0	0.0	4	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	12.5	2	0.5	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
20-29	10	55.6	10	58.8	0	0.0	2	25.0	20	4.8	0	0.0
30-39	6	33.3	6	35.3	0	0.0	1	12.5	34	8.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	106	25.5	0	0.0
50-59	1	5.6	1	5.9	0	0.0	3	37.5	166	40.0	5	71.4
60+	1	5.6	0	0.0	1	100.0	1	12.5	84	20.2	2	28.6
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	72.2	13	76.5	0	0.0	3	37.5	98	23.6	1	14.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	76	18.3	4	57.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	9	2.2	0	0.0
Heterosexual contact	2	11.1	2	11.8	0	0.0	1	12.5	104	25.1	1	14.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	2	25.0	13	3.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	3	16.7	2	11.8	1	100.0	2	25.0	110	26.5	1	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 17, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2015**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2015 NEW YORK CITY POPULATION ⁴
TOTAL	28.3	1.5	9.8	8,582,459
GENDER				
Men	47.7	2.2	9.7	4,090,925
Women	10.6	0.8	10.2	4,491,534
RACE/ETHNICITY				
Black	51.6	2.9	11.8	1,912,994
Latino/Hispanic	36.3	1.6	9.1	2,498,761
White	14.2	0.9	6.9	2,776,758
Asian/Pacific Islander	9.1	0.2	8.9	1,232,241
Native American	20.5*	1.5	16.1*	19,532
AGE GROUP (YEARS)				
0 - 12	0.2*	0.0	0.0*	1,329,590
13 - 19	12.0	0.1	0.0*	657,938
20 - 29	63.2	0.8	3.4	1,410,733
30 - 39	44.7	1.4	5.7	1,347,975
40 - 49	36.3	2.7	9.5	1,115,414
50 - 59	28.2	3.7	15.7	1,090,220
60+	8.5	1.5	29.6	1,630,589

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2015 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2015**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION^{1,2}	PLWH AS PERCENT OF POPULATION²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH³	2015 NEW YORK CITY POPULATION⁴
TOTAL	28.3	1.5	9.8	8,582,459
BRONX⁵	33.6	2.0	10.9	1,461,289
Crotona - Tremont	46.6	2.7	11.2	218,941
Fordham - Bronx Park	37.9	2.1	8.6	264,155
High Bridge - Morrisania	39.4	2.7	14.7	220,537
Hunts Point - Mott Haven	46.1	2.6	12.4	145,393
Kingsbridge - Riverdale	13.8	0.7	5.7*	94,400
Northeast Bronx	25.3	1.3	9.0	205,732
Pelham - Throgs Neck	22.4	1.4	8.6	312,132
BROOKLYN⁵	24.0	1.1	9.9	2,643,546
Bedford Stuyvesant - Crown Heights	50.7	2.3	12.7	335,157
Bensonhurst - Bay Ridge	5.2	0.3	3.6*	210,609
Borough Park	7.5	0.3	9.3	347,171
Canarsie - Flatlands	21.0	0.8	7.6	209,813
Coney Island - Sheepshead Bay	8.6	0.4	6.8	291,375
Downtown - Heights - Park Slope	16.4	1.1	9.8	255,962
East Flatbush - Flatbush	29.6	1.7	7.3	307,626
East New York	42.2	1.8	11.6	189,706
Greenpoint	18.1	0.6	7.8*	137,784
Sunset Park	18.1	0.6	7.2*	132,572
Williamsburg - Bushwick	42.1	1.7	11.7	225,771
MANHATTAN⁵	33.2	1.9	6.7	1,641,385
Central Harlem - Morningside Heights	48.0	2.6	10.3	181,225
Chelsea - Clinton	59.5	4.3	4.1	156,373
East Harlem	50.6	2.6	13.9	114,646
Gramercy Park - Murray Hill	23.0	1.5	3.7	130,692
Greenwich Village - Soho	38.0	2.3	3.7	84,240
Lower Manhattan	31.8	1.0	3.7*	59,673
Union Square - Lower East Side	18.9	1.6	7.5	195,696
Upper East Side	17.0	0.6	4.9	223,500
Upper West Side	17.3	1.4	8.1	220,234
Washington Heights - Inwood	40.7	1.6	5.9	275,108
QUEENS⁵	18.0	0.8	6.5	2,356,543
Bayside - Little Neck	0.0*	0.2	0.0*	90,737
Flushing - Clearview	8.8	0.3	5.6*	262,173
Fresh Meadows	8.8*	0.3	6.7*	102,117
Jamaica	23.0	1.0	10.2	321,987
Long Island City - Astoria	26.3	1.0	4.2*	216,368
Ridgewood - Forest Hills	13.2	0.5	7.1	257,045
Rockaway	16.8	1.0	14.9	124,889
Southeast Queens	12.3	0.6	7.5	210,538
Southwest Queens	14.9	0.6	7.0	295,115
West Queens	28.2	1.2	3.4	475,574
STATEN ISLAND⁵	12.8	0.5	12.1	475,313
Port Richmond	14.9*	0.9	2.3*	67,331
South Beach - Tottenville	9.2	0.2	8.3*	195,419
Stapleton - St. George	18.6	0.9	19.5	123,938
Willowbrook	11.3*	0.2	5.7*	88,626

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Rates calculated using DOHMH 2015 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.⁴Population from DOHMH NYC intercensal estimates.⁵Borough-level data include people residing in unknown UHF neighborhoods.