

LIST OF ANNUAL TABLES

Click on each title below to reach the corresponding table

TABLES 1.1-1.11.4 REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 AND REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.1	New York City (All)	Table 1.7.4	Pelham – Throgs Neck
	By Gender	Table 1.7.5	Crotona – Tremont
Table 1.2.1	Men	Table 1.7.6	High Bridge – Morrisania
Table 1.2.2	Women	Table 1.7.7	Hunts Point – Mott Haven
	By Race/Ethnicity		By UHF Neighborhood: Brooklyn
Table 1.3.1	Black Men	Table 1.8.1	Greenpoint
Table 1.3.2	Black Women	Table 1.8.2	Downtown – Heights – Park Slope
Table 1.3.3	Latino/Hispanic Men	Table 1.8.3	Bedford Stuyvesant – Crown Heights
Table 1.3.4	Latina/Hispanic Women	Table 1.8.4	East New York
Table 1.3.5	White Men	Table 1.8.5	Sunset Park
Table 1.3.6	White Women	Table 1.8.6	Borough Park
Table 1.3.7	Asian/Pacific Islander Men	Table 1.8.7	East Flatbush – Flatbush
Table 1.3.8	Asian/Pacific Islander Women	Table 1.8.8	Canarsie – Flatlands
Table 1.3.9	Native American Men	Table 1.8.9	Bensonhurst – Bay Ridge
Table 1.3.10	Native American Women	Table 1.8.10	Coney Island – Sheepshead Bay
	By Age	Table 1.8.11	Williamsburg – Bushwick
Table 1.4.1	Boys 0-12 years		By UHF Neighborhood: Manhattan
Table 1.4.2	Girls 0-12 years	Table 1.9.1	Washington Heights – Inwood
Table 1.4.3	Men 13+ years	Table 1.9.2	Central Harlem – Morningside Heights
Table 1.4.4	Women 13+ years	Table 1.9.3	East Harlem
	By Borough	Table 1.9.4	Upper West Side
Table 1.5.1	Bronx, Men	Table 1.9.5	Upper East Side
Table 1.5.2	Bronx, Women	Table 1.9.6	Chelsea – Clinton
Table 1.5.3	Brooklyn, Men	Table 1.9.7	Gramercy Park – Murray Hill
Table 1.5.4	Brooklyn, Women	Table 1.9.8	Greenwich Village – Soho
Table 1.5.5	Manhattan, Men	Table 1.9.9	Union Square – Lower East Side
Table 1.5.6	Manhattan, Women	Table 1.9.10	Lower Manhattan
Table 1.5.7	Queens, Men		By UHF Neighborhood: Queens
Table 1.5.8	Queens, Women	Table 1.10.1	Long Island City – Astoria
Table 1.5.9	Staten Island, Men	Table 1.10.2	West Queens
Table 1.5.10	Staten Island, Women	Table 1.10.3	Flushing – Clearview
	By Transmission Risk	Table 1.10.4	Bayside – Little Neck
Table 1.6.1	Men who have sex with men (MSM)	Table 1.10.5	Ridgewood – Forest Hills
Table 1.6.2	Injection drug use history (IDU), Men	Table 1.10.6	Fresh Meadows
Table 1.6.3	Injection drug use history (IDU), Women	Table 1.10.7	Southwest Queens
Table 1.6.4	MSM and IDU	Table 1.10.8	Jamaica
Table 1.6.5	Heterosexual contact, Men	Table 1.10.9	Southeast Queens
Table 1.6.6	Heterosexual contact, Women	Table 1.10.10	Rockaway
Table 1.6.7	Transgender people with sexual contact		By UHF Neighborhood: Staten Island
	By UHF Neighborhood: Bronx	Table 1.11.1	Port Richmond
Table 1.7.1	Kingsbridge – Riverdale	Table 1.11.2	Stapleton – St. George
Table 1.7.2	Northeast Bronx	Table 1.11.3	Willowbrook
Table 1.7.3	Fordham – Bronx Park	Table 1.11.4	South Beach – Tottenville

TABLES 2.1-2.2 RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017

Table 2.1	Overall and by gender, age, and race/ethnicity	Table 2.2	Overall and by borough and UHF neighborhood of residence
-----------	--	-----------	--

Please refer to <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page> for a glossary of terms.

Suggested citation: New York City HIV/AIDS Annual Surveillance Statistics. New York: New York City Department of Health and Mental Hygiene, 2019. Accessed [access date] at <http://www1.nyc.gov/site/doh/data/data-sets/hiv-aids-annual-surveillance-statistics.page>.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.1. New York City (All)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses N	%	Without AIDS N	%	Concurrent with AIDS diagnoses N	%	N	%	N	%	N	%
TOTAL	2,092	100.0	1,734	82.9	358	17.1	1,306	100.0	126,742	100.0	1,759	100.0
GENDER												
Men	1,655	79.1	1,379	79.5	276	77.1	945	72.4	91,502	72.2	1,246	70.8
Women	377	18.0	301	17.4	76	21.2	329	25.2	33,381	26.3	491	27.9
Transgender	60	2.9	54	3.1	6	1.7	32	2.5	1,859	1.5	22	1.3
RACE/ETHNICITY												
Black	879	42.0	714	41.2	165	46.1	636	48.7	55,169	43.5	904	51.4
Latino/Hispanic	763	36.5	646	37.3	117	32.7	415	31.8	41,640	32.9	548	31.2
White	301	14.4	259	14.9	42	11.7	179	13.7	26,042	20.5	274	15.6
Asian/Pacific Islander	123	5.9	96	5.5	27	7.5	63	4.8	2,909	2.3	21	1.2
Native American	9	0.4	6	0.3	3	0.8	5	0.4	302	0.2	8	0.5
Multiracial	17	0.8	13	0.7	4	1.1	8	0.6	352	0.3	4	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	328	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	4	0.2	3	0.2	1	0.3	1	0.1	91	0.1	0	0.0
13-19	78	3.7	74	4.3	4	1.1	18	1.4	469	0.4	0	0.0
20-29	787	37.6	716	41.3	71	19.8	228	17.5	9,739	7.7	41	2.3
30-39	577	27.6	469	27.0	108	30.2	345	26.4	19,458	15.4	121	6.9
40-49	296	14.1	230	13.3	66	18.4	246	18.8	26,144	20.6	229	13.0
50-59	225	10.8	148	8.5	77	21.5	298	22.8	40,904	32.3	579	32.9
60+	125	6.0	94	5.4	31	8.7	170	13.0	29,937	23.6	789	44.9
BOROUGH OF RESIDENCE												
Bronx	453	21.7	378	21.8	75	20.9	320	24.5	30,250	23.9	440	25.0
Brooklyn	617	29.5	494	28.5	123	34.4	356	27.3	30,052	23.7	404	23.0
Manhattan	386	18.5	326	18.8	60	16.8	217	16.6	32,487	25.6	299	17.0
Queens	393	18.8	322	18.6	71	19.8	176	13.5	18,399	14.5	147	8.4
Staten Island	40	1.9	31	1.8	9	2.5	29	2.2	2,440	1.9	41	2.3
Outside NYC	161	7.7	141	8.1	20	5.6	175	13.4	12,266	9.7	72	4.1
Unknown	42	2.0	42	2.4	0	0.0	33	2.5	848	0.7	356	20.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	166	7.9	146	8.4	20	5.6	80	6.1	10,949	8.6	111	6.3
Medium poverty (10 to <20% below FPL)	687	32.8	552	31.8	135	37.7	363	27.8	41,765	33.0	345	19.6
High poverty (20 to <30% below FPL)	561	26.8	458	26.4	103	28.8	310	23.7	28,528	22.5	389	22.1
Very high poverty (≥30% below FPL)	473	22.6	394	22.7	79	22.1	341	26.1	31,025	24.5	486	27.6
Area-based poverty level not available	205	9.8	184	10.6	21	5.9	212	16.2	14,475	11.4	428	24.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,226	58.6	1,051	60.6	175	48.9	534	40.9	52,211	41.2	422	24.0
Injection drug use history (IDU)	32	1.5	26	1.5	6	1.7	83	6.4	15,250	12.0	448	25.5
MSM-IDU	23	1.1	23	1.3	0	0.0	31	2.4	3,163	2.5	68	3.9
Heterosexual sexual contact	371	17.7	299	17.2	72	20.1	276	21.1	24,838	19.6	345	19.6
Transgender people with sexual contact	54	2.6	48	2.8	6	1.7	29	2.2	1,583	1.2	13	0.7
Perinatal	3	0.1	3	0.2	0	0.0	24	1.8	2,549	2.0	22	1.3
Other	2	0.1	1	0.1	1	0.3	1	0.1	193	0.2	4	0.2
Unknown	381	18.2	283	16.3	98	27.4	328	25.1	26,955	21.3	437	24.8

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.2.1. Men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,656	100.0	1,380	83.3	276	16.7	945	100.0	91,528	100.0	1,246	100.0
RACE/ETHNICITY												
Black	615	37.1	507	36.7	108	39.1	410	43.4	34,780	38.0	592	47.5
Latino/Hispanic	643	38.8	542	39.3	101	36.6	314	33.2	30,101	32.9	382	30.7
White	271	16.4	235	17.0	36	13.0	155	16.4	23,475	25.6	247	19.8
Asian/Pacific Islander	106	6.4	80	5.8	26	9.4	56	5.9	2,420	2.6	18	1.4
Native American	7	0.4	5	0.4	2	0.7	4	0.4	224	0.2	4	0.3
Multiracial	14	0.8	11	0.8	3	1.1	6	0.6	276	0.3	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.1	1	0.1	0	0.0	0	0.0	47	0.1	0	0.0
13-19	61	3.7	58	4.2	3	1.1	12	1.3	261	0.3	0	0.0
20-29	686	41.4	621	45.0	65	23.6	185	19.6	7,417	8.1	32	2.6
30-39	468	28.3	383	27.8	85	30.8	255	27.0	14,947	16.3	84	6.7
40-49	214	12.9	167	12.1	47	17.0	182	19.3	18,391	20.1	155	12.4
50-59	149	9.0	96	7.0	53	19.2	192	20.3	28,866	31.5	381	30.6
60+	77	4.6	54	3.9	23	8.3	119	12.6	21,599	23.6	594	47.7
BOROUGH OF RESIDENCE												
Bronx	323	19.5	270	19.6	53	19.2	220	23.3	18,759	20.5	300	24.1
Brooklyn	475	28.7	385	27.9	90	32.6	246	26.0	19,893	21.7	265	21.3
Manhattan	335	20.2	285	20.7	50	18.1	173	18.3	27,245	29.8	230	18.5
Queens	322	19.4	262	19.0	60	21.7	142	15.0	13,495	14.7	107	8.6
Staten Island	27	1.6	20	1.4	7	2.5	21	2.2	1,580	1.7	28	2.2
Outside NYC	137	8.3	121	8.8	16	5.8	124	13.1	9,917	10.8	50	4.0
Unknown	37	2.2	37	2.7	0	0.0	19	2.0	639	0.7	266	21.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	131	7.9	116	8.4	15	5.4	58	6.1	8,685	9.5	88	7.1
Medium poverty (10 to <20% below FPL)	550	33.2	445	32.2	105	38.0	286	30.3	31,730	34.7	252	20.2
High poverty (20 to <30% below FPL)	451	27.2	370	26.8	81	29.3	230	24.3	19,869	21.7	266	21.3
Very high poverty (≥30% below FPL)	348	21.0	290	21.0	58	21.0	225	23.8	19,622	21.4	324	26.0
Area-based poverty level not available	176	10.6	159	11.5	17	6.2	146	15.4	11,622	12.7	316	25.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,226	74.0	1,051	76.2	175	63.4	534	56.5	52,211	57.0	422	33.9
Injection drug use history (IDU)	21	1.3	16	1.2	5	1.8	54	5.7	9,907	10.8	301	24.2
MSM-IDU	23	1.4	23	1.7	0	0.0	31	3.3	3,163	3.5	68	5.5
Heterosexual contact	77	4.6	56	4.1	21	7.6	68	7.2	6,100	6.7	111	8.9
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	16	0.0	0	0.0
Perinatal	1	0.1	1	0.1	0	0.0	12	1.3	1,247	1.4	11	0.9
Other	1	0.1	1	0.1	0	0.0	0	0.0	104	0.1	3	0.2
Unknown	306	18.5	231	16.7	75	27.2	246	26.0	18,780	20.5	330	26.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.2.2. Women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	436	100.0	354	81.2	82	18.8	361	100.0	35,214	100.0	513	100.0
RACE/ETHNICITY												
Black	264	60.6	207	58.5	57	69.5	226	62.6	20,389	57.9	312	60.8
Latino/Hispanic	120	27.5	104	29.4	16	19.5	101	28.0	11,539	32.8	166	32.4
White	30	6.9	24	6.8	6	7.3	24	6.6	2,567	7.3	27	5.3
Asian/Pacific Islander	17	3.9	16	4.5	1	1.2	7	1.9	489	1.4	3	0.6
Native American	2	0.5	1	0.3	1	1.2	1	0.3	78	0.2	4	0.8
Multiracial	3	0.7	2	0.6	1	1.2	2	0.6	76	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	3	0.7	2	0.6	1	1.2	1	0.3	44	0.1	0	0.0
13-19	17	3.9	16	4.5	1	1.2	6	1.7	208	0.6	0	0.0
20-29	101	23.2	95	26.8	6	7.3	43	11.9	2,322	6.6	9	1.8
30-39	109	25.0	86	24.3	23	28.0	90	24.9	4,511	12.8	37	7.2
40-49	82	18.8	63	17.8	19	23.2	64	17.7	7,753	22.0	74	14.4
50-59	76	17.4	52	14.7	24	29.3	106	29.4	12,038	34.2	198	38.6
60+	48	11.0	40	11.3	8	9.8	51	14.1	8,338	23.7	195	38.0
BOROUGH OF RESIDENCE												
Bronx	130	29.8	108	30.5	22	26.8	100	27.7	11,491	32.6	140	27.3
Brooklyn	142	32.6	109	30.8	33	40.2	110	30.5	10,159	28.8	139	27.1
Manhattan	51	11.7	41	11.6	10	12.2	44	12.2	5,242	14.9	69	13.5
Queens	71	16.3	60	16.9	11	13.4	34	9.4	4,904	13.9	40	7.8
Staten Island	13	3.0	11	3.1	2	2.4	8	2.2	860	2.4	13	2.5
Outside NYC	24	5.5	20	5.6	4	4.9	51	14.1	2,349	6.7	22	4.3
Unknown	5	1.1	5	1.4	0	0.0	14	3.9	209	0.6	90	17.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	35	8.0	30	8.5	5	6.1	22	6.1	2,264	6.4	23	4.5
Medium poverty (10 to <20% below FPL)	137	31.4	107	30.2	30	36.6	77	21.3	10,035	28.5	93	18.1
High poverty (20 to <30% below FPL)	110	25.2	88	24.9	22	26.8	80	22.2	8,659	24.6	123	24.0
Very high poverty (≥30% below FPL)	125	28.7	104	29.4	21	25.6	116	32.1	11,403	32.4	162	31.6
Area-based poverty level not available	29	6.7	25	7.1	4	4.9	66	18.3	2,853	8.1	112	21.8
TRANSMISSION RISK												
Injection drug use history (IDU)	11	2.5	10	2.8	1	1.2	29	8.0	5,343	15.2	147	28.7
Heterosexual contact	294	67.4	243	68.6	51	62.2	208	57.6	18,738	53.2	234	45.6
Transgender people with sexual contact	53	12.2	47	13.3	6	7.3	29	8.0	1,567	4.4	13	2.5
Perinatal	2	0.5	2	0.6	0	0.0	12	3.3	1,302	3.7	11	2.1
Other	1	0.2	0	0.0	1	1.2	1	0.3	89	0.3	1	0.2
Unknown	75	17.2	52	14.7	23	28.0	82	22.7	8,175	23.2	107	20.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.3.1. Black men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	615	100.0	507	82.4	108	17.6	410	100.0	34,780	100.0	592	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	31	0.1	0	0.0
13-19	32	5.2	31	6.1	1	0.9	6	1.5	154	0.4	0	0.0
20-29	271	44.1	251	49.5	20	18.5	75	18.3	3,573	10.3	22	3.7
30-39	133	21.6	104	20.5	29	26.9	98	23.9	5,853	16.8	40	6.8
40-49	75	12.2	57	11.2	18	16.7	73	17.8	6,287	18.1	63	10.6
50-59	62	10.1	35	6.9	27	25.0	99	24.1	10,451	30.0	170	28.7
60+	42	6.8	29	5.7	13	12.0	59	14.4	8,431	24.2	297	50.2
BOROUGH OF RESIDENCE												
Bronx	128	20.8	105	20.7	23	21.3	110	26.8	8,454	24.3	143	24.2
Brooklyn	239	38.9	186	36.7	53	49.1	130	31.7	11,074	31.8	165	27.9
Manhattan	95	15.4	80	15.8	15	13.9	61	14.9	7,120	20.5	78	13.2
Queens	80	13.0	72	14.2	8	7.4	36	8.8	4,349	12.5	51	8.6
Staten Island	10	1.6	7	1.4	3	2.8	11	2.7	554	1.6	12	2.0
Outside NYC	52	8.5	46	9.1	6	5.6	56	13.7	3,037	8.7	24	4.1
Unknown	11	1.8	11	2.2	0	0.0	6	1.5	192	0.6	119	20.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	43	7.0	39	7.7	4	3.7	18	4.4	2,078	6.0	26	4.4
Medium poverty (10 to <20% below FPL)	194	31.5	159	31.4	35	32.4	105	25.6	11,080	31.9	127	21.5
High poverty (20 to <30% below FPL)	181	29.4	143	28.2	38	35.2	111	27.1	8,618	24.8	135	22.8
Very high poverty (≥30% below FPL)	134	21.8	109	21.5	25	23.1	113	27.6	9,372	26.9	161	27.2
Area-based poverty level not available	63	10.2	57	11.2	6	5.6	63	15.4	3,632	10.4	143	24.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	386	62.8	336	66.3	50	46.3	201	49.0	16,035	46.1	168	28.4
Injection drug use history (IDU)	6	1.0	4	0.8	2	1.9	15	3.7	3,967	11.4	134	22.6
MSM-IDU	8	1.3	8	1.6	0	0.0	9	2.2	1,103	3.2	34	5.7
Heterosexual contact	37	6.0	25	4.9	12	11.1	39	9.5	3,306	9.5	63	10.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	12	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	5	1.2	696	2.0	9	1.5
Other	1	0.2	1	0.2	0	0.0	0	0.0	32	0.1	1	0.2
Unknown	177	28.8	133	26.2	44	40.7	141	34.4	9,629	27.7	183	30.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.2. Black women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	264	100.0	207	78.4	57	21.6	226	100.0	20,389	100.0	312	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	18	0.1	0	0.0
13-19	10	3.8	9	4.3	1	1.8	5	2.2	132	0.6	0	0.0
20-29	61	23.1	56	27.1	5	8.8	29	12.8	1,370	6.7	6	1.9
30-39	64	24.2	48	23.2	16	28.1	50	22.1	2,743	13.5	23	7.4
40-49	52	19.7	39	18.8	13	22.8	41	18.1	4,623	22.7	49	15.7
50-59	46	17.4	28	13.5	18	31.6	71	31.4	6,854	33.6	119	38.1
60+	31	11.7	27	13.0	4	7.0	30	13.3	4,649	22.8	115	36.9
BOROUGH OF RESIDENCE												
Bronx	86	32.6	68	32.9	18	31.6	63	27.9	5,929	29.1	69	22.1
Brooklyn	94	35.6	72	34.8	22	38.6	74	32.7	7,061	34.6	94	30.1
Manhattan	21	8.0	15	7.2	6	10.5	29	12.8	2,851	14.0	47	15.1
Queens	35	13.3	29	14.0	6	10.5	19	8.4	2,755	13.5	28	9.0
Staten Island	10	3.8	8	3.9	2	3.5	4	1.8	422	2.1	6	1.9
Outside NYC	14	5.3	11	5.3	3	5.3	31	13.7	1,248	6.1	13	4.2
Unknown	4	1.5	4	1.9	0	0.0	6	2.7	123	0.6	55	17.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	16	6.1	12	5.8	4	7.0	14	6.2	1,308	6.4	16	5.1
Medium poverty (10 to <20% below FPL)	89	33.7	68	32.9	21	36.8	51	22.6	6,113	30.0	59	18.9
High poverty (20 to <30% below FPL)	62	23.5	47	22.7	15	26.3	50	22.1	5,131	25.2	77	24.7
Very high poverty (≥30% below FPL)	79	29.9	65	31.4	14	24.6	73	32.3	6,302	30.9	92	29.5
Area-based poverty level not available	18	6.8	15	7.2	3	5.3	38	16.8	1,535	7.5	68	21.8
TRANSMISSION RISK												
Injection drug use history (IDU)	6	2.3	5	2.4	1	1.8	15	6.6	2,526	12.4	67	21.5
Heterosexual contact	183	69.3	146	70.5	37	64.9	133	58.8	11,114	54.5	158	50.6
Transgender people with sexual contact	24	9.1	19	9.2	5	8.8	13	5.8	794	3.9	5	1.6
Perinatal	0	0.0	0	0.0	0	0.0	9	4.0	752	3.7	7	2.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	47	0.2	0	0.0
Unknown	51	19.3	37	17.9	14	24.6	56	24.8	5,156	25.3	75	24.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.3. Latino/Hispanic men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses N	%	Without AIDS N	%	Concurrent with AIDS diagnoses N	%	N	%	N	%	N	%
TOTAL	643	100.0	542	84.3	101	15.7	314	100.0	30,101	100.0	382	100.0
AGE GROUP (YEARS)												
0-12	1	0.2	1	0.2	0	0.0	0	0.0	13	0.0	0	0.0
13-19	24	3.7	22	4.1	2	2.0	6	1.9	85	0.3	0	0.0
20-29	261	40.6	234	43.2	27	26.7	77	24.5	2,531	8.4	8	2.1
30-39	214	33.3	172	31.7	42	41.6	97	30.9	5,308	17.6	25	6.5
40-49	85	13.2	68	12.5	17	16.8	59	18.8	6,569	21.8	57	14.9
50-59	42	6.5	34	6.3	8	7.9	44	14.0	9,243	30.7	126	33.0
60+	16	2.5	11	2.0	5	5.0	31	9.9	6,352	21.1	166	43.5
BOROUGH OF RESIDENCE												
Bronx	176	27.4	149	27.5	27	26.7	97	30.9	8,982	29.8	142	37.2
Brooklyn	128	19.9	105	19.4	23	22.8	65	20.7	4,903	16.3	74	19.4
Manhattan	113	17.6	94	17.3	19	18.8	53	16.9	7,623	25.3	68	17.8
Queens	158	24.6	132	24.4	26	25.7	57	18.2	5,719	19.0	27	7.1
Staten Island	7	1.1	5	0.9	2	2.0	5	1.6	456	1.5	5	1.3
Outside NYC	48	7.5	44	8.1	4	4.0	30	9.6	2,153	7.2	11	2.9
Unknown	13	2.0	13	2.4	0	0.0	7	2.2	265	0.9	55	14.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	32	5.0	27	5.0	5	5.0	11	3.5	1,927	6.4	16	4.2
Medium poverty (10 to <20% below FPL)	189	29.4	156	28.8	33	32.7	84	26.8	9,775	32.5	63	16.5
High poverty (20 to <30% below FPL)	184	28.6	150	27.7	34	33.7	90	28.7	7,081	23.5	94	24.6
Very high poverty (≥30% below FPL)	176	27.4	151	27.9	25	24.8	92	29.3	8,559	28.4	143	37.4
Area-based poverty level not available	62	9.6	58	10.7	4	4.0	37	11.8	2,759	9.2	66	17.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	519	80.7	443	81.7	76	75.2	179	57.0	15,945	53.0	97	25.4
Injection drug use history (IDU)	8	1.2	6	1.1	2	2.0	30	9.6	4,709	15.6	134	35.1
MSM-IDU	7	1.1	7	1.3	0	0.0	13	4.1	1,228	4.1	16	4.2
Heterosexual contact	27	4.2	21	3.9	6	5.9	23	7.3	2,060	6.8	40	10.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	1	0.2	1	0.2	0	0.0	6	1.9	456	1.5	2	0.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	22	0.1	1	0.3
Unknown	81	12.6	64	11.8	17	16.8	63	20.1	5,680	18.9	92	24.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.4. Latina/Hispanic women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	120	100.0	104	86.7	16	13.3	101	100.0	11,539	100.0	166	100.0
AGE GROUP (YEARS)												
0-12	1	0.8	0	0.0	1	6.3	1	1.0	20	0.2	0	0.0
13-19	7	5.8	7	6.7	0	0.0	1	1.0	63	0.5	0	0.0
20-29	24	20.0	23	22.1	1	6.3	11	10.9	773	6.7	2	1.2
30-39	35	29.2	30	28.8	5	31.3	32	31.7	1,351	11.7	14	8.4
40-49	20	16.7	16	15.4	4	25.0	16	15.8	2,449	21.2	21	12.7
50-59	23	19.2	20	19.2	3	18.8	25	24.8	4,035	35.0	61	36.7
60+	10	8.3	8	7.7	2	12.5	15	14.9	2,848	24.7	68	41.0
BOROUGH OF RESIDENCE												
Bronx	42	35.0	38	36.5	4	25.0	35	34.7	5,099	44.2	64	38.6
Brooklyn	28	23.3	23	22.1	5	31.3	26	25.7	2,342	20.3	36	21.7
Manhattan	19	15.8	16	15.4	3	18.8	12	11.9	1,768	15.3	21	12.7
Queens	22	18.3	19	18.3	3	18.8	7	6.9	1,468	12.7	8	4.8
Staten Island	2	1.7	2	1.9	0	0.0	2	2.0	235	2.0	6	3.6
Outside NYC	7	5.8	6	5.8	1	6.3	14	13.9	569	4.9	8	4.8
Unknown	0	0.0	0	0.0	0	0.0	5	5.0	58	0.5	23	13.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	7.5	9	8.7	0	0.0	3	3.0	473	4.1	3	1.8
Medium poverty (10 to <20% below FPL)	25	20.8	21	20.2	4	25.0	16	15.8	2,762	23.9	28	16.9
High poverty (20 to <30% below FPL)	38	31.7	32	30.8	6	37.5	25	24.8	2,947	25.5	42	25.3
Very high poverty (≥30% below FPL)	41	34.2	36	34.6	5	31.3	38	37.6	4,664	40.4	62	37.3
Area-based poverty level not available	7	5.8	6	5.8	1	6.3	19	18.8	693	6.0	31	18.7
TRANSMISSION RISK												
Injection drug use history (IDU)	2	1.7	2	1.9	0	0.0	14	13.9	2,163	18.7	67	40.4
Heterosexual contact	80	66.7	70	67.3	10	62.5	52	51.5	6,024	52.2	63	38.0
Transgender people with sexual contact	21	17.5	20	19.2	1	6.3	14	13.9	617	5.3	8	4.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.0	464	4.0	2	1.2
Other	1	0.8	0	0.0	1	6.3	1	1.0	23	0.2	1	0.6
Unknown	16	13.3	12	11.5	4	25.0	18	17.8	2,248	19.5	25	15.1

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.5. White men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	271	100.0	235	86.7	36	13.3	155	100.0	23,475	100.0	247	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	2	0.7	2	0.9	0	0.0	0	0.0	15	0.1	0	0.0
20-29	104	38.4	96	40.9	8	22.2	14	9.0	926	3.9	2	0.8
30-39	86	31.7	80	34.0	6	16.7	41	26.5	3,111	13.3	15	6.1
40-49	33	12.2	28	11.9	5	13.9	37	23.9	4,741	20.2	29	11.7
50-59	31	11.4	18	7.7	13	36.1	38	24.5	8,337	35.5	79	32.0
60+	15	5.5	11	4.7	4	11.1	25	16.1	6,344	27.0	122	49.4
BOROUGH OF RESIDENCE												
Bronx	16	5.9	13	5.5	3	8.3	8	5.2	1,065	4.5	12	4.9
Brooklyn	80	29.5	72	30.6	8	22.2	40	25.8	3,370	14.4	22	8.9
Manhattan	101	37.3	87	37.0	14	38.9	52	33.5	11,474	48.9	79	32.0
Queens	28	10.3	23	9.8	5	13.9	19	12.3	2,480	10.6	25	10.1
Staten Island	8	3.0	7	3.0	1	2.8	4	2.6	531	2.3	10	4.0
Outside NYC	27	10.0	22	9.4	5	13.9	26	16.8	4,418	18.8	15	6.1
Unknown	11	4.1	11	4.7	0	0.0	6	3.9	137	0.6	84	34.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	45	16.6	40	17.0	5	13.9	25	16.1	4,301	18.3	45	18.2
Medium poverty (10 to <20% below FPL)	101	37.3	84	35.7	17	47.2	62	40.0	9,446	40.2	57	23.1
High poverty (20 to <30% below FPL)	62	22.9	58	24.7	4	11.1	21	13.5	3,555	15.1	29	11.7
Very high poverty (≥30% below FPL)	24	8.9	20	8.5	4	11.1	13	8.4	1,373	5.8	17	6.9
Area-based poverty level not available	39	14.4	33	14.0	6	16.7	34	21.9	4,800	20.4	99	40.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	226	83.4	200	85.1	26	72.2	109	70.3	18,225	77.6	145	58.7
Injection drug use history (IDU)	5	1.8	4	1.7	1	2.8	9	5.8	1,147	4.9	32	13.0
MSM-IDU	8	3.0	8	3.4	0	0.0	8	5.2	772	3.3	17	6.9
Heterosexual contact	5	1.8	5	2.1	0	0.0	3	1.9	520	2.2	6	2.4
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	72	0.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	45	0.2	0	0.0
Unknown	27	10.0	18	7.7	9	25.0	26	16.8	2,692	11.5	47	19.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.6. White women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	24	80.0	6	20.0	24	100.0	2,567	100.0	27	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	12	0.5	0	0.0
20-29	10	33.3	10	41.7	0	0.0	1	4.2	125	4.9	1	3.7
30-39	5	16.7	4	16.7	1	16.7	7	29.2	281	10.9	0	0.0
40-49	6	20.0	4	16.7	2	33.3	4	16.7	498	19.4	3	11.1
50-59	6	20.0	4	16.7	2	33.3	8	33.3	943	36.7	13	48.1
60+	3	10.0	2	8.3	1	16.7	4	16.7	706	27.5	10	37.0
BOROUGH OF RESIDENCE												
Bronx	2	6.7	2	8.3	0	0.0	1	4.2	359	14.0	6	22.2
Brooklyn	15	50.0	10	41.7	5	83.3	8	33.3	570	22.2	5	18.5
Manhattan	7	23.3	6	25.0	1	16.7	3	12.5	518	20.2	0	0.0
Queens	3	10.0	3	12.5	0	0.0	2	8.3	433	16.9	3	11.1
Staten Island	1	3.3	1	4.2	0	0.0	2	8.3	190	7.4	1	3.7
Outside NYC	1	3.3	1	4.2	0	0.0	5	20.8	481	18.7	1	3.7
Unknown	1	3.3	1	4.2	0	0.0	3	12.5	16	0.6	11	40.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	13.3	4	16.7	0	0.0	3	12.5	421	16.4	4	14.8
Medium poverty (10 to <20% below FPL)	15	50.0	11	45.8	4	66.7	7	29.2	853	33.2	5	18.5
High poverty (20 to <30% below FPL)	6	20.0	5	20.8	1	16.7	4	16.7	449	17.5	1	3.7
Very high poverty (≥30% below FPL)	3	10.0	2	8.3	1	16.7	2	8.3	316	12.3	5	18.5
Area-based poverty level not available	2	6.7	2	8.3	0	0.0	8	33.3	528	20.6	12	44.4
TRANSMISSION RISK												
Injection drug use history (IDU)	3	10.0	3	12.5	0	0.0	0	0.0	618	24.1	10	37.0
Heterosexual contact	20	66.7	18	75.0	2	33.3	15	62.5	1,207	47.0	9	33.3
Transgender people with sexual contact	1	3.3	1	4.2	0	0.0	2	8.3	100	3.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	4.2	70	2.7	2	7.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.6	0	0.0
Unknown	6	20.0	2	8.3	4	66.7	6	25.0	556	21.7	6	22.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.7. Asian/Pacific Islander men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	106	100.0	80	75.5	26	24.5	56	100.0	2,420	100.0	18	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
13-19	2	1.9	2	2.5	0	0.0	0	0.0	5	0.2	0	0.0
20-29	39	36.8	31	38.8	8	30.8	15	26.8	286	11.8	0	0.0
30-39	30	28.3	23	28.8	7	26.9	16	28.6	532	22.0	3	16.7
40-49	20	18.9	13	16.3	7	26.9	13	23.2	660	27.3	4	22.2
50-59	11	10.4	8	10.0	3	11.5	8	14.3	612	25.3	4	22.2
60+	4	3.8	3	3.8	1	3.8	4	7.1	323	13.3	7	38.9
BOROUGH OF RESIDENCE												
Bronx	2	1.9	2	2.5	0	0.0	3	5.4	155	6.4	1	5.6
Brooklyn	20	18.9	16	20.0	4	15.4	9	16.1	418	17.3	4	22.2
Manhattan	19	17.9	18	22.5	1	3.8	6	10.7	742	30.7	3	16.7
Queens	54	50.9	34	42.5	20	76.9	28	50.0	833	34.4	3	16.7
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	23	1.0	0	0.0
Outside NYC	10	9.4	9	11.3	1	3.8	10	17.9	212	8.8	0	0.0
Unknown	1	0.9	1	1.3	0	0.0	0	0.0	37	1.5	7	38.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	10	9.4	9	11.3	1	3.8	4	7.1	303	12.5	0	0.0
Medium poverty (10 to <20% below FPL)	58	54.7	39	48.8	19	73.1	32	57.1	1,160	47.9	4	22.2
High poverty (20 to <30% below FPL)	19	17.9	16	20.0	3	11.5	6	10.7	479	19.8	6	33.3
Very high poverty (≥30% below FPL)	8	7.5	6	7.5	2	7.7	4	7.1	207	8.6	1	5.6
Area-based poverty level not available	11	10.4	10	12.5	1	3.8	10	17.9	271	11.2	7	38.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	79	74.5	57	71.3	22	84.6	40	71.4	1,625	67.1	8	44.4
Injection drug use history (IDU)	2	1.9	2	2.5	0	0.0	0	0.0	56	2.3	1	5.6
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.8	43	1.8	0	0.0
Heterosexual contact	7	6.6	5	6.3	2	7.7	2	3.6	185	7.6	2	11.1
Transgender people with sexual contact	1	0.9	1	1.3	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	12	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	1	5.6
Unknown	17	16.0	15	18.8	2	7.7	12	21.4	495	20.5	6	33.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.8. Asian/Pacific Islander women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	16	94.1	1	5.9	7	100.0	489	100.0	3	100.0
AGE GROUP (YEARS)												
0-12	2	11.8	2	12.5	0	0.0	0	0.0	2	0.4	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
20-29	4	23.5	4	25.0	0	0.0	2	28.6	31	6.3	0	0.0
30-39	4	23.5	4	25.0	0	0.0	0	0.0	100	20.4	0	0.0
40-49	4	23.5	4	25.0	0	0.0	3	42.9	129	26.4	1	33.3
50-59	1	5.9	0	0.0	1	100.0	1	14.3	135	27.6	1	33.3
60+	2	11.8	2	12.5	0	0.0	1	14.3	91	18.6	1	33.3
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	49	10.0	0	0.0
Brooklyn	3	17.6	3	18.8	0	0.0	1	14.3	116	23.7	1	33.3
Manhattan	3	17.6	3	18.8	0	0.0	0	0.0	66	13.5	1	33.3
Queens	9	52.9	8	50.0	1	100.0	5	71.4	205	41.9	1	33.3
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	6	1.2	0	0.0
Outside NYC	2	11.8	2	12.5	0	0.0	1	14.3	39	8.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	1.6	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	23.5	4	25.0	0	0.0	1	14.3	50	10.2	0	0.0
Medium poverty (10 to <20% below FPL)	7	41.2	6	37.5	1	100.0	3	42.9	237	48.5	1	33.3
High poverty (20 to <30% below FPL)	3	17.6	3	18.8	0	0.0	1	14.3	80	16.4	1	33.3
Very high poverty (≥30% below FPL)	1	5.9	1	6.3	0	0.0	1	14.3	70	14.3	1	33.3
Area-based poverty level not available	2	11.8	2	12.5	0	0.0	1	14.3	52	10.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	19	3.9	1	33.3
Heterosexual contact	7	41.2	7	43.8	0	0.0	5	71.4	290	59.3	1	33.3
Transgender people with sexual contact	6	35.3	6	37.5	0	0.0	0	0.0	37	7.6	0	0.0
Perinatal	2	11.8	2	12.5	0	0.0	0	0.0	6	1.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	2	11.8	1	6.3	1	100.0	2	28.6	136	27.8	1	33.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.3.9. Native American men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	7	100.0	5	71.4	2	28.6	4	100.0	224	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	14.3	1	20.0	0	0.0	0	0.0	1	0.4	0	0.0
20-29	5	71.4	3	60.0	2	100.0	3	75.0	18	8.0	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	42	18.8	1	25.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	57	25.4	1	25.0
50-59	1	14.3	1	20.0	0	0.0	1	25.0	66	29.5	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	40	17.9	1	25.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	1	25.0	44	19.6	1	25.0
Brooklyn	2	28.6	1	20.0	1	50.0	1	25.0	46	20.5	0	0.0
Manhattan	3	42.9	2	40.0	1	50.0	1	25.0	57	25.4	1	25.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	50	22.3	0	0.0
Other/Unknown	2	28.6	2	40.0	0	0.0	1	25.0	27	12.1	2	50.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	14.3	1	20.0	0	0.0	0	0.0	13	5.8	1	25.0
Medium poverty (10 to <20% below FPL)	1	14.3	1	20.0	0	0.0	1	25.0	89	39.7	0	0.0
High poverty (20 to <30% below FPL)	1	14.3	1	20.0	0	0.0	0	0.0	50	22.3	1	25.0
Very high poverty (≥30% below FPL)	3	42.9	1	20.0	2	100.0	2	50.0	49	21.9	1	25.0
Area-based poverty level not available	1	14.3	1	20.0	0	0.0	1	25.0	23	10.3	1	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	5	71.4	5	100.0	0	0.0	1	25.0	127	56.7	3	75.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	14	6.3	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	8	3.6	0	0.0
Heterosexual contact	1	14.3	0	0.0	1	50.0	1	25.0	20	8.9	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.9	0	0.0
Unknown	1	14.3	0	0.0	1	50.0	2	50.0	53	23.7	1	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.3.10. Native American women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	2	100.0	1	50.0	1	50.0	1	100.0	78	100.0	4	100.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	1	50.0	1	100.0	0	0.0	0	0.0	8	10.3	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	9	11.5	0	0.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	21	26.9	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	28	35.9	3	75.0
60+	1	50.0	0	0.0	1	100.0	1	100.0	11	14.1	1	25.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	23	29.5	1	25.0
Brooklyn	1	50.0	0	0.0	1	100.0	1	100.0	29	37.2	3	75.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	9	11.5	0	0.0
Queens	1	50.0	1	100.0	0	0.0	0	0.0	13	16.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	50.0	1	100.0	0	0.0	0	0.0	1	1.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	31	39.7	0	0.0
High poverty (20 to <30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	19	24.4	2	50.0
Very high poverty (≥30% below FPL)	1	50.0	0	0.0	1	100.0	1	100.0	25	32.1	2	50.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	2	2.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	5	6.4	1	25.0
Heterosexual contact	2	100.0	1	100.0	1	100.0	1	100.0	48	61.5	3	75.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	6	7.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	3.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	15	19.2	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

In order to protect patient privacy and confidentiality, borough categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' borough category includes Staten Island, Outside NYC, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.4.1. Boys 0-12 Years

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	1	100.0	1	100.0	0	0.0	0	0.0	47	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	31	66.0	0	0.0
Latino/Hispanic	1	100.0	1	100.0	0	0.0	0	0.0	13	27.7	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	1	2.1	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	15	31.9	0	0.0
Brooklyn	0	0.0	0	0.0	0	0.0	0	0.0	14	29.8	0	0.0
Manhattan	1	100.0	1	100.0	0	0.0	0	0.0	7	14.9	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	5	10.6	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	2.1	0	0.0
Outside NYC	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	6.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	2	4.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	12	25.5	0	0.0
High poverty (20 to <30% below FPL)	1	100.0	1	100.0	0	0.0	0	0.0	11	23.4	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	17	36.2	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	5	10.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	1	100.0	1	100.0	0	0.0	0	0.0	47	100.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.4.2. Girls 0-12 Years

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	3	100.0	2	66.7	1	33.3	1	100.0	44	100.0	0	0.0
RACE/ETHNICITY												
Black	0	0.0	0	0.0	0	0.0	0	0.0	18	40.9	0	0.0
Latino/Hispanic	1	33.3	0	0.0	1	100.0	1	100.0	20	45.5	0	0.0
White	0	0.0	0	0.0	0	0.0	0	0.0	2	4.5	0	0.0
Asian/Pacific Islander	2	66.7	2	100.0	0	0.0	0	0.0	2	4.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
BOROUGH OF RESIDENCE												
Bronx	0	0.0	0	0.0	0	0.0	0	0.0	14	31.8	0	0.0
Brooklyn	1	33.3	0	0.0	1	100.0	1	100.0	11	25.0	0	0.0
Manhattan	0	0.0	0	0.0	0	0.0	0	0.0	6	13.6	0	0.0
Queens	0	0.0	0	0.0	0	0.0	0	0.0	6	13.6	0	0.0
Staten Island	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
Outside NYC	2	66.7	2	100.0	0	0.0	0	0.0	1	2.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	11.4	0	0.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0
Medium poverty (10 to <20% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	11	25.0	0	0.0
High poverty (20 to <30% below FPL)	1	33.3	0	0.0	1	100.0	1	100.0	12	27.3	0	0.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	14	31.8	0	0.0
Area-based poverty level not available	2	66.7	2	100.0	0	0.0	0	0.0	6	13.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	2	66.7	2	100.0	0	0.0	0	0.0	42	95.5	0	0.0
Other	1	33.3	0	0.0	1	100.0	1	100.0	1	2.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	2.3	0	0.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.4.3. Men 13+ Years (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,655	100.0	1,379	83.3	276	16.7	945	100.0	91,481	100.0	1,246	100.0
RACE/ETHNICITY												
Black	615	37.2	507	36.8	108	39.1	410	43.4	34,749	38.0	592	47.5
Latino/Hispanic	642	38.8	541	39.2	101	36.6	314	33.2	30,088	32.9	382	30.7
White	271	16.4	235	17.0	36	13.0	155	16.4	23,474	25.7	247	19.8
Asian/Pacific Islander	106	6.4	80	5.8	26	9.4	56	5.9	2,418	2.6	18	1.4
Native American	7	0.4	5	0.4	2	0.7	4	0.4	224	0.2	4	0.3
Multiracial	14	0.8	11	0.8	3	1.1	6	0.6	276	0.3	3	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	252	0.3	0	0.0
AGE GROUP (YEARS)												
13-19	61	3.7	58	4.2	3	1.1	12	1.3	261	0.3	0	0.0
20-29	686	41.5	621	45.0	65	23.6	185	19.6	7,417	8.1	32	2.6
30-39	468	28.3	383	27.8	85	30.8	255	27.0	14,947	16.3	84	6.7
40-49	214	12.9	167	12.1	47	17.0	182	19.3	18,391	20.1	155	12.4
50-59	149	9.0	96	7.0	53	19.2	192	20.3	28,866	31.6	381	30.6
60+	77	4.7	54	3.9	23	8.3	119	12.6	21,599	23.6	594	47.7
BOROUGH OF RESIDENCE												
Bronx	323	19.5	270	19.6	53	19.2	220	23.3	18,744	20.5	300	24.1
Brooklyn	475	28.7	385	27.9	90	32.6	246	26.0	19,879	21.7	265	21.3
Manhattan	334	20.2	284	20.6	50	18.1	173	18.3	27,238	29.8	230	18.5
Queens	322	19.5	262	19.0	60	21.7	142	15.0	13,490	14.7	107	8.6
Staten Island	27	1.6	20	1.5	7	2.5	21	2.2	1,579	1.7	28	2.2
Outside NYC	137	8.3	121	8.8	16	5.8	124	13.1	9,915	10.8	50	4.0
Unknown	37	2.2	37	2.7	0	0.0	19	2.0	636	0.7	266	21.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	131	7.9	116	8.4	15	5.4	58	6.1	8,683	9.5	88	7.1
Medium poverty (10 to <20% below FPL)	550	33.2	445	32.3	105	38.0	286	30.3	31,718	34.7	252	20.2
High poverty (20 to <30% below FPL)	450	27.2	369	26.8	81	29.3	230	24.3	19,858	21.7	266	21.3
Very high poverty (≥30% below FPL)	348	21.0	290	21.0	58	21.0	225	23.8	19,605	21.4	324	26.0
Area-based poverty level not available	176	10.6	159	11.5	17	6.2	146	15.4	11,617	12.7	316	25.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	1,226	74.1	1,051	76.2	175	63.4	534	56.5	52,211	57.1	422	33.9
Injection drug use history (IDU)	21	1.3	16	1.2	5	1.8	54	5.7	9,907	10.8	301	24.2
MSM-IDU	23	1.4	23	1.7	0	0.0	31	3.3	3,163	3.5	68	5.5
Heterosexual contact	77	4.7	56	4.1	21	7.6	68	7.2	6,100	6.7	111	8.9
Transgender people with sexual contact	1	0.1	1	0.1	0	0.0	0	0.0	16	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	12	1.3	1,200	1.3	11	0.9
Other	1	0.1	1	0.1	0	0.0	0	0.0	104	0.1	3	0.2
Unknown	306	18.5	231	16.8	75	27.2	246	26.0	18,780	20.5	330	26.5

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.4.4. Women 13+ Years (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	433	100.0	352	81.3	81	18.7	360	100.0	35,170	100.0	513	100.0
RACE/ETHNICITY												
Black	264	61.0	207	58.8	57	70.4	226	62.8	20,371	57.9	312	60.8
Latino/Hispanic	119	27.5	104	29.5	15	18.5	100	27.8	11,519	32.8	166	32.4
White	30	6.9	24	6.8	6	7.4	24	6.7	2,565	7.3	27	5.3
Asian/Pacific Islander	15	3.5	14	4.0	1	1.2	7	1.9	487	1.4	3	0.6
Native American	2	0.5	1	0.3	1	1.2	1	0.3	77	0.2	4	0.8
Multiracial	3	0.7	2	0.6	1	1.2	2	0.6	75	0.2	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	76	0.2	0	0.0
AGE GROUP (YEARS)												
13-19	17	3.9	16	4.5	1	1.2	6	1.7	208	0.6	0	0.0
20-29	101	23.3	95	27.0	6	7.4	43	11.9	2,322	6.6	9	1.8
30-39	109	25.2	86	24.4	23	28.4	90	25.0	4,511	12.8	37	7.2
40-49	82	18.9	63	17.9	19	23.5	64	17.8	7,753	22.0	74	14.4
50-59	76	17.6	52	14.8	24	29.6	106	29.4	12,038	34.2	198	38.6
60+	48	11.1	40	11.4	8	9.9	51	14.2	8,338	23.7	195	38.0
BOROUGH OF RESIDENCE												
Bronx	130	30.0	108	30.7	22	27.2	100	27.8	11,477	32.6	140	27.3
Brooklyn	141	32.6	109	31.0	32	39.5	109	30.3	10,148	28.9	139	27.1
Manhattan	51	11.8	41	11.6	10	12.3	44	12.2	5,236	14.9	69	13.5
Queens	71	16.4	60	17.0	11	13.6	34	9.4	4,898	13.9	40	7.8
Staten Island	13	3.0	11	3.1	2	2.5	8	2.2	859	2.4	13	2.5
Outside NYC	22	5.1	18	5.1	4	4.9	51	14.2	2,348	6.7	22	4.3
Unknown	5	1.2	5	1.4	0	0.0	14	3.9	204	0.6	90	17.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	35	8.1	30	8.5	5	6.2	22	6.1	2,263	6.4	23	4.5
Medium poverty (10 to <20% below FPL)	137	31.6	107	30.4	30	37.0	77	21.4	10,024	28.5	93	18.1
High poverty (20 to <30% below FPL)	109	25.2	88	25.0	21	25.9	79	21.9	8,647	24.6	123	24.0
Very high poverty (≥30% below FPL)	125	28.9	104	29.5	21	25.9	116	32.2	11,389	32.4	162	31.6
Area-based poverty level not available	27	6.2	23	6.5	4	4.9	66	18.3	2,847	8.1	112	21.8
TRANSMISSION RISK												
Injection drug use history (IDU)	11	2.5	10	2.8	1	1.2	29	8.1	5,343	15.2	147	28.7
Heterosexual contact	294	67.9	243	69.0	51	63.0	208	57.8	18,738	53.3	234	45.6
Transgender people with sexual contact	53	12.2	47	13.4	6	7.4	29	8.1	1,567	4.5	13	2.5
Perinatal	0	0.0	0	0.0	0	0.0	12	3.3	1,260	3.6	11	2.1
Other	0	0.0	0	0.0	0	0.0	0	0.0	88	0.3	1	0.2
Unknown	75	17.3	52	14.8	23	28.4	82	22.8	8,174	23.2	107	20.9

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.5.1. Bronx, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	323	100.0	270	83.6	53	16.4	220	100.0	18,759	100.0	300	100.0
RACE/ETHNICITY												
Black	128	39.6	105	38.9	23	43.4	110	50.0	8,454	45.1	143	47.7
Latino/Hispanic	176	54.5	149	55.2	27	50.9	97	44.1	8,982	47.9	142	47.3
White	16	5.0	13	4.8	3	5.7	8	3.6	1,065	5.7	12	4.0
Asian/Pacific Islander	2	0.6	2	0.7	0	0.0	3	1.4	155	0.8	1	0.3
Native American	0	0.0	0	0.0	0	0.0	1	0.5	44	0.2	1	0.3
Multiracial	1	0.3	1	0.4	0	0.0	1	0.5	36	0.2	1	0.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	15	0.1	0	0.0
13-19	19	5.9	19	7.0	0	0.0	3	1.4	82	0.4	0	0.0
20-29	128	39.6	116	43.0	12	22.6	45	20.5	1,768	9.4	9	3.0
30-39	85	26.3	71	26.3	14	26.4	42	19.1	3,098	16.5	15	5.0
40-49	47	14.6	36	13.3	11	20.8	41	18.6	3,497	18.6	38	12.7
50-59	28	8.7	17	6.3	11	20.8	53	24.1	5,976	31.9	101	33.7
60+	16	5.0	11	4.1	5	9.4	36	16.4	4,323	23.0	137	45.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	2.5	6	2.2	2	3.8	3	1.4	369	2.0	3	1.0
Medium poverty (10 to <20% below FPL)	66	20.4	53	19.6	13	24.5	34	15.5	2,999	16.0	36	12.0
High poverty (20 to <30% below FPL)	38	11.8	30	11.1	8	15.1	30	13.6	1,994	10.6	32	10.7
Very high poverty (≥30% below FPL)	211	65.3	181	67.0	30	56.6	153	69.5	13,285	70.8	229	76.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	112	0.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	207	64.1	183	67.8	24	45.3	83	37.7	7,706	41.1	60	20.0
Injection drug use history (IDU)	5	1.5	4	1.5	1	1.9	21	9.5	3,193	17.0	106	35.3
MSM-IDU	6	1.9	6	2.2	0	0.0	13	5.9	841	4.5	19	6.3
Heterosexual contact	29	9.0	22	8.1	7	13.2	24	10.9	1,764	9.4	23	7.7
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	6	2.7	419	2.2	6	2.0
Other	1	0.3	1	0.4	0	0.0	0	0.0	16	0.1	1	0.3
Unknown	75	23.2	54	20.0	21	39.6	73	33.2	4,810	25.6	85	28.3

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.5.2. Bronx, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	130	100.0	108	83.1	22	16.9	100	100.0	11,491	100.0	140	100.0
RACE/ETHNICITY												
Black	86	66.2	68	63.0	18	81.8	63	63.0	5,929	51.6	69	49.3
Latino/Hispanic	42	32.3	38	35.2	4	18.2	35	35.0	5,099	44.4	64	45.7
White	2	1.5	2	1.9	0	0.0	1	1.0	359	3.1	6	4.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	49	0.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	1	1.0	16	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	7	5.4	7	6.5	0	0.0	0	0.0	58	0.5	0	0.0
20-29	28	21.5	27	25.0	1	4.5	11	11.0	802	7.0	1	0.7
30-39	34	26.2	27	25.0	7	31.8	25	25.0	1,539	13.4	11	7.9
40-49	24	18.5	19	17.6	5	22.7	18	18.0	2,620	22.8	21	15.0
50-59	29	22.3	21	19.4	8	36.4	31	31.0	3,997	34.8	58	41.4
60+	8	6.2	7	6.5	1	4.5	15	15.0	2,461	21.4	49	35.0
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	4	3.1	3	2.8	1	4.5	4	4.0	234	2.0	5	3.6
Medium poverty (10 to <20% below FPL)	23	17.7	18	16.7	5	22.7	11	11.0	1,909	16.6	23	16.4
High poverty (20 to <30% below FPL)	13	10.0	11	10.2	2	9.1	10	10.0	1,237	10.8	15	10.7
Very high poverty (≥30% below FPL)	90	69.2	76	70.4	14	63.6	75	75.0	8,073	70.3	97	69.3
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	38	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	4	3.1	4	3.7	0	0.0	13	13.0	1,932	16.8	56	40.0
Heterosexual contact	103	79.2	83	76.9	20	90.9	58	58.0	6,111	53.2	56	40.0
Transgender people with sexual contact	11	8.5	10	9.3	1	4.5	12	12.0	506	4.4	4	2.9
Perinatal	0	0.0	0	0.0	0	0.0	2	2.0	425	3.7	1	0.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.2	0	0.0
Unknown	12	9.2	11	10.2	1	4.5	15	15.0	2,499	21.7	23	16.4

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.5.3. Brooklyn, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	475	100.0	385	81.1	90	18.9	246	100.0	19,893	100.0	265	100.0
RACE/ETHNICITY												
Black	239	50.3	186	48.3	53	58.9	130	52.8	11,074	55.7	165	62.3
Latino/Hispanic	128	26.9	105	27.3	23	25.6	65	26.4	4,903	24.6	74	27.9
White	80	16.8	72	18.7	8	8.9	40	16.3	3,370	16.9	22	8.3
Asian/Pacific Islander	20	4.2	16	4.2	4	4.4	9	3.7	418	2.1	4	1.5
Native American	2	0.4	1	0.3	1	1.1	1	0.4	46	0.2	0	0.0
Multiracial	6	1.3	5	1.3	1	1.1	1	0.4	58	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	24	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
13-19	20	4.2	17	4.4	3	3.3	7	2.8	76	0.4	0	0.0
20-29	203	42.7	181	47.0	22	24.4	50	20.3	1,971	9.9	7	2.6
30-39	129	27.2	100	26.0	29	32.2	79	32.1	3,600	18.1	27	10.2
40-49	60	12.6	43	11.2	17	18.9	48	19.5	4,025	20.2	31	11.7
50-59	43	9.1	30	7.8	13	14.4	41	16.7	5,717	28.7	70	26.4
60+	20	4.2	14	3.6	6	6.7	21	8.5	4,490	22.6	130	49.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	17	3.6	15	3.9	2	2.2	8	3.3	675	3.4	10	3.8
Medium poverty (10 to <20% below FPL)	166	34.9	133	34.5	33	36.7	101	41.1	8,318	41.8	88	33.2
High poverty (20 to <30% below FPL)	186	39.2	154	40.0	32	35.6	81	32.9	6,499	32.7	113	42.6
Very high poverty (≥30% below FPL)	105	22.1	83	21.6	22	24.4	55	22.4	4,237	21.3	54	20.4
Area-based poverty level not available	1	0.2	0	0.0	1	1.1	1	0.4	164	0.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	340	71.6	284	73.8	56	62.2	137	55.7	10,348	52.0	79	29.8
Injection drug use history (IDU)	10	2.1	8	2.1	2	2.2	19	7.7	2,273	11.4	66	24.9
MSM-IDU	6	1.3	6	1.6	0	0.0	4	1.6	615	3.1	9	3.4
Heterosexual contact	23	4.8	16	4.2	7	7.8	14	5.7	1,607	8.1	32	12.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	1.6	328	1.6	1	0.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.1	0	0.0
Unknown	96	20.2	71	18.4	25	27.8	68	27.6	4,699	23.6	78	29.4

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.5.4. Brooklyn, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	142	100.0	109	76.8	33	23.2	110	100.0	10,159	100.0	139	100.0
RACE/ETHNICITY												
Black	94	66.2	72	66.1	22	66.7	74	67.3	7,061	69.5	94	67.6
Latino/Hispanic	28	19.7	23	21.1	5	15.2	26	23.6	2,342	23.1	36	25.9
White	15	10.6	10	9.2	5	15.2	8	7.3	570	5.6	5	3.6
Asian/Pacific Islander	3	2.1	3	2.8	0	0.0	1	0.9	116	1.1	1	0.7
Native American	1	0.7	0	0.0	1	3.0	1	0.9	29	0.3	3	2.2
Multiracial	1	0.7	1	0.9	0	0.0	0	0.0	20	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.7	0	0.0	1	3.0	1	0.9	11	0.1	0	0.0
13-19	7	4.9	6	5.5	1	3.0	5	4.5	61	0.6	0	0.0
20-29	22	15.5	18	16.5	4	12.1	12	10.9	645	6.3	1	0.7
30-39	35	24.6	28	25.7	7	21.2	26	23.6	1,320	13.0	11	7.9
40-49	28	19.7	21	19.3	7	21.2	18	16.4	2,239	22.0	19	13.7
50-59	22	15.5	14	12.8	8	24.2	29	26.4	3,363	33.1	43	30.9
60+	27	19.0	22	20.2	5	15.2	19	17.3	2,520	24.8	65	46.8
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	5	3.5	3	2.8	2	6.1	3	2.7	337	3.3	1	0.7
Medium poverty (10 to <20% below FPL)	60	42.3	44	40.4	16	48.5	42	38.2	3,884	38.2	44	31.7
High poverty (20 to <30% below FPL)	47	33.1	38	34.9	9	27.3	35	31.8	3,477	34.2	50	36.0
Very high poverty (≥30% below FPL)	30	21.1	24	22.0	6	18.2	29	26.4	2,397	23.6	44	31.7
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	1	0.9	64	0.6	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	3	2.1	3	2.8	0	0.0	6	5.5	1,387	13.7	33	23.7
Heterosexual contact	91	64.1	77	70.6	14	42.4	58	52.7	5,580	54.9	64	46.0
Transgender people with sexual contact	11	7.7	8	7.3	3	9.1	5	4.5	364	3.6	3	2.2
Perinatal	0	0.0	0	0.0	0	0.0	4	3.6	355	3.5	3	2.2
Other	1	0.7	0	0.0	1	3.0	1	0.9	25	0.2	1	0.7
Unknown	36	25.4	21	19.3	15	45.5	36	32.7	2,448	24.1	35	25.2

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.5.5. Manhattan, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	335	100.0	285	85.1	50	14.9	173	100.0	27,245	100.0	230	100.0
RACE/ETHNICITY												
Black	95	28.4	80	28.1	15	30.0	61	35.3	7,120	26.1	78	33.9
Latino/Hispanic	113	33.7	94	33.0	19	38.0	53	30.6	7,623	28.0	68	29.6
White	101	30.1	87	30.5	14	28.0	52	30.1	11,474	42.1	79	34.3
Asian/Pacific Islander	19	5.7	18	6.3	1	2.0	6	3.5	742	2.7	3	1.3
Native American	3	0.9	2	0.7	1	2.0	1	0.6	57	0.2	1	0.4
Multiracial	4	1.2	4	1.4	0	0.0	0	0.0	81	0.3	1	0.4
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	148	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	1	0.3	1	0.4	0	0.0	0	0.0	7	0.0	0	0.0
13-19	6	1.8	6	2.1	0	0.0	0	0.0	33	0.1	0	0.0
20-29	123	36.7	114	40.0	9	18.0	16	9.2	1,500	5.5	2	0.9
30-39	111	33.1	99	34.7	12	24.0	47	27.2	4,201	15.4	12	5.2
40-49	47	14.0	38	13.3	9	18.0	38	22.0	5,596	20.5	29	12.6
50-59	28	8.4	16	5.6	12	24.0	40	23.1	8,899	32.7	68	29.6
60+	19	5.7	11	3.9	8	16.0	32	18.5	7,009	25.7	119	51.7
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	41	12.2	37	13.0	4	8.0	23	13.3	4,999	18.3	42	18.3
Medium poverty (10 to <20% below FPL)	103	30.7	86	30.2	17	34.0	50	28.9	10,535	38.7	64	27.8
High poverty (20 to <30% below FPL)	159	47.5	136	47.7	23	46.0	81	46.8	8,975	32.9	83	36.1
Very high poverty (≥30% below FPL)	32	9.6	26	9.1	6	12.0	17	9.8	2,100	7.7	41	17.8
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	2	1.2	636	2.3	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	273	81.5	240	84.2	33	66.0	111	64.2	18,897	69.4	114	49.6
Injection drug use history (IDU)	2	0.6	1	0.4	1	2.0	5	2.9	2,085	7.7	30	13.0
MSM-IDU	2	0.6	2	0.7	0	0.0	8	4.6	929	3.4	14	6.1
Heterosexual contact	8	2.4	6	2.1	2	4.0	9	5.2	940	3.5	18	7.8
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	1	0.3	1	0.4	0	0.0	1	0.6	186	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	16	0.1	1	0.4
Unknown	49	14.6	35	12.3	14	28.0	39	22.5	4,191	15.4	53	23.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.5.6. Manhattan, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	51	100.0	41	80.4	10	19.6	44	100.0	5,242	100.0	69	100.0
RACE/ETHNICITY												
Black	21	41.2	15	36.6	6	60.0	29	65.9	2,851	54.4	47	68.1
Latino/Hispanic	19	37.3	16	39.0	3	30.0	12	27.3	1,768	33.7	21	30.4
White	7	13.7	6	14.6	1	10.0	3	6.8	518	9.9	0	0.0
Asian/Pacific Islander	3	5.9	3	7.3	0	0.0	0	0.0	66	1.3	1	1.4
Native American	0	0.0	0	0.0	0	0.0	0	0.0	9	0.2	0	0.0
Multiracial	1	2.0	1	2.4	0	0.0	0	0.0	11	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	1	2.0	1	2.4	0	0.0	0	0.0	23	0.4	0	0.0
20-29	13	25.5	13	31.7	0	0.0	6	13.6	333	6.4	1	1.4
30-39	15	29.4	13	31.7	2	20.0	10	22.7	571	10.9	4	5.8
40-49	11	21.6	7	17.1	4	40.0	12	27.3	1,049	20.0	8	11.6
50-59	6	11.8	4	9.8	2	20.0	10	22.7	1,825	34.8	31	44.9
60+	5	9.8	3	7.3	2	20.0	6	13.6	1,435	27.4	25	36.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	6	11.8	6	14.6	0	0.0	4	9.1	480	9.2	1	1.4
Medium poverty (10 to <20% below FPL)	9	17.6	8	19.5	1	10.0	5	11.4	1,048	20.0	7	10.1
High poverty (20 to <30% below FPL)	31	60.8	23	56.1	8	80.0	23	52.3	2,663	50.8	40	58.0
Very high poverty (≥30% below FPL)	5	9.8	4	9.8	1	10.0	12	27.3	933	17.8	21	30.4
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	118	2.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	3	5.9	3	7.3	0	0.0	2	4.5	1,006	19.2	13	18.8
Heterosexual contact	24	47.1	17	41.5	7	70.0	23	52.3	2,443	46.6	37	53.6
Transgender people with sexual contact	17	33.3	16	39.0	1	10.0	6	13.6	304	5.8	2	2.9
Perinatal	0	0.0	0	0.0	0	0.0	2	4.5	182	3.5	2	2.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
Unknown	7	13.7	5	12.2	2	20.0	11	25.0	1,293	24.7	15	21.7

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.5.7. Queens, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	322	100.0	262	81.4	60	18.6	142	100.0	13,495	100.0	107	100.0
RACE/ETHNICITY												
Black	80	24.8	72	27.5	8	13.3	36	25.4	4,349	32.2	51	47.7
Latino/Hispanic	158	49.1	132	50.4	26	43.3	57	40.1	5,719	42.4	27	25.2
White	28	8.7	23	8.8	5	8.3	19	13.4	2,480	18.4	25	23.4
Asian/Pacific Islander	54	16.8	34	13.0	20	33.3	28	19.7	833	6.2	3	2.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	50	0.4	0	0.0
Multiracial	2	0.6	1	0.4	1	1.7	2	1.4	35	0.3	1	0.9
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	29	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	5	0.0	0	0.0
13-19	7	2.2	7	2.7	0	0.0	0	0.0	30	0.2	0	0.0
20-29	132	41.0	116	44.3	16	26.7	36	25.4	1,079	8.0	1	0.9
30-39	100	31.1	77	29.4	23	38.3	39	27.5	2,285	16.9	9	8.4
40-49	42	13.0	33	12.6	9	15.0	27	19.0	2,994	22.2	9	8.4
50-59	25	7.8	16	6.1	9	15.0	26	18.3	4,280	31.7	30	28.0
60+	16	5.0	13	5.0	3	5.0	14	9.9	2,822	20.9	58	54.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	57	17.7	50	19.1	7	11.7	23	16.2	2,202	16.3	26	24.3
Medium poverty (10 to <20% below FPL)	213	66.1	171	65.3	42	70.0	98	69.0	9,666	71.6	61	57.0
High poverty (20 to <30% below FPL)	51	15.8	40	15.3	11	18.3	21	14.8	1,486	11.0	20	18.7
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	1	0.3	1	0.4	0	0.0	0	0.0	141	1.0	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	257	79.8	207	79.0	50	83.3	93	65.5	7,524	55.8	31	29.0
Injection drug use history (IDU)	2	0.6	1	0.4	1	1.7	6	4.2	1,393	10.3	29	27.1
MSM-IDU	6	1.9	6	2.3	0	0.0	3	2.1	396	2.9	4	3.7
Heterosexual contact	10	3.1	7	2.7	3	5.0	8	5.6	1,118	8.3	11	10.3
Transgender people with sexual contact	1	0.3	1	0.4	0	0.0	0	0.0	1	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	0.7	177	1.3	1	0.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	21	0.2	0	0.0
Unknown	46	14.3	40	15.3	6	10.0	31	21.8	2,865	21.2	31	29.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.5.8. Queens, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	71	100.0	60	84.5	11	15.5	34	100.0	4,904	100.0	40	100.0
RACE/ETHNICITY												
Black	35	49.3	29	48.3	6	54.5	19	55.9	2,755	56.2	28	70.0
Latino/Hispanic	22	31.0	19	31.7	3	27.3	7	20.6	1,468	29.9	8	20.0
White	3	4.2	3	5.0	0	0.0	2	5.9	433	8.8	3	7.5
Asian/Pacific Islander	9	12.7	8	13.3	1	9.1	5	14.7	205	4.2	1	2.5
Native American	1	1.4	1	1.7	0	0.0	0	0.0	13	0.3	0	0.0
Multiracial	1	1.4	0	0.0	1	9.1	1	2.9	16	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	14	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
13-19	1	1.4	1	1.7	0	0.0	0	0.0	28	0.6	0	0.0
20-29	26	36.6	25	41.7	1	9.1	4	11.8	307	6.3	1	2.5
30-39	15	21.1	12	20.0	3	27.3	10	29.4	605	12.3	1	2.5
40-49	12	16.9	9	15.0	3	27.3	9	26.5	1,122	22.9	7	17.5
50-59	11	15.5	7	11.7	4	36.4	9	26.5	1,663	33.9	18	45.0
60+	6	8.5	6	10.0	0	0.0	2	5.9	1,173	23.9	13	32.5
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	19	26.8	17	28.3	2	18.2	9	26.5	1,020	20.8	13	32.5
Medium poverty (10 to <20% below FPL)	41	57.7	33	55.0	8	72.7	19	55.9	3,060	62.4	19	47.5
High poverty (20 to <30% below FPL)	11	15.5	10	16.7	1	9.1	6	17.6	752	15.3	8	20.0
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	72	1.5	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	5.9	606	12.4	15	37.5
Heterosexual contact	50	70.4	44	73.3	6	54.5	22	64.7	2,802	57.1	19	47.5
Transgender people with sexual contact	7	9.9	7	11.7	0	0.0	1	2.9	220	4.5	1	2.5
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	183	3.7	1	2.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	18	0.4	0	0.0
Unknown	14	19.7	9	15.0	5	45.5	9	26.5	1,075	21.9	4	10.0

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.5.9. Staten Island, men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	27	100.0	20	74.1	7	25.9	21	100.0	1,580	100.0	28	100.0
RACE/ETHNICITY												
Black	10	37.0	7	35.0	3	42.9	11	52.4	554	35.1	12	42.9
Latino/Hispanic	7	25.9	5	25.0	2	28.6	5	23.8	456	28.9	5	17.9
White	8	29.6	7	35.0	1	14.3	4	19.0	531	33.6	10	35.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	23	1.5	0	0.0
Other/Unknown	2	7.4	1	5.0	1	14.3	1	4.8	16	1.0	1	3.6
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	3.7	1	5.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	9	33.3	8	40.0	1	14.3	2	9.5	126	8.0	1	3.6
30-39	7	25.9	4	20.0	3	42.9	8	38.1	217	13.7	2	7.1
40-49	0	0.0	0	0.0	0	0.0	2	9.5	295	18.7	2	7.1
50-59	8	29.6	5	25.0	3	42.9	6	28.6	564	35.7	10	35.7
60+	2	7.4	2	10.0	0	0.0	3	14.3	373	23.6	13	46.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	8	29.6	8	40.0	0	0.0	1	4.8	440	27.8	7	25.0
Medium poverty (10 to <20% below FPL)	2	7.4	2	10.0	0	0.0	3	14.3	212	13.4	3	10.7
High poverty (20 to <30% below FPL)	17	63.0	10	50.0	7	100.0	17	81.0	915	57.9	18	64.3
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	13	0.8	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	48.1	10	50.0	3	42.9	9	42.9	710	44.9	7	25.0
Injection drug use history (IDU)	2	7.4	2	10.0	0	0.0	0	0.0	249	15.8	8	28.6
MSM-IDU	1	3.7	1	5.0	0	0.0	1	4.8	66	4.2	3	10.7
Heterosexual contact	3	11.1	2	10.0	1	14.3	4	19.0	147	9.3	2	7.1
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	31	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	8	29.6	5	25.0	3	42.9	7	33.3	377	23.9	8	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.5.10. Staten Island, women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	8	100.0	860	100.0	13	100.0
RACE/ETHNICITY												
Black	10	76.9	8	72.7	2	100.0	4	50.0	422	49.1	6	46.2
Latino/Hispanic	2	15.4	2	18.2	0	0.0	2	25.0	235	27.3	6	46.2
White	1	7.7	1	9.1	0	0.0	2	25.0	190	22.1	1	7.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	8	0.9	0	0.0
20-29	4	30.8	4	36.4	0	0.0	1	12.5	46	5.3	0	0.0
30-39	5	38.5	3	27.3	2	100.0	5	62.5	122	14.2	1	7.7
40-49	1	7.7	1	9.1	0	0.0	0	0.0	177	20.6	1	7.7
50-59	2	15.4	2	18.2	0	0.0	2	25.0	329	38.3	5	38.5
60+	1	7.7	1	9.1	0	0.0	0	0.0	177	20.6	6	46.2
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	1	7.7	1	9.1	0	0.0	2	25.0	193	22.4	3	23.1
Medium poverty (10 to <20% below FPL)	4	30.8	4	36.4	0	0.0	0	0.0	134	15.6	0	0.0
High poverty (20 to <30% below FPL)	8	61.5	6	54.5	2	100.0	6	75.0	530	61.6	10	76.9
Very high poverty (≥30% below FPL)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Area-based poverty level not available	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
TRANSMISSION RISK												
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	12.5	126	14.7	5	38.5
Heterosexual contact	9	69.2	8	72.7	1	50.0	5	62.5	492	57.2	6	46.2
Transgender people with sexual contact	3	23.1	2	18.2	1	50.0	1	12.5	36	4.2	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	30	3.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.6	0	0.0
Unknown	1	7.7	1	9.1	0	0.0	0	0.0	171	19.9	2	15.4

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤500 persons or a cell with a denominator of ≤100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.6.1. Men who have sex with men (MSM)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	1,226	100.0	1,051	85.7	175	14.3	534	100.0	52,211	100.0	422	100.0
RACE/ETHNICITY												
Black	386	31.5	336	32.0	50	28.6	201	37.6	16,035	30.7	168	39.8
Latino/Hispanic	519	42.3	443	42.2	76	43.4	179	33.5	15,945	30.5	97	23.0
White	226	18.4	200	19.0	26	14.9	109	20.4	18,225	34.9	145	34.4
Asian/Pacific Islander	79	6.4	57	5.4	22	12.6	40	7.5	1,625	3.1	8	1.9
Native American	5	0.4	5	0.5	0	0.0	1	0.2	127	0.2	3	0.7
Multiracial	11	0.9	10	1.0	1	0.6	4	0.7	223	0.4	1	0.2
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	31	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	51	4.2	48	4.6	3	1.7	7	1.3	87	0.2	0	0.0
20-29	578	47.1	526	50.0	52	29.7	140	26.2	5,777	11.1	16	3.8
30-39	358	29.2	295	28.1	63	36.0	182	34.1	11,734	22.5	52	12.3
40-49	135	11.0	107	10.2	28	16.0	98	18.4	11,826	22.7	75	17.8
50-59	80	6.5	53	5.0	27	15.4	79	14.8	14,514	27.8	138	32.7
60+	24	2.0	22	2.1	2	1.1	28	5.2	8,273	15.8	141	33.4
BOROUGH OF RESIDENCE												
Bronx	207	16.9	183	17.4	24	13.7	83	15.5	7,706	14.8	60	14.2
Brooklyn	340	27.7	284	27.0	56	32.0	137	25.7	10,348	19.8	79	18.7
Manhattan	273	22.3	240	22.8	33	18.9	111	20.8	18,897	36.2	114	27.0
Queens	257	21.0	207	19.7	50	28.6	93	17.4	7,524	14.4	31	7.3
Staten Island	13	1.1	10	1.0	3	1.7	9	1.7	710	1.4	7	1.7
Outside NYC	112	9.1	103	9.8	9	5.1	90	16.9	6,577	12.6	20	4.7
Unknown	24	2.0	24	2.3	0	0.0	11	2.1	449	0.9	111	26.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	99	8.1	87	8.3	12	6.9	38	7.1	5,835	11.2	41	9.7
Medium poverty (10 to <20% below FPL)	411	33.5	338	32.2	73	41.7	179	33.5	19,360	37.1	93	22.0
High poverty (20 to <30% below FPL)	339	27.7	290	27.6	49	28.0	122	22.8	11,193	21.4	79	18.7
Very high poverty (≥30% below FPL)	240	19.6	208	19.8	32	18.3	93	17.4	8,400	16.1	78	18.5
Area-based poverty level not available	137	11.2	128	12.2	9	5.1	102	19.1	7,423	14.2	131	31.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.6.2. Injection drug use history (IDU), men (includes transgender men)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	16	76.2	5	23.8	54	100.0	9,907	100.0	301	100.0
RACE/ETHNICITY												
Black	6	28.6	4	25.0	2	40.0	15	27.8	3,967	40.0	134	44.5
Latino/Hispanic	8	38.1	6	37.5	2	40.0	30	55.6	4,709	47.5	134	44.5
White	5	23.8	4	25.0	1	20.0	9	16.7	1,147	11.6	32	10.6
Asian/Pacific Islander	2	9.5	2	12.5	0	0.0	0	0.0	56	0.6	1	0.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	14	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	0	0.0	0	0.0	0	0.0	1	1.9	19	0.2	0	0.0
30-39	2	9.5	2	12.5	0	0.0	6	11.1	201	2.0	2	0.7
40-49	8	38.1	7	43.8	1	20.0	13	24.1	846	8.5	23	7.6
50-59	4	19.0	4	25.0	0	0.0	14	25.9	3,516	35.5	81	26.9
60+	7	33.3	3	18.8	4	80.0	20	37.0	5,325	53.7	195	64.8
BOROUGH OF RESIDENCE												
Bronx	5	23.8	4	25.0	1	20.0	21	38.9	3,193	32.2	106	35.2
Brooklyn	10	47.6	8	50.0	2	40.0	19	35.2	2,273	22.9	66	21.9
Manhattan	2	9.5	1	6.3	1	20.0	5	9.3	2,085	21.0	30	10.0
Queens	2	9.5	1	6.3	1	20.0	6	11.1	1,393	14.1	29	9.6
Staten Island	2	9.5	2	12.5	0	0.0	0	0.0	249	2.5	8	2.7
Outside NYC	0	0.0	0	0.0	0	0.0	3	5.6	691	7.0	12	4.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	0.2	50	16.6
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	9.5	2	12.5	0	0.0	1	1.9	520	5.2	15	5.0
Medium poverty (10 to <20% below FPL)	6	28.6	5	31.3	1	20.0	10	18.5	2,868	28.9	56	18.6
High poverty (20 to <30% below FPL)	5	23.8	3	18.8	2	40.0	15	27.8	2,188	22.1	66	21.9
Very high poverty (≥30% below FPL)	7	33.3	6	37.5	1	20.0	24	44.4	3,386	34.2	102	33.9
Area-based poverty level not available	1	4.8	0	0.0	1	20.0	4	7.4	945	9.5	62	20.6

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.6.3. Injection drug use history (IDU), women (includes transgender women)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	11	100.0	10	90.9	1	9.1	29	100.0	5,343	100.0	147	100.0
RACE/ETHNICITY												
Black	6	54.5	5	50.0	1	100.0	15	51.7	2,526	47.3	67	45.6
Latino/Hispanic	2	18.2	2	20.0	0	0.0	14	48.3	2,163	40.5	67	45.6
White	3	27.3	3	30.0	0	0.0	0	0.0	618	11.6	10	6.8
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	19	0.4	1	0.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	0.7
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	1	0.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	9.1	1	10.0	0	0.0	0	0.0	2	0.0	0	0.0
20-29	3	27.3	3	30.0	0	0.0	0	0.0	45	0.8	0	0.0
30-39	2	18.2	2	20.0	0	0.0	5	17.2	229	4.3	4	2.7
40-49	0	0.0	0	0.0	0	0.0	2	6.9	763	14.3	21	14.3
50-59	2	18.2	1	10.0	1	100.0	11	37.9	2,392	44.8	59	40.1
60+	3	27.3	3	30.0	0	0.0	11	37.9	1,912	35.8	63	42.9
BOROUGH OF RESIDENCE												
Bronx	4	36.4	4	40.0	0	0.0	13	44.8	1,932	36.2	56	38.1
Brooklyn	3	27.3	3	30.0	0	0.0	6	20.7	1,387	26.0	33	22.4
Manhattan	3	27.3	3	30.0	0	0.0	2	6.9	1,006	18.8	13	8.8
Queens	0	0.0	0	0.0	0	0.0	2	6.9	606	11.3	15	10.2
Staten Island	0	0.0	0	0.0	0	0.0	1	3.4	126	2.4	5	3.4
Outside NYC	1	9.1	0	0.0	1	100.0	2	6.9	277	5.2	4	2.7
Unknown	0	0.0	0	0.0	0	0.0	3	10.3	9	0.2	21	14.3
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	0	0.0	0	0.0	0	0.0	3	10.3	276	5.2	5	3.4
Medium poverty (10 to <20% below FPL)	4	36.4	4	40.0	0	0.0	1	3.4	1,372	25.7	31	21.1
High poverty (20 to <30% below FPL)	2	18.2	2	20.0	0	0.0	8	27.6	1,326	24.8	32	21.8
Very high poverty (≥30% below FPL)	4	36.4	4	40.0	0	0.0	12	41.4	2,018	37.8	54	36.7
Area-based poverty level not available	1	9.1	0	0.0	1	100.0	5	17.2	351	6.6	25	17.0

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.6.4. Men who have sex with men and inject drugs (MSM-IDU)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	23	100.0	23	100.0	0	0.0	31	100.0	3,163	100.0	68	100.0
RACE/ETHNICITY												
Black	8	34.8	8	34.8	0	0.0	9	29.0	1,103	34.9	34	50.0
Latino/Hispanic	7	30.4	7	30.4	0	0.0	13	41.9	1,228	38.8	16	23.5
White	8	34.8	8	34.8	0	0.0	8	25.8	772	24.4	17	25.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	3.2	43	1.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	9	0.3	1	1.5
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	16	69.6	16	69.6	0	0.0	6	19.4	199	6.3	0	0.0
30-39	6	26.1	6	26.1	0	0.0	7	22.6	529	16.7	7	10.3
40-49	1	4.3	1	4.3	0	0.0	4	12.9	643	20.3	14	20.6
50-59	0	0.0	0	0.0	0	0.0	9	29.0	1,084	34.3	18	26.5
60+	0	0.0	0	0.0	0	0.0	5	16.1	708	22.4	29	42.6
BOROUGH OF RESIDENCE												
Bronx	6	26.1	6	26.1	0	0.0	13	41.9	841	26.6	19	27.9
Brooklyn	6	26.1	6	26.1	0	0.0	4	12.9	615	19.4	9	13.2
Manhattan	2	8.7	2	8.7	0	0.0	8	25.8	929	29.4	14	20.6
Queens	6	26.1	6	26.1	0	0.0	3	9.7	396	12.5	4	5.9
Staten Island	1	4.3	1	4.3	0	0.0	1	3.2	66	2.1	3	4.4
Outside NYC	2	8.7	2	8.7	0	0.0	1	3.2	308	9.7	4	5.9
Unknown	0	0.0	0	0.0	0	0.0	1	3.2	8	0.3	15	22.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	3	13.0	3	13.0	0	0.0	0	0.0	229	7.2	6	8.8
Medium poverty (10 to <20% below FPL)	8	34.8	8	34.8	0	0.0	9	29.0	1,057	33.4	11	16.2
High poverty (20 to <30% below FPL)	5	21.7	5	21.7	0	0.0	6	19.4	678	21.4	13	19.1
Very high poverty (≥30% below FPL)	5	21.7	5	21.7	0	0.0	13	41.9	861	27.2	19	27.9
Area-based poverty level not available	2	8.7	2	8.7	0	0.0	3	9.7	338	10.7	19	27.9

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.6.5. Heterosexual contact, men

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	77	100.0	56	72.7	21	27.3	68	100.0	6,100	100.0	111	100.0
RACE/ETHNICITY												
Black	37	48.1	25	44.6	12	57.1	39	57.4	3,306	54.2	63	56.8
Latino/Hispanic	27	35.1	21	37.5	6	28.6	23	33.8	2,060	33.8	40	36.0
White	5	6.5	5	8.9	0	0.0	3	4.4	520	8.5	6	5.4
Asian/Pacific Islander	7	9.1	5	8.9	2	9.5	2	2.9	185	3.0	2	1.8
Native American	1	1.3	0	0.0	1	4.8	1	1.5	20	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.3	1	1.8	0	0.0	0	0.0	3	0.0	0	0.0
20-29	15	19.5	11	19.6	4	19.0	4	5.9	112	1.8	0	0.0
30-39	21	27.3	18	32.1	3	14.3	12	17.6	470	7.7	4	3.6
40-49	11	14.3	7	12.5	4	19.0	19	27.9	1,312	21.5	12	10.8
50-59	19	24.7	12	21.4	7	33.3	21	30.9	2,517	41.3	44	39.6
60+	10	13.0	7	12.5	3	14.3	12	17.6	1,686	27.6	51	45.9
BOROUGH OF RESIDENCE												
Bronx	29	37.7	22	39.3	7	33.3	24	35.3	1,764	28.9	23	20.7
Brooklyn	23	29.9	16	28.6	7	33.3	14	20.6	1,607	26.3	32	28.8
Manhattan	8	10.4	6	10.7	2	9.5	9	13.2	940	15.4	18	16.2
Queens	10	13.0	7	12.5	3	14.3	8	11.8	1,118	18.3	11	9.9
Staten Island	3	3.9	2	3.6	1	4.8	4	5.9	147	2.4	2	1.8
Outside NYC	3	3.9	2	3.6	1	4.8	7	10.3	506	8.3	4	3.6
Unknown	1	1.3	1	1.8	0	0.0	2	2.9	18	0.3	21	18.9
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	2	2.6	2	3.6	0	0.0	2	2.9	417	6.8	6	5.4
Medium poverty (10 to <20% below FPL)	30	39.0	19	33.9	11	52.4	22	32.4	1,889	31.0	20	18.0
High poverty (20 to <30% below FPL)	14	18.2	11	19.6	3	14.3	15	22.1	1,427	23.4	29	26.1
Very high poverty (≥30% below FPL)	27	35.1	21	37.5	6	28.6	20	29.4	1,810	29.7	31	27.9
Area-based poverty level not available	4	5.2	3	5.4	1	4.8	9	13.2	557	9.1	25	22.5

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.6.6. Heterosexual contact, women

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	294	100.0	243	82.7	51	17.3	208	100.0	18,738	100.0	234	100.0
RACE/ETHNICITY												
Black	183	62.2	146	60.1	37	72.5	133	63.9	11,114	59.3	158	67.5
Latino/Hispanic	80	27.2	70	28.8	10	19.6	52	25.0	6,024	32.1	63	26.9
White	20	6.8	18	7.4	2	3.9	15	7.2	1,207	6.4	9	3.8
Asian/Pacific Islander	7	2.4	7	2.9	0	0.0	5	2.4	290	1.5	1	0.4
Native American	2	0.7	1	0.4	1	2.0	1	0.5	48	0.3	3	1.3
Multiracial	2	0.7	1	0.4	1	2.0	2	1.0	45	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	10	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	13	4.4	13	5.3	0	0.0	1	0.5	28	0.1	0	0.0
20-29	60	20.4	57	23.5	3	5.9	23	11.1	848	4.5	3	1.3
30-39	77	26.2	61	25.1	16	31.4	58	27.9	2,695	14.4	14	6.0
40-49	61	20.7	50	20.6	11	21.6	42	20.2	4,578	24.4	34	14.5
50-59	51	17.3	35	14.4	16	31.4	58	27.9	6,403	34.2	103	44.0
60+	32	10.9	27	11.1	5	9.8	26	12.5	4,186	22.3	80	34.2
BOROUGH OF RESIDENCE												
Bronx	103	35.0	83	34.2	20	39.2	58	27.9	6,111	32.6	56	23.9
Brooklyn	91	31.0	77	31.7	14	27.5	58	27.9	5,580	29.8	64	27.4
Manhattan	24	8.2	17	7.0	7	13.7	23	11.1	2,443	13.0	37	15.8
Queens	50	17.0	44	18.1	6	11.8	22	10.6	2,802	15.0	19	8.1
Staten Island	9	3.1	8	3.3	1	2.0	5	2.4	492	2.6	6	2.6
Outside NYC	12	4.1	9	3.7	3	5.9	33	15.9	1,213	6.5	12	5.1
Unknown	5	1.7	5	2.1	0	0.0	9	4.3	97	0.5	40	17.1
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	24	8.2	20	8.2	4	7.8	14	6.7	1,250	6.7	15	6.4
Medium poverty (10 to <20% below FPL)	86	29.3	70	28.8	16	31.4	48	23.1	5,439	29.0	35	15.0
High poverty (20 to <30% below FPL)	71	24.1	58	23.9	13	25.5	39	18.8	4,630	24.7	63	26.9
Very high poverty (≥30% below FPL)	96	32.7	81	33.3	15	29.4	65	31.3	6,022	32.1	69	29.5
Area-based poverty level not available	17	5.8	14	5.8	3	5.9	42	20.2	1,397	7.5	52	22.2

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.6.7. Transgender people with sexual contact

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	54	100.0	48	88.9	6	11.1	29	100.0	1,583	100.0	13	100.0
GENDER												
Men	1	1.9	1	2.1	0	0.0	0	0.0	16	1.0	0	0.0
Women	53	98.1	47	97.9	6	100.0	29	100.0	1,567	99.0	13	100.0
RACE/ETHNICITY												
Black	24	44.4	19	39.6	5	83.3	13	44.8	806	50.9	5	38.5
Latino/Hispanic	21	38.9	20	41.7	1	16.7	14	48.3	618	39.0	8	61.5
White	1	1.9	1	2.1	0	0.0	2	6.9	102	6.4	0	0.0
Asian/Pacific Islander	7	13.0	7	14.6	0	0.0	0	0.0	38	2.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Multiracial	1	1.9	1	2.1	0	0.0	0	0.0	13	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	1.9	1	2.1	0	0.0	0	0.0	4	0.3	0	0.0
20-29	31	57.4	30	62.5	1	16.7	8	27.6	415	26.2	1	7.7
30-39	18	33.3	13	27.1	5	83.3	15	51.7	568	35.9	6	46.2
40-49	3	5.6	3	6.3	0	0.0	5	17.2	341	21.5	3	23.1
50-59	1	1.9	1	2.1	0	0.0	1	3.4	201	12.7	2	15.4
60+	0	0.0	0	0.0	0	0.0	0	0.0	54	3.4	1	7.7
BOROUGH OF RESIDENCE												
Bronx	11	20.4	10	20.8	1	16.7	12	41.4	516	32.6	4	30.8
Brooklyn	11	20.4	8	16.7	3	50.0	5	17.2	366	23.1	3	23.1
Manhattan	17	31.5	16	33.3	1	16.7	6	20.7	305	19.3	2	15.4
Queens	8	14.8	8	16.7	0	0.0	1	3.4	221	14.0	1	7.7
Staten Island	3	5.6	2	4.2	1	16.7	1	3.4	36	2.3	0	0.0
Outside NYC	4	7.4	4	8.3	0	0.0	4	13.8	120	7.6	1	7.7
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	19	1.2	2	15.4
AREA-BASED POVERTY LEVEL												
Low poverty (<10% below FPL)	9	16.7	9	18.8	0	0.0	1	3.4	71	4.5	1	7.7
Medium poverty (10 to <20% below FPL)	11	20.4	10	20.8	1	16.7	2	6.9	470	29.7	4	30.8
High poverty (20 to <30% below FPL)	19	35.2	15	31.3	4	66.7	10	34.5	375	23.7	2	15.4
Very high poverty (≥30% below FPL)	11	20.4	10	20.8	1	16.7	12	41.4	522	33.0	3	23.1
Area-based poverty level not available	4	7.4	4	8.3	0	0.0	4	13.8	145	9.2	3	23.1

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.7.1. Kingsbridge - Riverdale (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	4	100.0	728	100.0	10	100.0
GENDER												
Men	9	69.2	7	63.6	2	100.0	4	100.0	500	68.7	5	50.0
Women	4	30.8	4	36.4	0	0.0	0	0.0	228	31.3	5	50.0
RACE/ETHNICITY												
Black	3	23.1	3	27.3	0	0.0	0	0.0	235	32.3	3	30.0
Latino/Hispanic	6	46.2	6	54.5	0	0.0	2	50.0	338	46.4	6	60.0
White	4	30.8	2	18.2	2	100.0	2	50.0	141	19.4	1	10.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	10	1.4	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	7.7	1	9.1	0	0.0	0	0.0	1	0.1	0	0.0
20-29	5	38.5	4	36.4	1	50.0	1	25.0	48	6.6	1	10.0
30-39	2	15.4	2	18.2	0	0.0	1	25.0	107	14.7	1	10.0
40-49	2	15.4	2	18.2	0	0.0	1	25.0	140	19.2	1	10.0
50-59	3	23.1	2	18.2	1	50.0	1	25.0	229	31.5	2	20.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	203	27.9	5	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	46.2	4	36.4	2	100.0	3	75.0	282	38.7	1	10.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	92	12.6	4	40.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	1.5	0	0.0
Heterosexual contact	3	23.1	3	27.3	0	0.0	0	0.0	153	21.0	2	20.0
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	6	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	14	1.9	1	10.0
Other	1	7.7	1	9.1	0	0.0	0	0.0	2	0.3	0	0.0
Unknown	2	15.4	2	18.2	0	0.0	1	25.0	168	23.1	2	20.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

The following ZIP codes are included in Kingsbridge - Riverdale: 10463, 10471.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.7.2. Northeast Bronx (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	54	100.0	43	79.6	11	20.4	31	100.0	2,664	100.0	42	100.0
GENDER												
Men	38	70.4	30	69.8	8	72.7	21	67.7	1,513	56.8	25	59.5
Women	16	29.6	13	30.2	3	27.3	10	32.3	1,151	43.2	17	40.5
RACE/ETHNICITY												
Black	40	74.1	32	74.4	8	72.7	22	71.0	1,725	64.8	26	61.9
Latino/Hispanic	12	22.2	9	20.9	3	27.3	9	29.0	770	28.9	15	35.7
White	2	3.7	2	4.7	0	0.0	0	0.0	128	4.8	1	2.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	26	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	3	5.6	3	7.0	0	0.0	0	0.0	25	0.9	0	0.0
20-29	21	38.9	19	44.2	2	18.2	5	16.1	263	9.9	1	2.4
30-39	13	24.1	11	25.6	2	18.2	9	29.0	405	15.2	1	2.4
40-49	8	14.8	6	14.0	2	18.2	7	22.6	504	18.9	2	4.8
50-59	5	9.3	3	7.0	2	18.2	5	16.1	874	32.8	22	52.4
60+	4	7.4	1	2.3	3	27.3	5	16.1	592	22.2	16	38.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	15	27.8	12	27.9	3	27.3	8	25.8	622	23.3	2	4.8
Injection drug use history (IDU)	1	1.9	0	0.0	1	9.1	2	6.5	289	10.8	13	31.0
MSM-IDU	1	1.9	1	2.3	0	0.0	1	3.2	60	2.3	3	7.1
Heterosexual contact	19	35.2	14	32.6	5	45.5	13	41.9	836	31.4	12	28.6
Transgender people with sexual contact	2	3.7	2	4.7	0	0.0	0	0.0	27	1.0	1	2.4
Perinatal	0	0.0	0	0.0	0	0.0	2	6.5	100	3.8	1	2.4
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	16	29.6	14	32.6	2	18.2	5	16.1	729	27.4	10	23.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Northeast Bronx: 10466, 10469, 10470, 10475.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.7.3. Fordham - Bronx Park (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	84	100.0	71	84.5	13	15.5	58	100.0	5,685	100.0	80	100.0
GENDER												
Men	62	73.8	51	71.8	11	84.6	44	75.9	3,705	65.2	53	66.3
Women	22	26.2	20	28.2	2	15.4	14	24.1	1,980	34.8	27	33.8
RACE/ETHNICITY												
Black	39	46.4	33	46.5	6	46.2	33	56.9	2,535	44.6	29	36.3
Latino/Hispanic	42	50.0	35	49.3	7	53.8	22	37.9	2,805	49.3	45	56.3
White	2	2.4	2	2.8	0	0.0	2	3.4	276	4.9	4	5.0
Asian/Pacific Islander	1	1.2	1	1.4	0	0.0	1	1.7	43	0.8	1	1.3
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	1	1.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	4	4.8	4	5.6	0	0.0	0	0.0	17	0.3	0	0.0
20-29	25	29.8	21	29.6	4	30.8	15	25.9	527	9.3	3	3.8
30-39	22	26.2	18	25.4	4	30.8	12	20.7	896	15.8	6	7.5
40-49	18	21.4	15	21.1	3	23.1	8	13.8	1,203	21.2	10	12.5
50-59	8	9.5	6	8.5	2	15.4	16	27.6	1,848	32.5	37	46.3
60+	7	8.3	7	9.9	0	0.0	7	12.1	1,190	20.9	24	30.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	44	52.4	37	52.1	7	53.8	21	36.2	1,704	30.0	15	18.8
Injection drug use history (IDU)	1	1.2	1	1.4	0	0.0	5	8.6	894	15.7	24	30.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	167	2.9	4	5.0
Heterosexual contact	20	23.8	19	26.8	1	7.7	7	12.1	1,332	23.4	13	16.3
Transgender people with sexual contact	3	3.6	2	2.8	1	7.7	4	6.9	122	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	4	6.9	126	2.2	1	1.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	16	19.0	12	16.9	4	30.8	17	29.3	1,335	23.5	23	28.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Fordham - Bronx Park: 10458, 10467, 10468.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.7.4. Pelham - Throgs Neck (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	76	100.0	59	77.6	17	22.4	54	100.0	4,491	100.0	43	100.0
GENDER												
Men	61	80.3	50	84.7	11	64.7	42	77.8	2,820	62.8	29	67.4
Women	15	19.7	9	15.3	6	35.3	12	22.2	1,671	37.2	14	32.6
RACE/ETHNICITY												
Black	33	43.4	24	40.7	9	52.9	27	50.0	1,854	41.3	16	37.2
Latino/Hispanic	38	50.0	31	52.5	7	41.2	23	42.6	2,267	50.5	22	51.2
White	5	6.6	4	6.8	1	5.9	2	3.7	310	6.9	5	11.6
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	1	1.9	40	0.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	1	1.9	11	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	2	0.0	0	0.0
13-19	2	2.6	2	3.4	0	0.0	0	0.0	23	0.5	0	0.0
20-29	21	27.6	21	35.6	0	0.0	6	11.1	347	7.7	1	2.3
30-39	20	26.3	18	30.5	2	11.8	7	13.0	668	14.9	0	0.0
40-49	16	21.1	10	16.9	6	35.3	12	22.2	842	18.7	8	18.6
50-59	13	17.1	6	10.2	7	41.2	21	38.9	1,591	35.4	12	27.9
60+	4	5.3	2	3.4	2	11.8	8	14.8	1,018	22.7	22	51.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	53.9	38	64.4	3	17.6	12	22.2	1,228	27.3	7	16.3
Injection drug use history (IDU)	1	1.3	1	1.7	0	0.0	6	11.1	706	15.7	15	34.9
MSM-IDU	1	1.3	1	1.7	0	0.0	2	3.7	105	2.3	1	2.3
Heterosexual contact	20	26.3	12	20.3	8	47.1	16	29.6	1,135	25.3	10	23.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	55	1.2	1	2.3
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	152	3.4	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	11	0.2	1	2.3
Unknown	13	17.1	7	11.9	6	35.3	18	33.3	1,099	24.5	7	16.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Pelham - Throgs Neck: 10461, 10462, 10464, 10465, 10472, 10473.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.7.5. Crotona - Tremont (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	82	100.0	73	89.0	9	11.0	63	100.0	6,302	100.0	103	100.0
GENDER												
Men	57	69.5	49	67.1	8	88.9	40	63.5	3,806	60.4	68	66.0
Women	25	30.5	24	32.9	1	11.1	23	36.5	2,496	39.6	35	34.0
RACE/ETHNICITY												
Black	32	39.0	27	37.0	5	55.6	32	50.8	2,994	47.5	46	44.7
Latino/Hispanic	47	57.3	43	58.9	4	44.4	30	47.6	3,061	48.6	53	51.5
White	2	2.4	2	2.7	0	0.0	1	1.6	181	2.9	2	1.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	34	0.5	0	0.0
Other/Unknown	1	1.2	1	1.4	0	0.0	0	0.0	32	0.5	2	1.9
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
13-19	7	8.5	7	9.6	0	0.0	1	1.6	28	0.4	0	0.0
20-29	32	39.0	31	42.5	1	11.1	10	15.9	552	8.8	1	1.0
30-39	26	31.7	20	27.4	6	66.7	17	27.0	946	15.0	6	5.8
40-49	5	6.1	5	6.8	0	0.0	7	11.1	1,303	20.7	17	16.5
50-59	9	11.0	8	11.0	1	11.1	17	27.0	2,093	33.2	33	32.0
60+	3	3.7	2	2.7	1	11.1	11	17.5	1,371	21.8	46	44.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	41	50.0	38	52.1	3	33.3	14	22.2	1,453	23.1	10	9.7
Injection drug use history (IDU)	2	2.4	2	2.7	0	0.0	9	14.3	1,189	18.9	39	37.9
MSM-IDU	2	2.4	2	2.7	0	0.0	4	6.3	188	3.0	4	3.9
Heterosexual contact	21	25.6	19	26.0	2	22.2	14	22.2	1,702	27.0	20	19.4
Transgender people with sexual contact	2	2.4	2	2.7	0	0.0	3	4.8	144	2.3	1	1.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	170	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
Unknown	14	17.1	10	13.7	4	44.4	19	30.2	1,453	23.1	29	28.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Crotona - Tremont: 10453, 10457, 10460.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.7.6. High Bridge - Morrisania (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	81	100.0	64	79.0	17	21.0	78	100.0	6,299	100.0	118	100.0
GENDER												
Men	48	59.3	37	57.8	11	64.7	49	62.8	3,896	61.9	86	72.9
Women	33	40.7	27	42.2	6	35.3	29	37.2	2,403	38.1	32	27.1
RACE/ETHNICITY												
Black	38	46.9	29	45.3	9	52.9	40	51.3	3,272	51.9	75	63.6
Latino/Hispanic	40	49.4	32	50.0	8	47.1	34	43.6	2,742	43.5	39	33.1
White	2	2.5	2	3.1	0	0.0	1	1.3	225	3.6	4	3.4
Asian/Pacific Islander	1	1.2	1	1.6	0	0.0	1	1.3	30	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	2	2.6	9	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
13-19	4	4.9	4	6.3	0	0.0	2	2.6	33	0.5	0	0.0
20-29	23	28.4	20	31.3	3	17.6	13	16.7	476	7.6	2	1.7
30-39	22	27.2	17	26.6	5	29.4	14	17.9	925	14.7	9	7.6
40-49	17	21.0	12	18.8	5	29.4	18	23.1	1,299	20.6	13	11.0
50-59	13	16.0	9	14.1	4	23.5	16	20.5	2,068	32.8	41	34.7
60+	2	2.5	2	3.1	0	0.0	15	19.2	1,491	23.7	53	44.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	28.4	19	29.7	4	23.5	15	19.2	1,460	23.2	21	17.8
Injection drug use history (IDU)	2	2.5	2	3.1	0	0.0	6	7.7	1,167	18.5	46	39.0
MSM-IDU	0	0.0	0	0.0	0	0.0	4	5.1	188	3.0	6	5.1
Heterosexual contact	34	42.0	27	42.2	7	41.2	23	29.5	1,660	26.4	13	11.0
Transgender people with sexual contact	1	1.2	1	1.6	0	0.0	4	5.1	83	1.3	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	2	2.6	169	2.7	2	1.7
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	21	25.9	15	23.4	6	35.3	24	30.8	1,565	24.8	29	24.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in High Bridge - Morrisania: 10451, 10452, 10456.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.7.7. Hunts Point - Mott Haven (Bronx)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	63	100.0	57	90.5	6	9.5	32	100.0	3,931	100.0	44	100.0
GENDER												
Men	48	76.2	46	80.7	2	33.3	20	62.5	2,407	61.2	34	77.3
Women	15	23.8	11	19.3	4	66.7	12	37.5	1,524	38.8	10	22.7
RACE/ETHNICITY												
Black	29	46.0	25	43.9	4	66.7	19	59.4	1,717	43.7	17	38.6
Latino/Hispanic	33	52.4	31	54.4	2	33.3	12	37.5	2,028	51.6	26	59.1
White	1	1.6	1	1.8	0	0.0	1	3.1	148	3.8	1	2.3
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	21	0.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	6	0.2	0	0.0
13-19	5	7.9	5	8.8	0	0.0	0	0.0	13	0.3	0	0.0
20-29	29	46.0	27	47.4	2	33.3	6	18.8	356	9.1	1	2.3
30-39	14	22.2	12	21.1	2	33.3	7	21.9	687	17.5	3	6.8
40-49	5	7.9	5	8.8	0	0.0	6	18.8	797	20.3	8	18.2
50-59	6	9.5	4	7.0	2	33.3	8	25.0	1,212	30.8	12	27.3
60+	4	6.3	4	7.0	0	0.0	5	15.6	860	21.9	20	45.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	37	58.7	35	61.4	2	33.3	10	31.3	945	24.0	4	9.1
Injection drug use history (IDU)	2	3.2	2	3.5	0	0.0	6	18.8	736	18.7	21	47.7
MSM-IDU	2	3.2	2	3.5	0	0.0	2	6.3	120	3.1	1	2.3
Heterosexual contact	15	23.8	11	19.3	4	66.7	9	28.1	1,048	26.7	9	20.5
Transgender people with sexual contact	2	3.2	2	3.5	0	0.0	1	3.1	79	2.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	112	2.8	1	2.3
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	5	7.9	5	8.8	0	0.0	4	12.5	886	22.5	8	18.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Hunts Point - Mott Haven: 10454, 10455, 10459, 10474.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.1. Greenpoint (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	18	81.8	4	18.2	11	100.0	901	100.0	5	100.0
GENDER												
Men	21	95.5	17	94.4	4	100.0	9	81.8	724	80.4	3	60.0
Women	1	4.5	1	5.6	0	0.0	2	18.2	177	19.6	2	40.0
RACE/ETHNICITY												
Black	4	18.2	1	5.6	3	75.0	5	45.5	144	16.0	1	20.0
Latino/Hispanic	10	45.5	9	50.0	1	25.0	5	45.5	393	43.6	4	80.0
White	7	31.8	7	38.9	0	0.0	1	9.1	339	37.6	0	0.0
Asian/Pacific Islander	1	4.5	1	5.6	0	0.0	0	0.0	20	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.5	0	0.0	1	25.0	1	9.1	4	0.4	0	0.0
20-29	6	27.3	6	33.3	0	0.0	1	9.1	60	6.7	0	0.0
30-39	12	54.5	10	55.6	2	50.0	5	45.5	209	23.2	0	0.0
40-49	3	13.6	2	11.1	1	25.0	3	27.3	219	24.3	0	0.0
50-59	0	0.0	0	0.0	0	0.0	0	0.0	257	28.5	0	0.0
60+	0	0.0	0	0.0	0	0.0	1	9.1	151	16.8	5	100.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	18	81.8	16	88.9	2	50.0	5	45.5	498	55.3	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	18.2	109	12.1	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	19	2.1	0	0.0
Heterosexual contact	1	4.5	1	5.6	0	0.0	1	9.1	119	13.2	2	40.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	4	0.4	0	0.0
Unknown	3	13.6	1	5.6	2	50.0	3	27.3	134	14.9	3	60.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenpoint: 11211, 11222.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.2. Downtown - Heights - Park Slope (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	43	100.0	38	88.4	5	11.6	20	100.0	2,760	100.0	27	100.0
GENDER												
Men	36	83.7	32	84.2	4	80.0	17	85.0	2,123	76.9	16	59.3
Women	7	16.3	6	15.8	1	20.0	3	15.0	637	23.1	11	40.7
RACE/ETHNICITY												
Black	20	46.5	18	47.4	2	40.0	7	35.0	1,159	42.0	12	44.4
Latino/Hispanic	9	20.9	7	18.4	2	40.0	6	30.0	660	23.9	7	25.9
White	12	27.9	11	28.9	1	20.0	7	35.0	857	31.1	8	29.6
Asian/Pacific Islander	1	2.3	1	2.6	0	0.0	0	0.0	62	2.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
Multiracial	1	2.3	1	2.6	0	0.0	0	0.0	7	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	4.7	1	2.6	1	20.0	2	10.0	7	0.3	0	0.0
20-29	21	48.8	21	55.3	0	0.0	5	25.0	184	6.7	0	0.0
30-39	6	14.0	4	10.5	2	40.0	7	35.0	377	13.7	1	3.7
40-49	4	9.3	3	7.9	1	20.0	3	15.0	551	20.0	3	11.1
50-59	2	4.7	2	5.3	0	0.0	1	5.0	901	32.6	5	18.5
60+	8	18.6	7	18.4	1	20.0	2	10.0	736	26.7	18	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	28	65.1	26	68.4	2	40.0	11	55.0	1,398	50.7	8	29.6
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	323	11.7	7	25.9
MSM-IDU	1	2.3	1	2.6	0	0.0	0	0.0	63	2.3	1	3.7
Heterosexual contact	6	14.0	5	13.2	1	20.0	1	5.0	406	14.7	6	22.2
Transgender people with sexual contact	1	2.3	1	2.6	0	0.0	0	0.0	22	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	3	15.0	47	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	7	16.3	5	13.2	2	40.0	5	25.0	500	18.1	5	18.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Downtown - Heights - Park Slope: 11201, 11205, 11215, 11217, 11231.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.3. Bedford Stuyvesant - Crown Heights (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	137	100.0	108	78.8	29	21.2	97	100.0	7,862	100.0	127	100.0
GENDER												
Men	105	76.6	81	75.0	24	82.8	68	70.1	5,072	64.5	84	66.1
Women	32	23.4	27	25.0	5	17.2	29	29.9	2,790	35.5	43	33.9
RACE/ETHNICITY												
Black	94	68.6	75	69.4	19	65.5	66	68.0	6,014	76.5	97	76.4
Latino/Hispanic	26	19.0	20	18.5	6	20.7	22	22.7	1,203	15.3	26	20.5
White	11	8.0	8	7.4	3	10.3	6	6.2	529	6.7	2	1.6
Asian/Pacific Islander	2	1.5	1	0.9	1	3.4	3	3.1	63	0.8	1	0.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	21	0.3	1	0.8
Multiracial	4	2.9	4	3.7	0	0.0	0	0.0	24	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	6	4.4	5	4.6	1	3.4	6	6.2	35	0.4	0	0.0
20-29	47	34.3	41	38.0	6	20.7	16	16.5	778	9.9	2	1.6
30-39	27	19.7	21	19.4	6	20.7	22	22.7	1,271	16.2	17	13.4
40-49	24	17.5	17	15.7	7	24.1	20	20.6	1,679	21.4	14	11.0
50-59	20	14.6	15	13.9	5	17.2	22	22.7	2,353	29.9	43	33.9
60+	13	9.5	9	8.3	4	13.8	11	11.3	1,742	22.2	51	40.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	64	46.7	53	49.1	11	37.9	33	34.0	2,598	33.0	23	18.1
Injection drug use history (IDU)	4	2.9	3	2.8	1	3.4	7	7.2	950	12.1	27	21.3
MSM-IDU	1	0.7	1	0.9	0	0.0	2	2.1	176	2.2	2	1.6
Heterosexual contact	28	20.4	24	22.2	4	13.8	19	19.6	1,975	25.1	32	25.2
Transgender people with sexual contact	2	1.5	1	0.9	1	3.4	2	2.1	126	1.6	1	0.8
Perinatal	0	0.0	0	0.0	0	0.0	3	3.1	187	2.4	1	0.8
Other	0	0.0	0	0.0	0	0.0	0	0.0	9	0.1	0	0.0
Unknown	38	27.7	26	24.1	12	41.4	31	32.0	1,841	23.4	41	32.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bedford Stuyvesant - Crown Heights: 11213, 11212, 11216, 11233, 11238.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.4. East New York (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	85	100.0	67	78.8	18	21.2	56	100.0	3,463	100.0	50	100.0
GENDER												
Men	61	71.8	49	73.1	12	66.7	34	60.7	1,984	57.3	32	64.0
Women	24	28.2	18	26.9	6	33.3	22	39.3	1,479	42.7	18	36.0
RACE/ETHNICITY												
Black	58	68.2	45	67.2	13	72.2	35	62.5	2,229	64.4	29	58.0
Latino/Hispanic	23	27.1	20	29.9	3	16.7	18	32.1	1,060	30.6	19	38.0
White	1	1.2	1	1.5	0	0.0	1	1.8	108	3.1	0	0.0
Asian/Pacific Islander	2	2.4	1	1.5	1	5.6	1	1.8	43	1.2	2	4.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	1	1.2	0	0.0	1	5.6	1	1.8	10	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	1	1.8	8	0.2	0	0.0
13-19	7	8.2	7	10.4	0	0.0	1	1.8	25	0.7	0	0.0
20-29	37	43.5	30	44.8	7	38.9	11	19.6	365	10.5	1	2.0
30-39	19	22.4	15	22.4	4	22.2	13	23.2	599	17.3	4	8.0
40-49	12	14.1	9	13.4	3	16.7	14	25.0	729	21.1	6	12.0
50-59	9	10.6	5	7.5	4	22.2	14	25.0	1,078	31.1	13	26.0
60+	1	1.2	1	1.5	0	0.0	2	3.6	659	19.0	26	52.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	42	49.4	31	46.3	11	61.1	20	35.7	922	26.6	6	12.0
Injection drug use history (IDU)	1	1.2	1	1.5	0	0.0	7	12.5	436	12.6	15	30.0
MSM-IDU	1	1.2	1	1.5	0	0.0	0	0.0	53	1.5	2	4.0
Heterosexual contact	18	21.2	15	22.4	3	16.7	16	28.6	1,048	30.3	12	24.0
Transgender people with sexual contact	3	3.5	2	3.0	1	5.6	1	1.8	62	1.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	1.8	102	2.9	1	2.0
Other	0	0.0	0	0.0	0	0.0	1	1.8	7	0.2	0	0.0
Unknown	20	23.5	17	25.4	3	16.7	10	17.9	833	24.1	14	28.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East New York: 11207, 11208.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.5. Sunset Park (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	27	100.0	21	77.8	6	22.2	12	100.0	870	100.0	8	100.0
GENDER												
Men	22	81.5	17	81.0	5	83.3	10	83.3	648	74.5	7	87.5
Women	5	18.5	4	19.0	1	16.7	2	16.7	222	25.5	1	12.5
RACE/ETHNICITY												
Black	2	7.4	1	4.8	1	16.7	1	8.3	160	18.4	0	0.0
Latino/Hispanic	17	63.0	15	71.4	2	33.3	6	50.0	473	54.4	6	75.0
White	1	3.7	1	4.8	0	0.0	1	8.3	169	19.4	0	0.0
Asian/Pacific Islander	4	14.8	3	14.3	1	16.7	2	16.7	63	7.2	1	12.5
Other/Unknown	3	11.1	1	4.8	2	33.3	2	16.7	5	0.6	1	12.5
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	7	25.9	4	19.0	3	50.0	5	41.7	56	6.4	0	0.0
30-39	9	33.3	8	38.1	1	16.7	1	8.3	146	16.8	0	0.0
40-49	6	22.2	5	23.8	1	16.7	1	8.3	193	22.2	4	50.0
50-59	2	7.4	2	9.5	0	0.0	2	16.7	276	31.7	2	25.0
60+	3	11.1	2	9.5	1	16.7	3	25.0	198	22.8	2	25.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	63.0	13	61.9	4	66.7	5	41.7	316	36.3	3	37.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	16.7	146	16.8	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	41	4.7	0	0.0
Heterosexual contact	4	14.8	2	9.5	2	33.3	4	33.3	178	20.5	1	12.5
Transgender people with sexual contact	1	3.7	1	4.8	0	0.0	0	0.0	11	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	5	18.5	5	23.8	0	0.0	1	8.3	167	19.2	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Sunset Park: 11220, 11232.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.6. Borough Park (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	24	92.3	2	7.7	10	100.0	1,146	100.0	17	100.0
GENDER												
Men	22	84.6	21	87.5	1	50.0	5	50.0	851	74.3	12	70.6
Women	4	15.4	3	12.5	1	50.0	5	50.0	295	25.7	5	29.4
RACE/ETHNICITY												
Black	3	11.5	3	12.5	0	0.0	0	0.0	302	26.4	8	47.1
Latino/Hispanic	9	34.6	9	37.5	0	0.0	5	50.0	429	37.4	4	23.5
White	11	42.3	9	37.5	2	100.0	5	50.0	342	29.8	3	17.6
Asian/Pacific Islander	3	11.5	3	12.5	0	0.0	0	0.0	66	5.8	1	5.9
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	1	5.9
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	11	42.3	11	45.8	0	0.0	0	0.0	66	5.8	0	0.0
30-39	6	23.1	5	20.8	1	50.0	4	40.0	195	17.0	1	5.9
40-49	5	19.2	5	20.8	0	0.0	2	20.0	242	21.1	6	35.3
50-59	2	7.7	2	8.3	0	0.0	2	20.0	362	31.6	2	11.8
60+	2	7.7	1	4.2	1	50.0	2	20.0	280	24.4	8	47.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	65.4	16	66.7	1	50.0	1	10.0	460	40.1	4	23.5
Injection drug use history (IDU)	1	3.8	1	4.2	0	0.0	1	10.0	171	14.9	5	29.4
MSM-IDU	1	3.8	1	4.2	0	0.0	0	0.0	23	2.0	2	11.8
Heterosexual contact	5	19.2	5	20.8	0	0.0	3	30.0	214	18.7	3	17.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	13	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	1.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	2	7.7	1	4.2	1	50.0	5	50.0	245	21.4	3	17.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Borough Park: 11204, 11218, 11219, 11230.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.7. East Flatbush - Flatbush (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	93	100.0	72	77.4	21	22.6	58	100.0	5,309	100.0	54	100.0
GENDER												
Men	66	71.0	52	72.2	14	66.7	42	72.4	3,391	63.9	34	63.0
Women	27	29.0	20	27.8	7	33.3	16	27.6	1,918	36.1	20	37.0
RACE/ETHNICITY												
Black	75	80.6	58	80.6	17	81.0	46	79.3	4,175	78.6	44	81.5
Latino/Hispanic	11	11.8	7	9.7	4	19.0	6	10.3	729	13.7	7	13.0
White	4	4.3	4	5.6	0	0.0	5	8.6	315	5.9	3	5.6
Asian/Pacific Islander	3	3.2	3	4.2	0	0.0	1	1.7	56	1.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	15	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	13	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	6	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.2	2	2.8	0	0.0	1	1.7	15	0.3	0	0.0
20-29	32	34.4	27	37.5	5	23.8	14	24.1	412	7.8	3	5.6
30-39	27	29.0	19	26.4	8	38.1	16	27.6	830	15.6	7	13.0
40-49	13	14.0	11	15.3	2	9.5	7	12.1	1,088	20.5	3	5.6
50-59	10	10.8	4	5.6	6	28.6	13	22.4	1,587	29.9	10	18.5
60+	9	9.7	9	12.5	0	0.0	7	12.1	1,373	25.9	31	57.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	46	49.5	37	51.4	9	42.9	27	46.6	1,637	30.8	12	22.2
Injection drug use history (IDU)	3	3.2	3	4.2	0	0.0	2	3.4	472	8.9	12	22.2
MSM-IDU	0	0.0	0	0.0	0	0.0	1	1.7	95	1.8	1	1.9
Heterosexual contact	21	22.6	15	20.8	6	28.6	10	17.2	1,437	27.1	14	25.9
Transgender people with sexual contact	1	1.1	0	0.0	1	4.8	1	1.7	48	0.9	2	3.7
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	109	2.1	1	1.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	12	0.2	0	0.0
Unknown	22	23.7	17	23.6	5	23.8	17	29.3	1,499	28.2	12	22.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Flatbush - Flatbush: 11203, 11210, 11225, 11226.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.8. Canarsie - Flatlands (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	39	100.0	26	66.7	13	33.3	28	100.0	1,767	100.0	31	100.0
GENDER												
Men	26	66.7	19	73.1	7	53.8	15	53.6	950	53.8	19	61.3
Women	13	33.3	7	26.9	6	46.2	13	46.4	817	46.2	12	38.7
RACE/ETHNICITY												
Black	35	89.7	24	92.3	11	84.6	21	75.0	1,408	79.7	26	83.9
Latino/Hispanic	3	7.7	1	3.8	2	15.4	5	17.9	228	12.9	1	3.2
White	1	2.6	1	3.8	0	0.0	2	7.1	105	5.9	4	12.9
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	17	1.0	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	5.1	2	7.7	0	0.0	0	0.0	15	0.8	0	0.0
20-29	10	25.6	8	30.8	2	15.4	2	7.1	149	8.4	1	3.2
30-39	14	35.9	10	38.5	4	30.8	11	39.3	281	15.9	1	3.2
40-49	5	12.8	2	7.7	3	23.1	7	25.0	369	20.9	5	16.1
50-59	6	15.4	4	15.4	2	15.4	5	17.9	518	29.3	9	29.0
60+	2	5.1	0	0.0	2	15.4	3	10.7	434	24.6	15	48.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	41.0	12	46.2	4	30.8	8	28.6	369	20.9	6	19.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	136	7.7	5	16.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	18	1.0	0	0.0
Heterosexual contact	10	25.6	7	26.9	3	23.1	10	35.7	615	34.8	7	22.6
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	65	3.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	13	33.3	7	26.9	6	46.2	10	35.7	553	31.3	13	41.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Canarsie - Flatlands: 11234, 11236, 11239.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.8.9. Bensonhurst - Bay Ridge (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	19	100.0	15	78.9	4	21.1	10	100.0	713	100.0	7	100.0
GENDER												
Men	17	89.5	14	93.3	3	75.0	8	80.0	537	75.3	7	100.0
Women	2	10.5	1	6.7	1	25.0	2	20.0	176	24.7	0	0.0
RACE/ETHNICITY												
Black	2	10.5	1	6.7	1	25.0	1	10.0	75	10.5	2	28.6
Latino/Hispanic	6	31.6	4	26.7	2	50.0	3	30.0	228	32.0	2	28.6
White	9	47.4	8	53.3	1	25.0	6	60.0	355	49.8	3	42.9
Asian/Pacific Islander	1	5.3	1	6.7	0	0.0	0	0.0	52	7.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	1	5.3	1	6.7	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
20-29	2	10.5	2	13.3	0	0.0	0	0.0	33	4.6	0	0.0
30-39	8	42.1	5	33.3	3	75.0	8	80.0	109	15.3	2	28.6
40-49	4	21.1	3	20.0	1	25.0	1	10.0	168	23.6	0	0.0
50-59	5	26.3	5	33.3	0	0.0	1	10.0	218	30.6	1	14.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	182	25.5	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	73.7	11	73.3	3	75.0	6	60.0	321	45.0	2	28.6
Injection drug use history (IDU)	1	5.3	1	6.7	0	0.0	0	0.0	99	13.9	3	42.9
MSM-IDU	1	5.3	1	6.7	0	0.0	1	10.0	22	3.1	0	0.0
Heterosexual contact	1	5.3	1	6.7	0	0.0	1	10.0	119	16.7	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	8	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	2	10.5	1	6.7	1	25.0	2	20.0	138	19.4	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Bensonhurst - Bay Ridge: 11209, 11214, 11228, 11252.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.10. Coney Island - Sheepshead Bay (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	36	100.0	28	77.8	8	22.2	17	100.0	1,200	100.0	13	100.0
GENDER												
Men	24	66.7	19	67.9	5	62.5	12	70.6	753	62.8	8	61.5
Women	12	33.3	9	32.1	3	37.5	5	29.4	447	37.3	5	38.5
RACE/ETHNICITY												
Black	6	16.7	4	14.3	2	25.0	3	17.6	459	38.3	3	23.1
Latino/Hispanic	10	27.8	8	28.6	2	25.0	3	17.6	352	29.3	8	61.5
White	16	44.4	12	42.9	4	50.0	9	52.9	334	27.8	2	15.4
Asian/Pacific Islander	4	11.1	4	14.3	0	0.0	2	11.8	43	3.6	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.7	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	2	5.6	2	7.1	0	0.0	0	0.0	9	0.8	0	0.0
20-29	8	22.2	6	21.4	2	25.0	4	23.5	90	7.5	0	0.0
30-39	13	36.1	11	39.3	2	25.0	5	29.4	203	16.9	0	0.0
40-49	4	11.1	3	10.7	1	12.5	3	17.6	233	19.4	2	15.4
50-59	4	11.1	2	7.1	2	25.0	3	17.6	367	30.6	4	30.8
60+	5	13.9	4	14.3	1	12.5	2	11.8	297	24.8	7	53.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	14	38.9	10	35.7	4	50.0	5	29.4	346	28.8	1	7.7
Injection drug use history (IDU)	1	2.8	1	3.6	0	0.0	1	5.9	183	15.3	5	38.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	16	1.3	0	0.0
Heterosexual contact	12	33.3	10	35.7	2	25.0	4	23.5	313	26.1	2	15.4
Transgender people with sexual contact	1	2.8	1	3.6	0	0.0	0	0.0	12	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	32	2.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.2	1	7.7
Unknown	8	22.2	6	21.4	2	25.0	6	35.3	296	24.7	4	30.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Coney Island - Sheepshead Bay: 11223, 11224, 11229, 11235.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.8.11. Williamsburg - Bushwick (Brooklyn)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	89	100.0	77	86.5	12	13.5	35	100.0	3,833	100.0	65	100.0
GENDER												
Men	74	83.1	64	83.1	10	83.3	25	71.4	2,696	70.3	43	66.2
Women	15	16.9	13	16.9	2	16.7	10	28.6	1,137	29.7	22	33.8
RACE/ETHNICITY												
Black	34	38.2	28	36.4	6	50.0	18	51.4	1,880	49.0	37	56.9
Latino/Hispanic	32	36.0	28	36.4	4	33.3	12	34.3	1,435	37.4	26	40.0
White	21	23.6	20	26.0	1	8.3	4	11.4	454	11.8	2	3.1
Asian/Pacific Islander	2	2.2	1	1.3	1	8.3	1	2.9	48	1.3	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	1	1.1	0	0.0	1	8.3	0	0.0	1	0.0	0	0.0
13-19	5	5.6	4	5.2	1	8.3	1	2.9	23	0.6	0	0.0
20-29	44	49.4	43	55.8	1	8.3	4	11.4	418	10.9	1	1.5
30-39	23	25.8	20	26.0	3	25.0	13	37.1	679	17.7	5	7.7
40-49	7	7.9	4	5.2	3	25.0	4	11.4	763	19.9	7	10.8
50-59	5	5.6	3	3.9	2	16.7	7	20.0	1,086	28.3	24	36.9
60+	4	4.5	3	3.9	1	8.3	6	17.1	863	22.5	28	43.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	64	71.9	59	76.6	5	41.7	16	45.7	1,442	37.6	14	21.5
Injection drug use history (IDU)	1	1.1	1	1.3	0	0.0	2	5.7	573	14.9	18	27.7
MSM-IDU	1	1.1	1	1.3	0	0.0	0	0.0	87	2.3	1	1.5
Heterosexual contact	8	9.0	8	10.4	0	0.0	3	8.6	740	19.3	17	26.2
Transgender people with sexual contact	2	2.2	2	2.6	0	0.0	1	2.9	50	1.3	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	86	2.2	1	1.5
Other	1	1.1	0	0.0	1	8.3	0	0.0	4	0.1	0	0.0
Unknown	12	13.5	6	7.8	6	50.0	13	37.1	851	22.2	14	21.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Williamsburg - Bushwick: 11206, 11221, 11237, 11249.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.1. Washington Heights - Inwood (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	97	100.0	85	87.6	12	12.4	46	100.0	4,713	100.0	42	100.0
GENDER												
Men	80	82.5	71	83.5	9	75.0	35	76.1	3,856	81.8	27	64.3
Women	17	17.5	14	16.5	3	25.0	11	23.9	857	18.2	15	35.7
RACE/ETHNICITY												
Black	17	17.5	15	17.6	2	16.7	16	34.8	1,506	32.0	19	45.2
Latino/Hispanic	60	61.9	50	58.8	10	83.3	27	58.7	2,074	44.0	16	38.1
White	14	14.4	14	16.5	0	0.0	3	6.5	1,037	22.0	5	11.9
Asian/Pacific Islander	4	4.1	4	4.7	0	0.0	0	0.0	64	1.4	1	2.4
Other/Unknown	2	2.1	2	2.4	0	0.0	0	0.0	32	0.7	1	2.4
AGE GROUP (YEARS)												
0-12	1	1.0	1	1.2	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.1	2	2.4	0	0.0	0	0.0	14	0.3	0	0.0
20-29	37	38.1	33	38.8	4	33.3	5	10.9	409	8.7	0	0.0
30-39	37	38.1	34	40.0	3	25.0	14	30.4	873	18.5	3	7.1
40-49	9	9.3	7	8.2	2	16.7	10	21.7	1,019	21.6	6	14.3
50-59	7	7.2	6	7.1	1	8.3	9	19.6	1,398	29.7	16	38.1
60+	4	4.1	2	2.4	2	16.7	8	17.4	996	21.1	17	40.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	65	67.0	58	68.2	7	58.3	20	43.5	2,608	55.3	8	19.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	356	7.6	4	9.5
MSM-IDU	1	1.0	1	1.2	0	0.0	5	10.9	122	2.6	1	2.4
Heterosexual contact	18	18.6	15	17.6	3	25.0	8	17.4	631	13.4	14	33.3
Transgender people with sexual contact	3	3.1	3	3.5	0	0.0	2	4.3	50	1.1	2	4.8
Perinatal	1	1.0	1	1.2	0	0.0	0	0.0	76	1.6	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Unknown	9	9.3	7	8.2	2	16.7	11	23.9	863	18.3	13	31.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Washington Heights - Inwood: 10031, 10032, 10033, 10034, 10040.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.9.2. Central Harlem - Morningside Heights (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	<i>Total HIV diagnoses</i>		<i>Without AIDS</i>		<i>Concurrent with AIDS diagnoses</i>		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	72	100.0	55	76.4	17	23.6	48	100.0	4,864	100.0	55	100.0
GENDER												
Men	60	83.3	48	87.3	12	70.6	38	79.2	3,516	72.3	39	70.9
Women	12	16.7	7	12.7	5	29.4	10	20.8	1,348	27.7	16	29.1
RACE/ETHNICITY												
Black	46	63.9	35	63.6	11	64.7	32	66.7	3,077	63.3	39	70.9
Latino/Hispanic	12	16.7	9	16.4	3	17.6	8	16.7	1,049	21.6	11	20.0
White	12	16.7	9	16.4	3	17.6	6	12.5	647	13.3	4	7.3
Asian/Pacific Islander	1	1.4	1	1.8	0	0.0	2	4.2	59	1.2	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
Multiracial	1	1.4	1	1.8	0	0.0	0	0.0	18	0.4	1	1.8
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
13-19	2	2.8	2	3.6	0	0.0	0	0.0	13	0.3	0	0.0
20-29	22	30.6	21	38.2	1	5.9	3	6.3	374	7.7	2	3.6
30-39	27	37.5	22	40.0	5	29.4	14	29.2	878	18.1	5	9.1
40-49	9	12.5	5	9.1	4	23.5	14	29.2	1,054	21.7	8	14.5
50-59	5	6.9	2	3.6	3	17.6	6	12.5	1,444	29.7	17	30.9
60+	7	9.7	3	5.5	4	23.5	11	22.9	1,097	22.6	23	41.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	45	62.5	40	72.7	5	29.4	23	47.9	2,096	43.1	19	34.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	4.2	568	11.7	6	10.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	107	2.2	3	5.5
Heterosexual contact	4	5.6	1	1.8	3	17.6	6	12.5	869	17.9	14	25.5
Transgender people with sexual contact	5	6.9	4	7.3	1	5.9	1	2.1	49	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	89	1.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	1	1.8
Unknown	18	25.0	10	18.2	8	47.1	16	33.3	1,081	22.2	12	21.8

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Central Harlem - Morningside Heights: 10026, 10027, 10030, 10037, 10039.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.3. East Harlem (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	37	100.0	30	81.1	7	18.9	29	100.0	3,033	100.0	62	100.0
GENDER												
Men	32	86.5	26	86.7	6	85.7	17	58.6	2,100	69.2	41	66.1
Women	5	13.5	4	13.3	1	14.3	12	41.4	933	30.8	21	33.9
RACE/ETHNICITY												
Black	18	48.6	16	53.3	2	28.6	16	55.2	1,410	46.5	32	51.6
Latino/Hispanic	11	29.7	9	30.0	2	28.6	9	31.0	1,200	39.6	22	35.5
White	4	10.8	2	6.7	2	28.6	3	10.3	365	12.0	8	12.9
Asian/Pacific Islander	3	8.1	3	10.0	0	0.0	0	0.0	41	1.4	0	0.0
Native American	1	2.7	0	0.0	1	14.3	1	3.4	7	0.2	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	8	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	10	0.3	0	0.0
20-29	18	48.6	16	53.3	2	28.6	5	17.2	234	7.7	1	1.6
30-39	8	21.6	5	16.7	3	42.9	8	27.6	442	14.6	5	8.1
40-49	6	16.2	5	16.7	1	14.3	9	31.0	610	20.1	7	11.3
50-59	3	8.1	2	6.7	1	14.3	4	13.8	953	31.4	19	30.6
60+	2	5.4	2	6.7	0	0.0	3	10.3	781	25.8	30	48.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	23	62.2	19	63.3	4	57.1	9	31.0	1,060	34.9	14	22.6
Injection drug use history (IDU)	2	5.4	2	6.7	0	0.0	2	6.9	567	18.7	16	25.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	91	3.0	1	1.6
Heterosexual contact	3	8.1	3	10.0	0	0.0	7	24.1	592	19.5	14	22.6
Transgender people with sexual contact	1	2.7	1	3.3	0	0.0	1	3.4	34	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	86	2.8	2	3.2
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	8	21.6	5	16.7	3	42.9	10	34.5	600	19.8	15	24.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in East Harlem: 10029, 10035.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.4. Upper West Side (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	17	85.0	3	15.0	17	100.0	3,223	100.0	32	100.0
GENDER												
Men	18	90.0	16	94.1	2	66.7	15	88.2	2,775	86.1	29	90.6
Women	2	10.0	1	5.9	1	33.3	2	11.8	448	13.9	3	9.4
RACE/ETHNICITY												
Black	5	25.0	3	17.6	2	66.7	10	58.8	847	26.3	9	28.1
Latino/Hispanic	4	20.0	4	23.5	0	0.0	3	17.6	854	26.5	12	37.5
White	10	50.0	9	52.9	1	33.3	2	11.8	1,413	43.8	11	34.4
Asian/Pacific Islander	1	5.0	1	5.9	0	0.0	2	11.8	75	2.3	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	34	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.1	0	0.0
20-29	6	30.0	6	35.3	0	0.0	1	5.9	166	5.2	0	0.0
30-39	6	30.0	5	29.4	1	33.3	5	29.4	374	11.6	0	0.0
40-49	2	10.0	2	11.8	0	0.0	2	11.8	509	15.8	4	12.5
50-59	6	30.0	4	23.5	2	66.7	8	47.1	1,052	32.6	10	31.3
60+	0	0.0	0	0.0	0	0.0	1	5.9	1,118	34.7	18	56.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	85.0	15	88.2	2	66.7	9	52.9	1,966	61.0	18	56.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	299	9.3	3	9.4
MSM-IDU	0	0.0	0	0.0	0	0.0	1	5.9	100	3.1	3	9.4
Heterosexual contact	1	5.0	0	0.0	1	33.3	4	23.5	294	9.1	4	12.5
Transgender people with sexual contact	1	5.0	1	5.9	0	0.0	0	0.0	34	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	5.9	35	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	1	5.0	1	5.9	0	0.0	2	11.8	492	15.3	4	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Upper West Side: 10023, 10024, 10025, 10069.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.5. Upper East Side (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	13	100.0	11	84.6	2	15.4	10	100.0	1,501	100.0	17	100.0
GENDER												
Men	12	92.3	10	90.9	2	100.0	8	80.0	1,313	87.5	15	88.2
Women	1	7.7	1	9.1	0	0.0	2	20.0	188	12.5	2	11.8
RACE/ETHNICITY												
Black	2	15.4	1	9.1	1	50.0	1	10.0	282	18.8	4	23.5
Latino/Hispanic	3	23.1	2	18.2	1	50.0	1	10.0	363	24.2	2	11.8
White	6	46.2	6	54.5	0	0.0	8	80.0	792	52.8	10	58.8
Asian/Pacific Islander	2	15.4	2	18.2	0	0.0	0	0.0	56	3.7	1	5.9
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	8	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	3	23.1	3	27.3	0	0.0	0	0.0	51	3.4	0	0.0
30-39	5	38.5	5	45.5	0	0.0	2	20.0	196	13.1	1	5.9
40-49	1	7.7	1	9.1	0	0.0	3	30.0	270	18.0	2	11.8
50-59	1	7.7	1	9.1	0	0.0	1	10.0	495	33.0	5	29.4
60+	3	23.1	1	9.1	2	100.0	4	40.0	487	32.4	9	52.9
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	69.2	8	72.7	1	50.0	7	70.0	958	63.8	5	29.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	10.0	101	6.7	2	11.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	38	2.5	2	11.8
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	10.0	111	7.4	1	5.9
Transgender people with sexual contact	1	7.7	1	9.1	0	0.0	0	0.0	6	0.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	0.7	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	3	23.1	2	18.2	1	50.0	1	10.0	275	18.3	7	41.2

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Upper East Side: 10021, 10028, 10044, 10065, 10075, 10128, 10162.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.9.6. Chelsea - Clinton (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	68	100.0	59	86.8	9	13.2	31	100.0	6,901	100.0	37	100.0
GENDER												
Men	62	91.2	53	89.8	9	100.0	29	93.5	6,454	93.5	36	97.3
Women	6	8.8	6	10.2	0	0.0	2	6.5	447	6.5	1	2.7
RACE/ETHNICITY												
Black	14	20.6	11	18.6	3	33.3	8	25.8	1,119	16.2	6	16.2
Latino/Hispanic	16	23.5	15	25.4	1	11.1	4	12.9	1,575	22.8	6	16.2
White	33	48.5	28	47.5	5	55.6	19	61.3	3,921	56.8	24	64.9
Asian/Pacific Islander	4	5.9	4	6.8	0	0.0	0	0.0	206	3.0	1	2.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.2	0	0.0
Multiracial	1	1.5	1	1.7	0	0.0	0	0.0	21	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	43	0.6	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0	0	0.0
20-29	25	36.8	23	39.0	2	22.2	4	12.9	282	4.1	0	0.0
30-39	22	32.4	20	33.9	2	22.2	8	25.8	1,081	15.7	0	0.0
40-49	12	17.6	11	18.6	1	11.1	6	19.4	1,603	23.2	5	13.5
50-59	5	7.4	1	1.7	4	44.4	7	22.6	2,418	35.0	17	45.9
60+	4	5.9	4	6.8	0	0.0	6	19.4	1,513	21.9	15	40.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	56	82.4	49	83.1	7	77.8	25	80.6	5,267	76.3	23	62.2
Injection drug use history (IDU)	2	2.9	2	3.4	0	0.0	0	0.0	320	4.6	2	5.4
MSM-IDU	1	1.5	1	1.7	0	0.0	1	3.2	218	3.2	2	5.4
Heterosexual contact	1	1.5	0	0.0	1	11.1	2	6.5	252	3.7	1	2.7
Transgender people with sexual contact	2	2.9	2	3.4	0	0.0	0	0.0	59	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	3.2	16	0.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0
Unknown	6	8.8	5	8.5	1	11.1	2	6.5	768	11.1	9	24.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Chelsea - Clinton: 10001, 10011, 10018, 10019, 10020, 10036.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.7. Gramercy Park - Murray Hill (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	22	100.0	16	72.7	6	27.3	13	100.0	2,003	100.0	7	100.0
GENDER												
Men	20	90.9	14	87.5	6	100.0	11	84.6	1,829	91.3	7	100.0
Women	2	9.1	2	12.5	0	0.0	2	15.4	174	8.7	0	0.0
RACE/ETHNICITY												
Black	2	9.1	2	12.5	0	0.0	2	15.4	390	19.5	2	28.6
Latino/Hispanic	8	36.4	5	31.3	3	50.0	5	38.5	470	23.5	3	42.9
White	9	40.9	6	37.5	3	50.0	6	46.2	1,045	52.2	2	28.6
Asian/Pacific Islander	3	13.6	3	18.8	0	0.0	0	0.0	75	3.7	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	23	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	4.5	1	6.3	0	0.0	0	0.0	3	0.1	0	0.0
20-29	6	27.3	6	37.5	0	0.0	0	0.0	67	3.3	0	0.0
30-39	6	27.3	6	37.5	0	0.0	2	15.4	203	10.1	1	14.3
40-49	6	27.3	3	18.8	3	50.0	3	23.1	376	18.8	0	0.0
50-59	3	13.6	0	0.0	3	50.0	6	46.2	712	35.5	2	28.6
60+	0	0.0	0	0.0	0	0.0	2	15.4	642	32.1	4	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	17	77.3	12	75.0	5	83.3	7	53.8	1,291	64.5	5	71.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	7.7	169	8.4	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	79	3.9	0	0.0
Heterosexual contact	2	9.1	1	6.3	1	16.7	1	7.7	120	6.0	0	0.0
Transgender people with sexual contact	1	4.5	1	6.3	0	0.0	1	7.7	12	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	11	0.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0
Unknown	2	9.1	2	12.5	0	0.0	3	23.1	319	15.9	2	28.6

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Gramercy Park - Murray Hill: 10010, 10016, 10017, 10022, 10165, 10170, 10171.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.9.8. Greenwich Village - Soho (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	15	100.0	14	93.3	1	6.7	4	100.0	1,884	100.0	9	100.0
GENDER												
Men	14	93.3	13	92.9	1	100.0	4	100.0	1,783	94.6	8	88.9
Women	1	6.7	1	7.1	0	0.0	0	0.0	101	5.4	1	11.1
RACE/ETHNICITY												
Black	4	26.7	4	28.6	0	0.0	2	50.0	359	19.1	2	22.2
Latino/Hispanic	3	20.0	3	21.4	0	0.0	1	25.0	397	21.1	3	33.3
White	7	46.7	6	42.9	1	100.0	1	25.0	1,064	56.5	4	44.4
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	48	2.5	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	0	0.0
Multiracial	1	6.7	1	7.1	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	5	33.3	5	35.7	0	0.0	1	25.0	64	3.4	0	0.0
30-39	4	26.7	4	28.6	0	0.0	0	0.0	231	12.3	0	0.0
40-49	4	26.7	4	28.6	0	0.0	1	25.0	374	19.9	1	11.1
50-59	0	0.0	0	0.0	0	0.0	1	25.0	670	35.6	2	22.2
60+	2	13.3	1	7.1	1	100.0	1	25.0	545	28.9	6	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	11	73.3	11	78.6	0	0.0	1	25.0	1,283	68.1	6	66.7
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	139	7.4	2	22.2
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	51	2.7	1	11.1
Heterosexual contact	1	6.7	1	7.1	0	0.0	1	25.0	63	3.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	32	1.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	3	20.0	2	14.3	1	100.0	2	50.0	308	16.3	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Greenwich Village - Soho: 10012, 10013, 10014.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.9.9. Union Square - Lower East Side (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	30	100.0	28	93.3	2	6.7	14	100.0	3,030	100.0	32	100.0
GENDER												
Men	26	86.7	24	85.7	2	100.0	11	78.6	2,486	82.0	23	71.9
Women	4	13.3	4	14.3	0	0.0	3	21.4	544	18.0	9	28.1
RACE/ETHNICITY												
Black	5	16.7	5	17.9	0	0.0	2	14.3	582	19.2	11	34.4
Latino/Hispanic	11	36.7	9	32.1	2	100.0	6	42.9	1,059	35.0	11	34.4
White	11	36.7	11	39.3	0	0.0	6	42.9	1,218	40.2	9	28.1
Asian/Pacific Islander	2	6.7	2	7.1	0	0.0	0	0.0	138	4.6	1	3.1
Other/Unknown	1	3.3	1	3.6	0	0.0	0	0.0	33	1.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	3.3	1	3.6	0	0.0	0	0.0	7	0.2	0	0.0
20-29	10	33.3	10	35.7	0	0.0	2	14.3	151	5.0	0	0.0
30-39	8	26.7	8	28.6	0	0.0	3	21.4	346	11.4	0	0.0
40-49	7	23.3	6	21.4	1	50.0	1	7.1	542	17.9	4	12.5
50-59	2	6.7	2	7.1	0	0.0	6	42.9	1,112	36.7	9	28.1
60+	2	6.7	1	3.6	1	50.0	2	14.3	872	28.8	19	59.4
TRANSMISSION RISK												
Men who have sex with men (MSM)	24	80.0	23	82.1	1	50.0	8	57.1	1,691	55.8	13	40.6
Injection drug use history (IDU)	1	3.3	0	0.0	1	50.0	1	7.1	395	13.0	7	21.9
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	98	3.2	1	3.1
Heterosexual contact	2	6.7	2	7.1	0	0.0	2	14.3	348	11.5	7	21.9
Transgender people with sexual contact	3	10.0	3	10.7	0	0.0	1	7.1	21	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	7.1	30	1.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	1	7.1	442	14.6	4	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Union Square - Lower East Side: 10002, 10003, 10009.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.9.10. Lower Manhattan (Manhattan)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	12	100.0	11	91.7	1	8.3	3	100.0	581	100.0	6	100.0
GENDER												
Men	11	91.7	10	90.9	1	100.0	3	100.0	497	85.5	5	83.3
Women	1	8.3	1	9.1	0	0.0	0	0.0	84	14.5	1	16.7
RACE/ETHNICITY												
Black	3	25.0	3	27.3	0	0.0	0	0.0	113	19.4	1	16.7
Latino/Hispanic	4	33.3	4	36.4	0	0.0	1	33.3	142	24.4	3	50.0
White	2	16.7	2	18.2	0	0.0	0	0.0	297	51.1	2	33.3
Asian/Pacific Islander	2	16.7	1	9.1	1	100.0	2	66.7	25	4.3	0	0.0
Other/Unknown	1	8.3	1	9.1	0	0.0	0	0.0	4	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	8.3	1	9.1	0	0.0	0	0.0	0	0.0	0	0.0
20-29	4	33.3	4	36.4	0	0.0	1	33.3	28	4.8	0	0.0
30-39	3	25.0	3	27.3	0	0.0	1	33.3	76	13.1	1	16.7
40-49	2	16.7	1	9.1	1	100.0	1	33.3	148	25.5	0	0.0
50-59	2	16.7	2	18.2	0	0.0	0	0.0	209	36.0	2	33.3
60+	0	0.0	0	0.0	0	0.0	0	0.0	120	20.7	3	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	50.0	5	45.5	1	100.0	1	33.3	370	63.7	3	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	42	7.2	1	16.7
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	11	1.9	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	54	9.3	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	0.9	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	6	50.0	6	54.5	0	0.0	2	66.7	94	16.2	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Lower Manhattan: 10004, 10005, 10006, 10007, 10038, 10048, 10280, 10282.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.1. Long Island City - Astoria (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	39	83.0	8	17.0	20	100.0	2,219	100.0	8	100.0
GENDER												
Men	44	93.6	37	94.9	7	87.5	18	90.0	1,904	85.8	7	87.5
Women	3	6.4	2	5.1	1	12.5	2	10.0	315	14.2	1	12.5
RACE/ETHNICITY												
Black	5	10.6	5	12.8	0	0.0	3	15.0	379	17.1	1	12.5
Latino/Hispanic	25	53.2	20	51.3	5	62.5	10	50.0	884	39.8	4	50.0
White	7	14.9	7	17.9	0	0.0	3	15.0	833	37.5	3	37.5
Asian/Pacific Islander	8	17.0	6	15.4	2	25.0	2	10.0	104	4.7	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
Multiracial	2	4.3	1	2.6	1	12.5	2	10.0	7	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	1	2.1	1	2.6	0	0.0	0	0.0	3	0.1	0	0.0
20-29	18	38.3	17	43.6	1	12.5	3	15.0	149	6.7	1	12.5
30-39	17	36.2	12	30.8	5	62.5	8	40.0	480	21.6	0	0.0
40-49	5	10.6	5	12.8	0	0.0	3	15.0	557	25.1	2	25.0
50-59	3	6.4	1	2.6	2	25.0	5	25.0	683	30.8	5	62.5
60+	3	6.4	3	7.7	0	0.0	1	5.0	347	15.6	0	0.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	40	85.1	34	87.2	6	75.0	15	75.0	1,445	65.1	4	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	120	5.4	1	12.5
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	45	2.0	0	0.0
Heterosexual contact	3	6.4	2	5.1	1	12.5	3	15.0	253	11.4	0	0.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	25	1.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	19	0.9	1	12.5
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
Unknown	4	8.5	3	7.7	1	12.5	2	10.0	309	13.9	2	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Long Island City - Astoria: 11101, 11102, 11103, 11104, 11105, 11106, 11109.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.10.2. West Queens (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	123	100.0	95	77.2	28	22.8	56	100.0	5,798	100.0	14	100.0
GENDER												
Men	113	91.9	87	91.6	26	92.9	52	92.9	4,768	82.2	13	92.9
Women	10	8.1	8	8.4	2	7.1	4	7.1	1,030	17.8	1	7.1
RACE/ETHNICITY												
Black	8	6.5	6	6.3	2	7.1	6	10.7	1,511	26.1	5	35.7
Latino/Hispanic	84	68.3	69	72.6	15	53.6	34	60.7	3,265	56.3	7	50.0
White	8	6.5	7	7.4	1	3.6	3	5.4	650	11.2	2	14.3
Asian/Pacific Islander	23	18.7	13	13.7	10	35.7	13	23.2	341	5.9	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	16	0.3	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	10	0.2	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	4	3.3	4	4.2	0	0.0	0	0.0	11	0.2	0	0.0
20-29	48	39.0	37	38.9	11	39.3	20	35.7	395	6.8	0	0.0
30-39	46	37.4	36	37.9	10	35.7	18	32.1	976	16.8	1	7.1
40-49	16	13.0	12	12.6	4	14.3	10	17.9	1,424	24.6	1	7.1
50-59	9	7.3	6	6.3	3	10.7	6	10.7	1,886	32.5	4	28.6
60+	0	0.0	0	0.0	0	0.0	2	3.6	1,103	19.0	8	57.1
TRANSMISSION RISK												
Men who have sex with men (MSM)	99	80.5	75	78.9	24	85.7	39	69.6	2,630	45.4	7	50.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	3.6	823	14.2	1	7.1
MSM-IDU	1	0.8	1	1.1	0	0.0	1	1.8	160	2.8	0	0.0
Heterosexual contact	9	7.3	7	7.4	2	7.1	5	8.9	894	15.4	4	28.6
Transgender people with sexual contact	4	3.3	4	4.2	0	0.0	1	1.8	108	1.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	62	1.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	5	0.1	0	0.0
Unknown	10	8.1	8	8.4	2	7.1	8	14.3	1,116	19.2	2	14.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in West Queens: 11368, 11369, 11370, 11372, 11373, 11377, 11378.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.3. Flushing - Clearview (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	21	100.0	17	81.0	4	19.0	9	100.0	701	100.0	6	100.0
GENDER												
Men	15	71.4	12	70.6	3	75.0	6	66.7	526	75.0	4	66.7
Women	6	28.6	5	29.4	1	25.0	3	33.3	175	25.0	2	33.3
RACE/ETHNICITY												
Black	3	14.3	3	17.6	0	0.0	0	0.0	112	16.0	1	16.7
Latino/Hispanic	11	52.4	9	52.9	2	50.0	2	22.2	257	36.7	1	16.7
White	0	0.0	0	0.0	0	0.0	3	33.3	190	27.1	3	50.0
Asian/Pacific Islander	7	33.3	5	29.4	2	50.0	4	44.4	130	18.5	1	16.7
Native American	0	0.0	0	0.0	0	0.0	0	0.0	7	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	3	0.4	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	1	4.8	1	5.9	0	0.0	0	0.0	2	0.3	0	0.0
20-29	5	23.8	5	29.4	0	0.0	0	0.0	58	8.3	0	0.0
30-39	1	4.8	1	5.9	0	0.0	1	11.1	80	11.4	0	0.0
40-49	8	38.1	6	35.3	2	50.0	4	44.4	138	19.7	1	16.7
50-59	3	14.3	2	11.8	1	25.0	2	22.2	238	34.0	1	16.7
60+	3	14.3	2	11.8	1	25.0	2	22.2	184	26.2	4	66.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	9	42.9	8	47.1	1	25.0	2	22.2	304	43.4	2	33.3
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	66	9.4	1	16.7
MSM-IDU	1	4.8	1	5.9	0	0.0	0	0.0	18	2.6	0	0.0
Heterosexual contact	7	33.3	5	29.4	2	50.0	4	44.4	151	21.5	3	50.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	4	0.6	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	9	1.3	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
Unknown	4	19.0	3	17.6	1	25.0	3	33.3	148	21.1	0	0.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Flushing - Clearview: 11351, 11354, 11355, 11356, 11357, 11358, 11359, 11360.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.4. Bayside - Little Neck (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	5	83.3	1	16.7	1	100.0	147	100.0	4	100.0
GENDER												
Men	4	66.7	3	60.0	1	100.0	1	100.0	118	80.3	3	75.0
Women	2	33.3	2	40.0	0	0.0	0	0.0	29	19.7	1	25.0
RACE/ETHNICITY												
Black	1	16.7	1	20.0	0	0.0	0	0.0	23	15.6	1	25.0
Latino/Hispanic	2	33.3	1	20.0	1	100.0	1	100.0	34	23.1	0	0.0
White	2	33.3	2	40.0	0	0.0	0	0.0	76	51.7	3	75.0
Asian/Pacific Islander	1	16.7	1	20.0	0	0.0	0	0.0	12	8.2	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	1.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
20-29	3	50.0	3	60.0	0	0.0	0	0.0	9	6.1	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	18	12.2	0	0.0
40-49	1	16.7	0	0.0	1	100.0	1	100.0	22	15.0	0	0.0
50-59	1	16.7	1	20.0	0	0.0	0	0.0	51	34.7	1	25.0
60+	1	16.7	1	20.0	0	0.0	0	0.0	47	32.0	3	75.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	50.0	2	40.0	1	100.0	1	100.0	65	44.2	0	0.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	12	8.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Heterosexual contact	2	33.3	2	40.0	0	0.0	0	0.0	27	18.4	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	2.0	0	0.0
Unknown	1	16.7	1	20.0	0	0.0	0	0.0	34	23.1	3	75.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Bayside - Little Neck: 11361, 11362, 11363, 11364.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.10.5. Ridgewood - Forest Hills (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	17	85.0	3	15.0	9	100.0	1,282	100.0	9	100.0
GENDER												
Men	19	95.0	16	94.1	3	100.0	9	100.0	994	77.5	7	77.8
Women	1	5.0	1	5.9	0	0.0	0	0.0	288	22.5	2	22.2
RACE/ETHNICITY												
Black	1	5.0	1	5.9	0	0.0	3	33.3	160	12.5	1	11.1
Latino/Hispanic	11	55.0	11	64.7	0	0.0	1	11.1	628	49.0	2	22.2
White	4	20.0	2	11.8	2	66.7	4	44.4	414	32.3	6	66.7
Asian/Pacific Islander	4	20.0	3	17.6	1	33.3	1	11.1	69	5.4	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.4	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
20-29	9	45.0	8	47.1	1	33.3	2	22.2	110	8.6	0	0.0
30-39	6	30.0	5	29.4	1	33.3	1	11.1	184	14.4	1	11.1
40-49	1	5.0	1	5.9	0	0.0	1	11.1	260	20.3	1	11.1
50-59	3	15.0	2	11.8	1	33.3	3	33.3	430	33.5	4	44.4
60+	1	5.0	1	5.9	0	0.0	2	22.2	297	23.2	3	33.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	16	80.0	13	76.5	3	100.0	5	55.6	665	51.9	1	11.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	11.1	92	7.2	3	33.3
MSM-IDU	1	5.0	1	5.9	0	0.0	2	22.2	30	2.3	1	11.1
Heterosexual contact	1	5.0	1	5.9	0	0.0	0	0.0	245	19.1	1	11.1
Transgender people with sexual contact	1	5.0	1	5.9	0	0.0	0	0.0	12	0.9	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	27	2.1	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
Unknown	1	5.0	1	5.9	0	0.0	1	11.1	205	16.0	3	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Ridgewood - Forest Hills: 11374, 11375, 11379, 11385.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.6. Fresh Meadows (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	5	100.0	5	100.0	0	0.0	0	0.0	291	100.0	9	100.0
GENDER												
Men	3	60.0	3	60.0	0	0.0	0	0.0	184	63.2	5	55.6
Women	2	40.0	2	40.0	0	0.0	0	0.0	107	36.8	4	44.4
RACE/ETHNICITY												
Black	2	40.0	2	40.0	0	0.0	0	0.0	127	43.6	7	77.8
Latino/Hispanic	2	40.0	2	40.0	0	0.0	0	0.0	90	30.9	1	11.1
White	0	0.0	0	0.0	0	0.0	0	0.0	49	16.8	1	11.1
Asian/Pacific Islander	1	20.0	1	20.0	0	0.0	0	0.0	23	7.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
20-29	2	40.0	2	40.0	0	0.0	0	0.0	26	8.9	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	36	12.4	1	11.1
40-49	0	0.0	0	0.0	0	0.0	0	0.0	57	19.6	1	11.1
50-59	1	20.0	1	20.0	0	0.0	0	0.0	94	32.3	5	55.6
60+	2	40.0	2	40.0	0	0.0	0	0.0	77	26.5	2	22.2
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	40.0	2	40.0	0	0.0	0	0.0	93	32.0	4	44.4
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	21	7.2	1	11.1
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	1.4	0	0.0
Heterosexual contact	1	20.0	1	20.0	0	0.0	0	0.0	79	27.1	3	33.3
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	10	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
Unknown	2	40.0	2	40.0	0	0.0	0	0.0	81	27.8	1	11.1

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Fresh Meadows: 11365, 11366, 11367.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.7. Southwest Queens (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	47	100.0	32	68.1	15	31.9	30	100.0	1,844	100.0	16	100.0
GENDER												
Men	37	78.7	25	78.1	12	80.0	25	83.3	1,303	70.7	13	81.3
Women	10	21.3	7	21.9	3	20.0	5	16.7	541	29.3	3	18.8
RACE/ETHNICITY												
Black	13	27.7	9	28.1	4	26.7	8	26.7	494	26.8	7	43.8
Latino/Hispanic	20	42.6	16	50.0	4	26.7	9	30.0	848	46.0	5	31.3
White	3	6.4	2	6.3	1	6.7	2	6.7	285	15.5	0	0.0
Asian/Pacific Islander	11	23.4	5	15.6	6	40.0	11	36.7	192	10.4	3	18.8
Native American	0	0.0	0	0.0	0	0.0	0	0.0	18	1.0	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.2	1	6.3
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
13-19	1	2.1	1	3.1	0	0.0	0	0.0	3	0.2	0	0.0
20-29	20	42.6	17	53.1	3	20.0	7	23.3	140	7.6	0	0.0
30-39	11	23.4	7	21.9	4	26.7	6	20.0	279	15.1	1	6.3
40-49	8	17.0	3	9.4	5	33.3	10	33.3	420	22.8	2	12.5
50-59	5	10.6	2	6.3	3	20.0	7	23.3	622	33.7	4	25.0
60+	2	4.3	2	6.3	0	0.0	0	0.0	377	20.4	9	56.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	29	61.7	20	62.5	9	60.0	14	46.7	738	40.0	2	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	171	9.3	7	43.8
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	21	1.1	1	6.3
Heterosexual contact	8	17.0	7	21.9	1	6.7	3	10.0	437	23.7	2	12.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	19	1.0	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	2.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	10	21.3	5	15.6	5	33.3	13	43.3	410	22.2	4	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southwest Queens: 11414, 11415, 11416, 11417, 11418, 11419, 11420, 11421.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.8. Jamaica (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	77	100.0	69	89.6	8	10.4	25	100.0	3,281	100.0	35	100.0
GENDER												
Men	54	70.1	49	71.0	5	62.5	16	64.0	2,041	62.2	22	62.9
Women	23	29.9	20	29.0	3	37.5	9	36.0	1,240	37.8	13	37.1
RACE/ETHNICITY												
Black	51	66.2	46	66.7	5	62.5	15	60.0	2,347	71.5	26	74.3
Latino/Hispanic	18	23.4	16	23.2	2	25.0	6	24.0	633	19.3	6	17.1
White	2	2.6	2	2.9	0	0.0	2	8.0	173	5.3	3	8.6
Asian/Pacific Islander	5	6.5	5	7.2	0	0.0	1	4.0	101	3.1	0	0.0
Native American	0	0.0	0	0.0	0	0.0	0	0.0	11	0.3	0	0.0
Multiracial	1	1.3	0	0.0	1	12.5	1	4.0	11	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.2	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0
13-19	1	1.3	1	1.4	0	0.0	0	0.0	22	0.7	0	0.0
20-29	33	42.9	32	46.4	1	12.5	5	20.0	283	8.6	1	2.9
30-39	21	27.3	17	24.6	4	50.0	7	28.0	455	13.9	3	8.6
40-49	10	13.0	10	14.5	0	0.0	1	4.0	670	20.4	3	8.6
50-59	6	7.8	4	5.8	2	25.0	7	28.0	1,005	30.6	9	25.7
60+	6	7.8	5	7.2	1	12.5	5	20.0	843	25.7	19	54.3
TRANSMISSION RISK												
Men who have sex with men (MSM)	39	50.6	35	50.7	4	50.0	10	40.0	938	28.6	6	17.1
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	2	8.0	346	10.5	13	37.1
MSM-IDU	2	2.6	2	2.9	0	0.0	0	0.0	63	1.9	1	2.9
Heterosexual contact	18	23.4	15	21.7	3	37.5	9	36.0	934	28.5	5	14.3
Transgender people with sexual contact	1	1.3	1	1.4	0	0.0	0	0.0	31	0.9	1	2.9
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	101	3.1	1	2.9
Other	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2	0	0.0
Unknown	17	22.1	16	23.2	1	12.5	4	16.0	860	26.2	8	22.9

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Jamaica: 11412, 11423, 11430, 11432, 11433, 11434, 11435, 11436.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.10.9. Southeast Queens (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	26	100.0	23	88.5	3	11.5	18	100.0	1,340	100.0	16	100.0
GENDER												
Men	17	65.4	15	65.2	2	66.7	11	61.1	770	57.5	11	68.8
Women	9	34.6	8	34.8	1	33.3	7	38.9	570	42.5	5	31.3
RACE/ETHNICITY												
Black	19	73.1	17	73.9	2	66.7	14	77.8	1,032	77.0	15	93.8
Latino/Hispanic	2	7.7	2	8.7	0	0.0	1	5.6	166	12.4	0	0.0
White	2	7.7	1	4.3	1	33.3	2	11.1	86	6.4	1	6.3
Asian/Pacific Islander	2	7.7	2	8.7	0	0.0	1	5.6	49	3.7	0	0.0
Native American	1	3.8	1	4.3	0	0.0	0	0.0	2	0.1	0	0.0
Multiracial	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
20-29	11	42.3	11	47.8	0	0.0	2	11.1	104	7.8	0	0.0
30-39	10	38.5	8	34.8	2	66.7	7	38.9	189	14.1	1	6.3
40-49	2	7.7	2	8.7	0	0.0	6	33.3	276	20.6	1	6.3
50-59	3	11.5	2	8.7	1	33.3	3	16.7	431	32.2	3	18.8
60+	0	0.0	0	0.0	0	0.0	0	0.0	332	24.8	11	68.8
TRANSMISSION RISK												
Men who have sex with men (MSM)	13	50.0	11	47.8	2	66.7	6	33.3	287	21.4	2	12.5
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	5.6	122	9.1	5	31.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	20	1.5	0	0.0
Heterosexual contact	7	26.9	7	30.4	0	0.0	4	22.2	435	32.5	5	31.3
Transgender people with sexual contact	1	3.8	1	4.3	0	0.0	0	0.0	9	0.7	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	45	3.4	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	6	0.4	0	0.0
Unknown	5	19.2	4	17.4	1	33.3	7	38.9	416	31.0	4	25.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

Men includes transgender men and women includes transgender women.

The following ZIP codes are included in Southeast Queens: 11004, 11005, 11411, 11413, 11422, 11426, 11427, 11428, 11429.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.10.10. Rockaway (Queens)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	20	100.0	19	95.0	1	5.0	8	100.0	1,283	100.0	30	100.0
GENDER												
Men	15	75.0	14	73.7	1	100.0	4	50.0	746	58.1	22	73.3
Women	5	25.0	5	26.3	0	0.0	4	50.0	537	41.9	8	26.7
RACE/ETHNICITY												
Black	12	60.0	11	57.9	1	100.0	6	75.0	824	64.2	15	50.0
Latino/Hispanic	4	20.0	4	21.1	0	0.0	0	0.0	315	24.6	9	30.0
White	3	15.0	3	15.8	0	0.0	2	25.0	125	9.7	6	20.0
Asian/Pacific Islander	1	5.0	1	5.3	0	0.0	0	0.0	12	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	7	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	6	0.5	0	0.0
20-29	8	40.0	8	42.1	0	0.0	1	12.5	104	8.1	0	0.0
30-39	3	15.0	3	15.8	0	0.0	1	12.5	177	13.8	2	6.7
40-49	3	15.0	3	15.8	0	0.0	0	0.0	248	19.3	4	13.3
50-59	2	10.0	2	10.5	0	0.0	2	25.0	422	32.9	12	40.0
60+	4	20.0	3	15.8	1	100.0	4	50.0	326	25.4	12	40.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	6	30.0	6	31.6	0	0.0	1	12.5	322	25.1	3	10.0
Injection drug use history (IDU)	2	10.0	1	5.3	1	100.0	2	25.0	182	14.2	12	40.0
MSM-IDU	1	5.0	1	5.3	0	0.0	0	0.0	28	2.2	1	3.3
Heterosexual contact	4	20.0	4	21.1	0	0.0	2	25.0	427	33.3	6	20.0
Transgender people with sexual contact	1	5.0	1	5.3	0	0.0	0	0.0	10	0.8	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	12.5	36	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.2	0	0.0
Unknown	6	30.0	6	31.6	0	0.0	2	25.0	275	21.4	8	26.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Rockaway: 11691, 11692, 11693, 11694, 11697.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.11.1. Port Richmond (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	14	100.0	13	92.9	1	7.1	5	100.0	634	100.0	8	100.0
GENDER												
Men	10	71.4	9	69.2	1	100.0	4	80.0	375	59.1	6	75.0
Women	4	28.6	4	30.8	0	0.0	1	20.0	259	40.9	2	25.0
RACE/ETHNICITY												
Black	8	57.1	8	61.5	0	0.0	3	60.0	324	51.1	6	75.0
Latino/Hispanic	5	35.7	4	30.8	1	100.0	2	40.0	207	32.6	1	12.5
White	1	7.1	1	7.7	0	0.0	0	0.0	92	14.5	1	12.5
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	6	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	5	0.8	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	1	7.1	1	7.7	0	0.0	0	0.0	5	0.8	0	0.0
20-29	4	28.6	4	30.8	0	0.0	1	20.0	48	7.6	1	12.5
30-39	3	21.4	2	15.4	1	100.0	2	40.0	96	15.1	1	12.5
40-49	1	7.1	1	7.7	0	0.0	0	0.0	123	19.4	0	0.0
50-59	4	28.6	4	30.8	0	0.0	0	0.0	232	36.6	3	37.5
60+	1	7.1	1	7.7	0	0.0	2	40.0	129	20.3	3	37.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	7	50.0	6	46.2	1	100.0	2	40.0	158	24.9	2	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	114	18.0	2	25.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	15	2.4	0	0.0
Heterosexual contact	4	28.6	4	30.8	0	0.0	2	40.0	187	29.5	3	37.5
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	9	1.4	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	18	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
Unknown	3	21.4	3	23.1	0	0.0	1	20.0	132	20.8	1	12.5

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Port Richmond: 10302, 10303, 10310.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

**REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and
REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY**
Table 1.11.2. Stapleton - St. George (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	17	100.0	9	52.9	8	47.1	21	100.0	1,157	100.0	23	100.0
GENDER												
Men	9	52.9	3	33.3	6	75.0	16	76.2	752	65.0	15	65.2
Women	8	47.1	6	66.7	2	25.0	5	23.8	405	35.0	8	34.8
RACE/ETHNICITY												
Black	10	58.8	5	55.6	5	62.5	12	57.1	539	46.6	11	47.8
Latino/Hispanic	2	11.8	1	11.1	1	12.5	3	14.3	312	27.0	6	26.1
White	4	23.5	3	33.3	1	12.5	5	23.8	280	24.2	6	26.1
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	14	1.2	0	0.0
Other/Unknown	1	5.9	0	0.0	1	12.5	1	4.8	12	1.0	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	4	0.3	0	0.0
20-29	4	23.5	3	33.3	1	12.5	1	4.8	87	7.5	0	0.0
30-39	8	47.1	4	44.4	4	50.0	11	52.4	176	15.2	0	0.0
40-49	0	0.0	0	0.0	0	0.0	1	4.8	220	19.0	3	13.0
50-59	4	23.5	1	11.1	3	37.5	7	33.3	419	36.2	7	30.4
60+	1	5.9	1	11.1	0	0.0	1	4.8	251	21.7	13	56.5
TRANSMISSION RISK												
Men who have sex with men (MSM)	2	11.8	0	0.0	2	25.0	6	28.6	361	31.2	3	13.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	1	4.8	165	14.3	9	39.1
MSM-IDU	1	5.9	1	11.1	0	0.0	1	4.8	40	3.5	3	13.0
Heterosexual contact	8	47.1	6	66.7	2	25.0	6	28.6	301	26.0	3	13.0
Transgender people with sexual contact	2	11.8	1	11.1	1	12.5	1	4.8	24	2.1	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	26	2.2	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Unknown	4	23.5	1	11.1	3	37.5	6	28.6	240	20.7	5	21.7

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in Stapleton - St. George: 10301, 10304, 10305.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.11.3. Willowbrook (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
TOTAL	3	100.0	3	100.0	0	0.0	0	0.0	197	100.0	4	100.0
GENDER												
Men	3	100.0	3	100.0	0	0.0	0	0.0	139	70.6	2	50.0
Women	0	0.0	0	0.0	0	0.0	0	0.0	58	29.4	2	50.0
RACE/ETHNICITY												
Black	1	33.3	1	33.3	0	0.0	0	0.0	35	17.8	1	25.0
Latino/Hispanic	0	0.0	0	0.0	0	0.0	0	0.0	55	27.9	2	50.0
White	1	33.3	1	33.3	0	0.0	0	0.0	99	50.3	0	0.0
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0
Other/Unknown	1	33.3	1	33.3	0	0.0	0	0.0	3	1.5	1	25.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
20-29	2	66.7	2	66.7	0	0.0	0	0.0	13	6.6	0	0.0
30-39	0	0.0	0	0.0	0	0.0	0	0.0	26	13.2	1	25.0
40-49	0	0.0	0	0.0	0	0.0	0	0.0	38	19.3	0	0.0
50-59	1	33.3	1	33.3	0	0.0	0	0.0	72	36.5	1	25.0
60+	0	0.0	0	0.0	0	0.0	0	0.0	47	23.9	2	50.0
TRANSMISSION RISK												
Men who have sex with men (MSM)	3	100.0	3	100.0	0	0.0	0	0.0	78	39.6	1	25.0
Injection drug use history (IDU)	0	0.0	0	0.0	0	0.0	0	0.0	24	12.2	0	0.0
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	4	2.0	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	0	0.0	40	20.3	1	25.0
Transgender people with sexual contact	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	0	0.0	5	2.5	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	1	0.5	0	0.0
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	44	22.3	2	50.0

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP code is included in Willowbrook: 10314.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

REPORTED HIV/AIDS DIAGNOSES AND DEATHS IN 2017 and REPORTED PERSONS LIVING WITH HIV (PLWH) AS OF 12/31/2017, NEW YORK CITY

Table 1.11.4. South Beach - Tottenville (Staten Island)

	HIV DIAGNOSES, 2017						AIDS DIAGNOSES, 2017		PLWH AS OF 12/31/2017		DEATHS, 2017	
	Total HIV diagnoses		Without AIDS		Concurrent with AIDS diagnoses		N	%	N	%	N	%
	N	%	N	%	N	%						
TOTAL	6	100.0	6	100.0	0	0.0	3	100.0	436	100.0	6	100.0
GENDER												
Men	5	83.3	5	83.3	0	0.0	1	33.3	301	69.0	5	83.3
Women	1	16.7	1	16.7	0	0.0	2	66.7	135	31.0	1	16.7
RACE/ETHNICITY												
Black	1	16.7	1	16.7	0	0.0	0	0.0	73	16.7	0	0.0
Latino/Hispanic	2	33.3	2	33.3	0	0.0	2	66.7	110	25.2	2	33.3
White	3	50.0	3	50.0	0	0.0	1	33.3	247	56.7	4	66.7
Asian/Pacific Islander	0	0.0	0	0.0	0	0.0	0	0.0	4	0.9	0	0.0
Other/Unknown	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
AGE GROUP (YEARS)												
0-12	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2	0	0.0
13-19	0	0.0	0	0.0	0	0.0	0	0.0	2	0.5	0	0.0
20-29	3	50.0	3	50.0	0	0.0	1	33.3	24	5.5	0	0.0
30-39	1	16.7	1	16.7	0	0.0	0	0.0	39	8.9	1	16.7
40-49	0	0.0	0	0.0	0	0.0	1	33.3	87	20.0	0	0.0
50-59	1	16.7	1	16.7	0	0.0	1	33.3	165	37.8	4	66.7
60+	1	16.7	1	16.7	0	0.0	0	0.0	118	27.1	1	16.7
TRANSMISSION RISK												
Men who have sex with men (MSM)	1	16.7	1	16.7	0	0.0	1	33.3	113	25.9	1	16.7
Injection drug use history (IDU)	2	33.3	2	33.3	0	0.0	0	0.0	69	15.8	2	33.3
MSM-IDU	0	0.0	0	0.0	0	0.0	0	0.0	7	1.6	0	0.0
Heterosexual contact	0	0.0	0	0.0	0	0.0	1	33.3	110	25.2	1	16.7
Transgender people with sexual contact	1	16.7	1	16.7	0	0.0	0	0.0	2	0.5	0	0.0
Perinatal	0	0.0	0	0.0	0	0.0	1	33.3	12	2.8	0	0.0
Other	0	0.0	0	0.0	0	0.0	0	0.0	3	0.7	0	0.0
Unknown	2	33.3	2	33.3	0	0.0	0	0.0	120	27.5	2	33.3

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated July 12, 2019.

The following ZIP codes are included in South Beach - Tottenville: 10306, 10307, 10308, 10309, 10312.

Men includes transgender men and women includes transgender women.

In order to protect patient privacy and confidentiality, race/ethnicity categories have been combined due to the presence of a table cell representing 1-5 person(s) with an underlying denominator of ≤ 500 persons or a cell with a denominator of ≤ 100 persons, as per corresponding year intercensal population estimates. The 'Other/Unknown' race/ethnicity category includes Native American, Multiracial, and Unknown groups.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017**Table 2.1. Overall and by gender, age, and race/ethnicity**

	HIV DIAGNOSES PER 100,000 POPULATION ^{1,2}	PLWH AS PERCENT OF POPULATION ²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH ³	2017 NEW YORK CITY POPULATION ⁴
TOTAL	24.3	1.5	9.2	8,622,698
GENDER				
Men	40.3	2.2	9.1	4,113,335
Women	9.7	0.8	9.4	4,509,363
RACE/ETHNICITY				
Black	46.2	2.9	11.1	1,901,974
Latino/Hispanic	30.3	1.7	8.8	2,517,429
White	10.9	0.9	6.4	2,751,155
Asian/Pacific Islander	9.6	0.2	5.7	1,283,958
Native American	46.5*	1.6	17.1*	19,374
AGE GROUP (YEARS)				
0 - 12	0.3*	0.0	0.0*	1,321,753
13 - 19	12.0	0.1	0.0*	650,609
20 - 29	56.8	0.7	3.6	1,386,515
30 - 39	42.1	1.4	6.1	1,370,331
40 - 49	26.9	2.4	8.3	1,100,084
50 - 59	20.8	3.8	14.1	1,080,256
60+	7.3	1.7	27.6	1,713,150

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Men category includes transgender men and women category includes transgender women.

Rates based on numerators ≤ 10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.

²Rates calculated using DOHMH 2017 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.

³Age-adjusted to the NYC Census 2010 population. Death rates by age group are unadjusted. People newly diagnosed with HIV at death were excluded from the numerator.

⁴Population from DOHMH NYC intercensal estimates.

RATES OF REPORTED HIV DIAGNOSES, PLWH, AND DEATHS AMONG PWH IN NEW YORK CITY, 2017**Table 2.2. Overall and by borough and UHF neighborhood of residence**

	HIV DIAGNOSES PER 100,000 POPULATION^{1,2}	PLWH AS PERCENT OF POPULATION²	AGE-ADJUSTED DEATH RATE PER 1,000 MID-YEAR PLWH³	2017 NEW YORK CITY POPULATION⁴
TOTAL	24.3	1.5	9.2	8,622,698
BRONX⁵	30.9	2.1	9.7	1,463,805
Crotona - Tremont	37.4	2.9	11.1	219,387
Fordham - Bronx Park	31.7	2.1	9.3	264,847
High Bridge - Morrisania	36.6	2.8	12.3	221,054
Hunts Point - Mott Haven	43.2	2.7	7.9	145,897
Kingsbridge - Riverdale	13.8	0.8	11.1*	94,018
Northeast Bronx	26.2	1.3	9.6	205,747
Pelham - Throgs Neck	24.3	1.4	6.6	312,855
BROOKLYN⁵	23.3	1.1	9.1	2,648,771
Bedford Stuyvesant - Crown Heights	41.1	2.4	11.1	333,494
Bensonhurst - Bay Ridge	8.9	0.3	7.2*	212,964
Borough Park	7.4	0.3	9.3	349,436
Canarsie - Flatlands	18.7	0.8	11.9	208,606
Coney Island - Sheepshead Bay	12.3	0.4	6.8	293,411
Downtown - Heights - Park Slope	16.6	1.1	6.2	258,924
East Flatbush - Flatbush	30.3	1.7	7.7	306,578
East New York	45.2	1.8	9.8	188,219
Greenpoint	15.9	0.7	6.1*	138,051
Sunset Park	20.1	0.6	4.8*	134,024
Williamsburg - Bushwick	39.5	1.7	11.3	225,065
MANHATTAN⁵	23.3	2.0	5.5	1,657,781
Central Harlem - Morningside Heights	39.6	2.7	7.4	181,803
Chelsea - Clinton	42.5	4.3	3.1	160,011
East Harlem	32.0	2.6	13.2	115,799
Gramercy Park - Murray Hill	16.7	1.5	2.2*	131,615
Greenwich Village - Soho	17.7	2.2	2.7*	84,692
Lower Manhattan	20.0	1.0	5.7*	60,043
Union Square - Lower East Side	15.1	1.5	5.9	198,425
Upper East Side	5.8	0.7	5.5	224,885
Upper West Side	9.0	1.5	5.1	221,917
Washington Heights - Inwood	34.8	1.7	5.8	278,591
QUEENS⁵	16.6	0.8	5.5	2,368,440
Bayside - Little Neck	6.6*	0.2	14.2*	91,278
Flushing - Clearview	7.9	0.3	5.4*	266,276
Fresh Meadows	4.9*	0.3	17.5*	102,566
Jamaica	23.8	1.0	7.4	323,963
Long Island City - Astoria	21.6	1.0	2.5*	217,761
Ridgewood - Forest Hills	7.8	0.5	4.4*	255,484
Rockaway	16.1	1.0	14.2	124,042
Southeast Queens	12.3	0.6	8.1	211,429
Southwest Queens	15.8	0.6	6.5	297,023
West Queens	25.7	1.2	1.8	478,618
STATEN ISLAND⁵	8.3	0.5	10.5	479,458
Port Richmond	20.4	0.9	7.5*	68,522
South Beach - Tottenville	3.1*	0.2	8.5*	194,909
Stapleton - St. George	13.5	0.9	13.3	125,888
Willowbrook	3.3*	0.2	14.5*	90,139

As reported to the NYC Department of Health and Mental Hygiene by March 31, 2019. Table generated August 9, 2019.

Rates based on numerators ≤10 are marked with an asterisk (*) and should be interpreted with caution.

¹HIV diagnoses include diagnoses of HIV without AIDS and HIV concurrent with AIDS.²Rates calculated using DOHMH 2017 population estimates, modified from US Census Bureau intercensal population estimates, updated September 2018.³Age-adjusted to the NYC Census 2010 population. People newly diagnosed with HIV at death were excluded from the numerator.⁴Population from DOHMH NYC intercensal estimates.⁵Borough-level data include people residing in unknown UHF neighborhoods.