
DRONE

DRONE COSTING IN INTERNATIONAL MARKET:






9500 usd to inr





All Maps News Images Videos More Settings Tools

About 6,00,000 results (0.63 seconds)



FEATURES PROVIDED BY INTERNATIONAL MANUFACTURE:

Pesticide load

Self weight

Take-off weight

Flying time

Spray speed

Spray span

Spraying efficiency

Nozzle quantity

centrifugal nozzles

Spray flow

Remote control distance

Km Flight height

15 liters

13.5 Kg

31 Kg

10~15 min

0~8 m/s

>4~6m

>=5 hectares/hour

2 electrostatic

2~2.5 L/min

1.5

0~30 m Flying downward airflow 4~15 m/s

Wind resistance 10m/s

Work temperature -10~70°C

Work humidity 0~90%

Flight controller V8.3 (with two GPS)

Motor 12S brushless

Propeller Carbon fiber

ESC Rapid Throttle Response

100A

Spread size(m) W1.65 x L1.45 x H0.47

Folded size(m) W0.7 x L0.7 x H0.63


Battery 6S 16000mAh/ 2pcs,


TATTU brand


Charger 8-way Charger 25A 1200W

Toolkit Maintenance tools

Package Aluminum transport case









Robo India ESSC30A Dys Electronic Speed Controller, Esc for Brushless Dc Motor and Quad Rotor, Quad Copter, 30Amp, Make Dys

Price: ₹ 999.00 a Fulfilled FREE Delivery.Details

You Save: ₹ 500.00 (33%)
Inclusive of all taxes

Pay on Delivery (Cash/Card) eligible What is this? \(\frac{1}{2} \) In stock.

Guaranteed delivery to pincode 411001 - Pune by Saturday, February 2 with Two-Day Delivery — Order in the next 5 hours and 44 minutes Details

Sold by Cloudtail India (4.4 out of 5 | 75,844 ratings) and Fulfilled by Amazon. Gift-wrap available.

2 offers from ₹ 999.00

- Instant current 40a
- Weight 23g

by Robo India

- · Manual included with detailed description
- Separate voltage regulator ic for microprocessor
- · Provides good anti jamming capability





flowmeter sensor alert when pesticide run out...



pesticide filling machine



terrain following radar(optional) terrain following radar...



real time kinematic(RTK)



waypoints marking device(optional) waypoints marking device...



aluminum case to transport



high quality and durable batteries high quality and durable batteries...



synchronous balance charger for agric synchronous balance charger for agriculture drone...



integrated power system integrated power system...



durable and reliable motors designed durable and reliable motors specially designed for ...



rapid throttle response higher drivin best ESC in China rapid throttle response higher dr...



carbon fiber composite propellers carbon fiber composite propellers...



centrifugal spray nozzles centrifugal spray nozzles...



professional ARAG spray nozzles professional ARAG spray nozzles...



anti-surge pesticide tank specially d anti-surge pesticide tank specially designed for ag...



aviation aluminum folding joint aviation aluminum folding joint...



special designed motor mount special designed motor mount...



anti-spark connector
7mm AS150 gold bullet connectoranti-spark connector...



sprayer drone flight controller (Blac sprayer drone flight controller (Black 8.3)...



U-blox m8n GPS stand hovering accurac U-blox m8n GPS stand hovering accuracy 0.5m...



integrated datalink 32 remote cont integrated datalink 32 remote controller...



flowmeter sensor alert when pesticide run out...



terrain following radar(optional) terrain following radar...



waypoints marking device(optional) waypoints marking device...



pesticide filling machine



real time kinematic(RTK)



aluminum case to transport





Products ▼ Enter English keyword to search products



Get Quotations

Path: All Categories >> Consumer Electronics >> Drones, Accessories & Parts >> Drones >> Aerial drones - [22] Update me on new products



Agricultural drone

US\$ 10000 / Unit

Calculate Margin

1 Unit Minimum Order



§ Request Latest Price

Save for later



★ 1st year with Global Sources ★★★☆☆☆

South Korea

Response Rate: High

Avg Response Time: Between 24h to 48h

Verified Information View Details

Business Type: Manufacturer

Follow

Chat (Offline)





Send Your Inquiry

Please enter in English (Maximum characters: