ROYAL CANADIAN NAVY QUALIFICATION STANDARD AND PLAN (QSP)

HMC Ship Aircraft Rescue & Firefighting

Helicopter Crash Rescue Fire Fighter (HCRFF)

CSQ-HCRFF (ALLP)

MITE Course IDs:
Residential Phase - 121242

RECORD OF AMENDMENTS

1. This QSP is developed under the authority of the Royal Canadian Navy (RCN) through the Training Authority (TA), Naval Personnel and Training Group (NPTG) and the CO of the Curriculum Control Authority CCA, Naval Training Development Centre, Pacific (NTDC (P)). The approval or revision date should appear in the footer of every page as an additional means of verification.

Revision	Approval Date	Authority
1.0	29 Jun 17	CNTPG
1.1	30 May 2018	CNPTG

TABLE OF CONTENTS

Title		Page
FOREWORD		
CHAPTER 1 : TRAINING MANAGEMENT DETAILS		1-1
	Aim	1-2
	Course Duration	1-2
	Resources	1-3
	Course Capacity	1-3
	MITE (Loading, Scheduling, Prerequisites, Qualification)	1-4
	Course Reporting	1-4
	Evaluation	1-4
	Validation	1-4
	Qualification	1-4
	Prior Learning Assessment And Recognition (PLAR)	1-4
	Special Instructions	1-5
CHAPTER 2 : PERFORMANCE OBJECTIVES		2-1
PO 001	Perform Shipboard Helicopter Fire Fighting Operations	2-2
PO 002	Perform Helicopter Crash Rescue Fire Fighting (HCRFF)	2-3
CHAPTER 3 : ASSESSMENT OF TRAINEE		3-1
	General	3-2
	Enabling and Performance Checks	3-2
	Responsibility For Testing	3-2
	Progress Monitoring	3-2
	Training Review Board	3-4
	Course Reports	3-4
CHAPTER 4 : LESSON SPECIFICATIONS		4-1
EO 001.01	Identify Characteristics of Shipboard Helicopters	4-2
EC 001.01	Identify Characteristics of Shipboard Helicopters	4-6

EO 001.02	Recognize Ventilation Principles, Salvage Practices, and Overhaul Related to Shipboard Helicopter Incidents	4-7
EC 001.02	Recognize Ventilation Principles, Salvage Practices, and Overhaul Related to Shipboard Helicopter Incidents	4-10
EO 001.03	Demonstrate Forcible Entry Practices Related to Shipboard Helicopters	4-11
EC 001.03	Demonstrate Forcible Entry Practices Related to Shipboard Helicopters	4-14
PC 001	Perform Helicopter Crash Rescue Fire Fighting	4-17
EO 002.01	Perform as a Medical First Responder	4-18
EO 002.02	Perform Shipboard Helicopter Rescue	4-19
EC 002.02	Perform Shipboard Helicopter Rescue	4-22
EO 002.03	Identify Hazardous Material Characteristics Associated with Shipborne Helicopter Rescue Operations	4-23
EC 002.03	Identify Hazardous Material Characteristics Associated with Shipborne Helicopter Rescue Operations	4-26
EO 002.04	Identify Shipborne Helicopter Operating Procedures	4-27
EC 002.04	Identify Shipborne Helicopter Operating Procedures	4-31
EO 002.05	Perform Helicopter Crash Rescue Fire Fighting	4-32
EC 002.05	Perform Helicopter Crash Rescue Fire Fighting	4-36
PC 002	Perform Helicopter Crash Rescue Fire Fighting	4-37
ANNEX A	MAIN REFERENCES	A-1
ANNEX B	TASK LIST	B-1
ANNEX C	QUALIFICATION STANDARD AND PLAN WRITING BOARD RECORD OF PROCEEDINGS	C-1
ANNEX D	QSPWB SCALAR	D-1
ANNEX E	ON JOB PERFORMANCE RECORD (OJPR)	E-1
ANNEX F	ACRONYMS AND ABBREVIATIONS	F-1
ANNEX G	SUGGESTED SEQUENCING AND TIMINGS	G-1
ANNEX H	ADDITIONAL TRAINING RESOURCES	H-1
ANNEX I	COSTING INFORMATION	I-1
ANNEX J	COURSE HISTORY	J-1
ANNEX K	ASSESSMENT PLAN	K-1
ANNEX L		L-1

FOREWORD

1. This training document is developed under the authority of the Commander Naval Training and Personnel Group (CNPTG) and in accordance with the following references:

a. A-P9 – 050 Series, Canadian Forces Manual of Individual Training and Education (CFITES);

b. A-PD-055-002/PP-004 Non-Commissioned Member General Specification dated 09 Feb 11;

c. Annex C – 5555-00379-MAR-TECH dated 15 Dec 16;

d. NAVORD 4500-0 - Structured Delegation, and NPTORD 4500-22 – Qualification Standard and Plan Production and Management.

2. This QSP consists of specific Performance Objectives (POs) in Chapter 2 and Lesson Specifications and Enabling Objectives (EOs) in Chapter 4. A trainee will achieve the qualification when the standards listed in the POs have been met.

3. This QSP is effective upon approval and supersedes previous versions.

4. Suggestions for amendments to this QSP may be initiated by anyone and shall be forwarded in writing to the CCA, who will forward to NPTG for approval, as appropriate.

5. The designated TE(s) for this training is indicated below:

TE	Phase / Module	MITE Course ID	NQual
NFS A	All	121242, MFR 302060	ALLP
NFS (P)	All	121242, MFR 302060	ALLP

CHAPTER 1: TRAINING MANAGEMENT DETAILS

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY
COMMANDER NAVAL PERSONNEL AND TRAINING GROUP (CNPTG)

AIM

1. The aim of this Qualification Standard and Plan (QSP) is to establish the requirements and training for the Helicopter Crash Rescue Fire Fighter (HCRFF). This QSP is designed to assist training establishments in developing, conducting, evaluating and validating the training.

COURSE DURATION

2. Course duration is calculated in accordance with NPTORD 4500-22 Qualification Standard and Plan, Annex B para 3.0.

Allocation of ATT	**Periods (50 Mins)**
(Sum of all EOs/POs)	143.5
Enabling Checks (ECs)	4.5
Performance Checks (PCs)	16
Actual Training Time (ATT) Sub-total	164
Allocation of BAT, TAT, TTT, PT IAW NPTORD 4500-22, Annex B Table 3.1	
Base Administrative Time (BAT)	4
Training Administrative Time (TAT)	4
Training Travel Time (TTT)	2
Physical Fitness (PT)	11
Sub-total	21
Course Duration Calculation (ATT+BAT+TAT+TTT+PT)	185
For Scheduling duration total periods/8 = # days	Days
XX periods/8 =	23.125

RESOURCES

3. Identify key personnel and facilities required to conduct the training. Additional training establishment resources can be listed in Annex H if required.

Required Course Staffing				
Position	Rank	Qualifications Required	Qty	PO / EO
Instructor	PO1/WO/PO2/Sgt	Mar Tech 00379 / Fire Fighter 00149 Flyco Qualified	1	002
Instructor	MS /MCpl/LS/Cpl	Mar Tech 00379 AFPY (QL5) / FF 00149	3	All
Instructor	Any	Medical First Responder	1	002.01
Maintenance	Civilian / Military	DCTF Control Room Operator	1	002

Critical Training Resources	No of Days
DCTF Helicopter Trainer	10
Shipborne Helicopter (Tour)	0.5
Medical First Responder Instructor	5

COURSE CAPACITY

4. Planning for the conduct of training is based on the guidelines in NPTORD 4500-40 – Quantity Control Process for the NTS.

a. Maximum – 12;

b. Minimum – 10 (for DC school runs); and

c. Optimum – 12.

MITE

5. Loading. The authority to load members onto this course lies with the Training Establishment (TE). NPTG is to be included as an INFO addressee on all loading messages.

6. Scheduling. Each session of this course shall be scheduled IAW NPTORD 4500-1 - Individual Training and Education Policy and NPTORD 4500-40 Quantity Control Management for the Naval Training System; in MITE by the Training Establishment conducting the training, and NPTG through the Quantity Control section. The course length in MITE is to be based on the course duration, planned annual leave, training breaks, weekends and training system holidays.

7. Prerequisites. To be selected for this course the loading authority must ensure that trainees have the following prerequisites:

a. BMQ;

b. NETP;

c. Attack Team Leader (MITE 118787);

d. Standard First Aid current within last 12 months (MITE 300195; doesn't expire while trainee is on course);

e. Valid firefighter fitness test (Current within last 12 months and doesn't expire while trainee is on course)

f. Valid Fit Test Card;

g. Medically fit IAW DAOD 5023-1 and CANFORGEN 047/03; and

h. Not on Medical Employment Limitations that would preclude trainee from completing this course.

8. Qualification. Successful completion of Helicopter crash rescue firefighter (MITE 121242) includes completion of Medical First Responder (MITE 302060). Candidates must attain Attack Team Leader (MITE 118787), MFR (MITE 302060) and HCRFF (MITE 121242) to attain the CSQ NQual ALLP.

COURSE REPORTING

9. Upon passing this course, trainees shall receive a Course Report (CF 377) IAW DAOD 3031-9 – Course Reporting and Certificates and NPTORD 4500-51- Course Reports and Certification.

EVALUATION

10. Program evaluation shall be conducted IAW the guidance provided in A-P9-050-000 CFITES Vol. 11 - Evaluation and Validation Techniques.

VALIDATION

11. This training will be validated every five years IAW CFITES Vol. 8 - Validation of Instructional Programs and based on the task list in Annex B.

PRIOR LEARNING ASSESSMENT AND RECOGNITION (PLAR)

12. PLARs shall be conducted in accordance with NPTORD 4500-27 – PLAR, DAOD 5031-1 - Canadian Forces Military Equivalencies Program and CFITES Vol 12 - Canadian Forces Military Equivalencies Programme: Prior Learning Assessment. Any trainees that are current in MFR (MITE 302060) and qualification doesn't expire while on course are to be granted waivers.

SPECIAL INSTRUCTIONS

13. Local Helicopter Squadron to be contacted IOT arrange tour of current operational RCN Shipborne helicopter.

14. EO 002.05 requires trainees to conduct practice runs involving night burning. Total time for these runs is 200 minutes. Resources are to be booked accordingly. Night burnings are not to be included as assessed runs.

15. Medical First Responder (MFR) training is built in to the HCRFF schedule.

CHAPTER 2: PERFORMANCE OBJECTIVES

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY
COMMANDER NAVAL PERSONNEL AND TRAINING GROUP (CNPTG)

PO 001 Perform Shipboard Helicopter Fire Fighting Operations

1. Performance. Perform Shipboard Helicopter Fire Fighting Operations.

2. Conditions

   a. Given:

      (1) Shipboard FF equipment;
      (2) Supporting Resources;
      (3) References;
      (4) HMC Ship with Air Dept or SWOAD;
      (5) Helicopter; and
      (6) Supervision.

   b. Denied: Nil.

   c. Environmental:

      (1) Shipboard environment;
      (2) Any weather conditions; and
      (3) Day or night.

3. Standard. IAW all references and due regard for safety, the Helicopter Crash Rescue Fire Fighter shall perform helicopter crash rescue firefighting operations to include:

   a. Identifying characteristics of Shipboard helicopters;

   b. Recognizing ventilation principles, salvage practices, and overhaul methods related to shipborne helicopter incidents; and

   c. Demonstrating forcible entry tool(s) practices related to shipborne helicopter.

4. References A3, C2, C3, C4, C6

5. Task Numbers from JTAR

   FT 0100, FT 0110, FT 0120, FT 0460, IT0630, AJT0260

6. Training Limitations

   Training conducted on a static trainer at DCTF, and cannot recreate at sea conditions.

PO 002 Perform Helicopter Crash Rescue Fire Fighting (HCRFF)

1. Performance. Perform Helicopter Crash Rescue Firefighting (HCRFF)

2. Conditions

   a. Given:

      (1) Firefighting Equipment;
      (2) Supporting Resources;
      (3) References;
      (4) HMC Ship with Air Dept or SWOAD;
      (5) Helicopter; and
      (6) Supervision.

   b. Denied: Nil.

   c. Environmental:

      (1) Shipboard environment;
      (2) All weather conditions; and
      (3) Day or night.

3. Standard. IAW all references and due regard for safety, the trainee shall perform helicopter rescue firefighting operations to include:

   a. Performing Medical First Responder;

   b. Perform shipborne helicopter rescue;

   c. Identifying hazardous material characteristics associated with shipborne rescue operations;

   d. Identifying shipborne helicopter operating procedures; and

   e. Performing helicopter rescue firefighting as related to shipborne helicopter by extinguishing helicopter fires.

4. References A1, A2, A3, A4, C1, C6, C7, C8

5. Task Numbers from JTAR

   FT 0080, FT 0090, FT 0100, FT 0110, FT 0120, FT 0130, FT 0160, FT 0180, FT0650, IT0060,

6. Training Limitations

   MFR instructor

a. Fires must be generated using appropriate mock-ups simulating shipboard helicopter fires;

b. Access to a shipborne helicopter will be required.

CHAPTER 3: ASSESSMENT OF TRAINEE

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY COMMANDANT OF THE TRAINING DEVELOPMENT CENTRE

GENERAL

1. All Performance Checks (PCs) are based on Performance Objectives (POs) in Chapter 2 of this QSP and the standard listed must be met to achieve this qualification. PCs will be administered in the form of PRACTICAL examinations and the trainee must obtain a pass in all POs to successfully complete this course.

ENABLING AND PERFORMANCE CHECKS

2. Enabling Checks (ECs). ECs are formative tests that help the trainee and the instructors recognize progress or gaps in learning, so that confirmation or corrective action (such as additional practice or remedial instruction) can be provided. They also reinforce learning, so that it will be better retained for longer periods. Formative tests are designed to give feedback to both the instructor(s) and trainees. Each EO must have at least one EC. Marks for ECs are not calculated in the trainee's final mark.

3. Performance Checks (PCs). PCs are summative tests used to determine if the trainee has met the standard under the conditions (where possible) of the PO and hence can do the job. Supplemental PCs are administered upon failure of a PC and must be in the same format and have the same standard as the original PC.

RESPONSIBILITY FOR TESTING

4. Assessment of trainees is to be done IAW CFITES Vol. 7 – Evaluation

5. DC Division Commander, or designated person, provides quality control by designing, administering, and scoring all Performance Checks and Enabling Checks with the exception of EO 002.01 which is done by the First Aid training cell.

PROGRESS MONITORING

6. Monitoring learning is the responsibility of all instructional staff and instructional supervisors. Monitoring, including unsatisfactory progress, is done IAW CFITES Vol 6 - Conduct of Instruction Programmes and TE SOs or SOPs.

7. Continuous monitoring of candidate progress is required on this course in order to provide the following:

a. Early warning of trainee difficulties;

b. Feedback on the effectiveness of training;

c. Information for the TRB or PRB (if required); and

d. Information to assist in completion of the CF 377 Course Report.

8. Trainees experiencing difficulty in any area of performance are to be counselled with regard to the nature of their shortcomings and suggested corrective action IAW Training Establishment SOs or SOPs.

9. PC failures and supplemental PC failures are to be handled IAW Training Establishment SOs or SOPs. Supplemental ECs and PCs shall not be given prior to 24 hours having elapsed since trainee was informed of their EC or PC failure.

10. Record of trainee counselling is to be maintained by the training establishment.

TRAINING REVIEW BOARD

11. TRBs shall be convened and conducted IAW with NPTORD 4500-54 - Training Review Board Process.

COURSE REPORTS

12. Course reports (CF 377) shall be prepared and distributed IAW DAOD, 5031-9 - Course Reporting and Certificates and amplified in NPTORD 4500-51 – Course Reporting and Certificates.

13. Trainees will be graded pass or fail.

14. Training limitations and / or incomplete training must also be included in the course report.

CHAPTER 4: LESSON SPECIFICATIONS

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY COMMANDANT OF THE TRAINING DEVELOPMENT CE

PO 001 Perform Shipboard Helicopter Fire Fighting Operations

EO 001.01 Identify Characteristics of Shipboard Helicopters

1. Performance. Identify Characteristics of Shipboard Helicopters.

2. Conditions

   a. Given:

      (1) Handouts; and
      (2) Supervision.

   b. Denied: Nil.

   c. Environmental: Classroom.

3. Standard. IAW references, the trainee shall independently identify characteristics of shipborne helicopters by describing characteristics of shipborne helicopters.

4. Time Required

   a. EO - 175 minutes; and
   b. EC - 25 minutes.

5. Instructional Methods. Interactive lecture.

6. Training Aids

   a. Projector;
   b. Screen; and
   c. Laptop computer.

7. Test Details

   a. EC 001.01 will be a written assessment of the contents of EO 001.01; and PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002.

8. References. A3, C2.

9. Remarks. Nil.

10. Teaching Points.

Teaching Point	Sub teaching Point	Instructional Technique (Time in min)			Methods	Ref	Comments
		T	D	P			
Identify characteristics of shipborne helicopters by:							175 Mins
1. Identifying types of helicopters		5			IL	**C2** pgs. 79 - 80	

2. Examining CH 124 Sea King Helicopter to include: a. General description; b. Dimensions; c. Capacity (JP5); d. Performance (endurance); e. Rotor dangers; f. Turbine engines; and g. Jet engine exhaust and intake danger.	20			IL	**A3** Art 2103 **A3** Art 2016 **A3** Art 2107 **A3** Art 2109, para 1 **C2** pgs. 84 - 85 **C2** pgs. 84 - 85 **C2** pg. 85	
3. Identifying types of helicopter structural material; a. Aluminum and aluminum alloy; b. Steel; c. Magnesium and magnesium alloy; d. Titanium; and e. Composite material	15			IL	**C2** pg. 86 **C2** pg. 86 **C2** pg. 86 **C2** pgs. 86 and 87 **C2** pg. 87	
4. Describing helicopter fuel system; a. Fuel tanks; and b. Standardized coding	10			IL	**C2** pg. 87 **C2** pgs. 87 - 90 **C2** pgs. 87 - 88	
5. Properties of jet fuels; a. Conditions of flammability	5			IL	**C2** pg. 91	
6. Hydraulic systems;	5			IL	**C2** pg. 92	
7. Electrical systems; a. Helicopter battery	5			IL	**C2** pg. 92-93	
8. Explain fire protection system;	5			IL	**C2** pg. 94-95	
9. Helicopter egress system;	5			IL	**C2** pg. 94	
10. Identifying helicopter doors. Hatches and windows; a. Emergency cut in area	5			IL	**C2** pgs. 96-98 **C2** pg. 99	
11. Describe helicopter data recording systems (black box)	5			IL	**C2** pg. 99	
12. Type of helicopter emergencies; a. Sea King Emergencies; (1) Fire; (2) Flight control malfunctions; (3) Landing gear malfunction; (4) Gear-box malfunction; (5) Low fuel; (6) Engine malfunction or failure; (7) Communications malfunction; (8) Hung stores – General; (9) Hung flare;	20				**C2** pg. 119	

(10) Hung torpedo; (11) Fire/Crash on deck; (12) Fuel spill; and (13) Battery thermal runaway b. Helicopter emergencies and incident; c. In-flight emergencies; and d. Emergency stations during foc'sle transfer						
13. Types of crashes involving structures (ships); a. Water crashes; b. Helicopter crashes; and c. Water and its application	10			IL	**C2** pg. 124 **C2** pgs. 124-125 **C2** pg. 125-126 **C2** pg. 59-60	
14. Describe the procedure for approaching helicopter; a. Hazardous areas for helicopter; (1) Wind; (2) Wreckage; and (3) Survivors b. flying stations hazardous areas; and (1) Flight deck hanger; (2) Hangar top; (3) Haul down compartment; and (4) Hangar doors c. Helicopter hazardous areas (1) Main rotor; (2) Tail rotor; (3) Engine intakes and exhaust; (4) Engine noise; and (5) Cabin heater exhaust	20			IL	**A3** pgs. 131-132, **C4** pg. 129 **C2** pg. 129 **C2** pg. 129	
15. How to apply safe techniques: a. Hazards to HCRFF; b. General safety precautions; and c. Grounding and bounding	10			IL	**C2** pg. 192 **C2** pgs. 192-193	
16. Hoisting	5				**A3** Art 7401, para 1-12	
17. EC review	25					Pre EC review to be provided by instructor prior to trainee attempting EC.

ENABLING CHECK – EO 001.01

PART I – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom, paper, pencils, test sheet, answer sheet,

Arrangements and Procedures

2. This EC will be administered at the end of EO 002.01.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a written EC.
2. This EC is designed to assess the trainee's knowledge of material covered in EO 001.01
3. 25 minutes are allotted for EC 001.01.
4. This is an individual EC comprised of 10 questions.
5. Trainees must achieve 60% to pass this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.
2. If the trainee fails this EC, they will be given remedial instruction/retesting.

PO 001 Perform Shipboard Helicopter Fire Fighting Operations

EO 001.02 Recognize Ventilation Principles, Salvage Practices and Overhaul Methods Related to Shipboard Helicopter Incidents.

1. Performance. Recognize ventilation principles, salvage practices and overhaul methods related to shipboard helicopter incidents.

2. Conditions

   a. Given:

      (1) Handouts; and
      (2) Supervision.

   b. Denied: Nil

   c. Environmental: Classroom.

3. Standard. IAW references, the trainee shall recognize ventilation principles, salvage practices and overhaul methods related to ship borne helicopter incidents.

4. Time Required.

   a. EO - 175 minutes; and
   b. EC - 25 minutes.

5. Instructional Methods: Interactive lecture.

6. Training Aids

   a. Classroom equipped with;

      (1) Projector;
      (2) Screen;
      (3)Laptop computer;
      (4) Video “Basic Ventilation; and
      (5) Video “Essentials Overhauling Procedures”, IFSTA.

   b. Salvage operations.

7. Test Details

   a. EC 001.02 will be a written assessment of the contents of EO 001.02; and
   b. PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002.

8. References. C2, C3, C4.

9. Remarks. Nil

10. Teaching Points

Teaching Point	Sub teaching Point	Instructional Technique (Time in min)		Delivery Approach		Ref	Comments supporting the Instructional Strategy
		T	D	P			175 minutes
1. Describe the ventilation principle; a. Definition; b. Purpose; c. Phase of fire (in brief); (1) Introduction; and (2) Phases of fire; i. Beginning; ii. Growth; iii. Roll over/ flame over; iv. Fully developed; and v. Decay d. Backdraft; e. Requirement for ventilation; and f. Behaviour of smoke; (1) Mushrooming; (2) Thermal layering; and (3) Pressure differential		50			IL	**C2**, pg. 1, para 1 **C2**, pg. 2 **C2**, pg. 5 **C2**, pgs. 8-12 **C2**, pgs. 136-138 **C2**, pgs. 17-18	
2. Describe ventilation safety points; a. Natural ventilation; b. Forced ventilation; (1) Positive pressure ventilation (PPV); (2) Negative pressure ventilation (NPV) c. Hydraulic ventilation; and d. Ship's ventilation system.		20			Video " Basic Ventilation"		
3. Describe salvage requirements; a. General; b. Planning for salvage operations; and c. Salvage procedures		10				**C3**, pg. 1, para 1 **C3**, pg. 1-2 **C3**, pg. 2	
4. Describe the different overhaul methods; d. Overhaul		10				**C3**, pg. 171 **C2**, pgs. 142-143	
5. Describe the purpose of a proper overhaul; a. Helps locate fires; b. Helps prevent rekindle; c. Helps prevent unnecessary damage; d. Helps in placing the helicopter in a safe condition; and e. Overhaul equipment		20				**C3**, pgs. 179-180 **C3**, pgs. 179-180 **C3**, pgs. 179-180 **C3**, pgs. 179-180 **C3**, pgs. 185-186	
6. Describe fire control operations; a. Searching for hidden fires;						**C3**, pgs. 190-191	

b. Concealed spaces; c. Under debris; d. Extinguishing hidden fires; and e. Debris removal.	20				**C3,** pgs. 190-191 **C3**, pg. 195 **C3**, pgs. 195-197 **C3**, pg. 199	
7. Explain evidence recognition techniques; a. Fire cause determination; b. Abnormal behaviour of fire when water is applied; c. Incendiary device; and d. Burn patterns.	20				**C3**, pg. 199 **C4**, pgs. 494-495 **C4**, pg. 495 **C4**, pg. 495	
8. EC Review	25					Pre EC review to be provided by instructor prior to trainee attempting EC.

ENABLING CHECK – EO 001.02

PART I ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom, paper, pencils, test sheet, answer sheet.

Arrangements and Procedures

2. This EC will be administered at the end of EO 001.02.

PART II – INSTRUCTIONS GIVEN TO TRAINEE.

1. This is a written EC.

2. This EC is designed to assess the trainee's knowledge/skill of material covered in EO 001.02.

3. 25 minutes are allotted for EC 001.02.

4. This is an individual EC comprised of 10 questions.

5. Trainees must achieve 60% IOT pass this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.

2. If the trainee fails this EC, they will be given remedial instruction/retesting.

PO 001 Perform Shipboard Helicopter Fire Fighting Operations

EO 001.03 Perform Forcible Entry Practices Related to Shipborne Helicopters.

1. Performance. Perform forcible entry practices related to shipborne helicopters.

2. Conditions

   a. Given:

      (1) Handouts;
      (2) Applicable hand tools;
      (3) Salvaged vehicles x 3;
      (4) Scenarios; and
      (5) Supervision for safety purposes.

   b. Denied: Nil

   c. Environmental:

      (1) Classroom; and
      (2) DCTF training field.

3. Standard. IAW references, the trainee shall demonstrate forcible entry practices related to shipborne helicopters.

4. Time Required.

   a. EO – 200 minutes;
   b. EC – 50 minutes

5. Instructional Methods.

   a. Interactive lecture; and
   b. Practice.

6. Training Aids.

   a. Classroom equipped with:

      (1) Laptop computer;
      (2) Projector;
      (3) Screen;
      (4) 3 x Salvaged vehicle. One vehicle is to be used during the EC outside in any environmental conditions.

   b. Power hawk;
   c. Video, “Essential Forcible Entry”; and
   d. Video, “Helo firefighting”, DND Catalogue #16250B;
   c. Salvaged vehicles to simulate helicopters x 3

7. Test Details

a. EO 001.03 will be tested as practical EC 001.03. Each trainee will demonstrate the ability to safely operate the power hawk;
b. PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002.

8. References. C6

9. Remarks. Students are to conduct practical on salvaged vehicles to simulate helicopters using all rescue tools that are available.

10. Teaching Points.

Teaching Point	Sub teaching Point	Instructional Technique (Time in min)			Delivery Approach	Ref	Comments supporting the Instructional Strategy
		T	D	P			150 minutes
a. Describe forcible entry techniques, characteristics, use and maintenance of forcible entry hand tools: a. Definition; b. Forcible entry tool groups; (1) Carrying tools; and (2) Care and maintenance of forcible entry tools		20			IL	**C6**, pgs. 180-181	
Describe Power Hawk; a. Advantages; b. Attachments; c. Accessories; d. Precautions; e. Operating safety information; and f. Maintenance.		20					
b. Explain helicopter forcible entry; c. Gaining access to an helicopter; and d. Doors and windows of CH 124 Sea King		30			Video Essentials Firefighting Forcible Entry Video "Helo Fire Fighting" DND Catalogue #16250B		
4. Explain force rescue tool; a. Characteristics; b. Material; and c. Using the Tool		30					

5. Performing forcible entry practices related to Shipborne helicopters			100			
6. EC Review	25					Pre EC review to be provided by instructor prior to trainee attempting EC.

ENABLING CHECK – EO 001.03

PART I ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Power Hawk, Aluminum plate and/or steel plate, PPE and applicable safety equipment.

Arrangements and Procedures

2. This EC will be administered at the end of EO 001.03.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. EC 001.03 is a practical assessment based on content from EO 001.03.

2. This EC will be assessed as Pass/Fail as per the power hawk enabling checklist.

3. 50 minutes are allotted for EC 001.03 (cut aluminum and/or steel plate using a power hawk. This will be done on a salvaged vehicle to simulate a helicopter);

4. This is an individual EC.

5. Trainees must achieve 80% of the checklist items to pass this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.

2. If the trainee fails this EC, they will be given remedial instruction/retesting.

Note: Trainees must achieve 80% of the checklist items to pass this EC

POWER HAWK ENABLING CHECKLIST 001.03

Date:	SN/PRI:	Rank:	Name:

A minimum of 12 of 15 objectives must be met to pass. Failing objectives with an asterisk * constitute a failure.

TASKS: Operate the P-16 Power Hawk.

PERFORMANCE: The trainee shall demonstrate the ability to safely operate the power hawk while performing a spread or a cut.

CONDITIONS: Given training facilities with metal material and all required equipment while in personal protective clothing, the trainee shall demonstrate the ability to:

OBJECTIVES		Final	
		SAT	UNSAT
1. Ensured equipment in a good state before using			
2. Attached proper accessory for task			
3. Operated with clutch knob tightened			
4. Stabilized objects being spread (if applicable)			
5. Positioned the blades perpendicular to material being cut (if applicable)			
6. Let the Power Hawk perform the work (did not use brute force)			
7. Repositioned tool for best advantage (if required)			
8. Remained calm through operation			
9. Cleaned tool and accessories (upon completion)			
10. Verified equipment for damages (before storing)			
11. Lubricated attachment pins and cutting blades			
12. Stored with the spreader partially open (no pressure on tips)			
13. Stored with the cutter closed (not overlapping to protect its cutting edge)			
SAFETY			

14. Conducted safe forcible entry operations (the trainee did** NOT **place themselves or anyone else at risk through their actions)	*		
15. Properly used PPE (gloves, helmet, eye protection & bunker gear)	*		
TOTAL			

/ 15	**Result** **PASS: P** **FAIL: F**	

EC 001.03 REMARKS	
Strengths:	Area of improvement:

Final	**Date:**	**Trainee Signature:**	**Standards Representative Signature:**

PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002. There is no PC 001.

PO 002 Perform Helicopter Crash Rescue Fire Fighting (HCRFF)

EO 002.01 Perform as a Medical First Responder

1. Performance Perform as a Medical First Responder

2. Standard. This Enabling Objective, and associated tasks, shall be trained IAW with the Medical First Responder program (MITE ID 302060).

3. Time Required. 5 training days IAW MFR training program

4. Test Details. This performance objective will be assessed IAW the MFR training program.

5. Remarks.

   a. This EO will have to be successfully completed before trainee can complete remaining EO's in PO 002; and
   b. Successful completion of the assessments for the MFR program is mandatory for the successful completion of the HCRFF program.

PO 002 Perform Helicopter Crash Rescue Fire Fighting (HCRFF)

EO 002.02 Perform Shipborne Helicopter Rescue

1. Performance. Perform shipborne helicopter rescue

2. Conditions

   a. Given:

      (1) PPE;
      (2) Breathing apparatus;
      (3) Assistance;
      (4) Supervision; and
      (5) Helicopter mock-up.

   b. Denied: Nil

   c. Environmental:

      (1) Classroom;
      (2) DCTF helicopter mock up; and
      (3) Local helicopter Squadron.

3. Standard. IAW refs and safety procedures the trainee shall perform shipborne helicopter rescue applying search techniques, rescue strategies and casualty handling, to include:

   a. Helicopter entry;
   b. Helicopter safety procedures;
   c. Evacuating personnel from the hazardous area; and
   d. Care of personnel.

4. Time Required.

   a. EO - 475 minutes;
   b. Travel time - 100 minutes; and
   c. EC – 25 minutes.

5. Instructional Methods.

   a. Interactive lecture;
   b. Helicopter demo; and
   c. Practical.

6. Training Aids

   a. Classroom equipped with:

      (1) Projector;
      (2) Screen;
      (3) Laptop computer;

(4) Mannequins;
(5) PPE; and
(6) Video “Rescue” - #25 Essential IFSTA; and

b. Shipborne helicopter Tour.

7. Test Details

a. EC 002.02 will be a written assessment of the contents of EO 002.02; and
b. PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002.

8. References. C6, C7, C8

9. Remarks

a. Trainees shall have their vision obstructed (smoke/covered face-piece) while performing practical exercises.
b. Practical exercises will be conducted in a mock-up of a CH-124 Sea King or its replacement when available; and
c. Instructor to develop scenarios to simulate rescue from a shipborne helicopter.

10. Teaching Points

Teaching Point	Sub teaching Point	Instructional Technique (Time in min)			Delivery Approach	Ref	Comments supporting the Instructional Strategy
		T	D	P			475 minutes
1. Perform Shipboard Helicopter Rescue a. Definition of rescue; b. Definition of Extrication.		40			IL	**C8** pg 17 **C8** pg 17	
2. Search Techniques; a. Safety in search; b. Size-Up; c. Search Safety Guidelines.		60			IL	**C8** pgs363-365 **C7** pg 35 **C6** pg 38	
3. Conducting a Search; a. Primary Search; b. Secondary Search; c. Search and Rescue; d. Establishing a Search Pattern; e. Helicopter Search; (1) Rescue Operations.		100			IL	**C6** pg 131 **C6** pg 132, 133	
4. Victim Removal; a. Carries and Drags: (1) Blanket Drag; (2) Webbing Drag; (3) Cradle-in Arms Lift/Carry; (4) Seat Lift/Carry;		200			IL		

(5) Extremities Lift/Carry; (6) Chair Lift/Carry; (7) Firemen Carry and ; (8) Victim Drag.						
5. Mental and Emotional Crisis of Rescue; a. The Victim and; b. The Rescuer.	50					
6. EC review	25					Pre EC review to be provided by instructor prior to trainee attemptin g EC.

ENABLING CHECK – EO 002.02

PART I – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom, paper, pencils, test sheet, answer sheet.

Arrangements and Procedures

2. This EC will be administered at the end of EO 002.02.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a written EC.

2. This EC is designed to assess the trainee's knowledge/skill of material covered in EO 002.02

3. 25 minutes are allotted for EC 002.02

4. This is an individual EC comprised of 15 questions.

5. Trainees must achieve 60% to pass this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.

2. If the trainee fails this EC, they will be given remedial instruction/retesting.

PO 002 Perform Helicopter Crash Rescue Fire Fighting (HCRFF)

EO 002.03 Identify Hazardous Material Characteristics Associated with Shipborne Helicopter Rescue Operations.

1. Performance. Identify hazardous material characteristics associated with shipborne helicopter rescue operations.

2. Conditions

   a. Given: References.

   b. Denied: Nil.

   c. Environmental: Classroom.

3. Standard. IAW references, the trainee shall identify hazardous material characteristics associated with shipborne helicopter rescue operations.

4. Time Required

   a. EO - 175 minutes
   b. EC - 25 minutes period

5. Instructional Methods: Interactive lecture;

6. Training Aids.

   a. Projector
   b. Screen; and
   c. Laptop computer.

7. Test Details

   a. EC 002.03 will be a written assessment of the contents of EO 002.03; and
   b. PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002.

8. References. A2, A3, A4.

9. Remarks.

   a. Practical exercise with the use of ref C9 will be carried out in the classroom prior to EC;

   b. Instructor to develop a question bank for practical exercises; and

   c. Hazardous material is a broad subject; therefore, the trainee is limited to general knowledge, it is not intended to have trainees memorize training material.

10. Teaching Points.

Teaching Point	Sub teaching Point	Instructional Technique (Time in min)			Delivery Approach	Ref	Comments supporting the Instructional Strategy
		T	D	P		175 minutes	
1. Identify hazardous material characteristics associated with shipborne helicopter operations a. Classification: (1). Labelling		20			IL	**A4** part II Annex SE1B 3. b. **A4** part II. 31. A **A4** part 1. Annex 4J. 1. f	
2. Product Identification a. Material Safety Data Sheet (MSDS) (1) Read an MSDS b. Warehouse Supervisor		20		100		**A4** Part II. SOP SE1. 12 **A2** Art 11015	
3. Duties and Responsibilities a. Rapid Response Team b. Response of the Discoverer c. CSE Officer d. CSE Division Heads e. CSE technicians f. Snr HT g. Snr FF h. RAT as First Response Team (Spill Response Team – SRT) i. Back-up Team j. Petty Officer Of the Watch (POOW) k. Medical Response to HAZMAT spill		50				**A4** Part III Plan 2 Table 2.2 **A2** Art 3101. 2 **A4** Part III Plan 2 Table 2.2 **A2** Art 9003. 2 Art 9003. 6 Art 9003.7 **A4** Part III plan 2 table 2.2 **A4** Part III Plan 1. 19 **A2** Art 3094	
4. Zone Designations; a. Hot Zone (HZ) b. Warm Zone (WZ) c. Cold Zone (CZ) d. Decontamination Set Up		20				**A4** Part III Plan 2 art 16	
5. OTTO Fuel II Leak Response a. Composition b. MSDS c. Leak Response (1) Response (Helicopter Running, Torpedo Loaded) (2) Response (Helicopter not Running)		40				**A3** Art 3610	

6. EC review	25					Pre EC review to be provided by instructor prior to trainee attempting EC.

ENABLING CHECK – EO 002.03

PART I – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom, paper, pencils, test sheet, answer sheet.

Arrangements and Procedures

2. This EC will be administered at the end of EO 002.03.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a written EC.

2. This EC is designed to assess the trainee's knowledge/skill of material covered in EO 002.03.

3. 25 minutes are allotted for EC 002.03.

4. This is an individual EC comprised of 12 questions.

5. Trainees must achieve 60% IOT pass this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.

2. If the trainee fails this EC, they will be given remedial instruction/retesting.

Note: Trainees must achieve 60% of the checklist items in order to pass this EC.

PO 002 Perform Helicopter Crash Rescue Fire Fighting (HCRFF)

EO 002.04 Identify Shipborne Helicopter Operating Procedures

1. Performance. Identify Shipborne Helicopter Operating Procedures

2. Conditions

   a. Given: References.

   b. Denied: N/A

   c. Environmental: Classroom.

3. Standard. IAW references, the trainee shall identify ship borne helicopter operating procedures.

4. Time Required

   a. EO – 225 minutes; and
   b. EC – 50 minutes.

5. Instructional Methods:

   a. Interactive lecture;
   b. Home study; and
   c. Practical.

6. Training Aids

   a. Classroom equipped with:

      (1) Current SHOP Manual for each trainee;
      (2) Projector;
      (3) Screen; and
      (4) Laptop computer;

7. Test Details

   a. EC 002.04 will be a written open book exam assessing their understanding of EO 002.04;
   b. PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002.

8. References. A1, A3

9. Remarks. Nil

10. Teaching Points

Teaching Point	Sub teaching Point	Instructional Technique (Time in min)			Delivery Approach	Ref	Comments supporting the Instructional Strategy
		T	D	P		200 minutes	
1. Identify Shipborne Operating Procedures: a. Section 1 - CH124 Sea King; and b. Certification: (1) SWOAD; and (2) Helairdet.		10			IL	**A3** Art 2103 Art 1103 Art 1103.1.a Art 1103.1.b	
2. Ship Precautions: a. Fatigue; b. Foreign Object Damage (FOD); c. Out of bounds areas; d. Minimum standard; and e. A crash alarm switch.		10				Art 1303 Art 1303.1 Art 1303.2 Art 1303.4 Art 1303.6 Art 1303.7	
3. Helicopter haul down and rapid securing device / recovery assist secure traverse.		10				Art 2206	
4. Deck markings.		10				Art 2207	
5. Common operations procedures: a. Definitions; b. Flying stations; c. Launch; d. Shut down; e. Straightening, folding and traversing: (1) Straightening; (2) Folding; and (3) Traversing. f. ZIPLIP launch & recovery; g. Vertical replenishment and hoist transfer; h. Cross-Deck operating procedures; and i. Weapons loading/unloading procedures.		50				Part 3 Section 1 Art 3102 Art 3103 Art 3106.1 Art 3113.1 & 3 Art 3114.1 Art 3115 Art 3115.1 Art 3115.4 Art 3116.1 Art 3505 & 3506 Art 3403 Art 3802 Art 3602 & 3603	
6. Helicopter fuelling procedures; a. Safety and limitations; and b. FF/HT manning: (1) Cold fuelling; and (2) Hot fuelling.		20				Art 3303.1 Art 3304 Art 3307.1.e Art 3308.1	
7. Damage Control: a. DC organization; b. Rapid Attack Team (RAT); c. Hazards of flight deck Fires;						**A3**Art 6202 & 7202 **A3** Art 6203.1 to 4 & Art7203.1&2 **A1** Part 6 Art 11 & 13 **A1** Part 3 Art 331.2	

d. Carbon fibre fires: (1) General; (2) Hazards; (3) Precautions; and (4) Organization. e. Rigging FF stations for flying Operations; and f. Closing down for flying stations.	50				**A1** Part 3 Art 332.1 **A1** Part 3 Art 332.2 **A1** Part 3 Art 332.3 **A1** Part 3 Art 332.4 **A3** Art 6204 **A3** Art 6205.1&2.a.b	
8. Emergency procedures: a. Helicopter emergencies; b. Helicopter salvage: (1) Recovery team; (2) Helicopter recovery procedures; and (3) Water towing. c. Immediate response measures: (1) Definitions; (2) Responsibilities; and (3) Safety.	30				PART 5 Art 5102 Art 5302 Art 5303 Art 5304 Art 5305 Art 5202 Art 5203 Art 5204 Art 5205	
9. Air Ops from ships without air detachments (SWOAD): a. General.	10				Part 3 Section 10 Art 31002	
9. EC Review	25					Pre EC review to be provided by instructor prior to trainee attemptin g EC.

ENABLING CHECK – EO 002.04

PART I – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom, paper, pencils, test sheet, answer sheet.

Arrangements and Procedures

2. This EC will be administered at the end of EO 002.04.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a written EC.

2. This EC is designed to assess the trainee's knowledge/skill of material covered in EO 002.04

3. 50 minutes are allotted for EC 002.04

4. This is an individual EC comprised of 15 questions.

5. Trainees must achieve 60% IOT pass this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.

2. If the trainee fails this EC, they will be given remedial instruction/retesting.

PO 002 Perform Helicopter Crash Rescue Fire Fighting (HCRFF)

EO 002.05 Perform Helicopter Crash Rescue Fire Fighting

1. Performance. Perform helicopter crash rescue firefighting (HCRFF) as related to shipborne helicopters.

2. Conditions

   a. Given:

      (1) Live fire training area;
      (2) Helicopter mock-up;
      (3) Operating TAU;
      (4) Associated firefighting equipment;
      (5) PPE, c/w SCBA; and
      (6) Training scenarios.

   b. Denied: Nil

   c. Environmental:

      (1) Day and Night; and
      (2) Any weather conditions.

3. Standard. IAW references, the trainee shall:

   a. Perform Helicopter Crash Rescue Fire Fighting (HCRFF) as related to Shipborne helicopters; and

   b. Participate in night training exercises for a minimum of 4 x 50 minute periods. Night training runs are not to be assessed runs.

4. Time Required.

   a. EO – 3725 minutes
   b. EC – 25 minutes
   c. PC – 800 minutes.

5. Instructional Methods:

   a. Interactive lecture;
   b. Practical.

6. Training Aids

   a. Classroom equipped with:

      (1) Projector;
      (2) Screen;
      (3) Laptop computer;

b. PPE c/w SCBA for each student;
c. Live fire training area c/w helicopter mock up;
d. Mannequins – minimum 2;
e. Armament training aid;
f. Weapon mock up;
g. Rescue axe x 3
h. Thermal Imaging Camera x 2;
i. Force rescue tool x 2
j. Operating TAU mock up; and
k. Firefighting equipment.

7. Test Details

a. EC 002.05 shall consist of a written assessment of the contents of EO 002.05
c. PC 002 will be a practical assessment based on content from PO 001 and PO 002 and will be administered at the end of PO 002.

8. References. A2, A3, C1

9. Remarks

a. Training scenarios are to exercise all types of helicopter emergencies, strategies and tactics of HCRFF to include three dimensional and hazardous material fires. Instructors can adjust scenario based on trainee's performance.

b. The following details the practical aspect of training each trainee can receive:
(1) 1 x run as nozzle man;
(2) 1 run as rescue man;
(3) 1 dry chemical run;
(4) 1 x combined run;
(5) 1 run as a sector commander; or
(6) 1 combined run as sector commander.

c. Instructions for instructor;
(1) Trainees will be assessed as nozzle man and a back-up in two different scenarios;
(2) Trainees will be required to complete multiple runs in different positions so that all trainees receive proper assessments;
(3) Instructors are to develop a schedule so that trainees rotate positions;
(4) Each student is to perform 4 runs with a minimum of 1 run as a nozzleman and 1 run as rescue man; and
(5) Instructors to provide feedback to trainees after each run based on checklists that are used for PC

10. Teaching Points

	Sub teaching Point	Instructional Technique (Time in min)			Delivery Approach	Ref	Comments supporting the Instructional Strategy
		T	D	P			3725 minutes

1. Firefighting strategies & tactical procedures: a. Incident strategy options: (1) Offensive; (2) Defensive; and (3) Abandon ship. b. Tactical priorities: (1) RECEO Model: i. Rescue; ii. Exposures; iii. Confine; iv. Extinguish; and v. Overhaul. (2) Rapid Attack Team (RAT); and (3) Flight deck crash/fires: i. Crash/Fire on the centre of the flight deck; ii. Crash at the forward end of the flight deck (Hangar Face); iii. Crash/Fire on the quarterdeck; and iv. Flight deck carbon fibre firefighting. c. Benchmarks: (1) All clear; (2) Under control; (3) Loss stop; and (4) PAR. d. Initial alarms & pipe information: (1) General alarm; (2) Damage control system (DCS Alarm); (3) Crash on deck alarm; and (4) Undeclared emergency.	300			IL	**C1** Ch. 12 p. 285 & 286 p. 286 to 288 **A2** Ch. 3 Section 3 art 3026. 1, 3 and 4 **A3** Part 6 Section 3 art 6303. Art 6303. **A1** Annex A-7 part 3 chap 4 art 332 CFFCA Benchmark Handout **A2** Chapter 3 Section 1 art 3002. 1. Art 3003 Art 3006. 1	
2. EC review	25				Pre EC review to be provided by instructor prior to trainee attempting EC.	
3. Firefighting strategies & tactical procedures Practical	3400					

ENABLING CHECK – EO 002.05

PART I – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom, paper, pencils, test sheet, answer sheet.

Arrangements and Procedures

2. This EC will be administered at the end of EO 002.05

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a written EC.

2. This EC is designed to assess the trainee's knowledge/skill of material covered in EO 002.05

3. 1 x 50 min periods are allotted for EC 002.05 written quiz and review.

4. This is an individual EC comprised of 15 questions.

5. Trainees must achieve 60% IOT pass this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.

2. If the trainee fails this EC, they will be given remedial instruction/retesting.

PERFORMANCE CHECK – PO 002

PART I – ADMINISTRATIVE INSTRUCTIONS

This PC will be administered at the end of PO 002

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a practical PC. PC will be assessed using practical assessment checklists in Part IV.
2. This PC is designed to assess the trainee's knowledge/skill of material covered in PO 001 and PO 002.
3. References/Assistance is denied.

PART III – INSTRUCTIONS GIVEN TO ASSESSOR

1. Performance Check – 800 minutes. Each trainee is allotted 50 minutes to complete the PC.
2. Trainees must achieve a minimum of 10 of 13 objectives to pass the assessment.
3. PC will be assessed using practical assessment checklists in Part IV.
4. Trainees will be assessed as nozzle man and a back-up in two different scenarios. Trainees will be required to complete multiple runs in different positions so that all trainees receive proper assessments.
5. Instructors are to develop a schedule so that trainees rotate positions and their assessed runs are not back to back.
6. Training scenarios are to exercise all types of helicopter emergencies, strategies and tactics of HCRFF to include three dimensional and hazardous material fires. Instructors can adjust scenario based on trainee's performance.
7. The following details the practical aspect of training each trainee can receive:
   a. 1 run as nozzle man;
   b. 1 run as rescue man;
   c. 1 dry chemical run;
   d. 1 x combined run;
   e. 1 run as a sector commander; or
   f. 1 combined run as sector commander
8. If the trainee fails PC 002;
   a. Trainee will be given 24 hrs to complete a re-test.
   b. A trainee may be allotted extra time due to medical reasons and will be reassessed upon approval from the Medical Authority.
9. PC will be assessed IAW assessment checklist for each position to be assessed.

RESCUE/BACK-UP PERFORMANCE CHECKLIST			
Date:	SN:	Rank:	Name:

A minimum of 10 of 13 objectives must be met to pass.

Failing objectives with an asterisk * constitutes a failure.

TASKS:	Gaining access into and out of a helicopter, assisting in evacuation and rescue of passengers
PERFORMANCE:	As a rescue man, the trainee shall perform rescue during HCRFF operations and assist with tactical priorities as directed.
CONDITIONS:	Given training facilities and all required equipment while in complete personal protective clothing with SCBA, the trainee shall demonstrate the ability to:

OBJECTIVES		**Final**	
		SAT	**UNSAT**
1. Carried appropriate hand tool(s)			
2. Assisted nozzle operator with advancing the hose			
3. Performed proper search techniques			
4. Handled casualties appropriately			
5. Removed casualties to safety VIA shortest and safest route			
6. Assisted with ventilation			
7. Used a tool for fire extension checks - Interior and exterior of the HELO			
8. Fire extension checks ***- Checked interior and exterior of HELO***			
9. Performed thorough secondary search ***- When tasked by Sector 1, interior and exterior of HELO***			
10. Communicated with team during the evolution			
11. Reported to Sector 1 any findings (casualty, fire & armament location, etc.)			
12. Reported to Sector 1 on completion of tasks			

13. Remained near nozzle operator while conducting interior searches			
SAFETY			
Conducted safe firefighting operations ***- Trainee did NOT place themselves or anyone else at risk through their actions***	*		
Proper use of PPE	*		
TOTAL			
/ 13	**Result** **PASS: P** **FAIL: F**		
PO 001 **REMARKS**			
Strengths:	Area of improvement:		

Date:	**Trainee Signature:**	**Instructor's Signature:**

NOZZLEMAN PERFORMANCE CHECKLIST			
Date:	SN:	Rank:	Name:

A minimum of 10 of 13 objectives must be met to pass.

Failing objectives with an asterisk * constitute a failure.

TASKS: Operate fire streams and apply agent.

PERFORMANCE: As the nozzle operator, the trainee shall apply an extinguishing agent to achieve the fire ground objectives.

CONDITIONS: Given training facilities and all required equipment while in complete personal protective clothing with SCBA, the trainee shall demonstrate the ability to:

OBJECTIVES		Final	
		SAT	UNSAT
1. Ensured hose was effectively flaked out and charged			
2. Bleed air from hose line prior to advancing onto the flight deck			
3. Demonstrated proper hose handling techniques during the evolution			
4. Advanced together with other hose team under the direction of Sector 1			
5. Protected team by using appropriate pattern on approach			
6. Properly and effectively applied water and/or agent during the evolution			
7. Utilized reach of stream as required			
8. Maintained the foam blanket (ensure the deck is wet to simulate foam)			
9. Conserved agent during the evolution			
10. Remained vigilant being aware of possible fire re-flashes			
11. Cooled A/C exterior and interior as required prior to rescue making entry			
12. Assisted with primary search by covering rescue while they are in the HELO			
13. Performed ventilation when directed by Sector 1			
SAFETY			
Conducted safe firefighting operations (the trainee did NOT place themselves or anyone else at risk through their actions).	*		

Proper use of PPE	*		

TAU (Twin Agent Unit) non-functioning chart

Forward TAU	
AFFF	
Dry Chem	
Aft TAU	
AFFF	
Dry Chem	

TOTAL		
/ 13	**Result** **PASS: P** **FAIL: F**	

PO 002 **REMARKS**	
Strengths:	Area of improvement:

Date:	**Trainee Signature:**	**Instructor's Signature:**

ANNEX A - MAIN REFERENCES

A = CF or other official Canadian government publication

B = Official Allied Force or Allied government publication

C = Commercial publication

D = Other

Ref Code	Publication
A1	B-GN-007-RCN/FP-001 CFCD 132 RCN Damage Control Manual
A2	Ship's Standing Orders (SSO's)
A3	C-12-124-A00/MB-002 Shipborne Helicopter Operating Procedures (SHOPs)
A4	MARPAC-302654-v18-Halifax Class SEMS Manual
A5	C-05-040-012/TS-001 Post Aircraft Crash/Accident Release of Carbon Fibre
C1	IFSTA International Fire Service Training Association – Marine Fire Fighting Manual, 1st Edition
C2	ISBN 0-87939-109-X IFSTA Fire Ventilation Practices
C3	ISBN 0-87937-058-1 IFSTA Salvage and Overhaul Practices 7th Edition
C4	EVAC Manual
C5	ISBN 0-87939-117-0, IFSTA Awareness Level Training for Hazmat 1st Edition
C6	ISBN 0-87765-284-8, Fire Command (Brunacini/NFPA)
C7	ISBN 0-87939-048-4, IFSTA Principles of Extrication 1st Edition
C8	IFSTA Aircraft rescue and Firefighting 5th Edition
C9	ALM007005AX004 (DSCO Pub #) 2016 Emergency Response Guidebook

ANNEX B - TASK LIST

Task No	Task Statement	Trg / No Trg	PO
FT 0080	Conduct Advanced First Aid to MFR level 1	T	002.01
FT 0090	Conduct aircraft evacuation	T	002.02
FT0100	Conduct aircraft forcible entry	T	001.03
FT0110	Conduct aircraft overhaul	T	001.02
FT0120	Conduct aircraft salvage	T	001.02
FT0130	Conduct flight deck emergency operations	T	002.05
FT0160	Conduct shipboard helicopter firefighting procedures	T	002.05
FT0180	Extinguish special problem fires	NT	002.05
FT0460	Operate portable helicopter crash rescue equipment	T	002.05
IT0630	Operate forced rescue tool	T	001.03
FT0650	Operate twin agent unit	NT	002.05
IT0060	Operate Type M (metal fire) extinguisher	T	002.04
AJT0260	Inspect visually, portable helo crash rescue equipment	T	001.03

Note: Tasks FT 0189 is NT due trainees having completed pre –requisite of Attack Team leader prior to this training.

Task FT 0650 is NT as this task is covered in Mar Tech USQAB PO 003, EO 003.0

ANNEX C - QUALIFICATION STANDARD AND PLAN WRITING BOARD RECORD OF PROCEEDINGS

This training was taken from the Hull Technician 00124 QL5 MITE 108493 QSP. No board was conducted for adjusting this training to fit the QSP template from NPTORD 4500-22.

QSP Review conducted by NTDC(P) CCD Analyst PO1 Kendall and CPO2 Gagné NPTG HQ Training Manager MAR TECH.

Formative Program Evaluation conducted by NTDC(P) LSC TDO Lt(N) Robinson.

ANNEX D - QSPWB SCALAR





ANNEX E - ON JOB PERFORMANCE RECORD (OJPR)

Nil OJPR for this training.

ANNEX F - ACRONYMS AND ABBREVIATIONS

Acronym and Abbreviation	Term or Definition
NPTG	Naval Personnel Training Group
DCTF	Damage Control Training Facility
HCRFF	Helicopter Crash Rescue Fire Fighter
SWOAD	Ship without Air Department
TRB	Training Review Board
EC	Enabling Check
PC	Performance Check
MRF	Medical First Responder
MSDS	Material Safety Data Sheet
TAU	Twin Agent Unit

ANNEX G - SUGGESTED SEQUENCING AND TIMINGS

EO ###.##	EO Performance Statement	Personnel Resources	Required Resources (for scheduling)	Trg Time per resource (mins)	EC Time (mins)	PC Time (mins)
PO 001: Perform Shipboard Helicopter Fire Fighting Operations				Total PO time:		1016.25
PO ATT:	675	PO Admin Time:	280.5	PO PT time:	60.75	
EO 001.01	Identify Characteristics of Shipboard Helicopters	Instructor	Classroom	175	25	
EO 001.02	Recognize Ventilation Principles, Salvage Practices, and Overhaul Methods Related to Shipboard Helicopter Incidents	Instructor	Classroom	175	25	
EO 001.03	Perform Forcible Entry Practices Related to Shipborne Helicopters	Instructor	Classroom, 3 Salvaged vehicles	225	50	
PO 002: Perform Helicopter Crash Rescue Fire Fighting				Total PO time:		9008.75
PO ATT:	7625	PO Admin Time:	697.5	PO PT time:	686.25	
EO 002.01	Perform as a Medical First Responder	Qualified Medical First Responder Instructor	Classroom @ First Aid Training Cell	2000	0	

EO 002.02	Perform Shipborne Helicopter Rescue	Instructor	Classroom, DCTF helicopter mock-up, Tour at Local Helicopter squadron	575	25	
EO 002.03	Identify Hazardous Material Characteristics Associated with Shipborne Helicopter Rescue Operations	Instructor	Classroom	175	25	
EO 002.04	Identify Shipborne Helicopter Operating Procedures	Instructor	Classroom	225	50	
EO 002.05	Perform Helicopter Crash Rescue Fire fighting	Instructor	Classroom, Live fire training area with helicopter mock-up	3725	25	800

All times in minutes

* Includes review and debrief time.

ANNEX H - ADDITIONAL TRAINING RESOURCES

EO/PO	Resource	Quantity
EO 001.03	Salvaged vehicles	3

ANNEX I - COSTING INFORMATION

Include information about cost in whichever format is applicable (**Not to be deleted**).

Template Annex I Costing.xls

Estimates only, based on CF Cost Factors Manual FY 2012/13 verify that this link is the most updated version

****5 year total based on one course per year INCLUDING Initial Set-Up. Costs may be adjusted accordingly.**

Course: TDL 300		Serial:				
TD	No. Of Students / instructors /	Cost per each	# Days (if applicable)	Initial TE Set-up	Each successive course	5 Year total
Airfare (Return)	14	$1,000.0		$14,000	$14,000	$70,000.00
R&Q	14	$36.0	20	$10,080	$10,080	$50,400.00
Incidentals	14	$17.5	20	$4,900	$4,900	$24,500.00
Subtotal				**$28,980**	**$28,980**	**$144,900.00**
Material	Quantity	Cost per each	# Days (enter 1 if not applicable)			
PP&S (Estimate)	16	$50.0	1	$800	$800	$4,000.00
Classroom (square meters)	30	$13.00	15	…	…	…
Computer requirements	16	$1,000.0	1	$16,000	$0	$16,000.00
IT Equip (Proj, Smart board etc)	1	$6,000.0	1	$6,000	$0	$6,000.00
DWAN connection (Set up)	1	$5,000.0	1	$5,000	$0	$5,000.00
Link Toolkit (on DVD)	15	$1.0	1	$15	$15	$75
Instructional Materials (Printed / Handouts etc)	15	$30.0	1	$450	$450	$2,250.00
Subtotal				**$28,265**	**$1,265**	**$33,325.00**
PYs (only if course includes incremental on SWE, or course to be delivered off site	Quantity	Cost per day* (SWE if necessary)	# Days (if applicable)			
Instructor (PO1/WO) (incremental)2	2	$223.0	20	$8,920	$8,920	$44,600.00
Incremental Civilian Instructor		XXX				
		subtotal		**$8,920**	**$8,920**	**$44,600.00**
	Total Estimated Costs			**$66,165**	**$39,165**	**$222,825**

ANNEX J - COURSE HISTORY

During the 2006 MOSART analysis of the Hull Tech occupation, a proposal was put forward to have Hull Techs provide Helicopter Crash Rescue services onboard HMC Ships vice the Fire Fighter occupation. At the time, DGPR asked for and analysis to determine the differences between the employment of Hull Tech and Fire Fighter. A working group was convened and the recommended option was to reduce the number of Fire Fighters and assign some responsibilities to Hull Techs. The MOSART project was stood down, so implementation activities were never finalized. In October 2011 the item was brought forward again. This time it was due to the potential reduction of RCN establishment of personnel footprint on the proposed new ships. The focus of this proposal is on the future of the Navy fleet, continuous improvement, efficiency and effectiveness from a total ship and RCN perspective. During the 2012 Hull Tech job analysis, it was recommended to move the HCRFF course from the QL5 to the QL3. The first course graduated in November 2013. Through an agreement between Deputy Commanders RCAF and RCN signed on 31 January 2014, it was decided to transfer all at-sea positions of Fire Fighter (FIRE FTR) in Capability Component (CC) 1 to RCN-managed occupations.

Phase 1 of this transition, consisting of LS/Cpl at-sea positions, commenced in May 2014 as part of the Military Employment Structure Implementation Plan (MES IP) for the Hull Tech (HT) Occupation. As a result, from 2014 to 2017 the Cpl FIRE FTR billets on board HMC Ships are transitioning to LS HT.

Phase 2 of the transition is the transfer of the remaining shipboard and Fleet Augmentation (FA) FIRE FTR MCpl/Sgt billets to the HT occupation, which will take place from 2016 to 2019. The first ship to saw the transition in 2016. At the request of the joint Steering Committee (SC), this was considered a trial platform to ensure the intent behind this transition is operationally effective for both the RCN and RCAF. Based upon SC follow up on this initial validation, a decision was made for the follow-on transitions over the years 2017 to 2019. Flight Safety requirements remain paramount at all times. Should the progress of the transition justify and support a faster timeline than that defined in the implementation plan, the identified timings may be adjusted subject to both RCN and RCAF agreement.

30 May 2018: Change to version 1.1

1. Change to Hull Technician trade. All reference within this QSP which refers to Hull Technician, Hull Tech or HT will be considered as applying to the MAR TECH occupation 00379 from this date forward.

2. The employment requirements of CF mission specialists in the ASTERIX, offer only one position for MAR TECH personnel. As a consequence, the decision was made to provide Helicopter Crash Rescue Training to members of the BOSN occupation. Therefore, BOSNs posted or attach posted into positions in ASTERIX shall be afforded this training and shall follow same course prerequisites defined in chapter 1.

ANNEX K - ASSESSMENT PLAN

EC / PC	Scope Covered	Purpose	How	Pass / Fail Criteria	Impact
EC 001.01	EO 001.01	Identify characteristics of shipboard helicopters	10 questions Multiple choice 25 minutes	60% pass	Retrain/Retest
EC 001.02	EO 001.02	Recognize ventilation principles, salvage practices and overhaul methods related to shipboard helicopter incidents	10 questions Multiple choice 25 minutes	60% pass	Retrain/Retest
EC 001.03	EO 001.03	Perform forcible entry practices related to shipborne helicopters	Checklist 50 minutes	80% pass	Retrain/Retest
PC 001	All	PC 002 will be based on content from PO 001 and PO 002 and administered at the end of PO 002			
EC 002.02	EO 002.02	Perform shipborne helicopter rescue	15 questions Multiple choice 25 minutes	60% pass	Retrain/Retest
EC 002.03	EO 002.03	Identify hazardous material characteristics associated with shipborne helicopter rescue operations	12 questions Open book 25 minutes	60% pass	Retrain/Retest

EC 002.04	EO 002.04	Identify shipborne helicopter operating procedures	15 questions Open book 25 minutes	60% pass	Retrain/Retest
EC 002.05	EO 002.05	Perform helicopter crash rescue fire fighting	15 questions Multiple choice 25 minutes	60% pass	Retrain/Retest
PC 002	All	Perform helicopter crash rescue fire fighting	Practical Scenario based 50 minutes	Achieve min 10/13 objectives. Any safety infractions constitutes a failure	24 hrs to complete retest. TRB IAW NPTORD 4500-54