ROYAL CANADIAN NAVY QUALIFICATION STANDARD AND PLAN

Boat Coxswain Course

Basic Navagation - Module 1 - 117652

Advance Boat Coxn - Module 2 - 117653

Inflatable Rubber Boat (IRB) - Module 3 - 117655

Rigid Inflatable Boat (RIB) - Module 4a -117656

Ridge inflatable Boar Arch - Module 4b -117657

Force Protection Vessel (FPV) - Module 5 - 117658

Chapters 1, 2: 23,Oct 12
Chapters 3, 4: 23,Oct 12
MARPAC RDIMS# 618698

RECORD OF AMENDMENTS

The "Authority" reference indicates approval of the corresponding chapters of this QSP document. Authority for Chapters 1 and 2 of this QSP resides with Chief of the Naval Staff (C Naval). Approval responsibility for the QSP has been granted to the Canadian Forces Naval Operations School Commandant. Approval for changes to chapters 3 and 4 may be further delegated to the Standards Division Commander. The approval date, the date that the document is checked back in, should also appear in the bottom right corner of every page (the change being made in the footer). The Revision column is intended to provide a short indication of where the change(s) was/were made. Details on the change(s) must be amplified in Annex J "Course History".

REVISION	APPROVAL DATE	AUTHORITY
QSP-MS: 1.00	31 Mar 2008	DMTE
QSP-MS:1.1	22 Jan 2009	CMDT CFNOS
QSP-MS:1.2	24 Nov 2009	CMDT CFNOS
QSP –MS 1.3	23 Oct 2012	CMDT CFNOS

TABLE OF CONTENTS

CHAPTER 1: COURSE MANAGEMENT DETAILS 1-1

AIM 1-1

COURSE DURATION CALCULATION 1-1

RESOURCES 1-2

COURSE CAPACITY 1-4

COURSE PREREQUISITES 1-4

RELATED DOCUMENTS 1-4

EVALUATION 1-4

VALIDATION 1-4

QUALIFICATION 1-4

PRIOR LEARNING ASSESSMENT 1-5

CHAPTER 2: PERFORMANCE OBJECTIVES 2-1

PO 001 Conduct Basic Navigation 2-1
PO 002 Conduct Boat Communications 2-3
PO 003 Conduct Duties of Boat Coxswain 2-4
PO 004 Conduct Advanced Boat Handling 2-6
PO 005 Conduct Interception Maritime Operations 2-8
PO 006 Operate IRB 2-9
PO 007 Maintain IRB 2-11
PO 008 Operate RIB 2-12
PO 009 Maintain RIB 2-14
PO 010 Operate RIB ARCH 2-15
PO 011 Operate FPV 2-17

CHAPTER 3: ASSESSMENT OF TRAINEE 3-1

GENERAL 3-1

PERFORMANCE CHECKS 3-1

PROGRESS MONITORING 3-1

UNSATISFACTORY TRAINING PROGRESS 3-2

TRAINING REVIEW BOARD 3-2

COURSE REPORTS 3-2

CHAPTER 4: LESSON SPECIFICATIONS 4-1

EO 001.01 Interpret Charts 4-2
ENABLING CHECK – EO 001.01 4-4
EO 001.02 Use Basic Navigation Techniques 4-5
ENABLING CHECK – EO 001.02 4-7
EO 001.03 Apply Collision Avoidance Regulations 4-8

ENABLING CHECK – EO 001.03 4-10
PERFORMANCE CHECK – PO 001 4-11
PO 002 Conduct Boat Communications 4-13
EO 002.01 Conduct Boat Communications 4-13
ENABLING CHECK – EO 002.01 4-16
PERFORMANCE CHECK – PO 002 4-17
PO 003 Conduct Duties of Boat Coxswain 4-18
EO 003.01 Explain Rescue and Recovery Procedures 4-18
ENABLING CHECK – EO 003.01 4-20
EO 003.02 Explain Duties and Responsibilities of Boat Coxswain 4-21
ENABLING CHECK – EO 003.02 4-23
EO 003.03 Completing Incident Reports 4-24
EO 003.04 Respond to Environmental Situations 4-26
ENABLING CHECK – EO 003.04 4-28
PERFORMANCE CHECK – PO 003 4-29
PO 004 Conduct Advanced Boat Handling 4-30
EO 004.01 Conduct Advanced Boat Manoeuvring 4-30
ENABLING CHECK – EO 004.01 4-33
PO 005 Conduct Interception Maritime Operations 4-40
EO 005.01 Execute Mission Plan 4-40
ENABLING CHECK – EO 005.01 4-43
EO 005.02 Perform Waterborne Patrols 4-44
EO 005.03 Perform Interception Operations 4-46
ENABLING CHECK – EO 005.03 4-49
PERFORMANCE CHECK – PO 005 4-52
PO 006 Operate IRB 4-56
EO 006.01 Conduct Basic IRB Handling 4-56
ENABLING CHECK – EO 006.01 4-59
EO 006.02 Conduct Troubleshooting on an IRB 4-64
EO 006.03 Respond to Emergencies 4-67
ENABLING CHECK – EO 006.03 4-69
PO 007 Maintain IRB 4-72
EO 007.01 Maintain IRB 4-72
PERFORMANCE CHECK – PO 007 4-75
PO 008 Operate RIB 4-79
EO 008.01 Conduct Basic RIB Handling 4-79
ENABLING CHECK – EO 008.01 4-82
EO 008.02 Conduct Troubleshooting on a RIB 4-90
EO 008.03 Respond to Emergencies 4-93
ENABLING CHECK – EO 008.03 4-95
PERFORMANCE CHECK – PO 008 4-98
PO 009 Maintain RIB 4-101
EO 009.01 Maintain RIB 4-101
ENABLING CHECK – EO 009.01 4-104
PERFORMANCE CHECK – PO 009 4-105
PO 010 Operate RIB ARCH 4-113

EO 010.01 Operate RIB ARCH Electronic Equipment 4-113
ENABLING CHECK – EO 010.01 4-116
PERFORMANCE CHECK – PO 010 4-117
PO 011 Operate FPV 4-121
EO 011.01 Prepare FPV for Cradling and Un-Cradling 4-121
EO 011.02 Operate FPV 4-123
ENABLING CHECK – EO 011.02 4-126
EO 011.03 Respond to Emergencies 4-140
EO 011.04 Operate Auxiliary/Fitted Equipment 4-142
ENABLING CHECK – EO 011.04 4-144
EO 011.05 Operate Electronic Navigation Systems 4-148
ENABLING CHECK – EO 011.05 4-150
PERFORMANCE CHECK – PO 011 4-151

ANNEX A – MAIN REFERENCES A-1
ANNEX B – TASK LIST B-1
ANNEX C – QSP WRITING BOARD RECORD OF PROCEEDINGS C-1
ANNEX D – QSP WRITING BOARD SCALAR D-1
ANNEX E – ACRONYMS / ABBREVIATIONS E-1
ANNEX F – SUGGESTED SEQUENCING AND TIMINGS F-1
ANNEX G – TRAINING RESOURCES G-1
ANNEX H – COSTING INFORMATION H-1
ANNEX I – COURSE HISTORY I-1
ANNEX J – EVALUATION MATRIX J-2

FOREWORD

1. This training document is developed under the authority of the C Naval and in accordance with the following references:

a. A-P9-050 Series, Canadian Forces Manual of Individual Training and Education;

b. A-PD-055/PP-001 Occupation Specialty Specification (Boat Coxswain - IRB) dated 31 March 2008;

c. A-PD-055/PP-001 Occupation Specialty Specification (Boat Coxswain - RIB) dated 31 March 2008;

d. A-PD-055/PP-001 Occupation Specialty Specification (Boat Coxswain - FPV) dated 31 March 2008; and

e. A-PD-055/PP-001 Occupation Specialty Specification (Advanced Boat Operations) dated 31 March 2008.

2. This publication is effective on receipt. Performance Objectives (POs) are explained fully in Chapter 2. The Lesson Specifications (LSs)/Enabling Objectives (EOs), Enabling Checks (ECs) and Performance Checks (PCs) which specify the standards that the trainee must achieve to become qualified are listed in Chapter 4.

3. Suggestions for amendments may be initiated by anyone. Amendments must be forwarded through the normal chain of command. Specifically, training establishments are to summarize all requested amendments in writing to the applicable approving authority(ies). QSP revision procedures are outlined in the NTI. Amendments to this QSP may only be approved by the Commandant of CFNOS. Authority to approve amendments that affect chapters 3 and 4 may be delegated to the Standards Division Commander.

4. The designated CCA(s) for this training is indicated below:

TE	PHASE	QUALIFICATION
CFNOS	Modules 1 - 5	
CFFSE	Modules 1 - 5	

CHAPTER 1: COURSE MANAGEMENT DETAILS

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY COMMANDANT CFNOS

AIM

1. The aim of the Boat Coxswain Course is to train personnel to perform the duties of boat coxswain during basic and/or advanced boat operations.

2. This QSP is designed to assist instructors in preparing and organizing themselves for the (Boat Coxn Course) and should be read prior to commencing any preparation or scheduling. Any suggestions for the improvement of this document should be brought to the attention of the standards division of the Curriculum Control Authority.

COURSE DURATION CALCULATION

3. Course duration is calculated in accordance with MARCORD 9-30 (8 period days).

Actual Training Days (ATT) Modules 1 and 3	12 days
Actual Training Days (ATT) Module 1 and 4a	13 days
Actual Training Days (ATT) Module 1, 4a and 4b	17 days
Actual Training Days (ATT) Module 1 and 5	21 days
Actual Training Days (ATT) Module 4b	4 days
Actual Training Days (ATT) Module 2	13 days

Note: ATT includes Training Administration Time (TAT) and 1 day Base Administration Time (BAT).

4. Module Performance Objectives break-out are as follows:

   a. Module 1 – PO 001-003;

   b. Module 2 – PO 004-005;

   c. Module 3 – PO 006-007;

   d. Module 4a – PO 008-009;

   e. Module 4b – PO010; and

   f. Module 5 – PO 011.

RESOURCES

5. Additional training establishment resources can be found at Annex H. Unless otherwise noted; the lead instructor will be QL6A/QL3(R) Bos'n.

a. Module 1 – Basic Navigation – **7 days**

REQUIRED COURSE STAFFING				
TITLE	**RANK**	**QUALIFICATION**	**QTY**	**REMARKS**
Instructor Navigation	Lt(N)/LCdr PO2/MS	MARS (FNO Preferred) QL6A/QL3(R) BOSN	1	
Instructor Communications	LS/MS	QL5/QL2 NAV COMM	1	
Support Staff	Civilian	Queen Harbour Master (QHM)	1	

b. Module 2 – Advanced Boat Coxswain – **13 days**

REQUIRED COURSE STAFFING				
TITLE	**RANK**	**QUALIFICATION**	**QTY**	**REMARKS**
Instructor Seamanship	LS – PO2	QL5/QL2 BOSN	1 per boat	BIT, Tactical Cox'n & RHIOT preferred
Support Staff		Qualified boat's crew	2	OPFOR
Instructor Communications	LS/MS	QL5/QL2 NAV COMM	1	
Support Staff	Capt/Maj	AJAG	1	

c. Module 3 – IRB – **5 days**

REQUIRED COURSE STAFFING				
TITLE	**RANK**	**QUALIFICATION**	**QTY**	**REMARKS**
Instructor Seamanship	LS/MS	QL5/QL2 BOSN	1 per boat	BIT & DND 404(T) Qualified

d. Module 4a – RIB – **6 days**

REQUIRED COURSE STAFFING				
TITLE	**RANK**	**QUALIFICATION**	**QTY**	**REMARKS**
Instructor Seamanship	LS/MS	QL5/QL2 BOSN	1 per boat	BIT & DND 404(T) Qualified

e. Module 4b – RIB ARCH - **4 days**

REQUIRED COURSE STAFFING				
TITLE	**RANK**	**QUALIFICATION**	**QTY**	**REMARKS**
Instructor Seamanship	LS/MS	QL5/QL2 BOSN	1 per boat	BIT & DND 404(T) Qualified

f. Module 5 – FPV – **14 days**

REQUIRED COURSE STAFFING				
TITLE	**RANK**	**QUALIFICATION**	**QTY**	**REMARKS**
Instructor Seamanship	LS/MS	QL5/QL2 BOSN	2 per boat	BIT Qualified, FPV Qualified

6. The following Critical Training Resources are required:

CRITICAL TRAINING RESOURCES	MODULE	NO. OF DAYS
2 x Fully equipped and manned operational IRB	3	
2 x Fully equipped and manned operational RIB	2 and 4a	
1 x Fully equipped and manned operational RIB ARCH	2 and 4b	
1 x Fully equipped and manned OPFOR vessel	2	
1 x Platform of opportunity for escorting	2	
2 x Fully equipped and manned operational FPV	2 and 5	
1 x Truck and boat trailer	3 and 4	

Note: A truck and trailer is required to facilitate the instruction of launch and recovery of the IRB and RIB.

COURSE CAPACITY

7. Planning for the conduct of training is based on the following guidelines:

    a. Maximum – 6;

    b. Minimum – 3; and

    c. Optimum – 4.

COURSE PREREQUISITES

8. To be loaded on the Boat Coxswain course, the member must meet the following prerequisites:

    a. For NCM – LS/CPL;
    b. For Officers – SLt/Lt; and
    c. Be employed or selected for employment in a position requiring this speciality.

RELATED DOCUMENTS

9. The following documents are related to the Boat Coxswain course:

    a. OSS (117655) – Boat Coxswain IRB;

    b. OSS (117656) – Boat Coxswain RIB;

    c. OSS (117657) – Boat Coxswain RIB ARCH;

    d. OSS (117658) – Boat Coxswain FPV; and

    e. OSS (117653) – Advanced Boat Coxswain.

EVALUATION

10. Program evaluation shall be conducted in accordance with the guidance provided in A-P9-050-000 CFITES Vol. 11 Evaluation and Validation Techniques.

11. Trainee evaluation shall be conducted in accordance with the applicable NTI.

VALIDATION

12. The training will be validated every five years in accordance with NTIs, based on the task list in Annex B.

QUALIFICATION

13. Successful completion of the course modules constitutes the primary means of attaining the Boat Coxswain qualification outside MOS 00105 as follows:

a. IRB Coxswain (Competency Code TBP) - Modules 1 (MITE 117652) and 3 (MITE 117655);

b. RIB Coxswain (Competency Code TBP) - Modules 1 (MITE 117652) and 4a (MITE 117656);

c. RIB ARCH Coxswain (Competency Code TBP) - Modules 1 (MITE 117652), 4a (MITE 117656) and 4b (MITE 117657);

d. FPV Coxswain (Competency Code TBP) - Modules 1 (MITE 117652) and 5 (MITE 117658); and

e. Advanced Boat Coxswain (Competency Code TBP) – Module 2 (MITE 117653)

Note: Module 1 must be successfully completed prior to proceeding to Modules 3 – 5.

Trainees shall not be loaded on Module 2 until either Module 4b or 5 have been successfully completed.

PRIOR LEARNING ASSESSMENT

14. Prior Learning Assessment shall be conducted in accordance with the applicable NTI. Regular Force Bosn 00105 holding (MITE code) is deemed to have had MOD 1, MOD 3, MOD 4a. Reserve Force Bosn 00105 holding (MITE code) is deemed to have had MOD 1, MOD 3, MOD4a and MOD 4b completed. Harbour Defence Boat Operator Course (MITE 108834) is deemed to have had MOD 2 completed.

SPECIAL INSTRUCTIONS

15. Training will be conducted at either CFNOS or CFFSE.

CHAPTER 2: PERFORMANCE OBJECTIVES

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY CHIEF NAVAL STAFF

PO 001 Conduct Basic Navigation

1. Performance: Conduct Basic Navigation

2. Conditions:

   a. Given:

      (1) Fully equipped and crewed vessel;
      (2) GPS and/or Boat's Compass;
      (3) Charts;
      (4) PPE;
      (5) Appropriate environmental clothing; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Day or Night;
      (2) All conditions of visibility up to and including Sea State 3 (SS3).

      (n.b. There may be occasions of extremis when the Commanding Officer will authorize small boat operations in excess of SS3.)

3. Standard. Conduct Basic Navigation IAW references and with due regard to safety, to include:

   a. Interpreting Charts;

   b. Using Basic Navigation Techniques to include:

      (1) Using Proper Naval Terminology;
      (2) Using GPS and Boat's Compass; and
      (3) Assessing Environmental Conditions;

   c. Applying Collision Avoidance Regulations; and

   d. Navigating to maintain a position at =/- 10 meters, =/- 2.5 knots of plan track and speed.

4. References.

   A1, A4, A6, A8, A10, A19, A20, B1, C3, C6, C9, C14, C15.

5. Specification Task Numbers.

   IRB/RIB/FPV - T3

6. Supporting Skills.

N/A

7. Supporting Knowledge.

IRB – K1, K6, K8, K9, K10, K15, K20, K22.

RIB/FPV – K1, K6, K8, K10, K11, K18, K23, K25.

8. Training Limitations.

Nil

PO 002 Conduct Boat Communications

1. Performance: Conduct Boat Communications

2. Conditions:

   a. Given:

      (1) Fully equipped and crewed vessel;
      (2) GPS and/or Boat's Compass;
      (3) Charts;
      (4) PPE;
      (5) Appropriate environmental clothing; and
      (6) References.

   b. Denied:

      (1) Nil

   c. Environmental:

      (1) All Meteorological Conditions.

3. Standard. Communicate IAW References to include:

   a. Using proper voice procedure;

   b. Interpreting flag signals; and

   c. Interpreting visual signals.

4. References.

   A1, A5, A45, A46, A48, A53, B1, B8, D1

5. Specification Task Numbers.

   IRB/RIB/FPV - T8

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

   IRB – K11, K16, K17, K18, K21.

   RIB/FPV – K12, K19, K20, K21, K24.

8. Training Limitations.

   Nil

PO 003 Conduct Duties of Boat Coxswain

1. Performance: Conduct Duties of Boat Coxswain

2. Conditions:

   a. Given:

      (1) Tasking;
      (2) Fully equipped and crewed vessel;
      (3) PPE;
      (4) Appropriate environmental clothing; and
      (5) References.

   b. Denied:

      (1) Nil

   c. Environnemental:

      (1) All Meteorological Conditions with due respect to limitations of vessel.

3. Standard. Conduct the Duties of Boat Coxswain IAW references and with due regard to safety, to include:

   a. Conducting rescue and recovery;

   b. Performing duties and responsibilities;

   c. Reports and Returns; and

   d. Responding to environmental situation;

4. References.

   A1, A8, A10, A17, A32, A38, A55, B1, C4

5. Specification Task Numbers.

   IRB/RIB/FPV – T6

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

   IRB – K4, K12, K14, K22, K27.

   RIB/FPV – K4, K13, K17, K25, K30.

8. Training Limitations.

Nil

PO 004 Conduct Advanced Boat Handling

1. Performance: Conduct Advanced Boat Handling

2. Conditions:

   a. Given:

      (1) Tasking;
      (2) Fully equipped and crewed vessel;
      (3) PPE;
      (4) Appropriate environmental clothing; and
      (5) References.

   b. Denied:

      (1) Nil

   c. Environnemental:

      (1) All Meteorological Conditions with due respect to limitations of vessel.

3. Standard. Conduct Advanced Boat Handling IAW references and with due regard to safety to include:

   a. Conducting boat manoeuvres to include;

      (1) Formation manoeuvres;

      (2) Sticking; and

      (3) Close quarters.

4. References.

   A1, A2, A17, A33, A34, A38, B7, B8, C1

5. Specification Task Numbers.

   ABO – T1

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

   ABO – K1, K2, K3, K4, K5.

8. Training Limitations.

Nil

PO 005 Conduct Interception Maritime Operations

1. Performance: Conduct Interception Maritime Operations

2. Conditions:

   a. Given:

      (1) Tasking;
      (2) Fully equipped and crewed vessel;
      (3) PPE;
      (4) Appropriate environmental clothing; and
      (5) References.

   b. Denied:

      (1) Nil.

   c. Environnemental:

      (1) All Meteorological Conditions with due respect to limitations of vessel.

3. Standard. Conduct Domestic Maritime Operations IAW References and with due regard to safety, to include:

   a. Executing Mission Plan;

   b. Patrolling within an area of responsibility (AOR);

   c. Intercepting contacts of interest (COI); and

   d. Escorting vessels;

4. References.

   A2, A5, A11, A12, A13, A17, A18, A19, A33, A34, A35, B4, B5, B6

5. Specification Task Numbers.

   ABO – T2, T3.

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

   ABO – K6, K7, K8, K9, K10, K11, K12, K13, K14, K15, K16, K17, K18, K19, K20, K21, K22, K23.

8. Training Limitations.

   Nil

PO 006 Operate IRB

1. Performance: Operate IRB

2. Conditions:

   a. Given:

      (1) Fully Equipped and crewed IRB;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Trailer/crane; and
      (5) References.

   b. Denied:

      (1) Nil.

   c. Environnemental:

      (1) Day or Night;
      (2) Unrestricted visibility up to and including Sea State 3 (SS3).

      (n.b. There may be occasions of extremis when the Commanding Officer will authorize small boat operations in excess of SS3.)

3. Standard. Operate IRB IAW references and with due regard to safety to include:

   a. Launching IRB;

   b. Recovering IRB;

   c. Handling IRB under power;

   d. Conduct troubleshooting;

   e. Responding to emergencies to include:

      (1) Rescue and recovery;
      (2) On-board emergencies; and
      (3) Environmental emergencies.

4. References.

   A1, A17, A18, A23, A24, A25, A27, A28, A29, A49, B1

5. Specification Task Numbers.

   IRB – T1, T4, T5, T6, T9.

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

IRB – K2, K3, K5, K6, K7, K12, K13, K23, K24, K25.

8. Training Limitations

a. Nil

PO 007 Maintain IRB

1. Performance: Maintain IRB

2. Conditions:

   a. Given:

      (1) Fully Equipped and crewed IRB;
      (2) Environmental Spill Kit;
      (3) POL Stores;
      (4) PPE;
      (5) Appropriate environmental clothing;
      (6) Tools/Flushing Kit; and
      (7) References

   b. Denied:

      (1) Nil.

   c. Environnemental:

      (1) All meteorological conditions.

3. Standard. Maintain IRB IAW references and with due regard to safety to include:

   a. Assembling an IRB;

   b. Disassembling an IRB;

   c. Fuelling an IRB; and

   d. Flushing an outboard engine.

4. References.

   A1, A27, A28, A29, C11, C12, C13

5. Specification Task Numbers.

   IRB – T2, T7.

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

   IRB – K19, K26.

8. Training Limitations

   Nil

PO 008 Operate RIB

1. Performance: Operate RIB

2. Conditions:

   a. Given:

      (1) Fully equipped and crewed RIB;
      (2) PPE;
      (3) Appropriate environmental clothing
      (4) Trailer/crane;
      (5) Pollution Control Boom; and
      (6) References.

   b. Denied:

      (1) Nil

   c. Environnemental:

      (1) Day or Night;
      (2) All conditions of visibility up to and including Sea State 3 (SS3).

      (n.b. There may be occasions of extremis when the Commanding Officer will authorize small boat operations in excess of SS3.)

3. Standard. Operate RIB IAW references and with due regard to safety to include:

   a. Launching RIB;

   b. Recovering RIB;

   c. Handling RIB under power;

   d. Conducting troubleshooting; and

   e. Responding to emergencies to include:

      (1) Rescue and recovery;
      (2) On-board emergencies; and
      (3) Environmental emergencies.

4. References.

   A1, A17, A18, B1, C17

5. Specification Task Numbers.

   RIB – T1, T4, T5, T6, T9.

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

   RIB – K2, K3, K5, K6, K7, K13, K14, K15, K16, K23, K26, K27, K28, K29, K30.

8. Training Limitations

   Nil

PO 009 Maintain RIB

1. Performance: Maintain RIB

2. Conditions:

   a. Given:

      (1) Fully Equipped and crewed RIB;
      (2) Environmental Spill Kit;
      (3) POL Stores;
      (4) PPE;
      (5) Appropriate environmental clothing;
      (6) Tools/Flushing kit; and
      (7) References.

   b. Denied:

      (1) Nil.

   c. Environnemental:

      (1) All Meteorological Conditions.

3. Standard. Maintain RIB IAW References and with due regard to safety to include:

   a. Fuelling a RIB; and

   b. Flushing engine.

4. References.

   A1, A8, A31, A50, A51, A52, C1, C16, C17

5. Specification Task Numbers.

   RIB – T2, T7.

6. Supporting Skills.

   Nil

7. Supporting Knowledge.

   RIB – K22.

8. Training Limitations

   Nil

PO 010 Operate RIB ARCH

1. Performance: Operate RIB ARCH electronic equipment

2. Conditions:

   a. Given:

      (1) Fully Equipped and crewed RIB with ARCH;
      (2) PPE;
      (3) Apporiate Environmental Clothing; and
      (4) References.

   b. Denied:

      (1) Nil

   c. Environnemental:

      (1) Day or Night;
      (2) All conditions of visibility up to and including Sea State 3 (SS3).

      (n.b. There may be occasions of extremis when the Commanding Officer will authorize small boat operations in excess of SS3.)

3. Standard. Operate RIB Fitted with and ARCH IAW references and with due regard to safety, to include:

   a. Operating GPS/Electronic chart display;

   b. Operating Radar;

   c. Operating Echo Sounder; and

   d. Conducting Troubleshooting.

4. References.

   C1, C15, C14

5. Specification Task Numbers.

   T1

6. Supporting Skills.

   FS0005, FS0010, FS0015, FS0020, FS0025, FS0030, FS0031, FS0032

7. Supporting Knowledge.

   K1, K2, K3, K4.

8. Training Limitations

Nil

PO 011 Operate FPV

1. Performance: Operate FPV

2. Conditions:

   a. Given:

      (1) Fully Equipped and crewed FPV;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Trailer;
      (5) Pollution Control Boom; and
      (6) References.

   b. Denied:

      (1) Nil

   c. Environnemental:

      (1) Day or Night;
      (2) All conditions of visibility up to and including Sea State 3 (SS3).

      (n.b. There may be occasions of extremis when the Commanding Officer will authorize small boat operations in excess of SS3.)

3. Standard. Operate FPV IAW references and with due regard to safety to include:

   a. Preparing FPV for Cradling;

   b. Preparing FPV for Un-Cradling;

   c. Conducting routine maintenance/troubleshooting;

   d. Operating auxiliary/fitted equipment;

   e. Handling FPV under power, to include:

      (1) Flash up;
      (2) Shutdown;
      (3) Departing a jetty;
      (4) Manoeuvre at rest/low speed;
      (5) Lateral manoeuvring; and
      (6) Coming alongside.

   f. Responding to emergencies to include:

      (1) Rescue and recovery;
      (2) On-board; and
      (3) Environmental.

4. References.

   A9, A15, A17, A18, A42, A43, A50, A51, A52, C1, C4, C14, C15, C16

5. Specification Task Numbers.

   FPV – T1, T2, T4, T5, T6, T7, T9.

6. Supporting Skills.

   FS0034

7. Supporting Knowledge.

   FPV – K2, K3, K5, K6, K7, K13, K14, K15, K16, K22, K23, K26, K27, K28, K29, K30.

8. Training Limitations

   Nil

CHAPTER 3: ASSESSMENT OF TRAINEE

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY THE CFNOS COMMANDANT. APPROVAL AUTHORITY MAY BE DELEGATED TO THE STANDARDS DIVISION COMMANDER FOR THIS CHAPTER.

GENERAL

1. This is a pass/fail course. Trainees must successfully complete all POs in the required Module(s) to pass this course. Performance Checks (PCs) that are based on Performance Objectives in Chapter 2 of this QSP must be successfully completed to achieve the qualification.

PERFORMANCE CHECKS

2. Performance Checks (PCs). As per MARCORDS 9-60, PCs are tests to assess the accomplishment of the performance under the conditions and to the standards stated in the PO. PCs are conducted upon completion of training for each PO. They are to be conducted as identified in the Assessment Plan at Annex K and the PC instructions within Chapter 4. While the majority of the assessments are practical, other forms of evaluation are conducted where practical assessment is not feasible or possible.

3. PCs may contain more than one part to facilitate different methods of assessment or to modularize particularly extensive performance requirements. Unless otherwise stipulated, failure of one part of a PC only requires retest on that part and does not require the trainee to be retested on the entire PC.

4. PC failure shall be dealt with IAW MARCORDS 9-60.

PROGRESS MONITORING

5. Formative Evaluation. Formative evaluation during this training is primarily in the form of Enabling Checks (ECs). ECs are designed as progress checks and are intended to provide the instructor and the trainee with a measure of the trainee's progress towards achieving the EOs and POs. There is an EC for each EO. They are to be conducted in accordance with the Assessment Plan at Annex K and the EC instructions within Chapter Four.

6. Continuous monitoring of trainee progress is required to provide the following:

a. Early warning of trainee difficulties;

b. Equitable distribution of training assignments;

c. Feedback on the effectiveness of training; and

d. Information for review boards (if required).

7. This frequent monitoring of progress should uncover any problem areas. Based on EC results, trainees will be more aware of the requirement for additional studies or practice and the instructor more aware of the requirement for remedial training. In the event a significant training problem exists, a Progress Review Board (PRB) may be convened IAW Training Establishment (TE)/Unit SOPs.

UNSATISFACTORY TRAINING PROGRESS

8. TE/Unit SOPs should be referred to for specific guidance on the dealing with trainees who are demonstrating unsatisfactory course progress. This may include various training interventions, divisional interviews, and PRBs. Every effort must be made to assist a trainee having difficulty before it becomes necessary to convene a Training Review Board (TRB).

9. The training review process is contained in MARCORD 9-60 Volume 1.

TRAINING REVIEW BOARD

10. All Training Review Board requirements are contained in MARCORD 9-60 Volume 1 and TE/Unit SOPs may expand on the requirements. As per MARCORD 9-60, a TRB shall be convened if:

a. A trainee fails three PCs;

b. A trainee fails a supplemental PC; or

c. A trainee requests to cease training.

11. A TRB may also be convened in other exceptional circumstances not stated above. In this case, DMTE shall be contacted for further information.

COURSE REPORTS

12. Course reports (CF 377) are completed IAW CFAO 26-12.

13. Training limitations or incomplete training must be identified on the course report.

CHAPTER 4: LESSON SPECIFICATIONS

AUTHORIZATION FOR THIS CHAPTER AND AMENDMENTS MUST BE GRANTED BY THE CFNOS COMMANDANT. APPROVAL AUTHORITY MAY BE DELEGATED TO THE STANDARDS DIVISION COMMANDER FOR THIS CHAPTER.CONDUCT BASIC NAVIGATION

EO 001.01 Interpret Charts

1. Performance: Interpret Charts

2. Conditions:

   a. Given:

      (1) Fully equipped and manned vessel;
      (2) Charts;
      (3) PPE;
      (4) Appropriate environmental clothing; and
      (5) References.

   b. Denied: Nil.

   c. Environmental: Fair Meteorological Conditions

3. Standard. Interpret charts IAW references and with due regards to safety to include:

   a. Using buoyage and light systems; and

   b. Interpreting chart symbology.

4. Time.

   a. 5 x 50 minute periods

5. Method / Media.

   a. Lecture – 2 x 50 min periods

   b. Demo – 2 x 50 min periods

   c. EC – 1 x 50 min period

6. References.

   a. A6, C3, C6, C8

7. Training Aids.

   a. Navigational Charts

   b. Test Details.

   c. EC will be a written test.

8. Remarks.

   a. Require 1 copy of the reference and chart per 2 trainees; and

   b. Daily chart symbology quizzes be conducted.

9. Teaching Points.

a. Buoyage (Ref - C3 pgs 18 - 28)

(1) Lateral buoys
    (a) Port
    (b) Starboard
    (c) Bifurcation
(2) Fairway
(3) Isolated Danger
(4) Cardinal buoys
(5) Special buoys
    (a) Cautionary
    (b) Anchorage
    (c) Mooring
    (d) Information
    (e) Hazard
    (f) Control
    (g) Keep-out
    (h) Scientific (ODAS)
    (i) Diving
    (j) Swimming

b. Daytime identification (Ref – C3 pgs 24 - 25)

c. Night identification (Ref – C3 pgs 26 – 28)

d. Other characteristics (Ref – C3 pg 28)

e. Standard day beacons (Ref – C3 pgs 32 – 33)

(1) Port-hand
(2) Starboard-hand
(3) Junction

f. Inland Waterway Navigation System (Ref-C3)

g. Chart symbology (Ref – A6)

h. Traffic Routes (Ref-C3 pg 53-56)

i. Depths and currents (Ref-C3 pg 35-39 / pg 40-42)

ENABLING CHECK – EO 001.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom.

Arrangements and Procedures

1. This written EC will be administered at the end of the EO-001.01.
2. Pass mark for this EC is 70 % on each part.
3. One period is allocated to complete this EC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a written EC.
2. Pass mark for this EC is 70 % on each part.
3. You will have 1 x 50 minute period is allocated to complete this EC.
4. Failure of one part of this EC only requires trainee to be retested on part failed.
5. Must pass this EC in order to operate a vessel.

PART III – ENABLING CHECK NOTES

This is a Pass/Fail PC and failure of any one of the elements will result in retesting of those elements only.

EO 001.02 Use Basic Navigation Techniques

1. Performance: Use Basic Navigation Techniques

2. Conditions:

   a. Given:

      (1) Fully equipped and manned vessel;
      (2) Charts;
      (3) GPS;
      (4) PPE;
      (5) Appropriate environmental clothing; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Use basic navigation techniques IAW references and with due regard to safety to include:

   a. Using Proper Naval Terminology

   b. Using hand held GPS and Boat's Compass; and

   c. Assessing Environmental Conditions

4. Time. 22 x 50 minute periods

5. Method / Media:

   a. Lecture/Demo – 19 x 50 min periods

   b. Practical – 2 x 50 min periods

   c. EC – 1 x 50 min period

6. References.

   a. A1, A4, A8, A10, A13, B1, C14, C15

7. Training Aids.

   a. Navigation Charts

8. Test Details.

   a. The material from this EO will be tested in EC 001.02 and PC 001.

9. Remarks.

   a. Each student is to be given a hand held GPS; and

   b. The instructor is to develop and administer daily quizzes encompassing the material from this EO.

10. Teaching Points.

   a. Naval terminology (Ref – B1 Ch 5 and A1 Ch 3)

      (1) Parts of Ship/ Boats
      (2) Glossary of Naval terms

   b. Handheld GPS (Ref - C14)

      (1) GPS Theory
      (2) Capabilities & limitations
      (3) Interface keys
      (4) Pages
      (5) Waypoints
      (6) Routes
      (7) MOB

   c. Boat compass (Ref - A1 Ch 3 and A4)

      (1) Cardinal points
      (2) Compass bearing True & Magnetic

   d. Environmental conditions (Ref - A4)

      (1) Sea state
      (2) Tides & currents
      (3) Weather

   e. NOTMS Introduction (Ref – A13)

   f. HCIs: (Ref – A10)

      (1) Purpose;

      (2) Contents.

ENABLING CHECK – EO 001.02

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. All items listed in para 2; and

2. Classroom

Arrangements and Procedures

1. This EC will be administered at the end of the EO-001.02

PART II – INSTRUCTIONS GIVEN TO TRAINEE

2. This will be a practical EC.

3. This EC is designed to assess the trainee's knowledge of material covered in E0-001.02.

4. You have 1 x 50 minute period to complete this EC.

PART III – ENABLING CHECK NOTES

1. This EC is used for confirmation of progress.

2. A supplemental EC is not required if trainee fails.

PART IV – ENABLING CHECK LIST

Nil

EO 001.03 Apply Collision Avoidance Regulations

1. Performance: Apply Collision Avoidance Regulations

2. Conditions:

   a. Given:

      (1) Fully equipped and manned vessel;
      (2) GPS and/or Boat's Compass;
      (3) Charts;
      (4) PPE;
      (5) Appropriate environmental clothing; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Apply Collision avoidance regulations IAW references and with due regards to safety.

4. Time.

   a. 8 x 50 minute periods

5. Method / Media.

   a. Lecture – 7 x 50 min periods

   b. EC – 1 X 50 min period

6. References.

   a. A7, A19, A20

7. Training Aids.

   a. Handout outs on Rule of the Road;

   b. Seamans guide to Rules of the Road, International Regulation on Collisions (IRC);

   c. Navigation and Bridge Simulator (NABS).

8. Test Details.

   a. This will be a written EC for EO-001.03.

9. Remarks.

   a. The instructor is to develop and administer quizzes encompassing the material from Collision Regulations;

   b. The rules must be broken down into smaller segments, so that the trainees has time to assimilate the information, and

   c. Due to safety considerations, this EO shall successfully complete prior to operating boats.

   d. Should provide one copy of A7-A19 Main References per student.

10. Teaching Points.

   a. Explain the following rules of the road: (Ref – A7)

      (1) Rules 1 – 38;
      (2) Annex 4; and
      (3) All Canadian modifications for rules 1-38.

ENABLING CHECK – EO 001.03

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom

Arrangements and Procedures

1. This EC will be administered at the end of EO-001.03.
2. The tests shall cover the following rule of the road:
    a. Rules 1 – 38;
    b. Annex 4; and
    c. All Canadian modifications for rules 1-38.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a written EC.
2. Designed to test your knowledge of material covered in EO-001.03.
3. You have 1 X 50 minute period to complete this EC.

PART III – ENABLING CHECK NOTES

1. A supplemental EC is required in case of a failure.

PART IV – ENABLING CHECK LIST

Nil

PERFORMANCE CHECK – PO 001

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom
2. GPS
3. Compass; and
4. Charts.

Arrangements and Procedures

1. This PC will be administered at the end of PO-001.
2. Part B to be conducted as (Land) exercise practical, must include 5 way-points.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be broken into two parts:
    a. Part A – written; and
    b. Part B – land exercise practical.
2. Part A – trainee will have 1 x 50 minute period; and
3. Part B – trainee will have 1 x 50 minute period to complete GPS/Compass practical.
4. Part A – The pass mark is 70% for the written exam; and
5. Part B – The practical phase will be pass/fail.

PART III – PERFORMANCE CHECK NOTES

A supplemental PC (rewrite) will be given if appropriate.

PART IV – PERFORMANCE CHECK LIST (Part B)

BOAT COXN COURSE FORCE PROTECTION VESSEL / PC- 001/ PART B				
CHECK LIST		**YES**	**NO**	**COMMENTS**
PASSAGE EXECUTION				
1	Enter positions as waypoint correctly to GPS.			
2	Make a route			
3	Follow route			
4	Correct for obstacles			
5	Identify landmarks			
6	Determine approx position on track with GPS			
7	Complete passage			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				
A complete debrief has been conducted and the trainee has seen the content of this assessment				
Grade:				
EC Adminstrator:				
Trainee:				
	Date:		**Signature:**	

PO 002 Conduct Boat Communications

EO 002.01 Conduct Boat Communications

1. Performance: Conduct Boat Communications

2. Conditions:

   a. Given:

      (1) Fully equipped and manned vessel;
      (2) VHF Communications;
      (3) PPE;
      (4) Appropriate environmental clothing; and
      (5) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Conduct communications IAW references and with due regards to safety to include:

   a. Using proper voice procedures;

   b. Interpreting flags;

   c. Employing visual signals; and

   d. Emergency radio procedures.

4. Time.

   a. 7 x 50 minutes periods

5. Method / Media.

   a. Lecture/Demo – 4 x 50 min periods

   b. Practical – 2 x 50 min periods

   c. EC – 1 x 50 min period

6. References.

   a. A1, A5, A32, A45, A46, A47, A48, A53, B1, B8, D1

7. Training Aids.

a. Pyro's

b. Flags/Poster

c. PRC

8. Test Details.

a. The EC for this EO-002.01 will be a written test.

9. Remarks.

a. It is recommended that a QL5/QL2 NavCom be utilized as a guest speaker to teach this EO.

b. Recommend teaching point 10 (i) 2 be conducted by guest lecturer (Base Ops).

10. Teaching Points.

a. Communications Equipment (Ref – Applicable operators manual – D1):

(1) VHF radio;
(2) Loud hailers;
(3) Care of radios exposed to water.

b. Explain and Practice Voice Procedure (Ref – A5):

(1) Operating rules;
(2) Circuit discipline;
(3) Prowords;
(4) Rules for spelling;
(5) Rules for figures;
(6) Radio check, signal strength and readability.

c. Show Flag and Explain Meanings for Flag signals, to include; (Ref – B1):

(1) Individual:
(a) Alpha;
(b) Bravo;
(c) Delta;
(d) Kilo;
(e) Lima;
(f) Oscar;
(g) Papa;
(h) Quebec;
(i) Romeo;
(j) Tango;
(k) Uniform;
(l) Victor;
(m) Flag Five;
(n) International Dive Flag.

(2) Show Flag and Explain Meanings and Location of Flags for Combinations:
    (a) Code Romeo Yankee;
    (b) American reservations: (Ref: B8 – Title Page)
        (i) Kilo one;
        (ii) Kilo three;

d. Sound signals (Ref – A1 Ch 11.4.2);

e. Light signals (Ref - A1 Ch 11);

f. Hand signals (Ref - A1 Ch 11);

g. Boat Hails (Ref – A32 Chapter 3, Section 5);

h. Pyrotechnics (Ref – A45, A46, A48, A53)

(1) Types;
(2) Operating Procedures; and
(3) Safety considerations:
    (a) Safe Handling; and
    (b) Storage.

i. Emergency radio procedures; (Ref – B9)

(1) Responding/Initiating:
    (a) PAN PAN; (Ref: B9 Chapter 4, Art 401, Pg 4-1/4-2)
    (b) Securite; and (Ref: B9 Chapter 4, Safety Signal Art 407, Pg 4-3)
    (c) MAYDAY; (Ref: B9 Chapter 2, Art 206-207, Pg 2-2)
(2) RCC/QHM/VTMS (Ref: B9 - General)
    (a) Function; and
    (b) Responsibility.

ENABLING CHECK – EO 002.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom

Arrangements and Procedures

1. This written EC will be administered at the end of EO-002.01.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a written EC, designed to test your knowledge of material covered in EO-002.01.

2. You have 1 x 50 minutes to complete this EC.

PART III – ENABLING CHECK NOTES

1. A supplemental EC is required if the trainee fails

2. Pass mark 70%

PART IV – ENABLING CHECK LIST

N/A

PERFORMANCE CHECK – PO 002

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom

Arrangements and Procedures

1. This PC will be administered at the end of PO-002.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a written pass/fail PC.
2. Pass mark is 70%.
3. Designed to assess your knowledge of material in PO-002.
4. You have 1 x 50 minute period to complete this PC.

PART III – PERFORMANCE CHECK NOTES

1. A supplemental PC is required if a trainee fails.
2. Pass Mark is 70%.

PART IV – PERFORMANCE CHECK LIST

N/A

PO 003 Conduct Duties of Boat Coxswain

EO 003.01 Explain Rescue and Recovery Procedures

1. Performance: Explain Rescue and Recovery Procedures

2. Conditions:

   a. Given:

      (1) Fully equipped and manned vessel;
      (2) PPE;
      (3) Rescue equipment;
      (4) Appropriate environmental clothing; and
      (5) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Conduct Rescue and Recovery IAW references and with due regards to vessel limitations and safety, to include:

   a. Explaining SAPP (Stop, Assess, Plan and Proceed);

   b. Explain approaching man overboard; and

   c. Explain use of recovery equipment.

4. Time.

   a. 3 x 50 minute periods

5. Method / Media.

   a. Lecture – 1 x 50 min period

   b. Demo/Practical – 1 x 50 min period

   c. EC – 1 x 50 min period

6. References.

   a. A1, A17, A38

7. Training Aids.

   a. Classroom

b. Recovery equipment

8. Test Details.

a. Classroom

9. Remarks.

a. The approached demonstration shall be performed by a Qualified Boat Coxswain (Instructor) while trainees observe demonstration.

10. Teaching Points.

a. SAPP: (Refs: A1 Chapter 11, A38 3-6, 4-7, A17)

(1) Approach MOB:
(a) Upwind.
(2) Explain and demonstrate methods, to include: (Ref: A17)
(a) Indirect; (Ref: A1, A18)
(i) Quoit/Throw Bag; (Ref: A18, Pg 59)
(ii) Kisbey ring;(Ref: A1, Chap 11, Pg 11-48)
(iii) Horse collar;(Ref: A1, Chap 11, Pg 11-52)
(b) Direct;(Ref: A18, A38)
(i) Parbuckling; (Ref: A18, Chap 10, Pg 222, A38, Pg 65)
(ii) Ladder; and (Ref: A18, Chap 10, Pg 223, A38, Pg 60)
(iii) Snatch and grab, One or Two Person Lift, (Ref: A18, Chap 10, Pg 222, A38, Pg 61-63)

ENABLING CHECK – EO 003.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom

Arrangements and Procedures

1. This EC will be administered at the end of EO-003.01.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a written EC, designed to test your knowledge of material covered in EO-003.01.

2. You have 1 x 50 minutes to complete this EC.

PART III – ENABLING CHECK NOTES

1. A supplemental EC is not required if the trainee fails.

2. Pass mark 70%.

EO 003.02 Explain Duties and Responsibilities of Boat Coxswain

1. Performance: Explain Duties and Responsibilities of Boat Coxswain

2. Conditions:

   a. Given:

      (1) Fully equipped and manned vessel;
      (2) PPE;
      (3) Appropriate environmental clothing; and
      (4) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Explain Duties and Responsibilities of Boat Coxswain IAW references and with due regards to safety to include:

   a. Explaining general care and husbandry;

   b. Explaining principle of handling vessel while underway;

   c. Explaining boat customs and traditions; and

   d. Maintaining safety in the boat.

4. Time.

   a. 4 x 50 minutes periods

5. Method / Media.

   a. Lecture – 3 x 50 min periods

   b. EC – 1 x 50 min period

6. References.

   a. A1, A15, A32, A38, A49, A54, A57, B1, C11, C17

7. Training Aids.

   a. Classroom

8. Test Details.

   a. The EC for this EO-003.02 will be a written test.

9. Remarks.

   a. This EC will be combined with, EO-003.02, EO-003.03, EO-003.04 and administered at the end of EO-003.04.

10. Teaching Points.

   a. Care and Maintenance: (Ref: A1, A49)

      (1) Good working order: (A15 - Annex D)
         (a) Visual inspection/Damage reports; (Ref: A1, A57)
      (2) Logs; (Ref: A1, A31, A49, C11, C17)
         (a) Boat;
         (b) Trip;
         (c) Define types of maintenance logs: (Ref: A1, A31, A49, C11)
            (i) Pre-start;
            (ii) Shutdown;
            (iii) Trailering;
            (iv) Cradling;
            (v) Shipping;
            (vi) Equipment;
      (3) Cleanliness.

   b. Handling underway: (Ref: A1-Chapter 11, A38)

      (1) Safe speed;
      (2) Wake reduction;

   c. Customs and Traditions; (Ref: A32, Chapter 3 Section 5)

      (1) Saluting
      (2) Boat hails
      (3) Protocol.

   d. Safety in the Boat: (Ref: A54, Chapter 5)

      (1) Dress;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Maintaining discipline; and
      (5) Load distribution (Weight and Balance).

ENABLING CHECK – EO 003.02

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom.

Arrangements and Procedures

1. This EC will be combined with, EO-003.02, EO-003.03, EO-003.04 and administered at the end of EO-003.04.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This EC is a written test.

2. Design to assess your knowledge of the material EO-003.02, EO-003.03, and EO-003.04.

3. You have 1 x 50 minute period to complete this EC.

4. Pass mark is 70 %.

PART III – ENABLING CHECK NOTES

1. Supplemental EC is not required if the trainee fails.

PART IV – ENABLING CHECK LIST

N/A

EO 003.03 Completing Incident Reports

1. Performance: Completing Incident Reports
2. Conditions:
   a. Given:
      (1) References
   b. Denied:
      (1) Nil.
   c. Environmental:
      (1) N/A.
3. Standard. Complete Incident Reports IAW references, to include:
   a. Significant incident report;
   b. CF 98 Report on Injuries or Exposure to Toxic Material;
   c. DND 663 Accident Prevention Report;
   d. Report of Collision, Grounding or Berthing Incident; and
   e. CF 942 Material Condition Tag.
4. Time.
   a. 1 x 50 minutes period
5. Method / Media.
   a. Lecture – 1 x 50 min period
6. References.
   a. A15, A58, A59, A60
7. Training Aids.
   a. Classroom
   b. Forms
8. Test Details.
   a. This will be a written EC.

b. This EC will be combined with, EO-003.02, EO-003.03, EO-003.04 and administered at the end of EO-003.04.

9. Remarks.

a. N/A

10. Teaching Points.

a. Students to be familiar with the composition, purpose, format and references of applicable the following reports:

(1) Significant incident report; (Ref: A58)
(2) CF 98 Report on Injuries or Exposure to Toxic Material; (Ref: A15 Annex D and CF 98 Form
(3) DND 663 Accident Prevention Report; and (Ref: A15 Annex D and DND 663 Form
(4) Report of Collision, Grounding or Berthing Incident. (Ref: A59, CF 1159)
(a) Definitions (Section 1)
(i) Small Boat;
(ii) Naval Vessel; and
(iii) Collision or Grounding.
(b) Intial Actions (Section 2)
(c) Reporting Procedure (Section 3)
(d) Other Circumstances (Section 6)
(e) CF1159

(5) CF 942 Material Condition Tag. (Ref: A60 ,Part 3 and Fig 3.1)

EO 003.04 Respond to Environmental Situations

1. Performance: Respond to Environmental Situations

2. Conditions:

   a. Given:

      (1) Fully equipped and manned vessel;
      (2) PPE;
      (3) Appropriate environmental clothing; and
      (4) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Respond to Environmental Situations IAW references and with due regards to safety, to include:

   a. Spill response; and

   b. Spill reporting.

4. Time.

   a. 2 x 50 min periods

5. Method / Media.

   a. Lecture – 2 x 50 min periods

6. References.

   a. A8, A10, A54, C4

7. Training Aids.

   a. Vessel.

8. Test Details.

   a. This will be a written EC.

   b. This EC will be combined with, EO-003.02, EO-003.03, EO-003.04 and administered at the end of EO-003.04.

9. Remarks.

   a. QHM guest lecturer.

10. Teaching Points.

   a. Spill response: (Ref: A10, Chapter 12, Art 1204)

      (1) Equipment carried and its use;

   b. Boom employment: (Ref: A10, Chapter 12, Art 1214)

      (1) Purpose;
      (2) Procedures; and
      (3) QHM responsibilities.

   c. Spill reporting: (Ref: A54, Chapter 3, Art 3101—A10, Chapter 12, Art 1204, Annex D, Section 1)

      (1) Discovery;
      (2) Verbal;
      (3) Alongside/Underway.

ENABLING CHECK – EO 003.04

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom.

Arrangements and Procedures

1. This EC will be combined with, EO-003.02, EO-003.03, EO-003.04 and administered at the end of EO-003.04.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This EC is a written test.

2. Design to assess your knowledge of the material EO-003.02, EO-003.03, and EO-003.04.

3. You have 1 x 50 minute period to complete this EC.

4. Pass mark is 70 %.

PART III – ENABLING CHECK NOTES

5. Supplemental EC is not required if the trainee fails.

PERFORMANCE CHECK – PO 003

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom.

Arrangements and Procedures

2. This PC will be administered at the end of PO-003.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This PC is a written test.
2. You have 1 x 50 minute period to complete this PC.
3. Pass mark is 70 %.

PART III – ENABLING CHECK NOTES

1. A supplemental PC is required if a trainee fails.

PO 004 Conduct Advanced Boat Handling

EO 004.01 Conduct Advanced Boat Manoeuvring

1. Performance: Conduct Advanced Boat Manoeuvring

2. Conditions:

   a. Given:

      (1) Tasking;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Fully equipped and manned vessel;
      (5) Communications equipment; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Conduct Advanced Boat Manoeuvring IAW references and with due regards to safety, to include:

   a. Utilizing manoeuvring hand signals;

   b. Manoeuvring in formation:

      (1) Arrow head;
      (2) Abreast;
      (3) Diamond;
      (4) Echelon Right/Left; and
      (5) Column.

   c. Manoeuvring in close quarters

      (1) Station keeping;
      (2) Confined manoeuvring;
         (a) Docking;
         (b) Turning; and
         (c) Backing.

   d. Conducting sticking.

4. Time.

   a. 43 x 50 minute periods

5. Method / Media.

   a. Lecture – 4 x 50 min periods

   b. Demo – 4 x 50 min periods

   c. Practical – 32 x 50 min periods

   d. EC – 3 x 50 min periods

6. References.

   a. A1, A17, (Require Formation for Ship's)

7. Training Aids.

   a. Vessels.

8. Test Details.

   a. The practical portion will be tested as an unannounced drill as part of EC 004.01 checklist.

9. Remarks.

   a. Training of formations and sticking maybe limited depending on vessel availability.

10. Teaching Points.

    a. Close Quarters: (Ref: A17 Chapter 8, A1 Chapter 11)

       (1) Weather effects:
           (a) Wind and current;
           (b) Vessel size;
           (c) Vessel type;
           (d) Propulsion system.
       (2) Confined manoeuvring:
           (a) Docking;
           (b) Turning; and
           (c) Backing.
       (3) Station keeping.

    b. Formation:

       (1) Formation types;
           (a) Line Abreast;
           (b) Diamond;
           (c) Echelon left/right;
           (d) Arrow head; and
           (e) Column.

c. Sticking: (A1 Chapter 11 A17 Chapter 9)

(1) Positioning; and
(2) Wake zones.

ENABLING CHECK – EO 004.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom

2. Vessel

Arrangements and Procedures

1. This EC will be conducted in two parts, written and practical.

2. One 50-minute period will be allotted for the written porition, which must be completed prior to the practical porition.

3. The practical porition will be tested as an unannounced drill as part of EC 004.01 checklist.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a two-part EC.

2. You will have one 50-minute period to complete the written porition.

3. The practical porition will be tested as an unannounced drill as part of EC 004.01 checklist.

PART III – ENABLING CHECK NOTES

Nil.

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE RIGID INFLATABLE BOAT ARCH PART A / EC-010				
CHECK LIST		**YES**	**NO**	**COMMENTS**
SECTION-1- OPERATE RIB ARCH ELECTRONIC EQUIPMENT				
Arch Pre- Check				
1	GPS Antenna up.			
2	VHF Antenna up.			
3	Masthead light up.			
4	Check electrical cords.			
Turning on Nav Net (leave shore power connected, if engine not flashed up)				
1	Battery on.			
2	Breaker on for VHF and Radar.			
3	Insert Nav card.			
4	Power on Nav net.			
5	Test track ball for function.			
6	Test for brilliance.			
7	Go to display, test ENTER knob by selecting radar, ENTER, select full screen radar, ENTER (at this time radar should be on the screen in standby mode).			
Radar				
1	Press POWER/BRILL button			
2	Press STBY soft key (radar should be transmitting mode).			
3	Test function on HIDE/SHOW Key, press RETURN, press HIDE/SHOW to reduce, press HIDE/SHOW to hide it, press HIDE/SHOW to bring back display (HIDE/SHOW is pressed 3 times in total).			

4	Range down to 0.500/.125 nm, range up to 24/6nm, range to 0.750/0.250 nm.			
5	To show EBL/VRM boxes, press ZOOM & D. BOX soft key, turn off D.BOX, RETURN.			
6	Press EBL/VRM key -Select EBL 1, set EBL 1 at 90 degrees -Select VRM 1, set VRM 1 at 0.600 nm -Select EBL 2, set EBL 2 at 270 degrees -Select VRM 2, set VRM 2 at 0.400 nm -Press EBL/VRM key to go back to radar screen.			
7	Go back into ZOOM & D. BOX to turn D. Box back to on, RETURN.			
8	Push RADAR TX soft key to turn radar to STBY.			
	PLOTTER			
1	Press DISPLAY, select plotter, ENTER, select full screen plotter, ENTER.			
2	Set depth opposite to what is displayed by changing m to ft or ft to m. Press MENU, SYSTEM CONFIGURATION, GENERAL SETUP, scroll down to DEPTH UNIT, press EDIT soft key, change unit, press ENTER and MENU.			
3	<u>Entering Waypoints by Lat. & Long.</u> Enter 2 waypoints (given by instructor) Press MENU, press WAYPOINTS/ROUTES, press WAYPOINTS, LOCAL LIST, NEW WPT, enter lat. and long., press SAVE, NEW WPT, enter lat. and long. press SAVE, RETURN.			
4	<u>Entering Waypoints by cursor.</u> Select WAYPOINT BY CURSOR. Enter two waypoints any where on map (given by instructor). Scroll to first waypoint. Press NEW WPT, SAVE, scroll to second waypoint, press NEW WPT, SAVE, MENU.			

5	Make route with the 2 waypoints entered previously by cursor. Press MENU, WAYPOINTS/ROUTES, ROUTES, NEW ROUTE and LOCAL LIST. Select first way point, press ADD WPT, scroll to second way point, press ADD WPT, SAVE and GO TO. You should be back on plotter screen.			
6	Delete route and all waypoints. Press MENU twice, WAYPOINTS/ROUTES, ROUTE, ERASE ROUTE, ENTER, RETURN, WAYPOINT, LOCAL LIST, ERASE WPT and ENTER. Do four times to delete all four waypoints. Press MENU			
7	Press and hold SAVE MOB key until Manoverboard! Go To MOB? Appears on the screen. Press ENTER to select Yes.			
8	To delete MOB mark, place cursor over MOB mark, press CLEAR and ENTER. Press CLEAR and ENTER again to delete its corresponding WPT.			
ECHO SOUNDER				
9	Press DISPLAY, select Sounder, press ENTER, select Sounder full screen and press ENTER. Press ALARM key (sounder alarm display on screen), scroll to BOTTOM ALARM, press EDIT, select ON, enter 3 m or 10 ft (depends on if your bottom depth unit has been set in meters or feet), press ENTER and RETURN.			
POWER DOWN				
1	Press POWER/BRILL key until Nav Net turns off.			
2	Take out Nav Card.			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				
A complete debrief has been conducted and the trainee has seen the content of this assessment				
Grade:				

EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE FORCE PROTECTION VESSEL PART B / EC-004.01				
CHECK LIST		**YES**	**NO**	**COMMENTS**
MANOEUVING HAND SIGNALS				
1	Carry-On			
2	Lie Off			
3	Make Fast			
4	Come Alongside			
MANOEUVING IN FORMATION				
1	Arrow head			
2	Abreast			
3	Diamond			
4	Echelon Right			
5	Echelon Left			
6	Column			
MANOEUVING IN CLOSE QUARTERS				
1	Station keeping			
2	Confine Manoeuving - Docking			
3	Confine Manoeuving - Turning			
4	Confine Manoeuving - Conducting sticking			
FORMATION TYPES				
1	Line of breast			
2	Diamond			
3	Echelon Right			
4	Echeon Right			
5	Arrow head			

6	Column			
STICKING				
1	Positioning			
2	Wake zones			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				
A complete debrief has been conducted and the trainee has seen the content of this assessment				

Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

PO 005 Conduct Interception Maritime Operations

EO 005.01 Execute Mission Plan

1. Performance: Execute Mission Plan

2. Conditions:

   a. Given:

      (1) Tasking;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Fully equipped and manned vessel;
      (5) Communications equipment; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Executing Mission Plan IAW references and with due regards to safety, to include:

   a. Employing COMPLAN:

      (1) Primary, Alternate, Contingency, Emergency (PACE); and
      (2) Authentication;
      (3) Loss of communications.

   b. Employing ROE;

   c. Employing use of force continuum.

   d. Enforcing force protection states; and

   e. Performing duties and responsibilities of Patrol Leader

4. Time.

   a. 9 x 50 minute periods

5. Method / Media.

   a. Lecture – 8 x 50 min periods

   b. EC – 1 x 50 min period

6. References.

   a. A2, A5, A11, A12, A13, A34, B4, B5, B6, B9

7. Training Aids.

   a. Classroom

8. Test Details.

   a. This EC will be a written test.

9. Remarks.

   a. This EO to be instructed first in this MOD.

   b. TP 10 a – To be instructed by QL5/QL2 Naval Communicator.

   c. TP 10 b/c/d – To be instructed by guest lecturer (A/JAG)

10. Teaching Points.

    a. COMPLAN

       (1) Primary Alternate Contingency Emergency (Ref: A5, A13, A34, B4, B5, B6);
           (a) Defined by vessel and mission;
       (2) Loss of communications;
       (3) Circuit discipline
           (a) Voice procedure;
           (b) Minimum traffic; and
           (c) Group communications;
       (4) Relaying; and
       (5) Authentication;
           (a) Anti-jamming (Kick/Dance/Waltz);
           (b) Kick;
           (c) Dance;
           (d) Waltz;
           (e) Beadwindow; and
           (f) Gingerbread;

    b. Rules of Engagement (ROE) (Ref: A11, A12);

       (1) Self Defence
           (a) Self;
           (b) Others.
       (2) Legal issues;
           (a) Liability;
       (3) Defence of property;
       (4) Port Security requirements;
       (5) Arrest and detention; and
       (6) Refugees/Asylum seekers.

c. Use of Force Continuum: (Ref: A2 Chapter 3)

(1) Legal principles;
(2) Force;
    (a) Proportionality;
    (b) Necessary force;
    (c) Escalation; and
(3) Weapons policy;

d. Force Protection States (Ref: A2 Chapter 8)

(1) Levels.

e. Duties and responsibilities of Patrol I/C (Ref: B9 Chapter 4)

(1) Co-ordination of on-water activities
    (a) Asset employment/deployment
    (b) Formation selection considerations
    (c) Escort considerations
        (i) Type;
        (ii) Speed;
        (iii) Assets available;
        (iv) Threat axis;
        (v) Choke points; and
        (vi) Route.

ENABLING CHECK – EO 005.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Classroom

Arrangements and Procedures

1. This written EC will be administered at the end of the EO-005.01.
2. Pass mark for this EC is 70 % on each part.
3. One period is allocated to complete this EC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a written EC.
2. Pass mark for this EC is 70 % on each part.
3. You will have 1 x 50 minute period is allocated to complete this EC.
4. Failure of one part of this EC only requires trainee to be retested on part failed.
5. Must pass this EC in order to understand the Executing a Mission Plan.

PART III – ENABLING CHECK NOTES

6. This is a Pass/Fail PC and failure of any one of the elements will result in retesting of those elements only.

PART IV – ENABLING CHECK LIST

N/A

EO 005.02 Perform Waterborne Patrols

1. Performance: Perform Waterborne Patrols

2. Conditions:

   a. Given:

      (1) Tasking;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Fully equipped and manned vessel; and
      (5) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Perform Waterborne Patrols IAW references and with due regards to safety, to include:

   a. Contributing to the RMP, to include:

      (1) Contact reporting;
      (2) Communicating with operational authority;
      (3) Conducting hails; and
      (4) Performing harbour surveillance.

   b. Conducting Searches.

4. Time.

   a. 8 x 50 minute periods

5. Method / Media.

   a. Lecture - 4 x 50 min periods

   b. Demo - 1 x min periods

   c. Practical - 3 X 50 min periods

6. References.

   a. A12, A17, A18, A19, A33, A34, A38, B4

7. Training Aids.

a. Nil

8. Test Details.

a. This EC will be a written theory in EC 005.03.

9. Remarks.

a. This lecture might be confidential.

10. Teaching Points.

a. Search types: (Ref: A17, A18, A19)

(1) Lane;
(2) Barrier;
(3) Expanding square;
(4) Shore lane;
(5) Patrols:
(a) Situational awareness;
(b) Briefings;
(c) Random anti-terror measurements (RAM); and
(d) Operational security.
(6) Recce:
(a) Route;
(b) Point; and
(c) Area.

b. Contributing to RMP (Ref: A12, A38, B4):

(1) Conduct Hails:
(a) Methods;
(i) VHF;
(ii) Loud hailer.
(b) Identifying markings
(c) Target recognition.
(2) Contact reporting:
(a) Reporting procedures;
(b) Checklist; and
(c) Intelligence Reporting Requirements (IRR).
(3) Communication with operations authority;
(4) Performing harbour surveillance:
(a) Communication Dead Zones;
(b) Reconnaissance Peridoc;
(c) Random Antiterrorist Measures; and
(d) Port Security.

EO 005.03 Perform Interception Operations

1. Performance: Perform Interception Operations

2. Conditions:

   a. Given:

      (1) Tasking;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Fully equipped and manned vessel; and
      (5) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Perform Domestic Operations IAW references and with due regards to safety, to include:

   a. Conducting escorting duties, to include:

      (1) Formation selection;
      (2) Joining;
      (3) Station keeping; and
      (4) Releasing.

   b. Utilizing vessel interception techniques, to include:

      (1) Shadowing;
      (2) Riding Off;
      (3) Herding; and
      (4) Shouldering.

   c. Maintaining limited access areas to include:

      (1) Control Access Zone;
      (2) Marine Exclusion Zone; and
      (3) Layered Security Zones.

4. Time.

   a. 35 x 50 minute periods

5. Method / Media.

   a. Lecture – 5 x 50 min periods

b. Demo – 3 x 50 min periods

c. Practical – 24 x min periods

d. EC – 3 X 50 min periods

6. References.

a. A33, A34, A35, B7

7. Training Aids.

a. Target vessel of similair size or larger.

b. Classroom.

8. Test Details.

a. **This lecture might be confidential**.

9. Remarks.

a. TP 10 c – To be instructed prior to remainder of EO.

b. Demo to include dry land and waterborne training.

10. Teaching Points.

a. Escorts (Ref: A33 – Tacnote 9110,9130, A34, A35):

(1) Formation type selection:
(a) Number of boats;
(b) Threat axis;
(c) Vessel escorted;
(d) Command and control; and
(e) Environmental.
(2) Joining;
(3) Releasing;
(4) Station Keeping;
(5) Hand over procedures;

b. Interception Techniques (Ref: A33 - Tacnote 9120):

(1) Interception calculations:
(a) Where/When/STD
(2) Positioning;
(3) Conduct Shadowing;
(4) Herding; and
(5) Shouldering.

c. CAZ/MEZ (Ref: A33, B7 – Tacnote 9130):

(1) Maintain CAZ/MEZ:
    (a) Definitions; and
    (b) Types to include:
        (i) Static;
        (ii) Moving; and
        (iii) Security Zones.

ENABLING CHECK – EO 005.03

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Scenario based on Interception Operations.

2. Target vessels.

Arrangements and Procedures

1. This is a practical EC.

2. Part A of the test will be on theory and Part B of the test will be on Operational scenarios.

3. Students must pass Part A and B to successfully complete this EC.

4. Students will have three periods to complete this EC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a practical EC.

2. Part A of the test will be on theory and Part B of the test will be on Operational scenarios.

3. You must pass Part A and B to successfully complete this EC.

4. You will have three periods to complete this EC.

PART III – ENABLING CHECK NOTES

1. A supplemental EC is required in case of a failure.

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE RIB ARCH / FORCE PROTECTION VESSEL / EC- 005.03 / PART B				
CHECK LIST		**YES**	**NO**	**COMMENTS**
CONDUCTING ESCORTING DUTIES				
1	Joining			
2	Stationing Keeping			
3	Releasing			
VESSEL INTERCEPTION TECHNIQUES				
1	Shadowing			
2	Riding Off			
3	Herding			
4	Shoudering			
MAINTAINING LIMITED ACCESS AREAS				
1	Control Access Zone			
2	Marine Exclusion Zone			
3	Layered Security Zones			
CAZ/MEZ/TYPES				
1	Static			
2	Moving			
3	Security Zones			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				
A complete debrief has been conducted and the trainee has seen the content of this assessment				
Grade:				
EC Adminstrator:				
Trainee:				

	Date:	**Signature:**

PERFORMANCE CHECK – PO 005

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Scenario based on Interception Operations.

2. Target vessels.

Arrangements and Procedures

1. This is a practical PC covering material from PO 004 and 005.

2. Part A of the test will be on theory and Part B of the test will be on Operational scenarios.

3. Students must pass Part A and B to successfully complete this PC.

4. Students will have six periods for Part A and five periods for Part B to complete this PC.

5. Pass mark for Part A is 70% and Part B is 70%.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a practical EC covering material from PO 004 and 005.

2. Part A of the test will be on theory and Part B of the test will be on operational scenarios.

3. You must pass Part A and B to successfully complete this PC.

4. You will have six periods for Part A and five periods for Part B to complete this PC.

5. Pass mark for Part A is 70% and Part B is 70%.

PART III – PERFORMANCE CHECK NOTES

Nil

PART IV – PERFORMANCE CHECKLIST

BOAT COXN COURSE RIB ARCH / FORCE PROTECTION VESSEL / PC-005/PART B				
CHECK LIST		**YES**	**NO**	**COMMENTS**
RADAR				
1	Radar plotting			
2	Safety and index line			
ELECTRONIC CHART PLOTTER				
1	Clearing bearings			
2	Passage planning			
3	Search plans			
4	Warning systems			
5	Alarm systems			
DEPTH SOUNDER				
1	Controls			
2	Depth alarms			
SPEED/TIME/DISTANCE				
1	6:3:1 Rule			
2	Dead Reckoning			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				
A complete debrief has been conducted and the trainee has seen the content of this assessment				
Grade:				
EC Adminstrator:				
Trainee:				

	Date:	Signature:

BOAT COXN COURSE

RIB ARCH / FORCE PROTECTION VESSEL / PC- 005/PART B

	CHECK LIST	YES	NO	COMMENTS
	CONDUCTING ESCORTING DUTIES			
1	Joining			
2	Stationing Keeping			
3	Releasing			
	VESSEL INTERCEPTION TECHNIQUES			
1	Shadowing			
2	Riding Off			
3	Herding			
4	Shoudering			
	MAINTAINING LIMITED ACCESS AREAS			
1	Control Access Zone			
2	Marine Exclusion Zone			
3	Layered Security Zones			
	CAZ/MEZ/TYPES			
1	Static			
2	Moving			
3	Security Zones			

ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT

A complete debrief has been conducted and the trainee has seen the content of this assessment

Grade:		
EC Adminstrator:		

Trainee:		
	Date:	**Signature:**

PO 006 Operate IRB

EO 006.01 Conduct Basic IRB Handling

1. Performance: Conduct Basic IRB Handling

2. Conditions:

   a. Given:

      (1) Fully equipped and manned IRB;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Trailer/Crane; and
      (5) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Conduct basic IRB handling IAW references and with due regards to safety to include:

   a. Launching IRB to include:

      (1) Trailer;
      (2) Crane; and
      (3) Submarine.

   b. Recovering IRB to include:

      (1) Trailer;
      (2) Crane; and
      (3) Submarine;

   c. Operating IRB under power to include:

      (1) Departing berth;
      (2) Coming alongside berth to include:
         (a) Jetty;
         (b) Submarine;
         (c) Other boats; and
         (d) Ladders.

4. Time.

   a. 24 x 50 minute periods

5. Method / Media.

   a. Lecture – 5 x 50 min periods

   b. Practical – 15 x 50 min periods

   c. Demo – 1 x 50 min period

   d. EC – 3 x 50 min periods

6. References.

   a. A1, A49, C11, B1

7. Training Aids.

   a. Inflatable Rigid Boat

8. Test Details.

   a. Material covered in this EO-006.01 will be tested as part of EC-006.03 and PC-007.

9. Remarks.

   a. Although naval personnel are taught launching an IRB from a crane on NETP, this instruction will focus on supervising the launch and recovery procedures.

   b. TP 10 a (3) – Instruction to submariners only.

   c. TP 10 b – Instruction for ships not making way.

10. Teaching Points.

    a. Launch and Recover IRB to include; (Ref EC Check List)

       (1) Trailer; (Ref: EC Check List)
           (a) Prepare for launch;
           (b) Launch;
           (c) Recover:
           (d) Secure for transport.
       (2) Crane; (Ref: EC Check List)
           (a) Ensure lifting points/slings are tested/current;
           (b) Prepare for launch;
           (c) Launch;
           (d) Recover;
           (e) Secure for transport.
       (3) Submarine (Ref: Section 3-EC Check List, Pg 4-60 QSP)
           (a) Prepare for launch
           (b) Launch
           (c) Recover
           (d) Secure for sea

b. Manoeuvre IRB to include; (Ref – A1 Ch 11 and 12)

(1) Engine start/stop procedure (Ref: A1, Chap 11, Art 11.7.2 – Pg 11-41/11-42)
(2) Departing and coming alongside to include;
    (a) Berth; (Ref: A1, Chap 12, Pg 11-20)
    (b) Submarines;(Ref: A1, Chap 11, Art 11.14, Pg 11-95)
    (c) Ships;(Ref: A1, Chap 11, Art 11.4.5, Para a. Pg 11-19)
    (d) Other boats; and (Ref: A1, Chap 11, Art 11.2.1,/ 11.2.3)
    (e) Ladder to include; (Ref: A1, Chap 12)
        (i) Accommodation;
        (ii) Jumping/pilot;
    (f) Jetty; and (Ref: A1, Chap 11, Art 11.4.5, Para b, Pg 11-20)
    (g) Mooring buoy. (Ref: A1, Chap 7, Art 7.8.1, Pg 7.32)
    (h) Safety and Hazards Considerations

c. Characteristics capabilities and limitations to include; and Manufacturers Instructions) (Ref: A1, Chap 11, Art-11.2.1, Pg 11-8)

(1) Length overall
(2) Beam
(3) Fuel Capacity
(4) Propulsion
(5) Speed
(6) Payload
(7) Weight
(8) Lifting weight

ENABLING CHECK – EO 006.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Training Area (Boat Shed);

2. Material listed in paragraph 2 of EO-006.01.

Arrangements and Procedures

1. Time required 3 x 50 minute periods.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a two part enabling check;

2. Part 1 will encompass a written EC on the (IRB) 1 x 50 period.

3. Part 2 (2 x 50 minute periods) will encompass a practical exercise on the correct enigine stop/start procedures, pre-launch checks and recovery procedures for trailers.

4. You will be required to achieve a pass mark of 70% on Part 1 and a PASS mark on Part 2.

PART III – ENABLING CHECK NOTES

1. This EC is for confirmation of progress in PO-007.

2. A supplemental EC is required for failure of PART 2 if the trainee's fails.

3. The pre-launch and recovery checklists are to be used in this EC.

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE EC 006.01 PART 2 - OPERATE BASIC IRB HANDLING				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		**YES**	**NO**	**COMMENTS**
SECTION-1 **LAUNCH AND RECOVER PROCEDURES (TRAILER)**				
1	Brief Personnel, Designate IRB Crew			
2	Pre Launch Inspection			
3	Manoeuvre/Direct Vehicle & Trailer to Launch Position			
4	Remove IRB Tie Downs			
5	Manoeuvre/Direct Vehicle & Trailer to Float IRB			
6	Remove Winch Cable from IRB			
7	Move IRB to Embarkation Point			
8	Secure Vehicle & Trailer in Safe Location			
9	Manoeuvre/Direct Vehicle & Trailer to Recovery Position			
10	Manoeuvre/Direct IRB to Recovery Position			
11	Hook-up Trailer Winch Cable to IRB & Winch-In			
12	Manoeuvre/Direct Vehicle & Trailer to Safe Area			
13	CARRY OUT SHUT DOWN PROCEDURES			
14	PREPS FOR TRANSPORT Attach IRB Tie Downs; Inspect Vehicle/Trailer/Vessel			

BOAT COXN COURSE EC 006.01 PART 2 - OPERATE BASIC IRB HANDLING				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		YES	NO	COMMENTS
SECTION-2 LAUNCH AND RECOVER PROCEDURES (CRANE)				
1	Brief Personnel, Designate IRB Crew			
2	Remove IRB Tie Downs (If Applicable Remove Trailer Winch Cable)			
3	Pre Launch Inspection			
4	Liaise with Crane Operator for launching (Hand Signals/Vice Commands)			
5	Hook-Up Crane to IRB Lifting Point/Sling			
6	Launch IRB (Ensure No Personnel Are In IRB During Launch) (Hand Signals/Vice Commands)			
7	Liaise With Crane Operator for recovery			
8	Manoeuvre/Direct IRB to Recovery Position			
9	Hook-Up Crane to IRB Lifting Point/Sling			
10	Recover IRB (Ensure No Personnel Are In IRB During Recovery) (Hand Signals/Vice Commands)			
11	Lay IRB in Cradle/Trailer, Un-Hook Crane from Lifting Point.			
12	Carry Out Shut Down Procedures			
13	SECURE IRB (If Required to be Transported): Attach IRB Tie Downs and Hook-Up Trailer Winch Cable to IRB; Inspect Vehicle/Trailer/Vessel			

BOAT COXN COURSE EC 006.01 PART 2 - OPERATE BASIC IRB HANDLING				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		YES	NO	COMMENTS
SECTION-3 LAUNCH AND RECOVER PROCEDURES Submarine (SUBMARINE CREW ONLY)				
1	Brief Casing & IRB Crew			
2	Assemble IRB			
3	Affix Engine & Associated Equipment IAW Equipment Check List			
4	Conduct Pre-Launch Checks and Inspection IAW Check Lists			
5	Launch IRB			
6	Man IRB (When in Water)			
7	Brief Deck Crew			
8	Recover IRB			
9	Manoeuvre/Direct IRB to Recovery Position (Hand Signals/Vice Commands)			
10	Disembark Personnel from IRB			
11	Recover IRB			
12	Conduct Shutdown Checks and Inspections IAW Check Lists			
13	Remove Engine & Associated Equipment IAW Equipment Check List			
14	Dis-assemble IRB, Stow & Secure			
15	Casing check for excess gear.			

BOAT COXN COURSE EC 006.01 PART 2 - OPERATE BASIC IRB HANDLING			
STUDENT RANK / NAME INT:			
COURSE NUMBER:			
DATE:			
PC ADMINISTRATOR RANK / NAME INT:			
CHECK LIST	YES	NO	COMMENTS
ADDITIONAL COMMENTS (STRENGTHS / AREAS FOR DEVELOPMENT)			
A complete debrief has been conducted and the trainee has seen the content of this assessment			
Grade:			
PC Administrator:			
Trainee:			
	Date	Signature	

NOTE:

1. An UNSAT in Section-2 Critical Safety infractions will result in a failure and must be documented in the additional comments.

2. Failure to adhere to the sequence in Section-3 of the checklists provided will result in a failure of this PC.

EO 006.02 Conduct Troubleshooting on an IRB

1. Performance: Conduct Troubleshooting on an IRB

2. Conditions:

   a. Given:

      (1) Fully equipped and manned IRB;
      (2) PPE;
      (3) Appropriate environmental clothing; and
      (4) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Conduct troubleshooting on an IRB IAW references and with due regards to safety to include:

   a. Correcting engine malfunctions to include:

      (1) Fuel problems;
      (2) Cooling problems;
      (3) Spark plug problems
      (4) Starting problems;
      (5) Underway problems;
      (6) Electrical problems; and

   b. Correcting collar leaks.

4. Time.

   a. 8 x 50 minute periods

5. Method / Media.

   a. Lecture – 4 x 50 min periods

   b. Practical – 3 x 50 min periods

   c. Demo – 1 x 50 min period

6. References.

   a. A1, A23, A24, A25, A27, A28, A29, C12

7. Training Aids.

   a. Boat Shed

8. Test Details.

   a. Material covered in this EO-006.02 will be tested as part of EC-006.03 and PC-007.

   b. The PC for this PO will be a written/practical exam.

9. Remarks.

   a. Recommended that this EO be taught prior to PO-007.

10. Teaching Points. (Ref: A1, Chap 11, Art 11.7.1/11.8.1, Pg 11-40/11-42 (Table 5-6)

    a. Fuel problems to include: (Ref: D1, Fuel-Oil, Page 6-8)

       (1) 2 stroke outboards to include;
           (a) Fuel mixture; and (page 7)
           (b) Fuel supply to include; (page 7-11)
               (i) Connections (kinked/disconnected);
               (ii) Venting;
               (iii) Priming; and
               (iv) Full tank.
       (2) 4 stroke outboards to include; (Ref: D1, Section 3, Controls, Page 32-35)
           (a) Correct fuel selection;
           (b) Oil reservoir check; and
           (c) Fuel supply to include;
               (i) Connections (kinked/disconnected);
               (ii) Venting; (page 23-24)
               (iii) Priming; and (page 41)
               (iv) Full tank (page 10)

    b. Cooling problems to include: (page 56 and 101)

       (1) Blocked intake;
       (2) Blocked discharge (tell tail);
       (3) Angle of trim;

    c. Spark plugs being present and connected; (page 26)

    d. Starting problems to include: (page 35)

       (1) Kill switch not present or connected;
       (2) Flooding;
       (3) Engine left in gear;
       (4) Broken starter cord;
       (5) Key (electric start); and
       (6) Choke.

e. Underway problems to include: (Ref: D1, Section 11, Maintenance, Page 95)

(1) Loss of power to include:
    (a) Loss or damage to propeller; and
    (b) Fouled propeller.
(2) Excessive vibration to include:
    (a) Bent shaft; and
    (b) Contaminated fuel.

f. Electrical problems to include: (Ref: D1, Section 4, Installation, Page 29-30)

(1) Battery selector in wrong mode;
(2) Battery dead;
(3) Loose or poor connections; and
(4) Blown fuse or breaker tripped.

g. Collar leaks to include: (Ref A1, Chap 11, Art 11.8.2, Pg 11-42/11.43)

(1) Relief valve to include;
    (a) Faulty
    (b) Embark/disembarking of personnel or cargo
(2) Inflation valve to include;
    (a) In wrong position (inflate vs. navigate);
    (b) Embark/disembarking of personnel or cargo;
(3) Effect of temperature; and
(4) Punctures.

EO 006.03 Respond to Emergencies

1. Performance: Respond to Emergencies

2. Conditions:

   a. Given:

      (1) Fully equipped and manned IRB;
      (2) PPE;
      (3) Appropriate environmental clothing; and
      (4) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Respond to emergencies IAW references and with due regards to safety to include:

   a. Conducting rescue and recovery of a casualty; and

   b. Conducting a tow.

4. Time.

   a. 5 x 50 minute periods

5. Method / Media.

   a. Practical – 3 x 50 min periods

   b. EC – 2 x 50 min periods (Allow 2 x 50 min periods)

6. References.

   a. A1, A17, A18, A49, B1

7. Training Aids.

   a. Boat shed

   b. Target or beached boat

   c. Oscar

8. Test Details.

   a. This EO-006.03 will be a practical EC.

b. This pass or Fail EC.

9. Remarks.

a. Instruction will be conducted in daylight and good visibility.

b. Recovery of a casualty and operations will be instructed using simulated ocsar‘s and boats.

10. Teaching Points.

a. Conducting rescue and recovery of a casualty (A18 – Ch 10, Art 10.2.1/10.2.5, Pg 219/225-- A1, Chap 11, Art 11.4.4, Pg 11-17/11-18)

b. Conducting a tow (A18 – Ch 8, Art 8.1/8.6, Pg 181/194-- A1, Chap 11, Art 11.4.8, Pg 11-24/11-25)

ENABLING CHECK – EO 006.03

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Boat Shed.
2. Fully manned IRB and or simulated beached vessel.
3. Oscar.

Arrangements and Procedures

1. This is a practical EC.
2. Section 1 – Towing a boat will be completed once as a group EC.
3. Section 2 - Recovery of a casualty will be completed as an individual EC.
4. Students will have 2 x 50 minute periods to complete this EC.
5. Use EC checklist EO-006.03 for Section -1 and Section -2 for EC Checklist.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a practical EC.
2. Section 1 – Towing a boat will be completed once as a group EC.
3. Section 2 - Recovery of a casualty will be completed once as an individual EC.
4. You will have 2 x 50 minute periods to complete this EC.
5. This is a Pass or Fail EC.

PART III – ENABLING CHECK NOTES

1. Section 1 – Towing a boat will be completed once as a group EC.
2. Section 2 - Recovery of a casualty will be completed once as an individual EC.

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE INFLATABLE RUBBER BOAT (IRB) EC-006.03 RESPOND TO EMERGENCIES	
STUDENT RANK / NAME INT:	
COURSE NUMBER:	
DATE:	
EC ADMINISTRATOR RANK / NAME INT:	

	CHECK LIST	YES	NO	COMMENTS
	SECTION-1 **CONDUCT TOWING/RECOVERY OPERATIONS**			
1	Approach vessel determine situation			
2	Receive verbal/written waiver			
3	Decide on Recovery/Tow plan and brief crew: Recovery: Pull off /Float off method Towing: Stern/Side method			
4	Complete Recovery/Towing evolution			

ADDITIONAL COMMENTS (STRENGTHS / AREAS FOR DEVELOPMENT)		
A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
EC Administrator:		
Trainee:		

BOAT COXN COURSE INFLATABLE RUBBER BOAT (IRB) EC-006.03 RESPOND TO EMERGENCIES	
STUDENT RANK / NAME INT:	
COURSE NUMBER:	
DATE:	
EC ADMINISTRATOR RANK / NAME INT:	

	CHECK LIST	YES	NO	COMMENTS
		Date		**Signature**
	SECTION-2 CONDUCT RESCUE AND RECOVERY OF A CASUALTY			
1	Have Crew Visually Assist in Search			
2	Considered Weather and Sea State			
3	Approach to Casualty (Made Approach Into Wind)			
4	Engine in Neutral for Casualty Recovery--- (Proper Proximity To Casualty)			
5	Proper Technique for Casualty Recovery			
6	Casualty Position in Boat/ State of Casualty			
7	First Aid Considered / Applied			

ADDITIONAL COMMENTS (STRENGTHS / AREAS FOR DEVELOPMENT)		
A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
EC Administrator:		
Trainee:		
	Date	**Signature**

PO 007 Maintain IRB

EO 007.01 Maintain IRB

1. Performance: Maintain IRB

2. Conditions:

   a. Given:

      (1) Fully equipped and manned IRB;
      (2) PPE;
      (3) Appropriate environmental clothing; and
      (4) References.

   b. Denied:

      (1) Nil

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Maintain an IRB IAW references and with due regards to safety to include:

   a. Performing daily/weekly operator checks;

   b. Assembling an IRB;

   c. Disassembling an IRB:

   d. Flushing an outboard engine; and

   e. Conducting fuelling of an IRB.

4. Time.

   a. 4 x 50 min periods.

5. Method / Media.

   a. Lecture – 1 x 50 min period

   b. Demo – 1 x 50 min period

   c. Practical – 2 x 50 min periods

6. References.

   a. A1, A27, A28, A29, A49, C11, C12,

7. Training Aids.

   a. Boatshed

   b. Outboard Motor

   c. IRB

   d. Spill Kits

8. Test Details.

   a. The PC for this PO will be a practical.

9. Remarks.

   a. N/A

10. Teaching Points.

   a. Daily/weekly maintenance requirements (IAW IRB Checklist);

      (1) Outboard motors: (Ref: A1, Chap 11, Art 11.7.1/11.7.2, Pg 11-40/11.41)
         (a) Mixing fuel (2-stroke only);
         (b) Checking spark plug; and
         (c) Inspecting Propeller.
      (2) Ship's Boat's Rigging: (Ref: A1, Chap 11, Art 11.11.3, Pg 11-62—A49, Chap 6/06, Para 28-31)
         (a) Checking lines for wear, tear or fraying; and
         (b) Checking lifting arrangement:
            (i) Lifting slings; and
            (ii) Lifting points;

   b. Assembly and disassembly of an IRB to include: (Ref: C11, C12)

      (1) Explain types of floor systems;
      (2) Explain inflation of the collar;
      (3) Explain use of plugs in general (plugs in or out);
      (4) Explain attachment of the outboard motor/fuel system; and
      (5) Demonstrate assembly and disassembly of an IRB.

   c. Explain and demonstrate flushing outboard engines to include (D1)

      (1) Purpose;
      (2) Equipment required;
      (3) Procedures; and
      (4) Environmental considerations.

   d. Explain and demonstrate fuelling an IRB to include: (Ref: A8, C4)

      (1) Equipment required;
      (2) Procedures; and

(3) Environmental considerations.

PERFORMANCE CHECK – PO 007

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Un-assemble IRB;
2. Outboard motor and fuel tank;
3. Tools require for assembly; and
4. Checklist

Arrangements and Procedures

1. This will be a practical pass/fail PC based on PO-006/PO-007.
2. In Section 1 and 2, a group of three students, shall assemble-disassemble the IRB.
3. In Section 3 and 4, individually conduct fuel procedures and flush an outboard motor.
4. Failure to adhere to the checklists provided will result in a failure of this PC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a practical pass/fail PC based on PO-006/PO-007.
2. Pass or fail as per checklist; and
3. Three x 50 minute periods to conduct the entire PC.

PART III – PERFORMANCE CHECK NOTES

1. A failure of any part of this PC does not constitiute a failure of the entire PC.The part of the PC that was unsuccessful will be retested on its own.

PART IV – PERFORMANCE CHECK LIST

BOAT COXN COURSE INFLATABLE RUBBER BOAT (IRB) / PC-007 MAINTAIN IRB				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		YES	NO	COMMENTS
SECTION-1-ASSEMBLE IRB				
1	Muster Parts IAW Manufactures List			
2	Lay Out Boat			
3	Place In Floor Boards & keel			
4	Inflate			
5	Affix Engine & Associated Equipment Check List			
SECTION-2-DISASSEMBLE IRB				
1	Remove Engine & Associated Equipment			
2	De-Flate **(Remove Air Relief Valve Caps & Open Fully)**			
3	Remove Stringers and Floor Boards			
4	Fold Boat			
5	Secure in Stowage Bags			
ADDITIONAL COMMENTS - **(STRENGTHS / AREAS FOR DEVELOPMENT)**				
A complete debrief has been conducted and the trainee has seen the content of this assessment				
Grade:				
PC Administrator:				
Trainee:				
		Date		**Signature**

BOAT COXN COURSE INFLATABLE RUBBER BOAT (IRB) / PC-007 MAINTAIN IRB				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		**YES**	**NO**	**COMMENTS**
SECTION-3- FLUSHING AN OUTBOARD ENGINE				
1	Engine in Stable Position			
2	Affix Ear-Muffs / Plug on to Engine, Establish Water Flow			
3	Start Engine, Once you have Water Flow from Discharge Port **(1 to 2 Min)**			
4	Shut Off Water, Stop Engine, Secure Gear			
SECTION-4- FUELLING PROCEDURES				
1	Brief Personnel			
2	Have First Aid Extinguishers On Scene			
3	Place Environmental Plugs / Pads over Overboard Discharge / Drains			
4	Protective Clothing / Equipment			
5	Secure Area and Equipment on Completion			
ADDITIONAL COMMENTS / (STRENGTHS / AREAS FOR DEVELOPMENT)				
A complete debrief has been conducted and the trainee has seen the content of this assessment				
Grade:				
PC Administrator:				
Trainee:				

BOAT COXN COURSE INFLATABLE RUBBER BOAT (IRB) / PC-007 MAINTAIN IRB			
STUDENT RANK / NAME INT:			
COURSE NUMBER:			
DATE:			
PC ADMINISTRATOR RANK / NAME INT:			
CHECK LIST	YES	NO	COMMENTS
	Date		Signature

PO 008 Operate RIB

EO 008.01 Conduct Basic RIB Handling

1. Performance: Conduct Basic RIB Handling

2. Conditions:

   a. Given:

      (1) Fully equipped and manned RIB
      (2) PPE
      (3) Appropriate environmental clothing
      (4) Trailer/Crane
      (5) References

   b. Denied:

      (1) Nil

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Conduct basic RIB handling IAW references and with due regards to safety to include:

   a. Launching RIB to include:

      (1) Trailer; and
      (2) Crane;

   b. Recovering RIB to include:

      (1) Trailer; and
      (2) Crane;

   c. Operating RIB under power to include:

      (1) Departing berth;
      (2) Coming alongside berth to include:
         (a) Jetty;
         (b) Other boats; and
         (c) Ladders.

4. Time.

   a. 27 x 50 minute periods

5. Method / Media.

   a. Lecture – 5 x 50 min periods

b. Practical – 18 x 50 min periods

c. Demo – 1 x 50 min period

d. EC – 3 x 50 min periods

6. References.

a. A1, A17, A31, B1, C17

7. Training Aids.

a. Items listed in paragraph 2.

8. Test Details.

a. The material covered in EO will be tested as part of EO-008.01 and PC 009.

9. Remarks.

a. TP 10b – Instruction for ships not making way.

10. Teaching Points.

a. Launch and Recover RIB to include;(Ref: A17, EC Checklist)

(1) Trailer;
(a) Prepare for launch
(b) Launch
(c) Recover
(d) Secure for transport
(2) Crane;
(a) Prepare for launch
(b) Launch
(c) Recover
(d) Secure for transport

b. Manoeuvre RIB to include; (Ref – A1 Ch 11 and 12)

(1) Engine start/stop procedure IAW checklist (A1, Table 19, Pg 11-81)
(2) Departing and coming alongside to include;(A1, Chap 11, Art 11.12.2, Pg 11-78)
(a) Berth;
(b) Submarines;
(c) Ships;
(d) Other boats; and
(e) Ladder to include;
(i) Accommodation;
(ii) Jumping/pilot;
(iii) Jetty; and
(iv) Mooring buoy.
(3) Safety and Hazards Considerations

c. Characteristics capabilities and limitations to include; (A1, Ch 11, Art 11.2.5, Pg 11-10 and manufacturers instructions)

(1) Parts of the RIB (Ref: A31, Part 1, Section 1, General para 1, Pg 2-1-1)
(2) Length overall
(3) Beam
(4) Fuel Capacity
(5) Propulsion
(6) Speed
(7) Payload
(8) Weight
(9) Lifting weight

ENABLING CHECK – EO 008.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. RIB

2. Checklist

Arrangements and Procedures

1. This will be a practical pass/fail EC.

2. This will be done in conjuction with other EO-008.01, EO-008.02 and EO-008.03.

3. Each student has 3 x 50 minute periods.

4. Failure to adhere to the checklists provided will result in a failure of this EC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a practical pass/fail EC.

2. This will be done in conjuction with EO's.

3. Each student has 3 x 50 minute periods.

4. Failure to adhere to the checklists provided will result in a failure of this EC.

PART III – ENABLING CHECK NOTES

1. This EC is for confirmation of the progress of PO-008. The instructor will evaluate the trainee's completing this EC.

2. The instructor will identify any faults with the trainee's work; trainees will be given the opportunity to correct those faults prior to PO-009.

3. A supplemental EC is required if the members fails this EC. However, if a trainee continues to show unsatisfactory progress with the EO, appropriate action should be taken.

PART IV – ENABLING CHECK LIST

RIGID INFLATABLE BOAT (RIB) EC-008.01 PRE-START CHECKS			
CHECK LIST		**CORRECT**	**INCORRECT**
SECTION-1 BOW AREA			
1	Inflatable Collar At Operating Pressure		
2	Contents Of Forward Locker/ Locker Dry		
3	Secure Forward Hatch/ Caps On Relief Valves		
SECTION-2 FUEL LEVEL			
1	Full Fuel Tank		
2	Secure Fuel Cap		
SECTION-3 ENGINE COMPARTMENT			
1	Visual Inspection Of Engine, Air Flaps Are Open And Fire Extinguisher Pin Out		
2	Stripping Valve Open/ Operation Of Stripping Pump		
3	Stripping Valve Closed		
4	Fuel/Water Separator Bowl Clear		
5	Fuel Supply Valve Open / Fuel Return Valve Open		
6	Belt Tension / Coolant Level		
7	Oil Level		
8	Secure Console/Engine Cover		
9	Replace Life Line On Console (If Fitted)		
SECTION-4 CONSOLE / ENGINE COVER			
1	Disconnect Shore Power		
2	Battery Switch To Position #1		
3	Voltmeter Reads Greater Than 12 Volts		

RIGID INFLATABLE BOAT (RIB) EC-008.01 PRE-START CHECKS			
CHECK LIST		**CORRECT**	**INCORRECT**
4	Battery Switch To Position #2		
5	Voltmeter Reads Greater Than 12 Volts		
6	Reset Battery Switch To Position #1		
7	Out-Drive Trim Pump (-5 To 12 Degrees)		
8	Electric Bilge Pump Operation:		
	(1) Manual		
	(2) Switch Set To Automatic		
9	Lights (Navigation / Search / Control Console)		
10	Horn / Steering Wheel Operated		
SECTION-5 AFT STOWAGE LOCKER			
1	Water Intake Seacock Valve Open (Out-Drive)		
2	Manual Bilge Pump Operation / Float Switch Operation		
3	Reser Valve Pressure 20 To 30 PSI		
4	Out-Drive Trim Pump Fluid Level		
5	Sea Water Strainer Clean		
6	Ensure Drain Plug Installed / Secure Aft Stowage Locker		
ADDITIONAL COMMENTS- STRENGTHS / AREAS FOR DEVELOPMENT			
A complete debrief has been conducted and the trainee has seen the content of this assessment			
Grade:			
EC Administrator:			
Trainee:			

RIGID INFLATABLE BOAT (RIB) EC-008.01 PRE-START CHECKS		
CHECK LIST	CORRECT	INCORRECT
	Date:	Signature:

RIGID INFLATABLE BOAT (RIB) EC-008.01 SHUTDOWN CHECKS			
	CHECK LIST	CORRECT	INCORRECT
1.	Reduce engine temperature by allowing the engine to run at idle for two to three minutes.		
2.	Turn the main switch (located on the control head) to “OFF”		
3.	Tilt the engine up to reduce the risk of damage to the outboard motor lower unit from grounding or corrosion.		
	WINTERIZING (ENGINE COOLING SYSTEM)		
	RIB IN WATER		
1	Close The Sea Water Intake Seacock Valve (Out-Drive)		
2	Remove The Cap And Open The Sea Water Flush Valve		
3	Open Engine Drain Valve Located At The Lower Front Of Engine		
4	Remove Plug From Sea Water Strainer And Drain Water / Place A Sign Over The Steering Wheel Stating --**“SYSTEM HAS BEEN DRAINED AND SEACOCK CLOSED”**.		
	RIB OUT OF WATER (CRADLE OR TRAILER)		
1	Leave The Seawater Intake Seacock Valve (Out-Drive) Open / Remove The Cap And Open The Seawater Flush Valve		
2	Open Engine Drain Valve Located At The Lower Front Of Engine		
3	Remove Plug From Seawater Strainer And Drain Water.		
4	(Once Water Is Drained From System Replace The Cap And Close The Seawater Flush Valve)		
5	Close Engine Drain Valve Located At The Lower Front Of Engine / Replace Plug In Seawater Strainer.		
	ADDITIONAL COMMENTS- STRENGTHS / AREAS FOR DEVELOPMENT		

RIGID INFLATABLE BOAT (RIB) EC-008.01 SHUTDOWN CHECKS		
CHECK LIST	CORRECT	INCORRECT
A complete debrief has been conducted and the trainee has seen the content of this assessment		
EC Administrator:		
Trainee:		
	Date:	**Signature:**

RIGID INFLATABLE BOAT (RIB) EC-008.01 EQUIPMENT CHECK LIST				
CHECK LIST		QTY	CORRECT	INCORRECT
1	Manual Bilge Pump Handle **(W / Ball Grip)**	**1**		
2	Anchor, Danforth	**1**		
3	Anchor Line **(30 To 45m X 12mm DB Nylon)**	**1**		
4	Paddle 2m	**6**		
5	Sea Anchor	**1**		
6	Sea Anchor Line **(30m x 7mm 3-Strand Nylon)**	**1**		
7	Repair kit	**1**		
8	Kill Switch & Lanyard	**2**		
9	Magnetic Compass	**1**		
10	Compass Guard	**1**		
11	Fuel Sounding Rod	**1**		
12	Emergency Tiller	**1**		

RIGID INFLATABLE BOAT (RIB) EC-008.01 EQUIPMENT CHECK LIST				
CHECK LIST		**QTY**	**CORRECT**	**INCORRECT**
13	Kisby Ring with Line attached	**2**		
14	Bailer	**2**		
15	Boat Hook	**2**		
16	Towline **(30m x 18mm three-strand polypropylene)**	**1**		
17	Fire Extinguisher	**2**		
18	Search Light	**1**		
19	Bow Line	**1**		
20	Stern Line	**2**		
21	Ensign Staff Assembly	**1**		
22	Foot Pump	**1**		
23	Foot Pump Adapter	**1**		
24	Shore Power Cable	**1**		
25	Ensign Staff	**1**		
26	Fire Extinguisher	**2**		
27	Radar Reflector	**1**		
28	Chem-Light Red **(Replacement for burnt out Running Lights)**	**6**		
29	Chem-Light Green **(Replacement for burnt out Running Lights)**	**6**		
30	Pressure Relief Valve Caps	**7**		
31	Flares (Stowed in approved Container)			
32	Lifejackets **(1 PER PERSON PLUS 10%)**			
RESCUE BAG				

RIGID INFLATABLE BOAT (RIB) EC-008.01 EQUIPMENT CHECK LIST				
CHECK LIST		**QTY**	**CORRECT**	**INCORRECT**
1	Blanket and Toque **(SEALED IN WATER TIGHT PLASTIC BAG)**	**1**		
2	First Aid Kit	**1**		
3	Quick Release Knife	**1**		
RIB EQUIPMENT **(PERIODICAL CHECKS & INSPECTIONS)** **NOT STOWED IN RIB DURING OPERATION**				
1	Canopy Cover (FWD)	**1**		
2	Canopy Cover (AFT)	**1**		
3	Cover Boat (OVERALL)	**1**		
4	Canopy Rod 2.6m	**1**		
5	Canopy Rod 3 m	**1**		
6	Canopy Rod 3.35m	**1**		
7	Canopy Rod 3.65m	**1**		
8	Cradle	**1**		
9	Single Point Hoisting Adapter	**1**		
10	Fuel Stripping Container	**1**		
11	Centreline Lifeline	**1**		
12	Cushion Stowage Box	**1**		
13	Cushion Console	**1**		
14	Cushion Backrest	**1**		
15	Fuel Stripping Container	**1**		
16	Wire Securing Straps	**3**		
ADDITIONAL COMMENTS- STRENGTHS / AREAS FOR DEVELOPMENT				

RIGID INFLATABLE BOAT (RIB) EC-008.01 EQUIPMENT CHECK LIST			
CHECK LIST	QTY	CORRECT	INCORRECT
A complete debrief has been conducted and the trainee has seen the content of this assessment			
Grade:			
EC Administrator:			
Trainee:			
	Date:	Signature:	

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) / EC-008.01 OPERATE RIB				
CHECK LIST		YES	NO	COMMENTS
SECTION-1- OPERATE RIB UNDER POWER				
DEPART BERTH				
1	Let go the stern line			
2	Turn the helm inward and use forward propulsion to cast the bow in towards the line of the jetty			
3	Stop the engine, turn helm away from the jetty			
4	Let go the bowline and proceed astern			
MANOEUVRE PASSAGE				
1	Steering			

2	Turning			
3	Loading			
COMING ALONGSIDE				
1	Make a slow speed approach towards jetty at a 30 degree angle			
2	At one boat length away from the jetty, place the controls in neutral, and start to turn away from the jetty			
3	Berthing lines are passed to the jetty and the boat is secured			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				

A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

EO 008.02 Conduct Troubleshooting on a RIB

1. Performance: Conduct Troubleshooting on a RIB

2. Conditions:

   a. Given:

      (1) Fully equipped and manned RIB
      (2) PPE
      (3) Appropriate environmental clothing
      (4) References

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Conduct troubleshooting on a RIB IAW references and with due regards to safety to include:

a. Responding to engineering emergencies to include:

(1) Engine will not start;
(2) EOPs; and
(3) Problems underway;

b. Correcting collar leaks.

4. Time.

a. 5 x 50 minute periods

5. Method / Media.

a. Lecture – 1 x 50 min periods

b. Practical – 3 x 50 min periods

c. Demo – 1 x 50 min period

6. References.

A1, C16, C17

7. Training Aids.

a. Boat Shed

8. Test Details.

   a. This is a written EC.

9. Remarks.

   a. This EC will be a combined EC with EO-008.03.

10. Teaching Points.

   a. Engine will not start (Ref – C16, Part 2, Section 5, Part 4, Art 2, Pg 4-2)

   b. Emergency Operating Procedures (Ref – C17, Chap 4, Art 4-9-3, Pg 4-8)

   c. Problems underway to include: (Ref – C16, Part 3, Section 4, Art 5, Pg 5-4-4/5-4-6)

      (1) Loss of power to include:
         (a) Loss or damage to propeller; and
         (b) Fouled propeller.
      (2) Excessive vibration to include:
         (a) Bent shaft; and
         (b) Contaminated fuel.

   d. Collar leaks to include: (Ref – A1, Ch 11, Art 11.8.2, Pg 11-42/11-43)

      (1) Relief valve to include;(C17, Chap 5, Art 5-2-16, Pg 5-21)
         (a) Faulty
         (b) Embark/disembarking of personnel or cargo
      (2) Inflation valve to include;(C17, Chap 5, Art 5-2-15, Pg 5-20)
         (a) Wrong position (inflate vs navigate);
         (b) Embark/disembarking of personnel or cargo;
      (3) Effect of temperature; and (C17, Chap 5, Art 5-1-2, Pg 5-1)
      (4) Punctures. (C17, Chap 5, Art 5-2-11, Pg 5-18)

EO 008.03 Respond to Emergencies

1. Performance: Respond to Emergencies

2. Conditions:

   a. Given:

      (1) Fully equipped and manned IRB
      (2) PPE
      (3) Appropriate environmental clothing
      (4) References

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair Meteorological Conditions

3. Standard. Respond to emergencies IAW references and with due regards to safety to include:

   a. Conducting rescue and recovery of a casualty;

   b. Conducting a tow; and

   c. Conducting response to environmental emergency.

4. Time.

   a. 4 x 50 minute periods

5. Method / Media.

   a. Practical – 3 x 50 min periods

   b. EC – 1 x 50 min period

6. References.

   a. A1, A17, A18, C17

7. Training Aids.

   a. Boat shed

   b. Pollution Control Boom

8. Test Details.

   a. Practical and written test.

9. Remarks.

   a. This EO-008.03 and EO-008.02 will be a combined written test (EC).

10. Teaching Points.

   a. Rescue and recovery of a casualty (C17, Chap 4, Art 4-9.8, Pg 4-11/ A1, Chap 11, Art 11.4.4, Pg 11-17/11-18)

   b. Tow (C17, Chap 4, Art 4-9.7, Pg 4-11/ A1, Chap 11, Art 11.4.8, Pg 11-25)

   c. Environmental Emergency. (A1, Chap 12, Art 12.7.1, Pg 12-19/12-24)

      (1) Boom deployment

ENABLING CHECK – EO 008.03

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. RIB
2. Checklist

Arrangements and Procedures

1. This will be a practical pass/fail EC.
2. This will be done in conjuction with other EC's.
3. Each student has 1 x 50 minute period.
4. Failure to adhere to the checklists provided will result in a failure of this EC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a practical pass/fail EC.
2. This will be done in conjuction with other EC's.
3. Each student has 1 x 50 minute period.
4. Failure to adhere to the checklists provided will result in a failure of this EC.

PART III – ENABLING CHECK NOTES

Nil

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) EC-008.03 RESPOND TO EMERGENCIES				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
EC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		YES	NO	COMMENTS
SECTION-1 CONDUCT TOWING/RECOVERY OPERATIONS				
1	Approach vessel determine situation			
2	Receive verbal/written waiver			
3	Decide on Recovery/Tow plan and brief crew: Recovery: Pull off /Float off method Towing: Stern/Side method			
4	Complete Recovery/Towing evolution			
5	Approach vessel determine situation			
SECTION-2 ASSIST IN AN ENVIRONMENTAL SITUATION				
1	Assess environmental issue muster equipment			
2	Decide on plan to assist in response			
3	Brief crew			
4	Establish a POC to communicate with for evolution			
5	Complete any formal paper work			

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) EC-008.03 RESPOND TO EMERGENCIES	
STUDENT RANK / NAME INT:	
COURSE NUMBER:	
DATE:	
EC ADMINISTRATOR RANK / NAME INT:	

	CHECK LIST	YES	NO	COMMENTS
	SECTION-3 **CONDUCT RESCUE AND RECOVERY OF A CASUALTY**			
1	Have Crew Visually Assist in Search			
2	Considered Weather and Sea State			
3	Approach to Casualty			(Made Approach Into Wind)
4	Engine in Neutral for Casualty Recovery			(Proper Proximity To Casualty)
5	Proper Technique for Casualty Recovery			

ADDITIONAL COMMENTS (STRENGTHS / AREAS FOR DEVELOPMENT)

A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
EC Administrator:		
Trainee:		
	Date	**Signature**

PERFORMANCE CHECK – PO 008

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. RIB
2. Checklist
3. Oscar

Arrangements and Procedures

1. This will be a practical pass/fail PC.
2. This will be done in conjuction with other PC's.
3. Each student has 2 x 50 minute periods.
4. Failure to adhere to the checklists provided will result in a failure of this PC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a practical pass/fail PC.
2. This will be done in conjuction with other PC's.
3. Each student has 2 x 50 minute periods.
4. Failure to adhere to the checklists provided will result in a failure of this PC.

PART III – PERFORMANCE CHECK NOTES

1. Insert two (2) trouble shooting faults within the PO-008/PO-009

PART IV – PERFORMANCE CHECK LIST

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-008 OPERATE RIB				
	STUDENT RANK / NAME INT:			
	COURSE NUMBER:			
	DATE:			
	PC ADMINISTRATOR RANK / NAME INT:			
	CHECK LIST	YES	NO	COMMENTS
	SECTION-1-CONDUCT PRE-LAUNCH CHECKS			
1	Complete Visual Inspection Damage Report. (Indicate any damage to vessel)			
2	Complete Equipment Check List.			
3	Complete Pre-Start Check List.			
4	Complete Problem Observation Log			
5	Complete Start-Up Log.			
	SECTION-2-OPERATE RIB UNDER POWER			
	Depart Berth			
1	Let go the stern line			
2	Turn the helm inward and use forward propulsion to cast the bow in towards the line of the jetty			
3	Stop the engine, turn helm away from the jetty			
4	Let go the bowline and proceed astern			
	Manoeuvre Passage			
1	Steering			
2	Turning			
3	Loading			
	Coming Alongside			
1	Make a slow speed approach towards jetty at a 30 degree angle			
2	At one boat length away from the jetty, place the controls in neutral, and start to turn away from the jetty			
3	Berthing lines are passed to the jetty and the boat is secured			

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-008 OPERATE RIB	
STUDENT RANK / NAME INT:	
COURSE NUMBER:	
DATE:	
PC ADMINISTRATOR RANK / NAME INT:	

	CHECK LIST	YES	NO	COMMENTS
	SECTION-3 CONDUCT RESCUE AND RECOVERY OF A CASUALTY			
1	Have Crew Visually Assist in Search			
2	Considered Weather and Sea State			
3	Approach to Casualty			(Made Approach Into Wind)
4	Engine in Neutral for Casualty Recovery			(Proper Proximity To Casualty)
5	Proper Technique for Casualty Recovery			
	SECTION-4 CONDUCT SHUTDOWN CHECKS			
1	Complete Shutdown Check List.			
2	Winterize RIB			
3	Complete Visual Inspection Damage Report. (Indicate any damage to vessel)			
4	Complete Problem Observation Log			
5	Complete Shutdown Log.			

ADDITIONAL COMMENTS

(STRENGTHS / AREAS FOR DEVELOPMENT)

A complete debrief has been conducted and the trainee has seen the content of this assessment

Grade:		
PC Administrator:		
Trainee:		
	Date	**Signature**

PO 009 Maintain RIB

EO 009.01 Maintain RIB

1. Performance: Maintain RIB

2. Conditions:

   a. Given:

      (1) Fully equipped RIB;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Appropriate tools; and
      (5) References.

   b. Denied:

      (1) Nil

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Maintain an RIB IAW references and with due regards to safety, to include:

   a. Conducting daily/weekly operator checks;

   b. Conducting fuelling of a RIB;

   c. Flushing of engine; and

   d. Winterizing the engine cooling system.

4. Time.

   a. 8 X 50 minute periods

5. Method / Media.

   a. Lecture – 3 x 50 min periods

   b. Demo – 4 x 50 min periods

   c. EC – 1 x 50 min periods

6. References.

   a. A1, A8, A31, A38, A49, A50, A51, A52, A57, C1, C16, C17

7. Training Aids.

   a. Boat Shed; and

   b. All items listed in paragraph 2.

8. Test Details.

   a. This will be a practical PC combined with PO-008/PO-009.

9. Remarks.

   a. This EO-009.01 will be combined PC with PO-008/PO-009.

10. Teaching Points.

   a. Daily Operator Checks, IAW pre-start checklist; (Ref: C16, Fig 3-1-1/3-1-4, Pg 3-1-3/3-1-8)

   b. Weekly Operator Checks:

      (1) Check inflatable collar operating pressure;(Ref: C16, Part 5, Sect 3, Pg 5-3-1/5-3-20)-(A31, Sect 3, Para 2, Pg 3-3-1)
      (2) Check inflating valves; (Ref: C16, Part 5, Sect 3, Pg 5-3-17)
      (3) Check fitted equipment; (Ref: C16, Part 5, Sect 1, Para 15, Pg 2-1-24/2-1-25)
      (4) Check for chafing and wear; (Ref: A31, Sect 3, Para 2, Pg 3-3-1)
      (5) Check hatches and lazorets covers; (Ref: C16, Part 2, Sec 8, Para 1, Pg 3-8-1)
      (6) Check rescue equipment; (Ref: C16, Sect 1, Para 16, Pg 2-1-27)
         (a) Rescue Quoit; (Ref: A31, Sect 2, Para 10, Pg 3-2-7)
         (b) Horse collar and line;
         (c) Quick release line; and
         (d) Rescue bag.

         Ref: A1. Chap11. Art 11.9.7/11.10. Pg 11-52/11-56)

      (7) Check emergency equipment;
         (a) Bilge auto and hand pumps; (Ref: C16, Sect 7, Pg 3-7-1 // A31, Sect 3, Para 13/14, Pg 3-3-7)
         (b) Emergency steering; (Ref: C16, Sect 8, Pg 3-8-1/2-1-21)(A31, Sect 2, Para 8, Pg 3-2-4)
         (c) Anchor line;
         (d) First aid kit; and

         Ref: C16. Sect 1. Para 16. Pg 2-1-25/2-1-26)

         (e) Fire extinguisher/portable fitted. (Ref: C16, Sect 8, Pg 3-8-2)
      (8) Check batteries and connections;(Ref: A31, Sect 3, Para 9, Pg 3-3-6)
      (9) Check wiring; (Ref: A38, Unit 2, 2-2 Vessel Spec, Pg 35)
      (10) Check antennas; (Ref: A38, Unit 2, 2-2 Vessel Spec, Pg 32)
      (11) Check electronic equipment; (Ref: C16, Part 3, Sect 6, Pg 5-6-1/5-6-2)
      (12) Check kill switch function; (Ref: C16, Part 3, Sect 7, Para 4a.b.c.d.e, Pg 3-7-1/3-7-2)
      (13) Check trim; (Ref: A31, Sect 4, Para 7a, Pg 3-4-4)
      (14) Check prop; and (Ref: A31, Sect 3, Para 4, Pg 3-3-2)
      (15) Check all equipment mounts. (Ref: C16, Sect 6, Part 2, Para 4abcd, Pg 3-6-1/3-6-2)

c. Fuelling: (Ref: A8, EMS, Art 1.12, Small Craft and Misc Fuelling Operations, Pg 73-74)

(1) Environmental requirements;
(2) Equipment requirements;
(3) Personnel requirements;
(4) Local SOPS; and
(5) Fuelling checklist.

Ref: (A57, Boatshed SOP, Fuelling, Pg 1)

d. Flushing engines: (Ref: A31, Part 5, Sect 4, Para 8/9 abc, Pg 3-7-2/3-7-3)

(1) Purpose;
(2) Environmental requirements;
(3) Equipment requirements;
(4) Personnel requirements; and
(5) Local SOPS.

e. Winterizing the engine cooling system: (Ref: A31, Part 1, Sect 3, Para 30, Pg 3-3-23/3-3-24)

(1) Purpose;
(2) Environmental requirements;
(3) Equipment requirements;
(4) Personnel requirements; and
(5) Local SOPS.

ENABLING CHECK – EO 009.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. All items listed in para 2; and

2. Boat Shed.

Arrangements and Procedures

1. This EC will be administered at the end of the EO-009.01.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a practical EC.

2. This EC is designed to access the trainee's knowledge of material covered in EO-009.01.

3. You have 1 x 50 minute period to complete this EC.

PART III – ENABLING CHECK NOTES

4. This EC is used for confirmation of progress.

5. A supplemental EC is not required if trainee fails.

PART IV – ENABLING CHECK LIST

N/A

PERFORMANCE CHECK – PO 009

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Rib

2. Checklist

Arrangements and Procedures

3. This will be a practical pass/fail PC based on PO-008/PO-009.

4. In Part A Section 1 and 2, a group of three students, shall conduct daily-weekly checklist for RIB.

5. In Part B Section 3 and 4, a group of three students conduct fuel procedures and flush engine (winterizing cooling system).

6. Failure to adhere to the checklists provided will result in a failure of this PC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a practical pass/fail PC based on PO-008/PO-009.

2. Pass or fail as per checklist; and

3. Two x 50 minutes periods to conduct the entire PC.

PART III – PERFORMANCE CHECK NOTES

1. A failure of any part of this PC does not constitiute a failure of the entire PC.The part of the PC that was unsuccessful will be retested on its own.

PART IV – PERFORMANCE CHECK LIST

RIGID INFLATABLE BOAT (RIB) PC-009 PRE-START CHECKS			
CHECK LIST		**CORRECT**	**INCORRECT**
PART A - SECTION-1 BOW AREA			
1	Inflatable Collar At Operating Pressure		
2	Contents Of Forward Locker/ Locker Dry		
3	Secure Forward Hatch/ Caps On Relief Valves		
PART A - SECTION-1 FUEL LEVEL			
1	Full Fuel Tank		
2	Secure Fuel Cap		
PART A - SECTION-1 ENGINE COMPARTMENT			
1	Visual Inspection Of Engine, Air Flaps Are Open And Fire Extinguisher Pin Out		
2	Stripping Valve Open/ Operation Of Stripping Pump		
3	Stripping Valve Closed		
4	Fuel/Water Separator Bowl Clear		
5	Fuel Supply Valve Open / Fuel Return Valve Open		
6	Belt Tension / Coolant Level		
7	Oil Level		
8	Secure Console/Engine Cover		
9	Replace Life Line On Console (If Fitted)		
PART A - SECTION-1 CONSOLE / ENGINE COVER			
1	Disconnect Shore Power		
2	Battery Switch To Position #1		
3	Voltmeter Reads Greater Than 12 Volts		

RIGID INFLATABLE BOAT (RIB) PC-009 PRE-START CHECKS			
CHECK LIST		**CORRECT**	**INCORRECT**
4	Battery Switch To Position #2		
5	Voltmeter Reads Greater Than 12 Volts		
6	Reset Battery Switch To Position #1		
7	Out-Drive Trim Pump (-5 To 12 Degrees)		
8	Electric Bilge Pump Operation:		
	(1) Manual		
	(2) Switch Set To Automatic		
9	Lights (Navigation / Search / Control Console)		
10	Horn / Steering Wheel Operated		
PART A - SECTION-1 AFT STOWAGE LOCKER			
1	Water Intake Seacock Valve Open (Out-Drive)		
2	Manual Bilge Pump Operation / Float Switch Operation		
3	Reser Valve Pressure 20 To 30 PSI		
4	Out-Drive Trim Pump Fluid Level		
5	Sea Water Strainer Clean		
6	Ensure Drain Plug Installed / Secure Aft Stowage Locker		
ADDITIONAL COMMENTS- STRENGTHS / AREAS FOR DEVELOPMENT			
A complete debrief has been conducted and the trainee has seen the content of this assessment			
Grade:			
EC Administrator:			
Trainee:			

RIGID INFLATABLE BOAT (RIB) PC-009 PRE-START CHECKS			
CHECK LIST		CORRECT	INCORRECT
	Date:	Signature:	

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-009 MAINTAIN RIB			
STUDENT RANK / NAME INT:			
COURSE NUMBER:			
DATE:			
PC ADMINISTRATOR RANK / NAME INT:			
CHECK LIST	YES	NO	COMMENTS
PART B - SECTION-3 FUELLING PROCEDURES CHECKLIST			
1 15lb Blue dry chemical extinguisher to be manned by qualified person in immediate vicinity of POL Locker.			
2 Drain blocker placed over sewer manhole drain.			
3 Inspect/ensure containers are in good condition (proper lid, cap, no leaks).			
4 Ensure diesel is stored in yellow, and gasoline in red, approved CSA containers.			
5 White fuel absorbent pad(s) placed around POL Locker on ground by doors.			
6. Place white fuel absorbent boom below area where fuelling will take place.			
7. No smoking or naked lights are to be permitted within 15 meters of fuelling transfer.			

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-009 MAINTAIN RIB				
	STUDENT RANK / NAME INT:			
	COURSE NUMBER:			
	DATE:			
	PC ADMINISTRATOR RANK / NAME INT:			
	CHECK LIST	**YES**	**NO**	**COMMENTS**
8.	Additional fuel absorbent pads to be available in the event of a spill.			
9.	Place orange pylons by entrance to parking area once fuel truck is parked by POL Locker to restrict traffic movement.			
10.	Only one person in POL Locker during fuel transfers.			
11.	Fuel containers to be filled inside POL Locker.			
12.	Only one fuel container to be filled at a time and caps are to be secured prior to start of filling next fuel container.			
13.	Fuel containers to be filled not more than 95% volume to allow sufficient head space for fuel expansion.			
14.	Once fuelling is complete, remove orange pylons by entrance to parking area.			
15.	Used absorbent pads are to be placed in “YELLOW” waste barrel. Note: Barrel located in POL Locker			
ADDITIONAL COMMENTS **(STRENGTHS / AREAS FOR DEVELOPMENT)**				

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-009 MAINTAIN RIB			
STUDENT RANK / NAME INT:			
COURSE NUMBER:			
DATE:			
PC ADMINISTRATOR RANK / NAME INT:			
CHECK LIST	YES	NO	COMMENTS
A complete debrief has been conducted and the trainee has seen the content of this assessment			
Grade:			
PC Administrator:			
Trainee:			
	Date	Signature	

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-009 MAINTAIN RIB				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		YES	NO	COMMENTS
PART B – SECTION - 4 FLUSHING ENGINE (WINTERIZING) CHECKLIST				
1	Close the sea water intake seacock valve (out-drive)			

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-009 MAINTAIN RIB				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		**YES**	**NO**	**COMMENTS**
2	Remove the cap and open the sea water flush valve			
3	Open engine drain valve located at the lower front of engine			
4	Remove plug from sea water strainer and drain water			
5	Place a sign over the steering wheel stating; **(SYSTEM HAS BEEN DRAINED AND SEACOCK CLOSED)**			
RIB IN CRADDLE OR TRAILER				
1.	Leave the seawater intake seacock valve (out-drive) open			
2.	Remove the cap and open the seawater flush valve			
3.	Open engine drain valve located at the lower front of engine			
4.	Remove plug from seawater strainer and drain valve **(ONCE WATER IS DRAINED FROM SYSTEM REPLACE THE CAP AND CLOSE THE SEAWTER FLUCH VALVE)**			
5.	Close engine drain valve located at the lower front of engine			
6.	Replace plug in seawater strainer			
ADDITIONAL COMMENTS **(STRENGTHS / AREAS FOR DEVELOPMENT)**				

BOAT COXN COURSE RIGID INFLATABLE BOAT (RIB) PC-009 MAINTAIN RIB			
STUDENT RANK / NAME INT:			
COURSE NUMBER:			
DATE:			
PC ADMINISTRATOR RANK / NAME INT:			
CHECK LIST	**YES**	**NO**	**COMMENTS**

A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
PC Administrator:		
Trainee:		
	Date	**Signature**

PO 010 Operate RIB ARCH

EO 010.01 Operate RIB ARCH Electronic Equipment

1. Performance: Operate RIB ARCH Electronic Equipment

2. Conditions:

   a. Given:

      (1) Fully Equipped and manned RIB with ARCH;
      (2) PPE;
      (3) Appropriate environmental clothing; and
      (4) References.

   b. Denied:

      (1) Nil

   c. Environmental:

      (1) All Meteorological Conditions

3. Standard. Operate RIB ARCH Electronic Equipment IAW references and with due regards to safety, to include:

   a. Operating GPS/electronic chart display;

   b. Operating radar;

   c. Operating echo sounder; and

   d. Conducting troubleshooting.

      (1) General;
      (2) Radar;
      (3) GPS;
      (4) Plotter; and
      (5) Sounder.

4. Time.

   a. 29 x 50 min periods

5. Method / Media.

   a. Lecture – 4 x 50 minute periods

   b. Demo – 2 x 50 minute periods

   c. Practical – 20 x 50 minute periods

d. EC – 3 X 50 minute periods

6. References.

a. C1, C10, C13, C15, C19

7. Training Aids.

a. All items listed in paragraph 2.

8. Test Details.

a. Nil

9. Remarks.

a. Presentations on RIB ARCH available on NAV Res Website!

10. Teaching Points.

a. GPS/electronic chart display: (Ref: C15 Raymarine 400 GPS Plotter C-series Display Handbooks)

(1) Explain controls; (C15, Sect 1.0, Page 5/6)
(2) Using controls; (C15, Sect 3.0, Page 9)
(3) Inserting compact flash cards;
(4) Removing compact flash cards;

C15. Sect 3.2. Page 10/11

(5) Setting up display;
(6) Distinguish chart features;
(7) Using electronic chart;

C15. Sect 3.2.2. Page 12/18

(8) Passage planning (to include Search Patterns); and (C15, Routes, Page 19/24)
(9) Warnings and alarm systems. (C15, Sect 3.24, Page 25/29)

b. Radar (Ref: C19, LCD Radar System Operation Manual)

(1) Basic radar theory; (C19, Sect 3 Introduction, Page 3-1 or 43)
(2) Explain controls; (C19, Sect 3.3 Operating Controls, Page 3-9)
(3) Using controls (Rain, Gain and Tune) (C19, Sect 3, 3.3 Operate Control, Art 3.3.2 Tune/Rain/Gain, Page 3-11/3-13)
(4) Use of Radar in all conditions (WX and TFC); and
(5) Plotting of contacts. (C19, Sect 3, Operations, 3.3 Radar map, Page 3-2/3-9)

c. Echo Sounder (Ref: C10, FishFinder (Echo Sounder) L365 Instruction Manual)

(1) Operate controls; (C10, Chap 3, Page 24/28)
(2) Considerations for setting alarm depths; and (C10, Chap 4, Page 57-59)

d. Troubleshooting; (Ref: C10, C13, C15, C19)

(1) General;
(2) Radar;(C19, Sect 5, 5.3 Operational Check Out, Table 5.1, Pg 5-16/5-17)

(3) Echo Sounder; (C10, Chap 5, Pg 64)
(4) Plotter; and (C13, Chap 5, Trouble Shooting, Pg 53/54)
(5) GPS. (C15, 4.0 Trouble Shooting Guide, Pg 30)

ENABLING CHECK – EO 010.01

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Vessel alongside.

Arrangements and Procedures

1. This will be a pass/fail practical EC on the vessel.
2. The EC checklist will be used in this EC.
3. Three periods have been allocated to each student for this EC.
4. Use applicable porition of this PC checklist PO-010 for EC checklist.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. You must pass this EC in order to continue training.
2. This will be a pass/fail practical EC on the vessel.
3. The applicable porition of PC checklist PO-010 will be used for the EC checklist.
4. Three periods has been allocated to each student.

PART III – ENABLING CHECK NOTES

5. A failure of any part of this EC does not constitiute a failure of the entire EC.The part of the EC that was unsuccessful will be retested on its own.

PART IV – ENABLING CHECK LIST

N/A

PERFORMANCE CHECK – PO 010

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Vessel; and

2. Checklist

Arrangements and Procedures

1. This practical PC will be done in conjunction with EC-010.01.

2. Each student will have three periods to complete this porition of the PC.

3. This will be a fail/pass PC based on the checklist.

4. A failure of any part of this EC does not constitiute a failure of the entire EC.The part of the EC that was unsuccessful will be retested on its own.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This practical PC will be done in conjunction with EC-010.01.

2. You will have three periods to complete this porition of the PC.

3. This will be a fail/pass PC based on the checklist.

4. A failure of any part of this EC does not constitiute a failure of the entire EC.The part of the EC that was unsuccessful will be retested on its own.

PART III – PERFORMANCE CHECK NOTES

1. Unsatisfactory performance on any item identified on the checklist will result in retest on its own accord.

PART IV – PERFORMANCE CHECK LIST

BOAT COXN COURSE RIGID INFLATABLE BOAT ARCH / PC-010				
	CHECK LIST	**YES**	**NO**	**COMMENTS**
	SECTION-1- OPERATE RIB ARCH ELECTRONIC EQUIPMENT			
	RADAR			
1	Power /Brill: **Momentary press** Turns the power ON, shows soft keys for adjustment of brilliance and hue. Shows RADAR STBY/TX soft keys (cover during operation) Press three seconds turns power OFF			
2	Trackball: The trackball's main function is to move the cursor across the screen. When you correctly execute an operation, the unit generate a beep. Invalid operation causes the three beeps.			
3	Save MOB: Press momentary will registers own ship as a waypoint. Press three second marks man overboard position.			
4	Enter: The **(ENTER)** knob mainly functions to register selections on the menu and adjust the Electronic Bearing Line (EBL), Variable Range Marker (VRM) and gain. **Push** register setting, **Rotate** Adjusts gain, VRM, EBL. Selects menu items and options. May also be used to enter alphanumeric data.			
5	Soft Keys: The function of the five soft keys changes according to the operation. Their labels for their current functions are shown on the screen to the left of the keys. To hide or show the soft keys, press the [HIDE/SHOW] key. Each press of the Key shows preset soft keys, user function keys or turns off navigation information (At the top of the screen).			
6	Range: Used to change the Chart Scale.			
7	Hide Show: Shows or hides the soft keys, function keys.			
8	Chart Drive: The unit reads or C-MAP chart cards. Insert the appropriate chart card for your area.			

9	Display. Display the mode selection window (you can divide the screen into halves and thirds to show two and three sets of images on a combination display).			
	ECHO SOUNDER			
1	Select SOUNDER, and then press the EDIT soft key.			
2	Select BUILT IN DATA (internally generated echoes) or ETR (Network sounder-generated echoes), then push the **[ENTER]** knob. **Note:** The depth, shift, bottom-zoom, bottom-lock and bottom discrimination cannot be shown in the BUILT IN DATA mode.			
3	Press the **[MENU]** key to close the menu.			
	PLOTTER			
1	Select PLOTTER, and then press the EDIT soft key.			
2	Select SIMULATION, and then push the **[ENTER]** knob.			
3	Select SPEED, and then press the EDIT soft key.			
4	Enter speed (setting range, 0-99 kt, default speed, 0 kt) with the Alphanumeric keys then push the **[ENTER]** knob.			
5	Select COURSE, and then press the EDIT key.			
6	Select “8 FIGURE” to trace the simulated ship’s track in a figure-eight course, or enter your own course at DIRECTION. To enter course, use the **trackball** to select digit, and enter value with the alphanumeric keys.			
7	Press the ENTER soft key. Select LATITUDE, and then press the EDIT soft key.			
8	Enter latitude (setting range, 85□N-85□S, default setting, 45□35.000’N), then Push the **[ENTER]** knob.			

9	Select LONGITUDE, and then press the EDIT soft key.			
10	Enter longitude (setting range, 180'E-180□W, default setting, 125'00.000'W), then push the **[ENTER]** knob.			
11	Select START DATE & TIME, and then press the EDIT soft key.			
12	Enter start date and time, then push the **[ENTER]** knob. Press the **[MENU]** key to close the menu.			
GPS				
1	GPS sensor test (requires GPS receivers GP-310B)			
2	Press the **GPS SENSOR TEST** soft key at the Memory I/O TEST menu to test the GPS Receiver.			
3	The equipment displays GPS receiver program			
4	Version number, and checks the GPS unit for proper operation, displaying **OK** or **NG** (No Good) as the result. For NG, request service.			
5	Press the **RETURN** soft key to return the **MEMORY I/O TEST** menu.			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				

A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

PO 011 Operate FPV

EO 011.01 Prepare FPV for Cradling and Un-Cradling

1. Performance: Prepare FPV for Cradling and Un-Cradling

2. Conditions:

   a. Given:

      (1) Vessel;
      (2) Cradle;
      (3) Lifting strops;
      (4) PPE;
      (5) Appropriate environmental clothing; and
      (6) Technical drawings.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) N/A

3. Standard. Prepare FPV for Cradling and Un-cradling IAW DMPOR checklist and with due regards to safety.

   a. Hoisting/cradling.

4. Time.

   a. 2 x 50 min periods.

5. Method / Media.

   a. Lecture: 1 x 50 min period;

   b. Demo: 1 x 50 min period;

6. References.

   a. A15, C1

7. Training Aids.

   a. Cradle;

   b. Crane;

   c. Safety equipment; and

d. Vessel.

8. Test Details.

a. IAW EC checklist.

9. Remarks.

a. Hoisting procedures will be conducted up to, but including, the lift.

10. Teaching Points.

a. Hoisting/cradling

(1) Pre-hoist/cradling preparations IAW checklist.

EO 011.02 Operate FPV

1. Performance: Operate FPV

2. Conditions:

   a. Given:

      (1) Fully manned and equipped FPV;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Checklists;
      (5) Logs; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair meteorological conditions

3. Standard. Operate FPV IAW references and with due regards to safety, to include:

   a. Conducting flash up procedures;

   b. Departing jetty;

   c. Manoeuvring at rest/low speed;

   d. Manoeuvring laterally;

   e. Coming alongside; and

   f. Conducting shutdown procedures.

4. Time.

   a. 80 x 50 minute periods

5. Method / Media.

   a. Lecture – 7 X 50 min periods

   b. Demo – 3 x 50 min periods

   c. Practical – 62 x 50 min periods

   d. EC – 8 x 50 min periods

6. References.

   a. A1, C1

7. Training Aids.

   a. Classroom.

   b. Vessel.

   c. Checklists.

8. Test Details.

   a. Combined EC

9. Remarks.

   a. Instructors are to ensure that students understand the importance of using the checklist and not to rely on their memory when conducting the flash-up and shut-down procedures. Due to the space restriction of the vessel, student/instructor ratio 3:1 per boat.

10. Teaching Points.

   a. Flash-up: (Ref: C1, Section 1a/b-Checklist EO-011.02)

      (1) Visually inspect and complete report.
      (2) Complete damage report and initiate documentation for repairs.
      (3) Complete Equipment Checklist (ECL);
      (4) Conduct Pre-Start Checks;
      (5) Pre-start checks are to be completed and recorded IAW the laid-down sequence;
      (6) Complete start-up log;
      (7) File completed reports with appropriate authorities;
      (8) Tech info required;
         (a) Speed Max;
         (b) Weight (empty/full);
         (c) Draft;
         (d) Engine Size;
         (e) Length Overall;
         (f) Width;
         (g) Height (Mast Up); and
         (h) Fuel Specs. And Range.

   b. Departing jetty: (C1, Ultra Jet Boat Handling Guide, Section 4, Art 4.1/4.4, Pg 14-18)

      (1) Theory of water jet propulsion system;
      (2) Adjust engine throttles;
      (3) Independently adjust reversing deflector;
      (4) Manipulate steering deflector; and

(5) Line handling (A1, Chap 4, 4.2 Safety Evolution, Para e, pg 4-5)

c. Manoeuvre at rest/low speed: (Ref. C1, Section 4, Art 4.5, Pg 19)

(1) Engine control;
  (a) Adjust engine throttles;
  (b) Reverse deflector control;
  (c) Independently adjust reversing deflector; and
  (d) Steering deflector control.

d. Manipulate steering deflector

e. Manoeuvre laterally: (Ref: C1, Section 4, Art 4.5, Pg 18)

(1) Engine control;
  (a) Adjust engine throttles;
  (b) Reverse deflector control;
    (i) Independently adjust reversing deflector;
  (c) Steering deflector control
    (i) Manipulate steering deflector.

f. Coming alongside: (Ref: C1, Section 4, Art 4.2, Pg 15)

(1) Engine control;
  (a) Adjust engine throttles;
  (b) Reverse deflector control;
    (i) Independently adjust reversing deflector;
  (c) Steering deflector control
    (i) Manipulate steering deflector;
(2) Line handling: (A1, Chap 4, 4.2 Safety Evolution, Para e, pg 4-5)

g. Shutdown procedure: (IAW Checklist)

(1) Shutdown checklist;
  (a) Shutdown checks are to be completed and recorded IAW the laid down sequence;
  (b) Shutdown/problem form;
    (i) Completed damage report and initiate documentation for repairs.

ENABLING CHECK – EO 011.02

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Vessel
2. Checklist

Arrangements and Procedures

1. This will be a practical pass/fail PC.
2. This will be done in conjunction with other PC's.
3. Each student has 8 X 50 minute periods.
4. Failure to adhere to the checklists provided will result in a failure of this PC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This will be a practical pass/fail PC.
2. This will be done in conjunction with other PC's.
3. Each student has 8 X 50 minute periods.
4. Failure to adhere to the checklists provided will result in a failure of this PC.

PART III – ENABLING CHECK NOTES

Nil

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE FORCE PROTECTION VESSEL / EC-011.02		
CHECK LIST	**YES**	**NO**
SECTION 1a - FLASH UP - VISUAL INSPECTION DAMAGE REPORT		
TOP SIDE		
		
STARBOARD SIDE		
PORT SIDE		
		
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT		
A complete debrief has been conducted and the trainee has seen the content of this assessment		

Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

BOAT COXN COURSE FORCE PROTECTION VESSEL / EC-011.02		
CHECK LIST		
SECTION 1b – FLASH UP DAMAGE REPORT/INITIATE DOCUMENTATION FOR REPAIRS		
TOP SIDE		
		
STARBOARD SIDE		
PORT SIDE		
		
ADDITIONAL COMMENTS		
A complete debrief has been conducted and the trainee has seen the content of this assessment		
FPV SERIAL NUMBER:		
EC Adminstrator:		
Completed By Trainee:		
	Date:	Signature:

BOAT COXN COURSE FORCE PROTECTION VESSEL / EC-011.02				
CHECK LIST		**YES**	**NO**	**COMMENTS**
Section 1c - FPV EQUIPMENT CHECKLIST				
1	Kisby Ring located Port side aft;			
2	Heaving line located by Kisby Ring;			
3	Anchor located Stbd side aft;			
4	4 Fenders;			
5	Handle for manual pump located in holder next to manual pump Stbd side of cabin door;			
6	Engine room CO2 fitted extinguishers located in covered holder Stbd side of cabin door;			
7	Anchor line c/w chain located fwd in storage compartment upper deck;			
8	3 portable extinguishers 2 located in engine compartment and 1 located on side of small arms locker;			
9	Screen covers for GPS and Radar displays;			
10	2 engine room cover locking handles located in small arms locker;			
11	2 Keys for fresh and wastewater deck covers;			
12	1 boat hook located in small arms locker;			
13	1 manual EPIRB located in holder located on bulkhead port side aft of cabin;			
14	2 hand held search lights located under seat cover port side aft of cabin;			
15	1 hand held loud hailer located under seat cover port side aft of cabin;			
16	Portable overboard discharge hose located under seat cover port side aft of cabin;			

17	Lifting slings for FPV c/w shackles under seat cover port side aft of cabin;			
18	Microwave located in fwd cabin Stbd side; and			
19	Fridge located in fwd cabin Stbd side.			
20	1 coffee pot located in fwd Stbd side			

ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT		
A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

BOAT COXN COURSE FORCE PROTECTION VESSEL / EC-011.02				
CHECK LIST		**YES**	**NO**	**COMMENTS**
Section 1 d - PRE-START CHECKS PROCEDURES				
1	Coxn to maintain custody of ignition keys until all engine compartment checks are complete;			
2	Open both jet drive inspection panels on platform and ensure no debris is fouling reversing deflectors;			
3	Coxn to maintain custody of ignition keys until all engine compartment checks are complete;			
4	Ensure Sea Cocks (Blue Handles) are in the open position;			
5	Ensure battery switches are indicating primary operating positions 2/1/2;			
6	Check for wear on hydraulic pump belts for jet drives;			
7	Check hydraulic fluid level on both reservoirs for jet drives.			
8	Check and clean both Sea Strainers and ensure they are properly in place and cover is secured tightly;			
9	Check transmission fluid levels;			
10	Check engine oil levels on both engines;			
11	Check serpentine belts for wear and proper tension on both engines;			
12	Check Coolant levels on both engines **Caution**: This is only to be checked when engine is cold;			
13	Check both Fuel-Water Filter Separators for water and drain as necessary;			

14	Close engine covers and secure with latching tool;			
15	Open and secure engine room air flaps;			
16	Ensure fuel suction and return valves are in the open position;			
17	Check amount of fuel onboard by gauge or manual dip;			
18	Proceed into fwd cabin and open valve under wastewater holding tank and open valve to fwd bilge compartment to check for water. If no water is present, close valve. If water is present, allow water to drain into fwd cabin compartment. If there is only a small amount of water, remove with rags. If there is a sizeable amount of water, allow water to drain into fwd compartment bilge. Investigate reason for sizeable amount of water in fwd bilge compartment before proceeding;			
19	Open hatch on deck in helm compartment to bilge compartment below. Check for any odour of fuel, as this is where the fuel tank is located. If no odour is detected open valve located on fwd bulkhead to allow water from fwd cabin to drain into fuel tank bilge compartment. There is a bilge pump located in this compartment and will pump any water overboard entering this compartment. Ensure cap on fuel tank drain valve is secured in place;			
20	In forward cabin head, locate head supply valve and ensure it is in the closed position. This valve is only to be opened when toilet is in use;			
21	Check level of fresh water in fresh water holding tank located under sink and fill as required;			
22	Check level in wastewater holding tank located under ladder to weapon turret and empty as required;			
23	In forward cabin, switch off main circuit breaker for shore power;			
24	Switch off shore power at breaker on jetty;			

25	Disconnect power cable from boat;			
26	Starting one engine at a time, turn key to position (I) and check alarm display. Once all warning lamps go out, turn key to position (III) and hold until engine starts (Engine will only start once all parameters are met by onboard computers). Once engine starts let key go and it will return to position (I). Monitor gauges for proper readings and ensure exhaust water is flowing from exhaust pipe on stern of boat. Start other engine using the same procedures;			
27	Ensure exhaust water is flowing from pipes on stern of boat.			
28	Let engines warm up to near operating temperature-monitoring gauges periodically. If required, increase engine RPM by pressing the (N) button on the EVC panel and move the throttle controls FWD;			
29	Remove covers from GPS and Radar displays and store for sea;			
30	Test bilge pump for audio alarm; ensure bilge pump is placed in automatic			
31	Flash up any electronic equipment needed during warm up phase;			
32	Check all navigating lights are working and set as required;			
33	Check manual and automatic sound signals are working properly;			
34	Check throttle control for transmission engagement on both engines;			
35	Clear impellers of both jets by back flushing throttle/transmission control for 20 seconds;			
36	Checking reverse deflectors one at a time by engaging one transmission at a time and operating reverse deflector through it's full range of motion, and return reverse deflectors to full up position;			
37	Ensure both jet drive inspection panels on after platform are closed and secure;			

38	Secure after platform safety chain is placed across opening;			
39	Inspect hydraulic hoses on reverse deflectors for leaks.			
40	Ensure after engine room access hatch is closed and secured tightly.			
41	Locate neutral position of both reversing deflectors by engaging both transmissions and move deflectors to relax shorelines and place transmissions back to neutral;			
42	Record information on engine temperature etc. on Start-up log;			
43	Contact QHM and inform them " Departing (Location) proceeding to (Location)"; and			
44	Contact Harbour Traffic and inform them " Departing (Location) proceeding to (Location)".			

ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT		
A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

BOAT COXN COURSE FORCE PROTECTION VESSEL / EC-011.02				
CHECK LIST		**YES**	**NO**	**COMMENTS**
Section 1 e - FPV HANDLING GUIDE TO PROPULSION SYSTEM				
DEPARTING JETTY				
1	Hold vessel stationary alongside using helm, throttles and reversing deflectors until all lines are let go.			
2	Transition from alongside position using helm and reversing deflectors moving laterally until clear of jetty.			
3	Transition from lateral movement to forward movement using helm, throttles and reversing deflectors to move vessel into stream using appropriate sound signals as required.			
MANOEUVRE AT REST/LOW SPEED/LATERALLY				
1	Turn at rest to port using proper reversing deflector and by manipulating vessels helm.			
2	Turn at rest to stbd using proper reversing deflector and by manipulating vessels helm.			
3	Turn at rest to port using reversing deflectors only.			
4	Turn at rest to stbd using reversing deflectors only.			
5	Manoeuvre around a stationary object (i.e. Buoy) to port maintaining 15 feet distance using reversing deflectors and manipulating vessel's helm.			
6	Manoeuvre around a stationary object (i.e. Buoy) to stbd maintaining 15 feet distance using reversing deflectors and manipulating vessel's helm.			

7	Back vessel in confined waters a minimum of 50 meters maintaining a straight line and safe speed using reversing deflectors and manipulating vessels helm.			
COMING ALONGSIDE				
1	Proceed alongside a suitable float or jetty port side using lateral movement using reversing deflectors and manipulating vessel helm. Vessel to be held alongside for one minute with minimal fwd/aft movement of vessel.			
2	Transition from alongside position using helm and reversing deflectors moving laterally until clear of float/jetty.			
3	Turn at rest using helm only 180 degrees.			
4	Proceed alongside a suitable float or jetty stbd side using lateral movement using reversing deflectors and manipulating vessel helm. Vessel to be held alongside for one minute with minimal fwd/aft movement of vessel.			
5	Transition from alongside position using helm and reversing deflectors moving laterally until clear of float/jetty.			
6	Return to primary birth and secure alongside.			
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				
A complete debrief has been conducted and the trainee has seen the content of this assessment				

Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

BOAT COXN COURSE FORCE PROTECTION VESSEL / EC-011.02				
CHECK LIST		**YES**	**NO**	**COMMENTS**
Section 1 f - FPV SHUT-DOWN CHECKLIST				
1	Ensure all docking lines are secured to boat, jetty and that additional lines are used if weather conditions warrant;			
2	Place reverse deflectors in full up position by engaging transmissions and placing reverse deflector controllers in full fwd position and placing throttle controls in neutral.			
3	Contact QHM and Harbour Control and report alongside (Jetty etc);			
4	Turn off navigational lighting that might be in use;			
5	Allow engines to idle for approximately 2 min to allow engine temperatures to drop to normal and allow time for turbo charger to come to a stop;			
6	Turn off Electronic Hailer and Communication Radio;			
7	Turn off all navigational equipment;			
8	Replace covers for GPS and Radar displays;			
9	Ensure bilge pump is placed in automatic			
10	Take reading from engines etc and record on shutdown log;			
11	Shut down engines by turning key to (S) position and hold until engines stop and remove keys from ignitions;			

12	Ensure shore power breaker is in the off position;			
13	Plug shore cable into boat onboard plug;			
14	Turn shore power on jetty to on position;			
15	On main 110 breaker panel on boat a green light will indicate power to the panel is available and main circuit breaker can be moved to the on position;			
16	Ensure breakers for engine block heaters are in the on position;			
17	Turn cabin lights on for night rounds;			
18	Close vent in heads;			
19	Turn furnace off by switch on thermostat in warm conditions or lower furnace temperature to maintain cabin temperature during cold conditions;			
20	Ensure all windows are closed;			
21	Close engine room flaps and secure in place;			
22	Open after engine compartment hatch and check engine compartment for any irregularities;			
23	Check all hydraulic fitting for reversing deflectors for leaks or hose wear;			
24	Close after engine compartment hatch; and			
25	Lock cabin door;			
Indicated any damage to vessel on Visual Inspection Report Form.				
ADDITIONAL COMMENTS—STRENGTHS/AREAS OF DEVELOPMENT				
A complete debrief has been conducted and the trainee has seen the content of this assessment				

Grade:		
EC Adminstrator:		
Trainee:		
	Date:	**Signature:**

EO 011.03 Respond to Emergencies

1. Performance: Respond to Emergencies

2. Conditions:

   a. Given:

      (1) Fully manned and equipped FPV;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Checklists;
      (5) Logs; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair meteorological conditions

3. Standard. Respond to Emergencies IAW references and with due regards to safety, to include:

   a. Onboard emergencies to include;

      (1) Fire;
      (2) Damage control; and
      (3) Equipment failure.

   b. Rescue and Recovery.

4. Time.

   a. 4 x 50 minute periods

5. Method / Media.

   a. Lecture – 2 x 50 min periods

   b. Demo – 2 x 50 min periods

   c. Practical – in conjunction with EO 011.02 practical portion

6. References.

   a. A9, A17, A18, A42, A43, A50, A51, C1, C4, C16

7. Training Aids.

a. Vessel

8. Test Details.

a. Combined EC with EO 011.02.

9. Remarks.

a. Navigation consideration for towing/recovery operations will be instructed as part of PO 011.

b. Instruction will be conducted in daylight and good visibility.

10. Teaching Points.

a. Procedures for response to engine compartment fire: (Ref. A8, A9, C1)

(1) Declare type of emergency on channel _____ and vessel location;
(2) Stop both engines;
(3) Shut fuel supply and return valves to both engines;
(4) Close both engine air intake flaps;
(5) Activate engine compartment fire suppression system;
(6) Wait for assistance/ prepare for tow.

b. Procedures for response to onboard fire; (Ref. A8, C1) and

(1) Declare type of emergency on channel ____ and vessel location.
(2) Rapid response with first aid extinguisher;
(3) Isolate Power (3 battery switches in the engine room.)

c. Procedures for response to flood. (Ref: C1)

(1) Operation of electric bilge pump;
(a) Operation test (PM); and
(b) Three way switch.
(2) Operation of hand–operated bilge pump.

d. Equipment Failure Response: (Ref: C1)

(1) Propulsion;
(2) Electrical; and
(3) Mechanical.

e. Rescue and Recovery: (Ref: A1, A17, A18)

(4) Conducting rescue and recovery of a casualty
(5) Conducting tows

EO 011.04 Operate Auxiliary/Fitted Equipment

1. Performance: Operate Auxiliary/Fitted Equipment

2. Conditions:

   a. Given:

      (1) Fully manned and equipped FPV;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Checklists;
      (5) Logs; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair meteorological conditions

3. Standard. Operate Auxiliary/Fitted Equipment IAW references and with due regards to safety, to include:

   a. Operating ablution system;

   b. Operating heating system;

   c. Operating fitted search light;

   d. Operating EPIRB;

   e. Operating inverter/charger;

   f. Operating windshield clearing system; and

   g. Performing fuelling procedures.

4. Time.

   a. 4 x 50 minute periods

5. Method / Media.

   a. Lecture – 2 x 50 min periods

   b. Demo – 2 x 50 min periods

   c. Practicial – in conjunction with EO 011.02 practical portion

   d. EC – in conjunction with EC 011.02

6. References.

   a. A52, C1.

7. Training Aids.

   a. Vessel

8. Test Details.

   a. N/A

9. Remarks.

   a. N/A

10. Teaching Points.

   a. Operate ablution system, to include:

      (1) Sanitary system: (Ref: C1, Section 6, Vol 2)
         (a) Manual head operation;
         (b) Sink operation;
         (c) Grey/black water holding tank (operation of diverter valves); and
         (d) Pumping out of the holding tank.
      (2) Fresh water system:
         (a) Embark fresh water; and
         (b) Hot water system.

   b. Operate heating system; (Ref C1, Section 6, Vol 2, Art 6.3)

   c. Operate the fitted searchlight: (Ref. C1, Section 6, Vol 2, Art 6.7)

   d. Operate the inverter/charger, (Ref, C1, Section 6, Vol 2, Art 6.7)

   e. Operate the windshield clearing system (Ref, C1, Section 6, Vol 2, Art 6.2)

      (1) Fan operation;
      (2) Wiper operation; and
      (3) Washer operation.

   f. Fuelling Procedures IAW SOPs (Ref: Fuelling Checklist for FPV) (Ref: A52, C1)

ENABLING CHECK – EO 011.04

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Vessel
2. Auxiliary equipment checklist

Arrangements and Procedures

1. Time required 25 minutes per students.
2. Pass or Fail is based on checklist provided.
3. This EC will be administered on completion of the daily flash up routine.
4. Use EC checklists 011.04 Section 1, Section 2 and Section 3.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This is a practical EC.
2. Pass or Fail is based on checklist provided.
3. Deviation from the checklist will result in termination and failure of the EC.
4. You have 25 minutes to complete this EC.

PART III – ENABLING CHECK NOTES

1. EC 011.04 Section 1 – Hoist/cradle shall be completed once as a group EC.
2. An unsat in Section 3 Adhered to local SOP's for fuelling will be an immediate failure.

PART IV – ENABLING CHECK LIST

BOAT COXN COURSE FORCE PROTECTION VESSEL EC-011.04 OPERATE AUXILIARY / FITTED EQUIPMENT				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
EC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		**YES**	**NO**	**COMMENTS**
SECTION-1-FITTED EQUIPMENT				
1	**Properly Operate Ablution system to include:** a. Sanitary system b. Fresh water system			
2	Properly operate the heating system			
3	Properly operate inverter/charging system.			
SECTION-2-FUELLING PROCEDURES				
1	Vessel to be secured along side as to minimize movement.			
2	Engines to be shut down, keys removed from ignitions and held by person conducting fuelling.			
3	Radar to be placed in standby mode for duration of fuelling.			
4	Radio not to be transmitted during fuelling.			
5	Fuelling boom to placed around vessel so as to fully enclose vessel.			
6	Class B fire extinguisher to be made available in vicinity of fuelling position.			

BOAT COXN COURSE FORCE PROTECTION VESSEL EC-011.04 OPERATE AUXILIARY / FITTED EQUIPMENT				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
EC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		**YES**	**NO**	**COMMENTS**
7	White fuel absorbent pad(s) are to be placed around fuel standpipe.			
8	3 inch white fuel absorbent sock to be placed around fuelling stand pipe to form a dam and sitting on top of white fuel absorbent pads.			
9	Additional white absorbent pads to be available in the event of a spill.			
10	Sufficient fuelling hose to be on deck so if vessel moves, fuelling hose will not become taught.			
11	Vessel to be fuelled to a maximum of 90% only to avoid spills through vent pipe.			
12	Soiled fuel absorbent pads are to be placed in proper containers for disposal.			
13	Maintained record of quantity of fuel transferred.			
14	Contacted QHM in the event of a fuel spill in harbour			
15	*** Adhered to local SOP's for fuelling ***			
ADDITIONAL COMMENTS **(STRENGTHS / AREAS FOR DEVELOPMENT)**				

BOAT COXN COURSE FORCE PROTECTION VESSEL EC-011.04 OPERATE AUXILIARY / FITTED EQUIPMENT			
STUDENT RANK / NAME INT:			
COURSE NUMBER:			
DATE:			
EC ADMINISTRATOR RANK / NAME INT:			
CHECK LIST	**YES**	**NO**	**COMMENTS**
A complete debrief has been conducted and the trainee has seen the content of this assessment			
Grade:			
EC Administrator:			
Trainee:			
	Date	**Signature**	

NOTE:

An UNSAT in “Adhered to local SOP’s for fuelling” will result in an immediate failure of this EC.

EO 011.05 Operate Electronic Navigation Systems

1. Performance: Operate Electronic Navigation Systems

2. Conditions:

   a. Given:

      (1) Fully manned and equipped FPV;
      (2) PPE;
      (3) Appropriate environmental clothing;
      (4) Checklists;
      (5) Logs; and
      (6) References.

   b. Denied:

      (1) Nil.

   c. Environmental:

      (1) Fair meteorological conditions

3. Standard. Operate Electronic Navigation Systems IAW references and with due regards to safety, to include:

   a. Operating GPS/electronic chart display;

   b. Operating radar; and

   c. Operating echo sounder.

4. Time.

   a. 6 x 50 minute periods

5. Method / Media.

   a. Lecture – 4 x 50 minute periods

   b. Demo – 2 x 50 minute periods

   c. Practical – in conjunction with EO 011.02 practical portion

   d. EC – in conjunction with EC 011.02

6. References.

   a. C1, C14, C15

7. Training Aids.

   a. Vessel

b. Classroom

8. Test Details.

a. Nil

9. Remarks.

a. Nil

10. Teaching Points.

a. GPS/electronic chart display: (Ref: C1 Raymarine 300 GPS Plotter C-series Display Handbooks, C15)

(1) Explain controls;
(2) Using controls;
(3) Inserting compact flash cards;
(4) Removing compact flash cards;
(5) Setting up display;
(6) Distinguish chart features;
(7) Using electronic chart;
(8) Passage planning (to include Search Patterns); and
(9) Warnings and alarm systems.

b. Radar (Ref: C1, Raymarine Pathfinder Radar Scanner Handbook)

(1) Basic radar theory;
(2) Explain controls;
(3) Using controls (Rain, Gain and Tune)
(4) Use of Radar in all conditions (WX and TFC); and
(5) Plotting of contacts.

c. Echo Sounder (Ref: C1, Raytheon L365 Instruction Manual)

(1) Operate controls; and
(2) Considerations for setting alarm depths.

ENABLING CHECK – EO 011.05

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Vessel alongside

Arrangements and Procedures

1. This will be a pass or fail practical EC
2. The EC checklist will be used for this EC
3. Three 50 minutes per student is allocated
4. Use applicable porition of PC/EC checklist

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. You must pass this EC in order to continue training
2. This will be a pass or fail practical EC
3. The applicable porition of PC checklist 011 will be used for the EC checklist
4. Three 50-minutes period per student is allocated

PART III – ENABLING CHECK NOTES

N/A

PERFORMANCE CHECK – PO 011

PART 1 – ADMINISTRATIVE INSTRUCTIONS

Material and Facilities Instructions

1. Vessel; and

2. Checklist.

Arrangements and Procedures

1. This practical PC will be done conjunction with EO: 011.02 and EO:011.03.

2. Each student will have six periods for the manoeuvring porition of the combined PC.

3. This will be a pass/fail PC based on the checklist.

4. Unsatisfactory performance on any item identified as critical on the checklist will result in immediate failure and termination of the PC.

PART II – INSTRUCTIONS GIVEN TO TRAINEE

1. This practical PC will be done conjunction with EO: 011.02 and EO:011.03.

2. You will have six periods for the manoeuvring porition of the combined PC.

3. This will be a pass/fail PC based on the checklist.

4. Unsatisfactory performance on any item identified as critical on the checklist will result in immediate failure and termination of the PC.

PART III – PERFORMANCE CHECK NOTES

1. Failure to adhere to the sequence in Section 3 of the checklists provided will result in a failure of this PC.

PART IV – PERFORMANCE CHECK LIST

BOAT COXN COURSE PC-011 OPERATE FORCE PROTECTION VESSEL				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		**YES**	**NO**	**COMMENTS**
SECTION-1-MANOEUVRE FORCE PROTECTION VESSEL				
Depart Birth				
1	Hold vessel stationary alongside using helm, throttles and reversing deflectors until all lines are let go.			
2	Transition from alongside position using helm and reversing deflectors moving laterally until clear of jetty.			
3	Transition from lateral movement to forward movement using helm, throttles and reversing deflectors to move vessel into stream using appropriate sound signals as required.			
Manoeuvre Laterally				
1	Turn at rest to port using proper reversing deflector and by manipulating vessels helm.			
2	Turn at rest to STBD using proper reversing deflector and by manipulating vessels helm.			
3	Turn at rest to port using reversing deflectors only.			
4	Turn at rest to STBD using reversing deflectors only			

BOAT COXN COURSE PC-011 OPERATE FORCE PROTECTION VESSEL	
STUDENT RANK / NAME INT:	
COURSE NUMBER:	
DATE:	
PC ADMINISTRATOR RANK / NAME INT:	

	CHECK LIST	YES	NO	COMMENTS
5	Manoeuvre around a stationary object (i.e. Buoy) to port maintaining 15 feet distance using reversing deflectors and manipulating vessel's helm.			
6	Manoeuvre around a stationary object (i.e. Buoy) to STBD maintaining 15 feet distance using reversing deflectors and manipulating vessel's helm.			
7	Back vessel in confined waters a minimum of 50 meters maintaining a straight line and safe speed using reversing deflectors and manipulating vessels helm.			
Manoeuvre Passage				
1	Interpreted / used Buoyage and Light System			
2	Used Traffic Route System			
3	Applied Rules of the Read			
4	Applied Harbour Control Instructions			
5	Flexibility (Ability to deviate from the plan) / Situational Awareness (Focus ahead of Events) – Applied collision avoidance rules			
Coming Alongside				

BOAT COXN COURSE PC-011 OPERATE FORCE PROTECTION VESSEL	
STUDENT RANK / NAME INT:	
COURSE NUMBER:	
DATE:	
PC ADMINISTRATOR RANK / NAME INT:	

	CHECK LIST	YES	NO	COMMENTS
1	Proceed alongside a suitable float or jetty port side using lateral movement using reversing deflectors and manipulating vessel helm. Vessel to be held alongside for one minute with minimal FWD/AFT movement of vessel.			
2	Transition from alongside position using helm and reversing deflectors moving laterally until clear of float/jetty.			
3	Turn at rest using helm only 180 degrees.			
4	Proceed alongside a suitable float or jetty STBD side using lateral movement using reversing deflectors and manipulating vessel helm. Vessel to be held alongside for one minute with minimal FWD/AFT movement of vessel.			
5	Transition from alongside position using helm and reversing deflectors moving laterally until clear of float/jetty.			
6	Return to primary birth and secure alongside.			
	SECTION-2-CRITICAL SAFETY FACTORS			
1	Trainee shall not stand the vessel into danger.			
2	Excessive speed in completing Section-1 of this PC.			

BOAT COXN COURSE PC-011 OPERATE FORCE PROTECTION VESSEL				
STUDENT RANK / NAME INT:				
COURSE NUMBER:				
DATE:				
PC ADMINISTRATOR RANK / NAME INT:				
CHECK LIST		**YES**	**NO**	**COMMENTS**
SECTION-3-RESPOND TO ONBOARD EMERGENCIES				
FIRE IN ENGINE ROOM AND AUDIBLE/VISUAL ALARM AT HELM POSITION				
1	Declare type of Emergency on Channel ___ and vessel location.			
2	Stop Both engines.			
3	Shut fuel supply and return valves to both engines.			
4	Close both engines air intake flaps.			
5	Activate engine compartment fire suppression system.			
6	Wait for assistance/ prepare for Tow.			
SMOKE/FIRE ONBOARD				
1	Declare type of Emergency on Channel ___ and vessel location.			
2	Stop Both engines.			
3	Rapid response with first aid extinguisher.			
4	Isolate Power (3 Battery switches in engine room).			
FLOODING IN COMPARTMENTS AND AUDIBLE/VISUAL ALARM AT HELM POSITION				
1	Bring engine to idle.			
2	Investigate compartments.			

BOAT COXN COURSE PC-011 OPERATE FORCE PROTECTION VESSEL	
STUDENT RANK / NAME INT:	
COURSE NUMBER:	
DATE:	
PC ADMINISTRATOR RANK / NAME INT:	

	CHECK LIST	YES	NO	COMMENTS
3	Contact QHM, Navigate to closest point of land and rig manual bilge pump to required compartment that flooding.			
4	If D/C unsuccessful prepare vessel EBIRP for operation and evacuate vessel.			

ADDITIONAL COMMENTS (STRENGTHS / AREAS FOR DEVELOPMENT)

A complete debrief has been conducted and the trainee has seen the content of this assessment		
Grade:		
PC Administrator:		
Trainee:		
	Date	**Signature**

NOTE:

1. An UNSAT in Section-2 Critical Safety infractions will result in a failure and must be documented in the additional comments.

2. Failure to adhere to the sequence in Section-3 of the checklists provided will result in a failure of this PC.

ANNEX A – MAIN REFERENCES

A1 = CF or other official Canadian government publication

A2 = Second and subsequent references in any category

B = Official Allied Force or Allied government publication

C = Commercial publication

D = Other publications

REF CODE	PUBLICATION	QTY
A1	B-GN-181-105/FP-E00 CFCD 105	
A2	CFCD 108	
A3	Not Allocated	
A4	Canadian Navigation Manual	
A5	Allied Communication Publication Communication Instructions Radiotelephone Procedures. ACP 125(F)	
A6	Chart 1 Fisheries and Oceans Symbols, Abbreviations, and Terms	
A7	Regulations for the Prevention of Collision at Sea (HSO Item 307)	
A8	Environmental Management System	
A9	Damage Control Manuals	
A10	Harbour Control Instructions (East/West)	
A11	MARCORD 58-02 (Enforcing CAZ) Vol 3a	
A12	CF Use of Force Manual	
A13	NOSTP 200 (B) (Naval Operations School Training Publication - Chapter 19/20 Communications Reporting Procedures)	
A14	MARCORD Vol. II, G-18 (Environmental Management of Shipboard Waste)	
A15	MARCORD Vol. I, 66-01 (General Safety Program) Annex D/Accident Investigations	
A16	NAMS (Navigational Aids and Meteorological Subsystem)	
A17	SAR Seamanship Reference Manual (Canadian Coast Guard)	

REF CODE	PUBLICATION	QTY
A18	Canadian Coast Guard Auxiliary Search and Rescue Crew Manual www.ccga12.org/training	
A19	B-GN-050-003/PT-000S Seaman's Guide to Rules of the Road	
A20	B-GN-050-003/PT-001 Rules of the Road	
A21	CDIP-100 Nav Chart Work	
A22	A-LM-007-014-A6-001 CFFSU User Guide and A-LM-137-C0M/LX-001	
A23	C-23-101-002/NY-Z01 Boats Outboard Power	
A24	C-24-010-003/NY-001 Outboard Motors	
A25	C24-535-000/MS-001 Outboard Motors (25HP)	
A26	Not Allocated	
A27	C23-010-002/NY-Z01 Boats Outboard Power	
A28	C-24-535-00/NY-002 Outboards Motors (25HP)	
A29	C-24-010-003/NY-Z01 Outboard Motors applicable to IRO, PTR, AUX AND KIN CLASSES, FDU's, CFNOS, CFFS (E) AND NAVAL RESERVE UNITS	
A30	A-GN-H01-001/AG-001 Hydrographic Services Handbook	
A31	C-23-343-00/MB-001 Operating Instructions 24ft Rigid Inflatable Boat	
A32	Manual of Ceremonial – HMC Ships	
A33	MARTI 9100 Series	
A34	MARTI 9000 Series	
A35	Control Access Zone Order in Council (12 Dec 02)	
A36	Not Allocated	
A37	AN-M8 One Inch Very Pistol C-71-258-000/MD-001	
A38	CGC RHIOT Manual www.ccga-pacific.org/ccga-P/Resources/Training/Rhiot-Manual/pdf	
A39	DND Ammo Accounts A-GG-040-006/AG-002	
A40	MP FPV Concept of Operations	

REF CODE	PUBLICATION	QTY
A41	Port Security Section Standing Orders	
A42	Port Security Esquimalt Standard Operating Procedures	
A43	Port Security Unit Concept of Operations MARC 3000-6 (DGMPR) April 2001	
A44	Projected Signals C-74-370-CA0/TA-000	
A45	PYROS General C-74-370-A00/TA-000	
A46	38 mm Hand Held Illuminating Signal Flare (Radarflare) MK3 Series C-74-370-BAE/TA-001	
A47	Safety Flares Illumination Pub	
A48	Signal Distress Day and Night No 1 Series C-74-270-CBB/TA-000	
A49	NAVRESORD 9-80 NRDs Small Boats Operating Procedures	
A50	A-LM-187-004/JS-001 Safe storage handling and disposal of HAZMAT material.	
A51	A-GC-040/AG-01 HAZMAT Safety	
A52	C-82-010-007-000 Procedures for handling and storage of POL products.	
A53	Signal, Illumination, Hand Held COMET 1260, C-74-370-BAS/TA-000	
A54	Ships Standing Orders (SSOs)	
A55	MARLANTORDS 66-8	
A56	MARCORD 58-01 Vol 3a + Annex (Force Protection)	
A57	BOATSHED SOP's	
A58	DAOD 2008-3	
A59	MARCORD 42-04	
A60	C-002-005-009/AM-000	
B1	BR 67 Manual of Seamanship	
B2	ATP 1 Vol I	
B3	ATP 1 Vol II	

REF CODE	PUBLICATION	QTY
B4	ACP 125 Communications Instructions – Radiotelphone Procedures	
B5	ACP 176 Allies Naval And Maritime Air Communication Instructions	
B6	APP 7A Joint Publication Brevity Words	
B7	Response Boat Tactics Techniques and Procedures Manual (RB-TTP)	Ref awaiting approval
B8	MTP 1(D), Vol II Multinational Maritime Tactical Signal and Manoeuvring Book	
B9	ACP 135 (F) Comunications Instruction Distress and Rescue Procedures	
C1	ABCO 32' Patrol Operator Training Manual	
C2	CDN Tide Tables	
C3	TP 511 Canadian Aids to Navigation System www.tc.gc.ca/MarineSafety/tp/TP511/reference-material.htm	
C4	Canada Gazette Part I/II, Volume 137, No 1 (Canadian Environmental Act)	
C5	Criminal Code of Canada	
C6	ODIP-100 Nav Chartwork	
C7	C-57-07-002/NF-001 Navigation	
C8	CFJP 7 (71) Nautical Chart Symbols	
C9	NDHQ Collision Regulations 1988	
C10	Raymarine 48 VHF Radio Manual	
C11	D-23-767-000/SF-001 IRB Operator's Manual	
C12	Applicable Outboard Operators Manual	
C13	Raymarine C70 Series Radar Manual	
C14	Raymarine RayNav 300GPS Operators Manual	
C15	GPS & DGPS made easy, Fisheries and Oceans, Coast Guard	
C16	RIB Maintenance Manual Part 1 (Volvo Penta)	

REF CODE	PUBLICATION	QTY
C17	RIB Operator's Manual	
C18	WHIMIS	
C19	Applicable Radar Operators Manual	
C20	RIB Maintenance Manual Part 2 (Volvo Penta)	
C21	RIB Maintenance Manual Part 3 (Volvo Penta)	
D1	OMC Operation & Maintenance Manual (Honda, Johnson, Yamaha)	

ANNEX B – TASK LIST

JBOS/OSS TASK NO.	TASK ELEMENT	TRG / NO TRG	PO
	IRB		
1	Operate IRB	TRG	
2	Maintain IRB	TRG	
3	Navigate IRB	TRG	001
4	Launch IRB	TRG	
5	Recover IRB	TRG	
6	Respond to emergencies in IRB	TRG	
7	Conduct fuelling on an IRB	TRG	
8	Communicate using VHF	TRG	002
9	Conduct troubleshooting	TRG	
	RIB		
1	Operate RIB	TRG	
2	Maintain RIB	TRG	
3	Navigate RIB	TRG	001
4	Launch RIB	TRG	
5	Recover RIB	TRG	
6	Respond to emergencies in RIB	TRG	
7	Conduct fuelling on an RIB	TRG	
8	Communicate using VHF	TRG	002
9	Conduct troubleshooting	TRG	
	RIB ARCH		
1	Operate RIB ARCH electronic equipment	TRG	001
	FPV		
1	Operate FPV	TRG	
2	Maintain FPV	TRG	
3	Navigate FPV	TRG	001
4	Launch FPV	TRG	
5	Recover FPV	TRG	
6	Respond to emergencies in FPV	TRG	
7	Conduct fuelling on an FPV	TRG	
8	Communicate	TRG	002

JBOS/OSS TASK NO.	TASK ELEMENT	TRG / NO TRG	PO
9	Conduct troubleshooting	TRG	
Advanced Operations			
1	Conduct adavance boat handling	TRG	
2	Conduct waterborne security operations	TRG	

ANNEX C – QSP WRITING BOARD RECORD OF PROCEEDINGS

Dates:

14 May – 8 June 2007

Location:

Seamanship Division WP41

Board Members:

SURNAME	RANK	INT	POSITION	UNIT
Ring	LCdr	T.	CHAIRMAN	CFNOS Seamanship Division
Kerr	LT(N)	H.G.	TDO	CFNOS Stds
Edwards	CPO2	P.	SME	HMCS Scotian
Hatch	CPO2	W.	SME	CFFSE
Lepage	CPO2	S.	SME	NAVRESHQ
Meredith	CPO2	R.J.	SME	CFNOS Stds
Gilbert	PO1	A.	SME	CFFSE Sea Div
Gullion	PO2	J.	SME	CFNOS Boat Shed
Lavallee	MR	H.	SME	CANSOFCOM
Hewlett	LS	F.	SME	HMCS Preserver
Vigneault	CPO2	M.	DMTE	DMTE Ottawa

GENERAL

1. As directed at the reference, Part II of the Boat Coxswain Course Occupation Specialty Specification (OSS) and Qualification Standard Plan (QSP) Board was convened at CFNOS Seamanship Division 14 May 2007. It should be noted that the first part of these boards were completed at CFNOS in December 2006 and the Record of Proceeding for that portion has been submitted as a separate Annex. The board consisted of an excellent cross section of representatives from various formations and training establishments, all of whom have vast experience in the operation of small boats. It should also be noted that several of the Board members for Part II were also members of the Part I QSPWB as well.

2. On the first day of the Board, the Chairman welcomed all members and outlined the goals and responsibilities of the Board. Following this the TDO conducted a presentation on CFITES and the QSPWB process to ensure that all members had a basic working knowledge of the system. Additionally the TDO gave the Board a background as to why a QSPWB was required.

3. The Board then reviewed the proceedings of QSPWB Part I noting that Modules 1, 3 and 4 were essentially complete and that, while this Board would at times revisit and reassess those modules when necessary, this portion of the Board would focus most of its' attention on completing Modules 2 and 5 and completing the necessary administrative remaining from the Part I.

4. The board also reviewed the modular structure of the course and determined that it needed to meet the training requirements for RIB ARCH. However, CFNOS and CFFSE currently do not have the training resources i.e. ARCH, to conduct this training. Therefore it was decided to develop an additional module, with an applicable OSS, for RIB ARCH training. This module, 4B, would be follow on training to the RIB module, specifically designed to train personnel in the proper use of the RIB ARCH, and would allow both establishments to continue to train RIB coxns until sufficient assets are available to train all personnel on the RIB ARCH. Until those assets are available, TEs will be unable to train Port Security Unit personnel. This left the modular structure for the course as follows:

a. Module 1 – Navigation and Communications;

b. Module 2 – Tactical Boat Cox'n;

c. Module 3 – IRB;

d. Module 4A – RIB;

e. Module 4B – RIB ARCH; and

f. Module 5 – FPV

5. The OSS from the Part I board were reviewed and minor changes were made. It was determined that as this is considered the basic training for any boat operator, trade qualifications were irrelevant to the OSS. To that end all OSS were amended to reflect this and the prerequisites were only attached to rank and employment selection. Furthermore, as this training could potentially be available to members of any rank outside the Navy, it was determined that it was necessary to add the capability for officers to conduct portions of the training. The course would be open to any trade selected for employment in a position requiring this specialty with the following rank:

a. for NCM – LS/CPL; and

b. for Officers – SLt/Lt.

6. There was discussion among the board members regarding the inclusion of this proposed training in the BOSN QL training. It was determined that the recommendation should be that while all BOSN currently holding QL5, QL2 and/or Harbour Defence Boat Operator Course (HDBOC) qualifications should be "grandfathered" and deemed to hold the respective qualifications with the exception of Module 2. Personnel who have completed the Port Security Boat Operator's Course (PSBOC) should be granted the qualification for Module 2 and those who have completed Force Protection Vessel Operator's Course should be granted the qualification for Module 5.

7. Module 2, Tactical Boat Coxn, which should replace the current HDBOC, was considered to be advanced training for experienced operators. As such members undertaking this training must have completed either Module 4 or 5. Additionally it was determined that they must also complete and OJT package prior to undertaking Module 2. This OJT is included in the proposed QSP.

8. Additionally, the training methodology for Module 2 was discussed at length. It was recommended that the training day for this module should be 1500 – 2359 each day. This would allow for daytime and nighttime training in each training day. It was felt that nighttime training is essential for this module due to the nature of the operations required for advanced Boat's Coxn's. Moreover, it is recommended that Module 2 courses be scheduled to take place in late fall and early spring. This will allow instructors to train students to deal with the inclement weather conditions they are likely to operate in. The Board recognized that this training methodology may be problematic, but believed that it would provide the best training possible.

9. The Board discussed the fact that Module 1 could most likely be the first exposure the students have to small boat navigation and the use of Collision Regulations. It was agreed that while students will be given time during the course to study the Rules of the Road, that time would be compressed. As such it is recommended that the Joining Instructions for Module 1 should include a Pre-Instruction Package (PIP) specifically dealing with Rules of the Road and that a Threshold Knowledge exam be given to students on the first day of the course. Failure of this exam would not necessitate removal from course, but would give both the instructors and students a better insight into where they need to expend instruction and study time.

10. There was much discussion among the board members on the issue of operator maintenance of boats. It was the consensus that the operators, for the purpose of this QSP, are not responsible for major maintenance. However, they are responsible to conduct daily and weekly checks to determine if there are any defects and to engage the proper repair authority when required. To that end, checklists are included in the QSP to ensure that this material is covered during the course. While most of these checklists are already in use and have been validated by years of use, there are some that need further development. Specifically, checklists for operators for both the FPV and RIB Arch have been developed and are appropriate. However, these need to be validated and approved by DMPOR prior to instruction and they should also be included in the next revision of CFCD 105.

11. After the inclusion of a Module for RIB Arch (Module 4B) training, several points were discussed. It was decided this should be a prerequisite for Module 2 and that anyone currently qualified to operate a RIB, need only complete Module 4B to meet this prerequisite. Additionally the SOPs for RIB cradling, lifting and stowage for a RIB with an arch is currently underdevelopment. Once they are complete it is critical that they be incorporated into the QSP.

12. For Module 2, while there are two POs, the board recommends that there only be one PC. Given the "hands on" nature of this training and the close association of all the EOs, it is more beneficial to test students with one PC, thereby proving all these skills at the one time. However, this does raise a concern with the standard way PC are conducted and retested. The above training and testing would mean that there will be no other opportunity to remove students other than at the end of the course. Additionally, students may have to be retested within 24 hours if they fail the PC. There has been precedence for this in the past but it needs to be understood that this will most likely be common practice for this module.

<u>Additional Recommendations</u>

13. The Board discussions raised several interesting points that while not directly attributable to Boat Coxn Training, need to be considered. Specifically with regards to Module 2, these recommendations are:

a. currently the Navy does not have the appropriate training to produce qualified instructors for this Module. Until Module 2 has been run for at least two years and we have had the opportunity to generate our own instructors, it is recommended that both TEs continue to outsource training to provide qualified instructors. Specifically we should continue to send personnel to the United States Coast Guard Training facility to undertake their "Tactical Boat Coxn"

course, and continue to use the CCG Rigid Hulled Inflatable Operator Training (RHIOT) course;

b. there was some discussion as to additional training for personnel posted to FP billets required additional training, such as whether specialized weapons training was required for personnel to familiarize them with using weapons from a moving small boat, or the Tactical Questioning course. It was agreed that while this was outside the purview of this QSP Board, it should be considered at the headquarters level by DMTE and DMPOR; and

c. during the development of several POs it became apparent that there is no standardized dress or Personal Protective equipment (PPE) for boats' crews. Furthermore, while a list of equipment required in boats for safety exists it should be updated to meet current Transport Canada guidelines, including the possible use of a re-boarding ladder. The Board agreed on the importance of having a standardized list of PPE and as such an SOCD will be submitted by the CCA, with input from all three formations, to further define this deficiency and to propose possible solutions.

14. The Board was successful in completing the Boat Coxswain's Course QSP and the associated OSS. There being no other formal discussions required the Chairman thanked everyone for there time and exceptional effort and the board adjourned 1 June 2007.

ANNEX D – QSP WRITING BOARD SCALAR














PO 006
Operate IRB
EO 006.01
Conduct Basic IRB Handling
EO 006.02
Conduct Troubleshooting on an IRB
EO 006.03
Respond to Emergencies


PO 007
Maintain IRB
EO 007.01
Maintain IRB


PO 008
Operate RIB
EO 008.01
Conduct Basic RIB Handling
EO 008.02
Conduct Troubleshooting on a RIB
EO 008.03
Respond to Emergencies


PO 009
Maintain RIB
EO 009.01
Maintain RIB


PO 010
Operate RIB ARCH
EO 010.01
Operate RIB ARCH Electronic Equipment


PO 011
Operate FPV
EO 011.01
Prepare FPV for Cradling and Un-Cradling
EO 011.02
Operate FPV
EO 011.03
Respond to Emergencies
EO 011.04
Operate Auxilliary/ Fittend Equipment
EO 011.05
Operate Electronic Navigation Systems

ANNEX E – ACRONYMS / ABBREVIATIONS

ACRONYM / ABBREVIATION	TERM/DEFINITION
TRB	Training Review Board
FPV	Force Protection Vessel
GPS	Global Positioning System
PPE	Personnel Protection Equipment
IRB	Inflatable Rigid Boat
RIB	Rigid Hull Inflatable Boat
MOB	ManOverboard
IRC	International Regulation on Collisions
NABS	Navigation and Bridge Simulator
PRC	Portable Radio Communication
SAPP	Stop, Assess, Plan and Proceed
QHM	Queen Harbour Master
DR	Dead Reckoning
ROE	Rules of Engagement
PACE	Primary, Alternate, Contingency, Emergency
RMP	Recognized Maritime Picture
IRR	Intelligence Reporting Requirements
EOP	Emergeny Operation Procedures
SOP	Standing Operation Procedures
WX	Weather
TFC	Traffic Control
FPV	Force Protection Vessel
ECL	Equipment Checklist
EPIRB	Electronic Position Indicating Radio Beacon

ACRONYM / ABBREVIATION	TERM/DEFINITION
JRCC	Joint Rescue Coordination Center
VTMS	Vessel Traffic Management System
HCI's	Harbour Control Instructions
S/T/D	Speed/Time/Distance
TE	Training Establishment
QSP	Qualification Standard and Plans
OJPR	On Job Performance Record
FNO	Formation Navigation Officer
SSO	Ships Standing Orders
NOSTP	Naval Operations School Training Publication
CMS	Chief Of Maritime Staff
DMTE	Director Maritime Training & Education
CCA	Curriculum Control Authority
BAT	Base Administrative Training
TAT	Training Administrative Training
ATT	Additional Training
BITC	Basic Instructional Technique Course
MOD	Modules
CFMEP	Canadian Forces Military Equivalencies Program
DC	Damage Control
HDBOC	Harbour Defence Boat Operator Course
COI	Contacts of Interest
AP	Assessment Plan
PRB	Progress Review Board
VHF	Very High Frequency
NCM	Non-Commissioned Member

ACRONYM / ABBREVIATION	TERM/DEFINITION
RAM	Random Anti-terror Measurements
CAZ/MEZ	Control Access Zones/Missile Engagement Zones
NETP	Naval Environmental Training Program
REF	Reference
STBY	Stand-By
TX	Transmit
VRM	Variable Range Marker
EBL	Electronic Bearing Line
NG	No Good
DMPOR	Director Maritime Policy, Operations and Readiness
RPM	Revolution Per Minute
WYPTS	Waypoints
FWD	Forward
STBD	Starboard
QRS	Qualification Record Sheet
AJAG	A Judge Avocate General
ODAS	NOTMS
ESK	Environmental Spill Kit
PCB	Pollution Control Boom

ANNEX F – SUGGESTED SEQUENCING AND TIMINGS

Module 1

PO/EO	OBJECTIVE	EO	EC	PC	TOTAL
PO-001	Conduct Basic Navigation			**2**	**2**
EO-001.01	Interpret Charts	4	1		**5**
EO-001.02	Use Basic Navigation Techniques	21	1		**22**
EO-001.03	Apply Collision Avoidance Regulations	7	1		**8**
PO/EO	**OBJECTIVE**	**EO**	**EC**	**PC**	**TOTAL**
PO-002	Conduct Boat Communications			**1**	**1**
EO-002.01	Conduct Boat Communications	6	1		**7**
PO/EO	**OBJECTIVE**	**EO**	**EC**	**PC**	**TOTAL**
PO-003	Conduct Duties of Boat Coxswain			**1**	**1**
EO-003.01	Conduct Rescue and Recovery	2	1		**3**
EO-003.02	Perform Duties and Responsibilities of Boat Coxswain	3	1		**4**
EO-003.03	Completing Incident Reports	1	0		**1**
EO-003.04	Respond to Environmental Situations	2	0		**2**
TOTAL					**56**

Module 2

PO/EO	OBJECTIVE	EO	EC	PC	TOTAL
PO-004	Conduct Advanced Boat Handling				
EO-004.01	Conduct Advanced Boat Manoeuvring	40	3		**43**
PO/EO	**OBJECTIVE**	**EO**	**EC**	**PC**	**TOTAL**
PO-005	Conduct Domestic Maritime Operations			**6**	**6**
EO-005.01	Executing Mission Plan	8	1		**9**
EO-005.02	Perform Waterborne Patrols	8	0		**8**
EO-005.03	Perform Interception Operations	32	3		**35**
TOTAL					**101**

Module 3

PO/EO	OBJECTIVE	EO	EC	PC	TOTAL
PO-006	Operate IRB				
EO-006.01	Conduct Basic IRB Handling	21	3		**24**
EO-006.02	Conduct Troubleshooting on an IRB	8	0		**8**
EO-006.03	Respond to Emergencies	3	2		**5**
PO/EO	**OBJECTIVE**	**EO**	**EC**	**PC**	**TOTAL**
PO-007	Maintain IRB			**3**	**3**
EO-007.01	Maintain IRB	4	0		**4**
TOTAL					**44**

Module 4a

PO/EO	OBJECTIVE	EO	EC	PC	TOTAL
PO-008	Operate RIB			**2**	**2**
EO-008.01	Conduct Basic RIB Handling	24	3		**27**
EO-008.02	Conduct Troubleshooting on a RIB	5	0		**8**
EO-008.03	Respond to Emergencies	3	1		**4**
PO/EO	**OBJECTIVE**	**EO**	**EC**	**PC**	**TOTAL**
PO-009	Maintain RIB			**2**	**2**
EO-009.01	Maintain RIB	7	1		**8**
TOTAL					**48**

Module 4b

PO/EO	OBJECTIVE	EO	EC	PC	TOTAL
PO-010	Operate RIB ARCH			**3**	**3**
EO-010.01	Operate RIB ARCH Electronic Equipment	26	3		**29**
TOTAL					**32**

Module 5

PO/EO	OBJECTIVE	EO	EC	PC	TOTAL
PO-011	Prepare FPV			**16**	**16**
EO-011.01	Prepare FPV for Cradling and Un-Cradling	2			**2**
EO-011.02	Operate FPV	72	8		**80**
EO-011.03	Respond to Emergencies	4	0		**4**
EO-011.04	Operate Auxiliary/Fitted Equipment	4			**4**
EO-011.05	Operate Electronic Navigation Systems	6			**6**
TOTAL					**112**

.

ANNEX G – TRAINING RESOURCES

In accordance with Chapter 1 paragraph 3 add any extra tables or paragraphs used for Resources in this annex. (**Not** to be deleted.)

ANNEX H – COSTING INFORMATION

Include information about cost in whichever format is applicable.

This annex is optional (**Not** to be deleted).

ANNEX I – COURSE HISTORY

This annex is to record course history issues such as explanations of amendments, pertinent findings, trends, resource problems and modifications. Focus should be given to both excellent and questionable issues of the course. Capturing important course history information is a useful managerial tool for amendment considerations by future course developers.

Note: This annex shall NOT be deleted. This annex must be annotated with every update / modification to this QSP. This is in addition to making the appropriate entry in the Record of Amendments table. Detail as to the nature and reasons for amendments is to be provided here.

MOD 5 was reduced from 22 days to 14 days. This was done by having the practical portions of EO 011.03,04 and 05 done in conjunction with the practical portion of EO 011.02. This also requires tohave 2 intructors in the FPV. By doing this it will give the trainees more hands on experience.

ANNEX J – EVALUATION MATRIX

Note: This annex is optional and **may be** deleted.

PO/EO	PURPOSE	SCOPE	WHERE	WHEN	HOW	RESOURCES	LIMITATIONS