HALIFAX CLASS ON-THE-JOB PERFORMANCE REQUIREMENTS FOR MCR WATCH KEEPER

(Alongside)

MITE Code: 121039

APPLICABLE TO HALIFAX CLASS VESSELS
OPI: Naval Training Development Centre Pacific (MS Division)
AUTHORITY: Naval Personnel & Training Group HQ – MSE Training Manager
DATE Approved: January 2017
MARPAC RDIMS# 634884

MCR WATCH KEEPER TRAINING PACKAGE

1. This On-The-Job Performance Requirement (OJPR) package has been developed in accordance with the performance-oriented concept of training in consultation with Sea Training Group. Completion of this OJPR under the direction of the Ship's Marine Systems Engineering Officer (MSEO), will qualify the individual to act as MCR Watch Keeper in all ships of the HALIFAX-Class. Specific details are contained in Chapter 3 of this document.

2. This package is to be used for the training of all HALIFAX-Class personnel who will be responsible for carrying out the duties of MCR Watch Keeper. This standard applies to all applicable members of the MSE Department and CSE Department, and as such, the qualification MITE code 121039 must be entered into HRMs.

3. In conjunction with this OJPR, personnel attempting to qualify for MCR Watch Keeper must also satisfy the requirements established in Ship’s Standing Orders AL9 MC4, Annex H to Chapter 2. (Which will become Annex A, Appendix 4 of SSO’s Vol I)

4. This document is effective upon receipt.

TABLE OF CONTENTS

RECORD OF CHANGES 5
CHAPTER 1 6
OVERVIEW 6
GENERAL 6
AIM 6
SCOPE AND DURATION 6
USE OF ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE 6
CHANGES TO ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE 6
CHAPTER 2 7
ON-THE-JOB TRAINING MANAGEMENT DETAILS 7
GENERAL 7
SUMMARY OF PERTINENT DATA 7
RELATED DOCUMENTS 7
PLANNING AND CONTROLLING ON-THE-JOB TRAINING 8
INSTRUCTIONS FOR TRAINEES 8
CHAPTER 3 9
ASSESSMENT OF TRAINEE 9
GENERAL 9
ASSESSING PERFORMANCE 9
ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE 9
ACTION ON POSTING OR TRANSFER 10
CHAPTER 4 11
PERFORMANCE OBJECTIVES 11
PO 401 SYSTEM SKETCHES 11
PO 402 MCR WATCHKEEPER ROUNDS 12
PO 403 OPERATE SHIP'S DIESEL GENERATORS 13
PO 404 OPERATE ELECTRICAL POWER GENERATION & DISTRIBUTION SYSTEM 14
(PG&D) 14
PO 405 OPERATE AUXILIARY EQUIPMENT 15
PO 406 MONITOR AUXILIARY BOILER 16
PO 407 REFRIGERATION ROUNDS 17
PO 408 OPERATE IPMS CONSOLES AND POUs 18
PO 409 OPERATE FUEL OIL SERVICE SYSTEM 19
PO 410 RESPOND TO SHIPBOARD EMERGENCIES 20
ANNEX A: PERFORMANCE OBJECTIVES 21
OJPR Sign Off Sheet for HALIFAX Class MCR Watch Keeper Qualification 21

ANNEX B 24
MCR Watch Keeper Double Bank Log 24
ANNEX C 25
MCR Watch Keeper Training Progress Log 25
ANNEX D 26
Certificate of Qualification ..... **Error! Bookmark not defined.**

RECORD OF CHANGES

Date	Chapter	Description Change	Approval Authority
		Initial Approval	CO TDC (P)
17 Jan 17	All	NPTG HQ Approval	CNPTG

CHAPTER 1

OVERVIEW

GENERAL

AIM

1. The aim of this document is to specify the performance standards that must be achieved during on-the-job training to qualify for MCR Watch Keeper.

SCOPE AND DURATION

2. The time required to complete training in accordance with this OJPR should not normally exceed 4 months. This OJPR applies to all those standing MCR Watch Keeper watches alongside.

> ***NOTE:*** *Trainees who* ***do not*** *complete this package* ***within 4 months*** *of joining HALIFAX Class Ships, will be subject to supplementary training and may stand a more frequent duty watch rotation, which will include weekends, to assist in completion this OJPR. This will be at the discretion of the MSEO.*

USE OF ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE

3. This OJPR shall be used by all Commands, Formations, and Units as the primary document governing the content, organization, and conduct of the required on-job training.

4. This OJPR is used:

   a. to ensure that all eligible members are afforded the opportunity to train to a known and expected standard; and

   b. as a control document to ensure that the member has completed the necessary training to the standard detailed in Chapter 4 to safely perform MCR Watch Keeper duties.

5. On completion of this OJPR, the MSE Training PO shall request MITE update by emailing (scanned) the completed Annex D to:

   a. +NFS(A) MITE@NFS(A)@Halifax, OR

   b. +NFS(P) MITE@NFS(P)@Esquimalt

CHANGES TO THE ON-THE-JOB -PERFORMANCE PACKAGE

6. To request changes to this document, written substantiation must be forwarded to Sea Training Group (Halifax) (STG). Upon receipt of change request, the proposal shall be evaluated and forwarded by STG to the designated Trade Manager as identified on the title page.

   a. NPTG Training Manager – Revisions to chapters within the package, filing within RDIMS and placement within repository for distribution to fleet users.

CHAPTER 2

ON-THE-JOB TRAINING MANAGEMENT DETAILS

GENERAL

1. This chapter summarizes the pertinent information, data, and documents that may be required by training officers and supervisors when organizing and conducting on-the-job training.

2. Problems concerning implementation of this OJPR should be referred to the Naval Training Development Centre Pacific, (MS Division) through the applicable chain-of-command.

SUMMARY OF PERTINENT DATA

3. PREREQUISITES - The MCR Watch Keeper Qualification may only be granted if the following prerequisites have been met:

a. All MCR Watch Keepers have successfully completed the *Damage Control System Operator* MITE 120071. Personnel possessing either MITE code 119159, 119162, 119163 or 120023 will be granted *Damage Control System Operator* MITE 120071

b. All MCR Watch Keepers must have NETP MITE code 118531, 118532, 118533 and 118534 completed. MCR Watch Keepers SHALL progress NETP OJPR MITE code 118535 in conjunction with HFX Class OJPR MCR Watch keeper;

c. MCR Watch Keepers shall be drawn from RQ-OS/QL3 qualified individuals of the CSE and MSE departments;

d. All MCR Watch Keepers must have completed the MCR Watch Keeper computer based training package (when implemented);

e. All MCR Watch Keepers must have completed the Know Your Ship book computer based training package (when implemented); and

f. All MCR Watch Keepers must have completed Bystander Intervention Training.

4. QUALIFICATIONS - Successful completion of this OJPR constitutes the final training to qualify as MCR Watch Keeper for HALIFAX-Class frigates and MITE 121039 will be awarded.

RELATED DOCUMENTS

5. Documents related to this OJPR are:

a. Naval Engineering Manual C-03-005-033/AA-000;

b. Ship's Standing Orders; and

c. Canadian Forces Technical Orders (CFTO), technical manuals, SOPs and Technical Bulletins for applicable machinery and systems.

PLANNING AND CONTROLLING ON-THE-JOB TRAINING

6. The Commanding Officer shall direct the MSEO to be responsible to establish a training system and methodology on board to ensure the proper and timely training of MCR Watch Keepers. They are not to permit anyone to stand duty as MCR Watch Keeper until satisfied in their abilities. To accomplish the objectives of this OJPR package, the MSEO shall establish the following:

a. a single point of contact in the MSE and CSE departments for marine systems/combat systems-related Performance Objectives;

b. a Training Petty Officer to coordinate and control MCR Watch Keeper training and maintain individual progress in training tracker;

c. a maximum rotation of one and ten double banked overnight duty watches are stood prior to performing the final walkthrough/ board examination; if the member goes beyond the required timeline or is significantly behind on their package they shall be placed in a one and five rotation; and

d. a minimum rank of MS and/or qualification, or by position, who is authorized to sign-off each PO; and

e. that all those standing MCR Watch Keeper watches have had Annex D completed and assigned a MITE code.

INSTRUCTIONS FOR TRAINEES

7. Any problem encountered during the training period should be immediately brought to the attention of the designated Training Petty Officer.

8. It is in the trainee's best interest to progress with his/her training program as quickly as possible. Each PO should be practised in slow time until the required measure of proficiency is attained. When the trainee considers that he/she has the knowledge and dexterity to complete the PO under the stated conditions, and to the standard required, he/she should request a designated assessor to examine their abilities. On successful completion of the PO, he/she should ensure their OJPR is updated. Each unit is to provide each trainee with a standard set of system drawings to be used as a guide.

CHAPTER 3

ASSESSMENT OF TRAINEE

GENERAL

1. Each PO in Chapter 4 may be considered as a progress test. The member's ability to perform the POs collectively is a test of his/her ability to perform the duty.

ASSESSING PERFORMANCE

2. Once the trainee has successfully practised the PO, such that he/she is confident and capable of independently performing the task to the standard stated in Section 3, he/she shall be assessed by the designated assessor; this assessment is as equally important as the instruction itself. Ideally, the number of assessors should be kept to a minimum to avoid a diversity of acceptable performance. It is therefore essential that specific senior personnel be assigned to evaluate the OJPR and performance assessment.

3. Section 3 of each PO describes the acceptable standard of performance, i.e. the acceptable manner or performance required. Section 3 of the POs is to be used by both instructors and assessors to instruct and evaluate trainees. While every effort has been made to ensure that the PO are accurate and complete, there may be instances, where because of differences in ships with the Class, i.e. machinery fitted or piping layout, a PO can be omitted or altered at the discretion of the MSEO. The applicable PO shall be annotated in the OJPR by the MSEO.

4. If, after a period of instruction and practice, the trainee cannot perform the PO in accordance with the stated standard, the instructor and assessor should together ascertain the cause. It must be remembered that individuals will differ greatly in dexterity, ability to learn, speed of reaction, motivation, application, etc. In most cases, an additional period of practice and/or study will suffice. If, however, all avenues have been explored and the trainee cannot perform the PO to the stated standard, the Divisional Chief Petty Officer should be informed. Under no circumstances should a trainee be checked off as having completed a PO unless he/she has completed it successfully. To do so would jeopardize both the trainee and the ship. If, for reasons of equipment unavailability, a trainee cannot practice or be checked out on his/her own ship, alternate arrangements shall be explored on other units.

5. Completion of this OJPR qualifies personnel to stand as MCR Watch Keeper. This qualification is Class-specific and, once granted this qualification in a HALIFAX-Class frigate, an individual need not re-qualify for that same class of vessel unless his/her qualification is later revoked by the Commanding Officer.

ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE

6. This OJPR has been designed to meet the following:

   a. to record a trainee's ability to perform the duties in accordance with the OJPR;

   b. to assist in planning and controlling the OJT for each trainee by providing a record of progress in this training;

c. to provide the Engineering Officers with a performance record on which to grant a qualification; and

d. to provide the information required by the trainee's record system.

ACTION ON POSTING OR TRANSFER

7. Each unit is to use and update Monitor Mass training tracker on a regular basis to ensure the training progress is captured. When a trainee has been posted or transferred to another ship prior to completion of the training, his/her OJPR is to be reviewed by the Chief Engineer. The name of the ship, in which the training was conducted, is to be entered in the "Remarks" column against each completed PO and the percentage completed is to be annotated. Once reviewed the original OJPR is to be forwarded to the Chief Engineer of the gaining ship via a DND 728.

CHAPTER 4

PERFORMANCE OBJECTIVES

PO 001 SYSTEM SKETCHES

1. Performance: A sketch of the following systems/equipment are to be maintained and understood by the trainee in their training package:

   a. the layout of hull-fitted tanks from forward to aft, including machinery compartment tanks;
   b. layout of machinery in each of the machinery compartments;
   c. emergency arrangements inside/outside machinery compartments (trainee to present his/her know-your-ship book once completed, and be able to identify fire-fighting fitted equipment, fitted systems, emergency escape hatches for FAMR, FER, AER, AAMR);
   d. firemain (seawater service system);
   e. bilge/eductor system, including submersible pump multi-purpose outlets;
   f. auxiliary seawater circulation system;
   g. fuel oil service system for diesel generators/auxiliary boilers (including the Standard operating (SOP) for black-out/emergency fuel tank setup);
   h. electrical power generation and distribution system (including blackout and power recovery procedures);
   i. HP air system;
   j. LP air systems;
   k. auxiliary steam system;
   l. Cold weather precautions and Upper Deck connections (Fresh water, fire hydrants, steam, black water, etc.).

2. Conditions: Given:

   a. access to ship's drawings (hard copies provided, electronic copies available) and machinery information books (provided); and
   b. necessary reference books.

3. Standard: To the satisfaction of the MSEO or his/her representative, trainee to locate all important valves for each system listed above and must be able to operate in normal and emergency conditions. In addition, the trainee must be able to identify:

   a. the general layout of the system;
   b. the direction of flow of the operating fluids;
   c. the position of pumps, valves, controls, gauges, safety fittings, etc. used to safely operate the system;
   d. systems warning and alarm parameters; and
   e. systems optimum pressures/temperatures

   NOTE: *The assessor is to select various valves, controls, gauges, etc. and have the trainee indicate the location of the component to confirm the candidate's knowledge of the system/equipment. Emphasis shall be placed on confirming that the trainee is familiar with those items likely to be used / encountered by the MCR Watch Keeper and not necessarily the whole system.*

PO 002 MCR WATCHKEEPER ROUNDS

1. Performance: Conduct MCR Watch Keeper Rounds.

2. Conditions: Given:

   a. access to ship alongside with domestic services in use; and
   b. necessary reference books.

   Denied: Assistance.

3. Standard: To the satisfaction of the MSEO, or their representative of CERT 3 and above (MSE) conduct a set of MCR Watch Keeper rounds prior to taking over a watch:

   a. explain compartment hazards;
   b. explain required logs/reports;
   c. identify normal operating parameters of running equipment;
   d. identify firefighting/damage control systems;
   e. explain bilge/eductor system; and
   f. identify sea water service pump locations, local/remote start/stop positions.

PO 003 OPERATE SHIP'S DIESEL GENERATORS

1. Performance: Operate Ship's Diesel Generators.

2. Condition: Given:

   a. necessary reference books;
   b. operational ship's generators;
   c. appropriate log books;
   d. access to MCC; and
   e. close supervision by examiner.

   Denied: Assistance.

3. Standard: To the satisfaction of the MSEO or his/her representative of CERT 3 and above, the candidate shall, without error:

   a. indicate all start/stop (normal and emergency) positions of generator(s);
   b. prepare and start the generator(s) IAW ship's technical instructions;
   c. operate the generator(s) IAW ship's technical instructions for a minimum of four hours;
   d. demonstrate the ability to add oil to the generator to the proper running level;
   e. describe IAW ship's technical instructions the immediate action for the following conditions:
      i. Low Fresh Water level/ Pressure;
      ii. Low Oil level / pressure;
      iii. DG Over speed; and
      iv. DG high crankcase pressure and
   f. shut down generator IAW ship's technical instructions.

PO 004 OPERATE ELECTRICAL POWER GENERATION & DISTRIBUTION SYSTEM (PG&D)

1. Performance: Operate Electrical Power Generation and Distribution System.

2. Conditions: Given:

   a. ship's electrical power generation and distribution system;
   b. shore power;
   c. access to applicable references and drawings;
   d. electrical logs;
   e. functional IPMS system; and
   f. close supervision of examining officer.

3. Standard: Carry out the following IAW applicable drill manual and/or MSEO's Technical Instructions (EOTIs):

   a. prepare ship's electrical power generation equipment for load;
   b. restore ship's power to main switchboard(s) from a blacked out condition;
   c. re-start required MSE/CSE/hotel equipment;
   d. trip and remake shore breakers;
   e. record all actions in main switchboard/MCR log; and
   f. describe actions if a fire were discovered in a switchboard.

PO 005 OPERATE AUXILIARY EQUIPMENT

1. Performance: Operate Auxiliary Equipment.

2. Conditions: Given:

   a. applicable reference manuals;
   b. access to operational auxiliary equipment;
   c. applicable log books; and
   d. close supervision of examining officer.

   Denied: Assistance.

3. Standards: To the satisfaction of the MSEO or their representative, the candidate shall, without error:

   a. perform pre-start checks IAW ship's technical instructions;
   b. start/stop and ensure safe operation of equipment and its associated system from remote and/or local position IAW ship's technical instructions;
   c. correctly fill out all applicable logs;
   d. describe normal operating pressures/temperatures, required oil, etc.; and
   e. describe the actions to be performed on the following equipment including the conditions which would necessitate emergency shutdown:

      i. high pressure air compressor;
      ii. low pressure air compressor;
      iii. 85 ton air conditioning compressor (AC cooling Unit);
      iv. main refrigeration system;
      v. chilled water system;
      vi. fresh water system;
      vii. sea water service system pumps (SWS); and
      viii. black and grey water pumps.

PO 006 MONITOR AUXILIARY BOILER

1. Performance: Monitor the Auxiliary Boiler.

2. Conditions: Given:

   a. necessary reference manuals;
   b. operational auxiliary boiler; and
   c. close supervision of examining officer.

3. Standard: To the satisfaction of the MSEO or his/her representative, the candidate shall, IAW ship's technical instructions:

   a. carry out rounds on the auxiliary boiler;
   b. describe the key auxiliary boiler parameters;
   c. fill out the log without error;
   d. describe conditions that would cause the auxiliary boiler to shut down;
   e. describe how to stop the auxiliary boiler from local/remote position; and

PO 007 REFRIGERATION ROUNDS

1. Performance: Perform rounds on the refrigeration system.

2. Conditions: Given:

   a. operating refrigeration system;
   b. fridge log book;
   c. necessary reference books; and
   d. close supervision of examining officer.

   Denied: Assistance.

3. Standard: To the satisfaction of the MSEO or his/her representative, the candidate shall:

   a. describe the operating parameters of the refrigeration unit and cold rooms;
   b. describe the conditions which would warrant an emergency shut down;
   c. correctly fill out the refrigeration log;
   d. describe the correct response to "MAN LOCKED IN COLD ROOM" alarm;
   e. Identify the location and ability to operate the Refrigerant Leak Detection System; and
   f. Demonstrate knowledge of procedures in event of a refrigerant leak and state ref(s).

PO 008 OPERATE IPMS CONSOLES AND POUs

1. Performance: Operate IPMS Consoles and POUs.

2. Condition: Given:

   a. lecture by ship's IPMS technician;
   b. operational IPMS console and a POU; and
   c. close supervision of examining officer.

   Denied: Assistance.

3. Standard: To the satisfaction of the MSEO or his/her representative, the candidate shall operate the Integrated Platform Management System including:

   a. demonstrate the ability to acknowledge/interpret warnings/alarms on all systems and carry out the necessary action required; and
   b. operate MCC to include open/close and start/stop devices related to:

      i. HP/LP air;
      ii. fuel oil service;
      iii. fire detection;
      iv. chilled water;
      v. refrigeration;
      vi. steam and drains;
      vii. seawater services;
      viii. Main Lube Oil sytem (pre-flash up requirements)
      ix. seawater circulatory;
      x. black & grey water;
      xi. electrical overview; and
      xii. diesel generators.

   c. Contact Duty Tech when in doubt.

PO 009 OPERATE FUEL OIL SERVICE SYSTEM

1. Performance: Operate Fuel Oil Service System.

2. Conditions: Given:

   a. operational fuel oil service system; and
   b. applicable reference manuals.

   Denied: Assistance.

3. Standard: To the satisfaction of the MSEO, or his/her representative, the candidate shall demonstrate:

   a. an understanding of system operation;
   b. knowledge of immediate action in case of a fuel spill and state ref(s);
   c. correct configuration for normal/emergency supply of fuel for diesel generators and auxiliary boiler for when diesels and boilers are running and when shutdown; and
   d. immediate actions in the event of a “black-out”.

PO 010 RESPOND TO SHIPBOARD EMERGENCIES

1. Performance: Shipboard Emergencies.

2. Condition: Given:

   a. ship in harbour;
   b. qualified duty watch; and
   c. applicable reference manuals.

   Denied: Assistance.

3. Standard: To the satisfaction of the MSEO, or his/her representative, the candidate shall demonstrate the appropriate understanding and MCR response the following shipboard emergencies:

   a. fire;
   b. flood;
   c. force protection;
   d. explosive vapour alarm;
   e. suspected refrigerant leak;
   f. casualty by electrical shock;
   g. bomb threat;
   h. missile emergency, to include:

      i. missile high temperature; and
      ii. status panel alarms and indications.

   i. HAZMAT/Fuel Spill - immediate action/pipe; and
   j. Inertial Navigation System (INS) alarm response.

   NOTE: *Where possible, emergencies should be simulated for candidate to better his/her expertise.*

ANNEX A: PERFORMANCE OBJECTIVES

OJPR Sign Off Sheet for HALIFAX Class MCR Watch Keeper Qualification MITE 121039

SHIP _____ RANK _____ NAME _____

DATE STARTED_____ EXPECTED COMPLETION DATE _____

PO	Description	Examiner	Signature	Date	Entered in Trg Tracker
Pre-Requisites IPMS Damage Control System Operator Course Completed					
Sketch Systems					
001	a. Layout of hull fitted tanks	Cert 2 PO2 HT			
	b. Machinery Compartments	Cert 2			
	c. Know Your Ship book & Emergency Arrangements	Cert 2			
	d. Seawater Service / Firemain	Cert 2 PO2 HT			
	e. Bilge / Eductor System	Cert 2 PO2 HT			
	f. Auxiliary. S.W. Circulation System	Cert 2			
	g. Fuel Oil Service System	Cert 2			
	h. Electrical Power Generation and Distribution System	MS ET			
	i. HP Air System	Cert 2			
	j. LP Air System	Cert 2			
	k. Auxiliary Steam system	Cert 2			
	l. Cold Weather Precautions, Upper Deck connections (F.W. Black Water, Hydrants etc.)	MS HT			

PO	Description	Examiner	Signature	Date	Tracked
002	Conduct MCR Watch Keeper Rounds	Cert 2			
003	Operate Ships Diesel Generators	Cert 2			
004	Operate Electrical Power Generation & Distribution System	MS ET			
Operate Auxiliary Equipment					
005	i. HP Air Compressor	Cert 2			
	ii. LP Air Compressor	Cert 2			
	iii. AC Cooling Unit	Cert 2			
	iv. Main Refrigeration System	Cert 2			
	v. Chilled Water System	Cert 2 PO2 HT			
	vi. Fresh Water System	MS HT			
	vii. Sea Water Service system Pump	Cert 2 PO2 HT			
	viii. Black and Grey Water System	MS HT			
006	Operate Auxiliary Boiler	Cert 2			
007	Conduct Refrigeration Rounds	Cert 2			
008	Operate Integrated Platform Management System (IPMS) Consoles and POU's	MS ET			
009	Operate Fuel Oil Service System	Cert 2			

PO	Description	Examiner	Signature	Date	Tracked
Respond to Onboard Emergencies					
010	a. Fire	PO2 MSE/HT			
	b. Flood	PO2 MSE/HT			
	c. Force Protection	PO2 DTech			
	d. Explosive Vapour Alarm	PO2 DTech			
	e. Suspected Refrigerant Leak	PO2 DTech			
	f. Casualty by Electrical Shock	PO2 ET			
	g. Bomb Threat	PO2 DTech			
	h. Missile Emergency	PO2 Weng			
	i. Missile high Temperature alarm	PO2 Weng			
	j. Status Panel Alarms & Indications	PO2 Weng			
	k. HAZMAT / Fuel Spill	PO2 Weng PO2 MAR ENG			
	l. INS alarm	PO2 Sonar			

Date Completed: _____

Reviewed by MSE Training Petty Officer:

ANNEX B

MCR Watch Keeper Double Bank Log

Name of Trainee: _____ Unit: _____

NAME OF DUTY TECHNICIAN	INITIALS	DATE	REMARKS

NOTE:

THE TRAINEE IS REQUIRED TO STAND A MAXIMUM OF 1 in 10 OVERNIGHT DOUBLEBANKED WATCHES, IF BEYOND TIMELINE OR SIGNIFICANTLY BEHIND THE TRAINEE SHALL BE 1 in 5.

ANNEX C

MCR Watch Keeper Training Progress Log

_____	_____	_____
Name and Initial	Rank	SN

_____	_____
Date Training Started	Date Training Completed

PROGRESS REVIEW

Date	**Percentage Complete**	**Reviewed By**	**Signature**

Note: This log is to be updated every two weeks by the respective MSE or CSE training Petty Officer.

ANNEX D
PO 011

CERTIFICATION OF QUALIFICATION

I certify that this member has completed the training to the standard excepted of the MSEO and is qualified perform the role of MSE CSE MCR Watch Keeper alongside on HALIFAX class ships

Name of Trainee: _____

Date Training completed: _____ (DD/MM/YEAR)

I certify that this member has completed the OJPR to the standard excepted of the MSEO and is qualified to perform the role of MCR Watch Keeper in Harbour on HALIFAX class ships. MITE code 121039 can be awarded.

_____	_____
Chief Engineer (Print and sign)	Date (DD/MM/YEAR)
_____	_____
Marine Systems Engineering Officer (Print and sign)	Date (DD/MM/YEAR)
_____	_____
Commanding Officer (Print and sign)	Date (DD/MM/YEAR)