HALIFAX CLASS ON-THE-JOB PERFORMANCE REQUIREMENTS FOR DUTY TECHNICIAN

MITE Code: 121158

APPLICABLE TO HALIFAX CLASS VESSELS
OPI: Naval Training Development Centre Pacific (MS Division)
AUTHORITY: Naval Personnel & Training Group HQ – MSE Training Manager
DATE Approved: January 2017
MARPAC RDIMS# 655988

DUTY TECHNICIAN WATCH CROSS TRAINING PACKAGE

1. This On-The-Job Performance Requirement (OJPR) has been developed in accordance with the performance-oriented concept of training in consultation with Sea Training Group. Completion of this OJPR under the direction of the Ship's Marine Systems Engineering Officer (MSEO), will qualify the individual to act as Duty Technician in all ships of the HALIFAX-Class. Specific details are contained in Chapter 3 of this document.

2. This package is to be used for the training of all HALIFAX-Class personnel who will be responsible for carrying out the duties of Duty Technician. This standard applies to all applicable members of the MSE and CSE Departments, and as such, the qualification MITE code 121158 must be entered into HRMS.

3. In conjunction with this OJPR, personnel attempting to qualify for Duty Technician must also satisfy the requirements established in Ship’s Standing Orders AL9 MC4, Annex J to Chapter 2. (Which will become Annex K, Appendix 2 of SSO’s Vol I)

4. This document is effective upon receipt.

TABLE OF CONTENTS

RECORD OF CHANGES 5
CHAPTER 1 6
OVERVIEW 6
GENERAL 6
AIM 6
SCOPE AND DURATION 6
USE OF ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE 6
CHAPTER 2 7
ON-THE-JOB TRAINING MANAGEMENT DETAILS 7
GENERAL 7
SUMMARY OF PERTINENT DATA 7
RELATED DOCUMENTS 7
PLANNING AND CONTROLLING ON-THE-JOB TRAINING 8
INSTRUCTIONS FOR TRAINEES 8
CHAPTER 3 9
ASSESSMENT OF TRAINEE 9
GENERAL 9
ASSESSING PERFORMANCE 9
ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE 9
ACTION ON POSTING OR TRANSFER 10
CHAPTER 4 11
PERFORMANCE OBJECTIVES 11
PO 401 SYSTEM SKETCHES 11
PO 402 DUTY TECHNICIAN ROUNDS 12
PO 403 DUTY TECHNICIAN RESPONSIBILITIES 13
PO 404 TOTAL POWER FAILURE 14
PO 405 OPERATE SHIP'S DIESEL GENERATORS 15
PO 406 OPERATE AUXILIARY EQUIPMENT 16
PO 407 FRESH WATER SYSTEM 17
PO 408 BLACK AND GRAY WATER SYSTEM 18
PO 409 OPERATE IPMS CONSOLES AND POUs 19
PO 410 GUIDED MISSILE LAUNCH/VERTICAL LAUNCH SYSTEM 20
PO 411 RESPOND TO SHIPBOARD EMERGENCIES 21
PO 412 FUEL OIL SERVICE SYSTEMS 22
PO 413 INTERNAL COMMUNICATION AND ANNOUNCING SYSTEM 23
PO 414 INTEGRATED NAVIGATIONAL SYSTEM 24

PO 415 CLOSE-IN-WEAPONS-SYSTEM 25
PO 416 OVERBOARD DISCHARGES 26
ANNEX A: PERFORMANCE OBJECTIVES 27
OJPR Sign Off Sheet for HALIFAX Class Duty Technician Qualification 27
ANNEX B 31
Duty Technician Double Bank Log 31
ANNEX C 32
Duty Technician Training Progress Log 32
ANNEX D 33
Certificate of Qualification ..... **Error! Bookmark not defined.**

RECORD OF CHANGES

Date	Chapter	Description Change	Approval Authority
		Initial Approval	CO TDC (P)
17 Jan 17	All	NPTG HQ Approval	CNPTG

CHAPTER 1

OVERVIEW

GENERAL

AIM

1. The aim of this document is to specify the performance standards that must be achieved during on-the-job training to qualify for Duty Technician.

SCOPE AND DURATION

2. The time required to complete training in accordance with this OJPR should not normally exceed 6 months. This OJPR applies to all those standing Duty Technician watches.

> ***NOTE:*** *Trainees who* ***do not*** *complete this package* ***within 6 months*** *of joining HALIFAX Class Ships, will be subject to supplementary training and may stand a more frequent duty watch rotation, which will include weekends, to assist in completion this OJPR. This will be at the discretion of the MSEO.*

USE OF ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE

3. This OJPR shall be used by all Commands, Formations, and Units as the primary document governing the content, organization, and conduct of the required on-job training.

4. This OJPR is used:

   a. to ensure that all eligible members are afforded the opportunity to train to a known and expected standard; and

   b. as a control document to ensure that the member has completed the necessary training to the standard detailed in Chapter 4 to safely perform Duty Technician duties.

5. On completion of this OJPR, the MSE Training PO shall request MITE update by emailing (scanned) the completed Annex D to:

   a. +NFS(A) MITE@NFS(A)@Halifax, OR

   b. +NFS(P) MITE@NFS(P)@Esquimalt

CHANGES TO THE ON-THE-JOB -PERFORMANCE PACKAGE

6. To request changes to this document, written substantiation must be forwarded to Sea Training Group (Halifax) (STG). Upon receipt of change request, the proposal shall be evaluated and forwarded by STG to the designated Trade Manager as identified on the title page.

   a. NPTG Training Manager – Revisions to chapters within the package, filing within RDIMS and placement within repository for distribution to fleet users.

CHAPTER 2

ON-THE-JOB TRAINING MANAGEMENT DETAILS

GENERAL

1. This chapter summarizes the pertinent information, data, and documents that may be required by training officers and supervisors when organizing and conducting on-the-job training.

2. Problems concerning implementation of this OJPR should be referred to the Naval Training Development Centre Pacific, (MS Division) through the applicable chain-of-command.

SUMMARY OF PERTINENT DATA

3. PREREQUISITES - The Duty Technician Qualification may only be granted if the following prerequisites have been met:

a. All candidates have successfully completed an IPMS Battle Damage Control System (BDCS) OP course (MITE code 120071, 120070, or 119162 are on their MPRR);

b. All candidates shall have a current attack team leader course;

c. The candidates shall be of the rank of Master Seamen to Petty Officer 1st Class of the MSE and CSE departments unless otherwise stated in SSO's;

d. All candidates must have completed the Duty Technician computer based training package (when implemented);

e. All candidates must have completed the Know Your Ship book computer based training package (when implemented); and

f. All candidates must have completed Bystander Intervention Training and Harassment and Inappropriate Sexual Behaviour Training.

4. QUALIFICATIONS - Successful completion of this OJPR constitutes the final training to qualify as a Duty Technician for HALIFAX-Class frigates.

RELATED DOCUMENTS

5. Documents related to this OJPR are:

a. Naval Engineering Manual C-03-005-033/AA-000 Vol 1(MSE) and Vol 2 (CSE);

b. Ship's Standing Orders; and

c. Canadian Forces Technical Orders (CFTO), technical manuals, SOPs and Technical Bulletins for applicable machinery and systems.

PLANNING AND CONTROLLING ON-THE-JOB TRAINING

6. The Commanding Officer shall direct the MSEO to be responsible to establish a training system and methodology on board to ensure the proper and timely training of Duty Technicians. They are not to permit anyone to stand duty as Duty Technician until satisfied in their abilities. To accomplish the objectives of this OJPR package, the MSEO shall establish the following:

a. a single point of contact in the MSE and CSE departments for marine systems/combat systems-related Performance Objectives;

b. a Training Petty Officer to coordinate and control Duty Technician training and maintain individual progress in training tracker;

c. a maximum rotation of one and ten double banked overnight duty watches are stood prior to performing the final walkthrough/ board examination; if the member goes beyond the required timeline or is significantly behind on their package they shall be placed in a one and five rotation, and

d. that all those standing Duty Technician watches have had Annex D completed and assigned a MITE code.

INSTRUCTIONS FOR TRAINEES

7. Any problem encountered during the training period should be immediately brought to the attention of the designated Training Petty Officer.

8. It is in the trainee's best interest to progress with his/her training program as quickly as possible. Each PO should be practised in slow time until the required measure of proficiency is attained. When the trainee considers that he/she has the knowledge and dexterity to complete the PO under the stated conditions, and to the standard required, he/she should request a designated assessor to examine their abilities. On successful completion of the PO, he/she should ensure their OJPR is updated. Each unit is to provide each trainee with a standard set of system drawings to be used as a guide.

CHAPTER 3

ASSESSMENT OF TRAINEE

GENERAL

1. Each PO in Chapter 4 may be considered as a progress test. The member's ability to perform the POs collectively is a test of his/her ability to perform the duty.

ASSESSING PERFORMANCE

2. Once the trainee has successfully practised the PO, such that he/she is confident and capable of independently performing the task to the standard stated in Section 3, he/she shall be assessed by the designated assessor; this assessment is as equally important as the instruction itself. Ideally, the number of assessors should be kept to a minimum to avoid a diversity of acceptable performance. It is therefore essential that specific senior personnel be assigned to evaluate the OJPR and performance assessment.

3. Section 3 of each PO describes the acceptable standard of performance, i.e. the acceptable manner or performance required. Section 3 of the POs is to be used by both instructors and assessors to instruct and evaluate trainees. While every effort has been made to ensure that the PO are accurate and complete, there may be instances, where because of differences in ships with the Class, i.e. machinery fitted or piping layout, a PO can be omitted or altered at the discretion of the MSEO. The applicable PO shall be annotated in the OJPR by the MSEO.

4. If, after a period of instruction and practice, the trainee cannot perform the PO in accordance with the stated standard, the instructor and assessor should together ascertain the cause. It must be remembered that individuals will differ greatly in dexterity, ability to learn, speed of reaction, motivation, application, etc. In most cases, an additional period of practice and/or study will suffice. If, however, all avenues have been explored and the trainee cannot perform the PO to the stated standard, the Divisional Chief Petty Officer should be informed. Under no circumstances should a trainee be checked off as having completed a PO unless he/she has completed it successfully. To do so would jeopardize both the trainee and the ship. If, for reasons of equipment unavailability, a trainee cannot practice or be checked out on his/her own ship, alternate arrangements shall be explored on other units.

5. Upon completion of this OJPR, the trainee shall present himself/herself before a Duty Technician board. The Duty Technician Qualification shall be awarded upon successful completion of the board. This qualification is Class-specific and, once granted this qualification in a HALIFAX-Class frigate, an individual need not re-qualify for that same class of vessel unless his/her qualification is later revoked by the Commanding Officer.

ON-THE-JOB PERFORMANCE REQUIREMENT PACKAGE

6. This OJPR has been designed to meet the following:

   a. to record a trainee's ability to perform the duties in accordance with the OJPR;

   b. to assist in planning and controlling the OJT for each trainee by providing a record of progress in this training;

c. to provide the Engineering Officers with a performance record on which to grant a qualification; and

d. to provide the information required by the trainee's record system.

ACTION ON POSTING OR TRANSFER

7. Each unit is to use and update Monitor Mass training tracker on a regular basis to ensure the training progress is captured. When a trainee has been posted or transferred to another ship prior to completion of the training, his/her OJPR is to be reviewed by the MSE Chief. The name of the ship, in which the training was conducted, is to be entered in the "Remarks" column against each completed PO and the percentage completed is to be annotated. Once reviewed the original OJPR is to be forwarded to the MSE Chief of the gaining ship via a DND 728.

CHAPTER 4

PERFORMANCE OBJECTIVES

PO 401 SYSTEM SKETCHES

1. Performance: A sketch of the following systems/equipment are to be maintained and understood by the trainee in their training package:

   a. the layout of hull-fitted tanks from forward to aft, including machinery compartment tanks;
   b. layout of machinery in each of the machinery compartments;
   c. emergency arrangements inside/outside machinery compartments (trainee to present his/her know-your-ship book once completed, and be able to identify fire-fighting fitted equipment, fitted systems, emergency escape hatches for FAMR, FER, AER, AAMR);
   d. firemain (seawater service system);
   e. bilge/eductor system, including submersible pump multi-purpose outlets;
   f. auxiliary seawater circulation system;
   g. fuel oil service system including fuel filling and transfer system for diesel generators/auxiliary boilers (including the Standard operating (SOP) for black-out/emergency fuel tank setup);
   h. electrical power generation and distribution system (including blackout and power recovery procedures);
   i. HP air system;
   j. LP air systems;
   k. auxiliary steam system;
   l. refrigeration System;
   m. internal communications systems;
   n. chilled water;
   o. INS, and
   p. CIWS cooling

2. Conditions: Given:

   a. access to ship's drawings (hard copies provided, electronic copies available) and machinery information books (provided); and
   b. necessary reference books.

3. Standard: To the satisfaction of the MSEO and CSEO or his/her representative, trainee to locate all important valves for each system listed above and must be able to operate in normal and emergency conditions. In addition, the trainee must be able to identify:

   a. the general layout of the system;
   b. the direction of flow of the operating fluids;
   c. the position of pumps, valves, controls, gauges, safety fittings, etc. used to safely operate the system;
   d. systems warning and alarm parameters; and
   e. systems optimum pressures/temperatures

   NOTE: *The assessor is to select various valves, controls, gauges, etc. and have the trainee indicate the location of the component to confirm the candidate's knowledge of the system/equipment. Emphasis shall be placed on confirming that the trainee is familiar with those items likely to be used / encountered by the Duty Technician and not necessarily the whole system.*

PO 402 DUTY TECHNICIAN ROUNDS

1. Performance: Conduct Duty Technician Rounds.

2. Conditions: Given:

   a. access to ship alongside with domestic services in use; and
   b. necessary reference books

   Denied: Assistance

3. Standard: To the satisfaction of the MSEO, or their representative of CERT 3 and above (MSE) conduct a set of Duty Tech rounds prior to taking over a watch:

   a. explain compartment hazards;
   b. explain required logs/reports;
   c. identify normal operating parameters of running equipment;
   d. identify firefighting/damage control systems;
   e. explain bilge/eductor system;
   f. identify sea water service pump locations, local/remote start/stop positions;
   g. identify and explain sprinkler systems;
   h. identify and explain steam and drains systems;
   i. identify and explain CIWS cooling;
   j. identify and explain the SABTs;
   k. identify and explain CMS cooling;
   l. identify, explain and manage the SHINCOM system, and
   m. identify and explain INS requirements

PO 403 DUTY TECHNICIAN RESPONSIBILITIES

1. Performance: Explain/carry out correct actions of Duty Technician.

2. Condition: Given:

   a. necessary reference books; and
   b. supervision of the examining officer

   Denied: Assistance

3. Standard: To the satisfaction of the MSEO or his/her representative the candidate shall explain/carry out (where applicable) the following Duty Tech responsibilities/actions, without error:

   a. duty watch turnover;
   b. diving operations;
   c. cold weather precautions;
   d. workers onboard after normal working hours;
   e. operation of capstans and cranes;
   f. ventilation and smoke control;
   g. procedures for burning and welding operations;
   h. procedure for assuming/reverting different DC conditions;
   i. navigation lights (sunset/sunrise);
   j. man aloft procedures;
   k. lockout tag out procedures;
   l. keyboards;
   m. procedures for confined space ventilation;
   n. magazine adjacent compartments;
   o. after hours oily waste water management;
   p. read and sign Night Order Book, and
   q. awareness of shipboard environmental regulations

PO 404 TOTAL POWER FAILURE

1. Performance: Operate Electrical Power Generation and Distribution System.

2. Conditions: Given:

   a. ship's electrical power generation and distribution system;
   b. shore power;
   c. access to applicable references and drawings;
   d. electrical logs;
   e. functional IPMS system; and
   f. close supervision of examining officer.

3. Standard: Carry out the following IAW applicable drill manual and/or CS/MSEO's Technical Instructions (EOTIs):

   a. prepare ship's electrical power generation equipment for load;
   b. restore ship's power to main switchboard(s) from a blacked out condition;
   c. transfer load from ship's generator to shore power;
   d. restore previously running MSE and CSE equipment; and
   e. record all actions in main switchboard/MCR log

PO 405 OPERATE SHIP'S DIESEL GENERATORS

4. Performance: Operate Ship's Diesel Generators.

5. Condition: Given:

c. necessary reference books;
d. operational ship's generators;
e. appropriate log books;
f. access to MCC; and
g. close supervision by examiner.

Denied: Assistance.

6. Standard: To the satisfaction of the MSEO or his/her representative (minimum Senior Watch keeper), the candidate shall, without error:

a. indicate all start/stop (normal and emergency) positions of generator(s);
b. prepare and start the generator(s) IAW ship's technical instructions;
c. operate the generator(s) IAW ship's technical instructions for a minimum of four hours;
d. demonstrate the ability to add oil to the generator to the proper running level;
e. describe IAW ship's technical instructions the immediate action for the following conditions:
    i. Low Fresh Water level/ Pressure;
    ii. Low Oil level / pressure;
    iii. DG Over speed; and
    iv. DG high crankcase pressure and
f. shut down generator IAW ship's technical instructions.

PO 406 OPERATE AUXILIARY EQUIPMENT

1. Performance: Operate Auxiliary Equipment.

2. Conditions: Given:

   a. applicable reference manuals;
   b. access to operational auxiliary equipment;
   c. applicable log books; and
   d. close supervision of examining officer.

   Denied: Assistance

3. Standards: To the satisfaction of the MSEO or their representative, the candidate shall, without error:

   a. perform pre-start checks IAW ship's technical instructions;
   b. start/stop and ensure safe operation of equipment and its associated system from remote and/or local position IAW ship's technical instructions;
   c. correctly fill out all applicable logs;
   d. describe normal operating pressures/temperatures, required oil, etc.; and
   e. describe the actions to be performed on the following equipment including the conditions which would necessitate emergency shutdown:

      i. high pressure air compressor;
      ii. low pressure air compressor;
      iii. chiller units (AC cooling Unit);
      iv. main refrigeration system;
      v. chilled water system;
      vi. fresh water system;
      vii. sea water service system pumps (SWS); and
      viii. black and grey water pumps, and
      ix. steam generation

PO 407 FRESH WATER SYSTEM

1. Performance: Operate ship's Fresh Water System.

2. Conditions: Given:

   a. ship with functioning Fresh Water System;
   b. applicable references: and
   c. supervision of examiner

3. Standard: To the satisfaction of the MSEO or his/her representative, the candidate shall, IAW without error:

   a. start/stop freshwater pump(s);
   b. change over tank suction/returns;
   c. change to constant shore pressure;
   d. awareness of water testing procedures; and
   e. embark fresh water

PO 408 BLACK AND GRAY WATER SYSTEM

1. Performance: Operate Ship's Black and Grey Water System.

2. Conditions: Given:

   a. ship with functioning Black and Grey Water systems
   b. applicable references; and
   c. close supervision of examining officer

   Denied: Assistance

3. Standard: To the satisfaction of the MSEO or his/her representative, the candidate shall:

   a. start/stop pumps;
   b. monitor black/grey water system under normal operation; and
   c. describe any condition that would necessitate normal or emergency shutdown

PO 409 OPERATE IPMS CONSOLES AND POUs

1. Performance: Operate IPMS Consoles and POUs.

2. Condition: Given:

   a. lecture by ship's IPMS technician;
   b. operational IPMS console and a POU; and
   c. close supervision of examining officer.

   Denied: Assistance

3. Standard: To the satisfaction of the MSEO or his/her representative, the candidate shall operate the Integrated Platform Management System including:

   a. demonstrate the ability to acknowledge/interpret warnings/alarms on all systems and carry out the necessary action required; and
   b. operate MCC to include open/close and start/stop devices related to:

      i. HP/LP air;
      ii. fuel oil service;
      iii. fire detection;
      iv. chilled water;
      v. refrigeration;
      vi. steam and drains;
      vii. seawater services;
      viii. seawater circulatory;
      ix. black & grey water;
      x. electrical overview; and
      xi. diesel generators

   c. Contact MSEC, EO or their designate when in doubt.

PO 410 GUIDED MISSILE LAUNCH/VERTICAL LAUNCH SYSTEM

1. Performance: Respond to a Missile Emergency/Alarm

2. Conditions: Given:

   a. operational ship;
   b. operational GMVLS missile system;
   c. GMVLS alarm unit status panel, and
   d. GMVLS missile system lecture by a qualified W Eng Technician

   Denied: Assistance

3. Standard: To the satisfaction of the CSEO/CSEC, or their representative, the candidate shall demonstrate the understanding of the GMVLS missile over temperature alarm system.

PO 411 RESPOND TO SHIPBOARD EMERGENCIES

1. Performance: Shipboard Emergencies.

2. Condition: Given:

   a. ship in harbour; and
   b. applicable reference manuals

   Denied: Assistance

3. Standard: To the satisfaction of the MSEO, or his/her representative, the candidate shall demonstrate the appropriate understanding and response the following shipboard emergencies:

   a. fire;
   b. flood;
   c. force protection;
   d. explosive vapour alarm;
   e. suspected refrigerant leak;
   f. casualty by electrical shock;
   g. bomb threat;
   h. missile emergency, to include:

      i. missile high temperature; and
      ii. status panel alarms and indications.

   i. HAZMAT - immediate action/pipe;
   j. Fuel Spill - immediate action/pipe;
   k. Hydrocarbon spill, and
   l. Inertial Navigation System (INS) alarm response

   NOTE: *Where possible, emergencies should be simulated for candidate to better his/her expertise.*

PO 412 FUEL OIL SERVICE SYSTEMS

1. Performance Operate Fuel Oil Service System To Support Auxiliary Machinery

2. Condition Given:

a. Ship in harbour;
b. operational fuel oil service system;
c. applicable reference manuals;
d. operating machinery control console (IPMS); and
e. close supervision of examining officer

Denied: Assistance

3. Standard To the satisfaction of the EO or his/her representative, the candidate shall, without error:

a. demonstrate an understanding of system operation;
b. including environmental regulations;
c. demonstrate correct action for normal/emergency;
d. fueling of emergency fuel tank and diesel driven fire pumps ready use (day)tanks which supply auxiliary machinery; and
e. demonstrate an understanding of the possible points of fuel leakage both inside the ship and overboard

PO 413 INTERNAL COMMUNICATION AND ANNOUNCING SYSTEM

1. Performance Identify and Rectify Internal Communication and Announcing System Faults

2. Conditions Given:

   a. an operational Internal Communication and Announcing system;
   b. applicable technical publications and software, and
   c. SHINCOM reboot lecture and demonstration to be given by a qualified W Eng Technician occupation

   Denied: Assistance

3. Standard To the satisfaction of the CSEO/CSEC or their representative, the candidate shall:

   a. to a block level, describe the SHINCOM, main broadcast, and PACOM system as applicable;

   b. describe the normal operating condition;

   c. demonstrate ability to identify and rectify abnormal conditions; and

   d. demonstrate the ability to conduct a successful system reboot

PO 414 INTEGRATED NAVIGATIONAL SYSTEM

1. Performance Action INS Alarms and Failures

2. Conditions Given:

   a. an operating Internal Navigation System, and
   b. access to all technical publications and check lists

   Denied: Assistance

3. Standard To the satisfaction of the CSEO or his/her representative, the candidate shall:

   a. to a block level, describe the INS and Navigation system to include alarms, lights/annunciators and locations;
   b. describe power requirements;
   c. describe system alerts, alarms and UPS;
   d. demonstrate ability to interpret alert/alarm reports; and
   e. demonstrate ability to safely power down internal navigator if required

PO 415 CLOSE-IN-WEAPONS-SYSTEM

1. Performance Action CIWS Environmental Alarms and Failures

2. Condition Given:

   a. an operating CIWS System, and
   b. access to all technical publications and checklists

3. Standard To the satisfaction of the CSEO or his/her representative, the candidate shall:

   a. to a block level, recognize CIWS environmental system to include alarms, lights/annunciators and locations;
   b. interpret/silence alarms but not to corrective action state, and
   c. contact CSEO, CSEC or their designate when in doubt or action is required

PO 416 OVERBOARD DISCHARGES

1. Performance State Location of Overboard Discharges and Spill Response Equipment

2. Condition Given:

a. ship in harbour;
b. applicable overboard discharge drawing(s), and
c. applicable references

Denied: Assistance

3. Standard To the satisfaction of the EO or his/her representative, the candidate shall have a working knowledge of overboard discharges and their sources so as to prevent and/or isolate an environmental spill. The candidate shall be aware of the location of:

a. stored POL;

b. fuel storage tanks/vents;

c. lub/hydraulic oil; storage tanks/vents;

d. overboard scuppers;

e. upper deck fueling points, upper deck hoses and
f. equipment; and

g. absorbent pads and spill response kits

Note: Candidate may make use of an Overboard Discharges Drawing if one is included in the Duty Technician Pack.

ANNEX A: PERFORMANCE OBJECTIVES

OJPR Sign Off Sheet for HALIFAX Class Duty Technician Qualification

SHIP _____ RANK _____ NAME _____

PO	Description	Examiner	Signature	Date	Entered in Trg Tracker
Pre-Requisites IPMS Damage Control System Operator Course Completed					
Sketch Systems					
401	a. Layout of hull fitted tanks	MSE TRNG PO			
	b. Machinery Compartments	MSE TRNG PO			
	c. Emergency Arrangements	MSE TRNG PO			
	d. Seawater Service / Firemain	MSE TRNG PO			
	e. Bilge / Eductor System	MSE TRNG PO			
	f. Auxiliary. S.W. Circulation System	MSE TRNG PO			
	g. Fuel Oil Service System	MSE TRNG PO			
	h. Electrical Power Generation and Distribution System	SNR ET			
	i. HP Air System	MSE TRNG PO			
	j. LP Air System	MSE TRNG PO			
	k. Auxiliary Steam system	MSE TRNG PO			
	l. Cold Weather Precautions, Upper Deck connections (F.W. Black Water, Hydrants etc.)	DCPO			
	n. Internal Communications systems	WENG Manger			
	o. Internal Navigation System	WENG Manger			
	o. CIWS cooling	WENG Manger			

PO	Description	Examiner	Signature	Date	Tracked
402	Conduct Duty Technician Rounds	MSE TRNG PO			
Duty Technician Responsibilities					
403	a. Duty Watch Turn Over	MSE TRNG PO			
	b. Diving Operations	MSE TRNG PO			
	c. Cold Weather Precaution	MSE TRNG PO			
	d. Non-Working hours Works	MSE TRNG PO			
	e. Operation of capstans and cranes	PO2 BOSN			
	f. Ventilation and smoke control	DCPO			
	g. Safety precautions for burning & welding operations	DCPO			
	h. DC conditions	DCPO			
	i. Navigation lights	DCPO			
	j. Man aloft procedures	CSEO/CSEC			
	k. Lockout tag out procedures	LOCK OUT CO-ORD			
	l. keyboards	COXN			
	m. Confined space	DCPO			
	n. Magazine adjacent compartments	CSEC			
	o. Night Order Book	MSEC			
	p. Shipboard environmental regulations	U ENV O			
404	Total Power Failure	SNR ET			
405	Operate Ships Diesel Generators	SNR ET			
Operate Auxiliary Equipment					
406	a. HP Air Compressor	MSE TRNG PO			
	b. LP Air Compressor	MSE TRNG PO			

	c. AC Cooling Unit	MSE TRNG PO			
	d. Main Refrigeration System	MSE TRNG PO			
	e. Chilled Water System	MSE TRNG PO			
	f. Fresh Water System	MSE TRNG PO			
	g. Sea Water Service system Pump	MSE TRNG PO			
	h. Black and Grey Water System	MSE TRNG PO			
	i. Lub oil centrifuge	MSE TRNG PO			
	j. Auxiliary boiler	MSE TRNG PO			
407	Fresh Water System	MSE TRNG PO			
408	Black and Grey Water System	DCPO			
409	Operate Integrated Platform Management System (IPMS) Consoles and POU's	IPMS TECH			
410	Guide Missile Launch System	CSEO/CSEC			
Respond to Shipboard Emergencies					
	a. Fire	MSEO/MSEC			
	b. Flood	MSEO/MSEC			
	c. Force Protection	MSEO/MSEC			
	d. Explosive Vapour Alarm	MSEO/MSEC			
	e. Refrigerant leak	MSEO/MSEC			
411	f. Causality/ electric shock	SNR ET			
	g. Bomb threat	COXN			
	h. Missile emergency	CSEO/CSEC			
	i. HAZMAT Spill	CSEO/CSEC			
	j. Fuel Spill	MSEO/MSEC			
	k. Hydrocarbon spill	MSEO/MSEC			

	l. INS alarm response	WENG Manager			
412	Operate Fuel Oil Service System	MSE TRNG PO			
413	Internal Communications (SHINCOM)	WENG Manager			
414	Intergraded Navigation System	WENG Manager			
415	Close in Weapons System	WENG Manager			
416	Over Board Discharges	MSE TRNG PO			

Date Completed: _____

Reviewed by MSE Training Petty Officer:

ANNEX B

Duty Technician Double Bank Log

Name of Trainee: _____ Unit: _____

NAME OF DUTY TECHNICIAN	INITIALS	DATE	REMARKS

NOTE:

THE TRAINEE IS REQUIRED TO STAND A MAXIUM OF ONE AND TEN OVERNIGHT DOUBLEBANKED WATCHES, IF BEYOND TIMELINE OR SIGNIFICANTLY BEHIND THE TRAINEE SHALL BE ONE AND FIVE.

ANNEX C

Duty Technician Training Progress Log

_____	_____	_____
Name and Initial	Rank	SN

_____	_____
Date Training Started	Date Training Completed

PROGRESS REVIEW

Date	**Percentage Complete**	**Reviewed By**	**Signature**

Note: This log is to be updated every two weeks by the respective MSE or CSE training Petty Officer.

ANNEX D

CERTIFICATION OF QUALIFICATION

I certify that this member has completed the training to the standard excepted of the MSEO and is qualified perform the role of Duty Technician in Harbour on HALIFAX class ships.

_____ _____

CHIEF ENGINEER or ENGINEERING OFFICER DATE

DATE FORMAL ROUNDS COMPLETED: _____

DATE QUALIFICATION ATTAINED: _____

RECOMMENDED BY: MSEO _____

QUALIFICATION GRANTED BY COMMANDING OFFICER

NAME: _____

SIGNATURE: _____

DATE: _____