

Contents

1	Aliases	2
2	Servers	2
2.1	Connecting to Servers	2
2.2	Moving Files	2
2.3	Running processes in background	2
2.3.1	Screens	2
2.3.2	tmux	2

1 Aliases

`alias` - Can call at any point to see a list of available Aliases

`~/.zshrc` - Location of aliases

2 Servers

2.1 Connecting to Servers

`ssh rjcass13@stat-g01.byu.edu` - Full line for connecting to the server (just replace the number with the corresponding server number)

`server g0#` - (Alias) Replace # with any number 1-5 to join the corresponding server

2.2 Moving Files

Move file from local machine to server: `scp FILE_PATH rjcass13@stat-g02.byu.edu:FILE_PATH`

Move file from server to local machine: `scp rjcass13@stat-g02.byu.edu:FILE_PATH FILE_PATH`

To move a full directory, include the recursive `-r`. Example: `scp -r rjcass13@...`

2.3 Running processes in background

2.3.1 Screens

Running a program in a screen allows it to run in the background even when you disconnect from the server

1. Login to the server
2. Start a screen session: `screen -S my_session_name`
3. Navigate to and run the desired program
4. Detach from the screen session: On a Mac: CTRL+A (nothing should change), then D (if it worked it will take you back to the original SSH session and say detached)
5. To rejoin the session, while logged in to the server, do: `screen -r my_session_name`. If you forgot what the session is called, do `screen -ls` to see all session names.
6. To end the screen session (completely kill it, no coming back), just enter `exit`. If the session is frozen and the previous method doesn't work, you can use `screen -d my_session_name` in the main SSH session.

2.3.2 tmux

Very similar to screen, running a program in a tmux allows it to run in the background even when you disconnect from the server. May not be included on all servers.

1. Login to the server
2. Start a screen session: `tmux new -s my_session_name`
3. Navigate to and run the desired program
4. Detach from the screen session: On a Mac: CTRL+B (nothing should change), then D (if it worked it will take you back to the original SSH session and say detached)

5. To rejoin the session, while logged in to the server, do: `tmux attach -t my_session`. If you forgot what the session is called, do `tmux ls` to see all tmux sessions names.
6. To end the screen session (completely kill it, no coming back), just enter `exit`. If the session is frozen and the previous method doesn't work, you can use `tmux kill-session -t session_name` in the main SSH session.