



Les Résultats des tests sur Apollo :

1. Récupérer toutes les tâches :



2. Ajouter une tâche :



3. Marquer une tâche terminée :

The screenshot shows the GraphQL Playground interface. On the left, the 'Documentation' panel is open, showing the 'Query' section with fields: `task(...): Task` and `tasks: [Task]`. The main editor, titled 'Unnamed', contains a GraphQL mutation:

```
1 mutation {
2   completeTask(id: "1") {
3     id
4     title
5     completed
6   }
7 }
```

. Below the editor, the 'Variables' tab is selected, showing an empty list. The 'Run' button is visible. On the right, the 'Response' panel shows the JSON output:

```
{
  "data": {
    "completeTask": {
      "id": "1",
      "title": "Task 1",
      "completed": true
    }
  }
}
```

. The status bar at the top right indicates a successful execution with a 200 status code, 35.0ms execution time, and 71B response size.

4. Tester addTask avec duration :

The screenshot shows the GraphQL Playground interface. On the left, the 'Documentation' panel is open, showing the 'Query' section with fields: `task(...): Task` and `tasks: [Task]`. The main editor, titled 'Unnamed', contains a GraphQL mutation:


```
1 mutation {
2   addTask(
3     title: "Projet GraphQL",
4     description: "TP GraphQL",
5     completed: false,
6     duration: 10
7   ) {
8     id
9     title
10    duration
11  }
12 }
```

. Below the editor, the 'Variables' tab is selected, showing an empty list. The 'Run' button is visible. On the right, the 'Response' panel shows the JSON output:


```
{
  "data": {
    "addTask": {
      "id": "3",
      "title": "Projet GraphQL",
      "duration": 10
    }
  }
}
```

. The status bar at the top right indicates a successful execution with a 200 status code, 38.0ms execution time, and 71B response size.

5. Tester changeDescription :



6. Tester deleteTask :



7. Voir toutes les tâches :

Development

Schema

Governance

Documentation

Root > Query

Query

Fields

task(.): Task

tasks: [Task]

Unnamed

Operation

```
1 query {
2   tasks {
3     id
4     title
5     description
6     completed
7     duration
8   }
9 }
```

Variables

Headers

Pre-Operation Script

Post-Operation Script

1

+ Add files

Response

```
{
  "data": {
    "tasks": [
      {
        "id": "1",
        "title": "Task 1",
        "description": "Nouvelle description",
        "completed": false,
        "duration": 5
      },
      {
        "id": "3",
        "title": "Projet GraphQL",
        "description": "TP GraphQL",
        "completed": false,
        "duration": 10
      }
    ]
  }
}
```