



PESO 0,344 KG/M ANOD. 0,138 M2/M POL. 0,089 M2/M




ES 10

PESO 0,344 KG/M ANOD. 0,138 M2/M POL. 0,089 M2/M




ES 93

PESO 0,283 KG/M ANOD. 0,151 M2/M POL. 0,117 M2/M




ES 13

PESO 0,289 KG/M ANOD. 0,136 M2/M POL. 0,084 M2/M



ES 33


PESO 0,289 KG/M ANOD. 0,136 M2/M POL. 0,084 M2/M



ES 43

PESO 0,274 KG/M ANOD. 0,147 M2/M POL. 0,089 M2/M






44.80


ES 83

PESO 0,299 KG/M ANOD. 0,147 M2/M POL. 0,089 M2/M

ES 53

PESO 0,269 KG/M ANOD. 0,129 M2/M POL. 0,074 M2/M







ES 63

PESO 0,274 KG/M ANOD. 0,137 M2/M POL. 0,074 M2/M

ES 3N

PESO 0,299 KG/M ANOD. 0,139 M2/M POL. 0,084 M2/M






ET 13

PESO 0,299 KG/M ANOD. 0,139 M2/M POL. 0,084 M2/M

ET 43


PESO 0,308 KG/M ANOD. 0,150 M2/M POL. 0,084 M2/M






ES 73

PESO 0,133 KG/M ANOD. 0,072 M2/M POL. 0,030 M2/M




ES 05

PESO 0,378 KG/M ANOD. 0,200 M2/M POL. 0,070 M2/M




ES 15

PESO 0,244 KG/M ANOD. 0,183 M2/M POL. 0,058 M2/M



ES 25


PESO 0,363 KG/M ANOD. 0,200 M2/M POL. 0,068 M2/M




ES 45

PESO 0,264 KG/M ANOD. 0,172 M2/M POL. 0,057 M2/M






PESO 0,395 KG/M ANOD. 0,218 M2/M POL. 0,078 M2/M




ET 05

PESO 0,207 KG/M ANOD. 0,168 M2/M POL. 0,055 M2/M




ET 15

PESO 0,218 KG/M ANOD. 0,183 M2/M POL. 0,058 M2/M




ET 55

PESO 0,321 KG/M ANOD. 0,239 M2/M POL. 0,084 M2/M



ES 35


PESO 0,263 KG/M ANOD. 0,211 M2/M POL. 0,030 M2/M




ES 55

PESO 0,275 KG/M ANOD. 0,220 M2/M POL. 0,030 M2/M









PESO 0,364 KG/M ANOD. 0,157 M2/M POL. 0,080 M2/M

ES 16

PESO 0,492 KG/M ANOD. 0,197 M2/M POL. 0,120 M2/M







ES 08

PESO 0,497 KG/M ANOD. 0,232 M2/M POL. 0,113 M2/M

ES 18

PESO 0,650 KG/M ANOD. 0,253 M2/M POL. 0,121 M2/M






ES 26


PESO 0,387 KG/M ANOD 0,198 M2/M POL 0,083 M2/M

ET 08

PESO 0,437 KG/M ANOD. 0,225 M2/M POL. 0,110 M2/M








ES 28


PESO 0,800 KG/M ANOD. 0,276 M2/M POL. 0,149 M2/M




ES 38


PESO 0,000 KG/M ANOD. 0,000 M2/M POL. 0,000 M2/M








ES 99




ES 09

PESO 0,601 KG/M ANOD. 0,332 M2/M POL. 0,135 M2/M






PESO 0,655 KG/M ANOD. 0,358 M2/M POL. 0,155 M2/M




PESO 0,715 KG/M ANOD. 0,385 M2/M POL. 0,176 M2/M



ET 29


PESO 0,687 KG/M ANOD. 0,370 M2/M POL. 0,172 M2/M




ET 37

PESO 0,886 KG/M ANOD 0,412 M2/M POL. 0,226 M2/M






PESO 0,535 KG/M ANOD. 0,249 M2/M POL. 0,140 M2/M



ES 17

PESO 0,496 KG/M ANOD 0,237 M2/M POL 0,120 M2/M



ES 27

PESO 0,559 KG/M ANOD. 0,257 M2/M POL. 0,140 M2/M

PERFIS OEIRAS

SOCIEDADE DE EXTRUSÃO DE ALUMÍNIOS E COBRE, S.A.

Rua da Colónia - Quinta da Cardosa Apartado 214 - Abrunheira 2711-952 Sintra T +351 219 156 660 | F +351 219 156 661 E perfis.oeiras@sosoares.pt

www.sosoares.pt