

AN EXAMPLE ARTICLE*

DIANNE DOE[†], PAUL T. FRANK[‡], AND JANE E. SMITH[‡]

Abstract. This is an example SIAM L^AT_EX article. This can be used as a template for new articles. Abstracts must be able to stand alone and so cannot contain citations to the paper's references, equations, etc. An abstract must consist of a single paragraph and be concise. Because of online formatting, abstracts must appear as plain as possible. Any equations should be inline.

Key words. example, L^AT_EX

AMS subject classifications. 68Q25, 68R10, 68U05

1. Introduction. The introduction introduces the context and summarizes the manuscript. It is important to clearly state the contributions of this piece of work. The next two paragraphs are text filler, generated by the `lipsum` package.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

The paper is organized as follows. Our main results are in [section 2](#), our new algorithm is in [section 3](#), experimental results are in [section 4](#), and the conclusions follow in [section 5](#).

2. Main results. We interleave text filler with some example theorems and theorem-like items.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Here we state our main result as [Theorem 1](#); the proof is deferred to [section S2](#).

THEOREM 1 (*LDL^T Factorization* [1]). *If $A \in \mathbb{R}^{n \times n}$ is symmetric and the principal submatrix $A(1 : k, 1 : k)$ is nonsingular for $k = 1 : n - 1$, then there exists a unit*

*This work was funded by the Fog Research Institute under contract no. FRI-454.

[†]Imagination Corp., Chicago, IL (ddoe@imag.com, <http://www.imag.com/~ddoe/>).

[‡]Department of Applied Mathematics, Fictional University, Boise, ID (ptfrank@fictional.edu, jesmith@fictional.edu).

lower triangular matrix L and a diagonal matrix

$$D = \text{diag}(d_1, \dots, d_n)$$

such that $A = LDL^T$. The factorization is unique.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

THEOREM 2 (Mean Value Theorem). *Suppose f is a function that is continuous on the closed interval $[a, b]$. and differentiable on the open interval (a, b) . Then there exists a number c such that $a < c < b$ and*

$$f'(c) = \frac{f(b) - f(a)}{b - a}.$$

In other words,

$$f(b) - f(a) = f'(c)(b - a).$$

Observe that [Theorems 1](#) and [2](#) and [Corollary 3](#) correctly mix references to multiple labels.

COROLLARY 3. *Let $f(x)$ be continuous and differentiable everywhere. If $f(x)$ has at least two roots, then $f'(x)$ must have at least one root.*

Proof. Let a and b be two distinct roots of f . By [Theorem 2](#), there exists a number c such that

$$f'(c) = \frac{f(b) - f(a)}{b - a} = \frac{0 - 0}{b - a} = 0. \quad \square$$

Note that it may require two L^AT_EX compilations for the proof marks to show.

Display matrices can be rendered using environments from `amsmath`:

$$(1) \quad S = \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \quad \text{and} \quad C = \begin{pmatrix} 1 & 1 & 0 \\ 1 & 1 & 0 \\ 0 & 0 & 0 \end{pmatrix}.$$

Equation [\(1\)](#) shows some example matrices.

We calculate the Fréchet derivative of F as follows:

$$(2a) \quad \begin{aligned} F'(U, V)(H, K) &= \langle R(U, V), H\Sigma V^T + U\Sigma K^T - P(H\Sigma V^T + U\Sigma K^T) \rangle \\ &= \langle R(U, V), H\Sigma V^T + U\Sigma K^T \rangle \end{aligned}$$

$$(2b) \quad = \langle R(U, V)V\Sigma^T, H \rangle + \langle \Sigma^T U^T R(U, V), K^T \rangle.$$

[Equation \(2a\)](#) is the first line, and [\(2b\)](#) is the last line.

3. Algorithm. Sed gravida lectus ut purus. Morbi laoreet magna. Pellentesque eu wisi. Proin turpis. Integer sollicitudin augue nec dui. Fusce lectus. Vivamus faucibus nulla nec lacus. Integer diam. Pellentesque sodales, enim feugiat cursus volutpat, sem mauris dignissim mauris, quis consequat sem est fermentum ligula. Nullam justo lectus, condimentum sit amet, posuere a, fringilla mollis, felis. Morbi

80 nulla nibh, pellentesque at, nonummy eu, sollicitudin nec, ipsum. Cras neque. Nunc
 81 augue. Nullam vitae quam id quam pulvinar blandit. Nunc sit amet orci. Aliquam
 82 erat elit, pharetra nec, aliquet a, gravida in, mi. Quisque urna enim, viverra quis,
 83 suscipit quis, tincidunt ut, sapien. Cras placerat consequat sem. Curabitur ac diam.
 84 Curabitur diam tortor, mollis et, viverra ac, tempus vel, metus.
 85 Our analysis leads to the algorithm in [Algorithm 1](#).

Algorithm 1 Build tree

```

Define  $P := T := \{\{1\}, \dots, \{d\}\}$ 
while  $\#P > 1$  do
  Choose  $C' \in \mathcal{C}_p(P)$  with  $C' := \operatorname{argmin}_{C \in \mathcal{C}_p(P)} \varrho(C)$ 
  Find an optimal partition tree  $T_{C'}$ 
  Update  $P := (P \setminus C') \cup \{\bigcup_{t \in C'} t\}$ 
  Update  $T := T \cup \{\bigcup_{t \in \tau} t : \tau \in T_{C'} \setminus \mathcal{L}(T_{C'})\}$ 
end while
return  $T$ 

```

86 Curabitur ac lorem. Vivamus non justo in dui mattis posuere. Etiam accumsan
 87 ligula id pede. Maecenas tincidunt diam nec velit. Praesent convallis sapien ac est.
 88 Aliquam ullamcorper euismod nulla. Integer mollis enim vel tortor. Nulla sodales
 89 placerat nunc. Sed tempus rutrum wisi. Duis accumsan gravida purus. Nunc nunc.
 90 Etiam facilisis dui eu sem. Vestibulum semper. Praesent eu eros. Vestibulum tellus
 91 nisl, dapibus id, vestibulum sit amet, placerat ac, mauris. Maecenas et elit ut erat
 92 placerat dictum. Nam feugiat, turpis et sodales volutpat, wisi quam rhoncus neque,
 93 vitae aliquam ipsum sapien vel enim. Maecenas suscipit cursus mi.

94 **4. Experimental results.** Quisque facilisis auctor sapien. Pellentesque gravida
 95 hendrerit lectus. Mauris rutrum sodales sapien. Fusce hendrerit sem vel lorem. Inte-
 96 ger pellentesque massa vel augue. Integer elit tortor, feugiat quis, sagittis et, ornare
 97 non, lacus. Vestibulum posuere pellentesque eros. Quisque venenatis ipsum dictum
 98 nulla. Aliquam quis quam non metus eleifend interdum. Nam eget sapien ac mauris
 99 malesuada adipiscing. Etiam eleifend neque sed quam. Nulla facilisi. Proin a ligula.
 100 Sed id dui eu nibh egestas tincidunt. Suspendisse arcu.

101 [Figure 1](#) shows some example results. Additional results are available in the
 102 supplement in [Table S1](#).




FIG. 1. Example figure using external image files.

103 Maecenas dui. Aliquam volutpat auctor lorem. Cras placerat est vitae lectus.

Curabitur massa lectus, rutrum euismod, dignissim ut, dapibus a, odio. Ut eros erat, vulputate ut, interdum non, porta eu, erat. Cras fermentum, felis in porta congue, velit leo facilisis odio, vitae consectetur lorem quam vitae orci. Sed ultrices, pede eu placerat auctor, ante ligula rutrum tellus, vel posuere nibh lacus nec nibh. Maecenas laoreet dolor at enim. Donec molestie dolor nec metus. Vestibulum libero. Sed quis erat. Sed tristique. Duis pede leo, fermentum quis, consectetur eget, vulputate sit amet, erat.

5. Conclusions. Vivamus commodo eros eleifend dui. Vestibulum in leo eu erat tristique mattis. Cras at elit. Cras pellentesque. Nullam id lacus sit amet libero aliquet hendrerit. Proin placerat, mi non elementum laoreet, eros elit tincidunt magna, a rhoncus sem arcu id odio. Nulla eget leo a leo egestas facilisis. Curabitur quis velit. Phasellus aliquam, tortor nec ornare rhoncus, purus urna posuere velit, et commodo risus tellus quis tellus. Vivamus leo turpis, tempus sit amet, tristique vitae, laoreet quis, odio. Proin scelerisque bibendum ipsum. Etiam nisl. Praesent vel dolor. Pellentesque vel magna. Curabitur urna. Vivamus congue urna in velit. Etiam ullamcorper elementum dui. Praesent non urna. Sed placerat quam non mi. Pellentesque diam magna, ultricies eget, ultrices placerat, adipiscing rutrum, sem.

Morbi sem. Nulla facilisi. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Nulla facilisi. Morbi sagittis ultrices libero. Praesent eu ligula sed sapien auctor sagittis. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Donec vel nunc. Nunc fermentum, lacus id aliquam porta, dui tortor euismod eros, vel molestie ipsum purus eu lacus. Vivamus pede arcu, euismod ac, tempus id, pretium et, lacus. Curabitur sodales dapibus urna. Nunc eu sapien. Donec eget nunc a pede dictum pretium. Proin mauris. Vivamus luctus libero vel nibh.

A. An example appendix. Ut auctor, augue porta dignissim vestibulum, arcu diam lobortis velit, vel scelerisque risus augue sagittis risus. Maecenas eu justo. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris congue ligula eget tortor. Nullam laoreet urna sed enim. Donec eget eros ut eros volutpat convallis. Praesent turpis. Integer mauris diam, elementum quis, egestas ac, rutrum vel, orci. Nulla facilisi. Quisque adipiscing, nulla vitae elementum porta, sem urna volutpat leo, sed porta enim risus sed massa. Integer ac enim quis diam sodales luctus. Ut eget eros a ligula commodo ultricies. Donec eu urna viverra dolor hendrerit feugiat. Aliquam ac orci vel eros congue pharetra. Quisque rhoncus, justo eu volutpat faucibus, augue leo posuere lacus, a rhoncus purus pede vel est. Proin ultrices enim.

Acknowledgments. We would like to acknowledge the assistance of volunteers in putting together this example manuscript and supplement.

REFERENCES

- [1] GENE H. GOLUB AND CHARLES F. VAN LOAN, *Matrix Computations*, The Johns Hopkins University Press, Baltimore, 4th ed., 2013.