## RAINFALL AT Duntocher Cochono Filton

Lat. 55 56 Lon. 4. 24 33 County of Dumbarton

Clyde -	R. ba	Rai	n Gauge,	by		Obs	rerver f	DW Y.	Lacke	i Esq (	£. 6.2.
Diameter							5			6	30
Height							10				
Altitude :.							4007				
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January							5.61	3.07	5.43	625	
February .							3.20	3.36	3.44	2.71	
March							3.80				
May							Control of the last		1.57		
June							6.15		2.95		
July									2.91		
August									4.04		
September October									7.17		
November							TEXT SVEN S VA	The second second	2.05		
December									3.87		
TOTALS			-							46.64	

1908 linger Station

RAINFALL at Duntocher Cockno Filters

County of Dumbarton Observer Y. L. Rae Esq b&

River Basin Clyde-Right bank tribs. \$ 4.

Rain Gauge, by.....

Diameter	5										
Height	1 0										
Altitude	400 1										
Year	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January	4.78	3.04	3.26	3.23	3.35	2.95	6.31	3.31	5.14	2.25	17.01
February		7.45			4.06	5.39	5.98	.84	6.33	.52	13:67
March		1.52			5.64	2.59	1.90	2.23	1.45	3.31	8 69
April			2:41			3.22		1.36	.67	209	7.96
May	,		1.84	4.12	2.08	1.71	6.19	3.44	2.23	.36	12-22
June	243	4.73	4.80	3.23	77	2.19	2.83	2.83	1.28	4.15	1109
July	helical and				3.26	5-75	4.61	2.28	421	1.16	12.26
August	ALCOHOLD TO THE REAL PROPERTY.	3.12			4.22	2-55	#15	3.73	3.62	3.15	14.65
September		2:44	3.3/	2.56	2.49	1-87	1·3H	2.97	5.44	3.46	13.21
October	275	3.94	5.16	1:99	1.83	4:33	7.87	6.75	4:36	.97	19.95
November		6.43		IL.	4.62	2.84	5.21	7.97	5.40	4.94	23.5
December	5.05	7.96	8.15	5.98	5.52	473	6·3H	3.03	100 200 200		20.5
Totals	4877	49.50	51.48	(12.75	40.01	40-12	55.57	1.0.7/1	44:39	3430	175.0
	TO.LL	77.29	31.40	46/3	A	A	000/	40.14 D	A	7.50	

Distance. Direction. Church, Distance. Direction. Railway Station. Lat. N. Long. Date. Singers 2mls. 1911.

D

D

TUTTILL WU WASHINGTON JUNEAU	RAINFALL	at Duntock	ler , boch	no Fillers
------------------------------	----------	------------	------------	------------

County of Dumbarton Observer J. L. Place Esq 6. E. River Basin Clyde - Right-bank tribs. 4 (1926) E. J. Collins Esq. CE Water Supt. Blydebank. Rain Gauge, by

3 1924 1925 1926 1927 1928 1929	MEANS.
2 5.35 4.87 6.26 5.34 9.22 2.12	6.50 63
5 1.01 4.11 5.56 2.75 4.61 2.27	
76 2.71 408 413 455 .99	2.7/ 34.0
6 491 7.21 3.23 3.21 2.18 3.10	1.90 39
1 236 .56 2.43 4.68 5.24 2.78	
4 4 15 2.02 2.95 4.42 3.05 3.60	403 H3
2 441 4.35 3.74 7.06 4.18 6.28	6.73 58
5 4 65 4 30 3.85 492 3.38 1.54	
2298 3.74 6.87 7.20 7.95 6.27	
9 3.77 .96 6-19 4.34 6.68 7.34	
8 6.42 3.23 2.88 1.47 .4.07 10.49	
19 43.20 42.47 50.30 52.58 56.58 47.72	45.75 536

1922. Jan. corrected for snow.

1929. Och daily amounts doubtful but observe confes them.

M	n of Station on reduced Ordnance Survey Map, 2 miles to 1 inch Series		No. of Map Reference No.						
Date.	Lat. N.	Long.	Railway Station.	Distance from	Direction gauge	Parish Church.	Distance Direction from gauge		
1920			Singers	2 mi	N				

## Air Ministry, Meteorological Office.

5337 31

			ank.							
n. based	on 27y				*********		.,			0
		ears obs.	un-weigh	ted. Per	riod of ar	rerage!	881-191	x11/36	Ref	Sur
							7,000	X   00	Marie Statement	
5.			h /							
1. 0.										-
400.										
1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Mea
3.65	7.61	3.72	5.27	3.18	5.83	4.57	6.34	4.40	(3.01)	47:
				5.52	2.38	5.57	2.64	532	209	33
1.23	2.34	2.16	2.22	1.97	274	1.72	3.24	3.69	H.5H	25
1.97	3.85	2.56	3.13	3.17	1.28	1.95	.51	2.52	292	23
			1		1.74	1.72	3.94	1.73	1.53	25 1
					2.47	3.71	6.24	2.48	.81	31-1
					4.94	3.36	3.99	6.41	3.58	39.
2.57	2.16	2.99	4.99	2.02	3.49	3.98	2.49	2.83	2.58	30
1.23	3.94	.57	5.64	6.15	458	2.69	4.58	3.08	4.60	37
3.76	6.97	3.93	7.85	10.27	5.53	3.53	7.95	2.98	6.49	59.
3.87	6.37	1.22	6.02	3.28	6.27	2.83	3-69	2.47	4.24	40-
							-			
	1931 3:65 5:26 1:23 1:97 5:48 5:16 5:16 2:57 1:23 3:76 6:80	1931 1932 3:65 7:61 5:26 00 1:23 2:34 1:97 3.85 5:48 3:20 5:16 1:30 5:16 2:54 2:57 2:16 1:23 3:94 3:76 6:97 6:80 3:80 3:87 6:37	1931 1932 1933 3.65 7.61 3.72 5.26 .00 4.08 1.23 2.34 2.16 1.97 3.85 2.56 5.48 3.20 2.73 5.16 1.30 1.77 5.16 2.54 4.32 2.57 2.16 2.99 1.23 3.94 .57 3.76 6.97 3.93 6.80 3.80 2.58 3.87 6.37 1.22	1931 1932 1933 1934 3:65 7.61 3.72 5.27 5:26 '00 4.08 '71 1:23 2:34 2.16 2:22 1:97 3.85 2.56 3.13 5:48 3:20 2:73 3:05 5:16 1:30 1:77 2:46 5:16 2:54 4:32 2:46 2:57 2:16 2:99 4:99 1:23 3:94 :57 5:64 3:76 6:97 3:93 7:85 6:80 3:80 2:58 1:40 3:87 6:37 1:22 6:02	1931 1932 1933 1934 1935 3:65 7.61 3.72 5.27 3.18 5:26 00 4.08 71 5.52 1:23 2:34 2:16 2:22 1.97 1:97 3.85 2:56 3:13 3:17, 5:48 3:20 2:73 3:05 56 5:16 1:30 1:77 2:46 4:73 5:16 2:54 4:32 2:46 2:25 2:57 2:16 2:99 4:99 2:02 1:23 3:94 57 5:64 6:16 3:76 6:97 3:93 7:85 10:27 6:80 3:80 2:58 1:40 8:14 3:87 6:37 1:22 6:02 3:28	1931 1932 1933 1934 1935 1936  3:65 7.61 3.72 5.27 3.18 5.83  5:26 00 4.08 71 5.52 2.38  1:23 2:34 2.16 2.22 1.97 2.74  1:97 3.85 2.56 3.13 3.17, 1.28  5:48 3:20 2.73 3.05 .56 1.74  5:16 1.30 1.77 2.46 4.73 2.47  5:16 2.54 4.32 2.46 2.25 4.94  2:57 2.16 2.99 4.99 2.02 3.49  1:23 3.94 .57 5.64 6.15 458  3:76 6.97 3.93 7.85 10.27 5.53  6:80 3.80 2.58 1.40 5.14 3.94  3:87 6:37 1.22 6.02 3.28 6.27	1931 1932 1933 1934 1935 1936 1937 1936 1937 1936 1937 1938 1938 1938 1938 1938 1937 1938 5.83 4.57 5.26 0.0 4.08 71 5.52 2.38 5.57 1.23 2.34 2.16 2.22 1.97 2.74 1.72 1.97 3.85 2.56 3.13 3.17, 1.28 1.95 5.48 3.20 2.73 3.05 .56 1.74 1.72 5.16 1.30 1.77 2.46 4.73 2.47 3.71 5.16 2.54 4.32 2.46 2.25 4.74 3.36 2.57 2.16 2.99 4.99 2.02 3.49 3.98 1.23 8.94 .57 5.64 6.15 4.58 2.69 3.76 6.97 3.93 7.85 10.27 5.53 3.53 6.80 3.80 2.58 1.40 5.14 3.94 .89 3.87 6.37 1.22 6.02 3.28 6.27 2.83	1931 1932 1933 1934 1935 1936 1937 1938  3:65 7.61 3.72 5.27 3.18 5.83 4.57 6.34  5:26 00 4.08 .71 5.52 2.38 5.57 2.64  1:23 2:34 2.16 2:22 1.97 2.74 1.72 3.24  1:97 3.85 2.56 3.13 3.17, 1.28 1.95 .51  5:48 3:20 2.73 3.05 .56 1.74 1.72 3.94  5:16 1.30 1.77 2.46 4.73 2.47 3.71 6.24  5:16 2.54 4.32 2.46 2.25 4.4 3.36 3.99  2:57 2.16 2.99 4.99 2.02 3.49 3.98 2.49  1:23 3.94 .57 5.64 6.15 4.58 2.69 4.58  3:76 6.97 3.93 7.85 10.27 5.53 3.53 7.95  6:80 3.80 2.58 1.40 5.14 3.94 .89 8.33  3:87 6:37 1.22 6:02 3.28 6.27 2.83 3.69	1981 1982 1988 1984 1985 1986 1987 1988 1989  3.65 7.61 3.72 5.27 3.18 5.83 4.57 6.34 4.40  5.26 00 4.08 .71 5.52 2.38 5.57 2.64 5.32  1.23 2.34 2.16 2.22 1.97 2.74 1.72 3.24 3.69  1.97 3.85 2.56 3.13 3.17, 1.28 1.95 .51 2.52  5.48 3.20 2.73 3.05 .56 1.74 1.72 3.94 1.73  5.16 1.30 1.77 2.46 4.73 2.47 3.71 6.24 2.48  5.16 2.54 4.32 2.46 2.25 4.74 3.36 3.99 6.41  2.57 2.16 2.99 4.99 2.02 3.49 3.98 2.49 2.83  1.23 3.94 .57 5.64 6.16 4.58 2.69 4.58 3.08  3.76 6.97 3.93 7.85 10.27 5.53 3.53 7.95 2.98  6.80 3.80 2.58 1.40 5.14 3.94 .89 8.33 7.90  3.87 6.37 1.22 6.02 3.28 6.27 2.83 3.69 2.77	1931 1932 1933 1934 1935 1936 1937 1938 1939 1940  3:65 7.61 3.72 5.27 3.18 5.83 4.57 6.34 4.40 (3.01)  5:26 00 4.08 .71 5.52 2.38 5.57 2.64 5.32 2.09  1:23 2:34 2.16 2:22 1.97 274 1.72 3.24 3.69 4.54  1:97 3.85 2.56 3.13 3.17, 1.28 1.95 .51 2.52 2.92  5:48 3:20 2.73 3.05 .56 1.74 1.72 3.94 1.73 1.53  5:16 1.30 1.77 2.46 4.73 2.47 3.71 6.24 2.48 .81  5:16 2.54 4.32 2.46 2.25 4.44 3.36 3.99 6.41 3.58

RAINFALL at Duntocher (Cochno Filters)	
County of Dunabaston Observer E. T. Gotting Esq.	
River Basin +- Clycle - Right Bank J.E. McWilliam Esq	
River Basin 4- Clyde - Right Bank J.E. McWilliam Esq. Type of Gauge Snowdon (1944)	

Annual Average 442 in. based on 2 years obs. De-weighted. Period of average 1881-1915 Ref. S

File No. 5" 343 Diameter 661 1'0" Height Altitude 400 41 Means-1941 1942 1943 1944 1945 1947 1946 1948 1949 1950 Year January (H'00) 5. H9 4.53 (2.77) 5.21 4.05 45.50 5.77 5.02 1.04 7.62 February 1.80 4.18 1.76 4.55 4.73 3.57 7.75 3.40 (1.00) 4.65 37.39 March .... 5.10 2.27 74 2.98 3.11 3.02 3.67 2.78 5.47 3.84 32.98 April .... .... 4.94 394 1.66 2.87 3.66 3.07 2.35 2-10 6.39 2.80 33 - 78 May .... 1.44 2.65 3.50 3.36 4.64 1.72 4.90 2-07 2.74 31.33 431 June .... .... 32:53 1.28 2.03 1.22 267 4.04 3.73 3.68 3-24 4.12 6.52 July .... .... 38.23 3.39 2.60 4.44 3.30 2.92 2.44 3.38 3-77 4.01 4.68 2.70 4.03 -00 44.38 5.08 6.57 2.99 4.79 5.99 August 5.03 7.20 September .... 2.37 8.61 1.83 5.43 2.81 5.41 5.60 6.46 4.98 7.60 51.10 6.60 384 October 5.92 593.00 5.19 636 9.05 4.84 52-42 7-03 November .... 294 4.76 3.23 0.8 2.55 6.38 .69 6.96 6.19 38.56 4.05 December .... 467 1.70 7.42 4.09 3-87 2.39 5.32 8.74 1.43 41.88 2.25

1943 Gauge moved 1st august 20 th SE bushes may have been stellaring gauge to some actions.

49.85

480.08

62.09 51.56

(44:3048.26 47.61 47.63 44-93 48.14

New gauge 1/2/44 1945 Jan. part est d. for mow.

35.65

TOTALS ...

1350 Jan/4th hant ahh as gauge was frozen 28/6/50. Lee 30th let for mow loss.

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.
				Logical Accessor		

74-661344 Air Ministry, Meteorological Office. A.M. Form 1903. Station No. 5337 old site RAINFALL at Duntocher bochno fillers tiam less. Observer ... River Basin Lelyde -Right Bank lydebank and Type of Gauge Inowdon 46.59 " " 35 " " 1916-1950 File No ..... 5" Diameter 343 661 1 1'0 Height 51 Altitude 400 1958 1959 1960 Means 1957 1955 1956 Year 1951 1952 1953 1954 6.00 4.33 1-71 January 3.70 4.18 5.71 ... H.84 2.30 3.25 3.01 3.20 2.82 February 2-23 5.33 3.40 2.35 2.45 1.57 2.18 1.65 4.68 1.00 March ... 2.22 ... 3.00 3.34 1.20 2.77 1.56 2.68 1.66 April ... 1.92 1.99 2-16 1.87 3.76 2.17 2.78 3.18 May 1.04 4.50 2.80 ... 2.07 2.31 4:32 2.37 2.10 3.61 3.07 3-19 June ... 2.38 1.75 2.89 2:43 4.05 3.41 6.70 July 3.15 4.62 3.81 0.89 5.45 ... 3.72 5.26 5.20 186 5.63 .83 August 3.53 4.22 5.63 4.77 3.25 4.28 3.34 September ... 2.86 3.93 6.64 5.21 3.70 5.54 3.12 5.07 October 130 2.42 10.04 3.32 3.42 2.32 1.92 2.16 6.68 6.55 2.68 November ... 2.08 5.13 5.06 4.96 5.99 6.88 4.60 December ... 6.21 5.51 42.92 45.79 42.55 39.94. TOTALS ... 44.00 38-80 37.76 62-27 36.18 40.30 P NPCHECH 1955. Inp. H. Honson 28.9. Sets on lawn near futer beds what are NE, N.W. g. soud except for scepts gast no upper part of outer carry r sovier can Joke upared (no los). Occurspoid to Swhee there is a straig dop 15', 6' for going.

New site charm. whee good slopes up to SE, - S - N - NE Betom SE-NE back 50'-60', 50 - 10' away. New site chosen while growt slepes up to SE, - S - N-NE 1958. n.p. cleck. Lorentel w. e. of. 31/12/40 1961 1960 NP check National Grid Reference 26 495.737... No. of Map..... Position of Station on Ordnance One-Inch map: Distance Direction from gauge. Distance Direction Parish Church. Date. Lat. N. Long. Railway Station. from gauge 1916-1950 P-Summary of Earlier Records from 10-year Sheets:

1951-60

1931-40

1920-30

Vout d 24

1941-50

hut d 41-42

Record D, or d 1910-19

.M. Form 1903.	Air I	Minis	try,	Mete	eorol	logica	al Of	fice.		-1.	
RAINFA	LL at	D	mtor	her	Cho	chno	Station	No	533 ev eite	1/1	E
County of	unba	nton			Observ	er Lhyd	ebankt	Dish	ict Wate	Trust.	
River Basin											
Type of Gauge.											
nual Averagei	n. based or	nyear	rs obs. ui	n-weighte	d. Peri	od of aver					
							1 110				7
Diameter			661	344	5'						
Height				)	11"						
Altitude		ide		51	385	*				THE SECOND	
Year 1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January					2.10	6.41	4 70	1.00	1.00		
January February					1.76	3.68	4.79	1.02	2.57		
March					2 85	4.96	1.09	2.15	3.57		T
April					1.34	1.98	1.74	3.93	3.84		
May					2.63	2.92	3.41	1.09	1		
June					2.51	2.26	3.79	2.90	3.02		-
July					5.56	4.23	5.69	6.80	4.00		
August						5.57					
September					5.72	3.48	4.26	1.55	3.31		
October					3.52	5.69	3.86	4.90	3.38		
November									5.26		
December		17.16.7			5.87	5.75	5.32	6.94	5.65		

Date.	Lat. N.	Long.	Railway Station.	e Direction n gauge	Parish Church.	Distance Directifrom gauge.

41.94 48.98 44.87 40.82 44.82 D. D. D.

TOTALS ...