

Daily Rainfall form versions - Fronts

"136 Camden Road"	"62 Camden Square"	"K-1000/12/70"	"K-1500/12/71"
"K/1000/9/72"	"K/1000/12/72"	"K/1000/1/73"	"K/1500/12/73"
"K/3000/11/74"	"K/3000/12/75"	"K/3000/12/76"	"K/3000/1/78"
"K/3,000/12/78"	"K/3,000/12/79"	"K/3,000/12/81"	"K/3,000/12/82"
"K/3,000/12/83"	"K/3,000/11/84"	"K/3,000/12/85"	"K/3,000/11/86"
"K/3,000/11/87"	"K/3,000/11/88"	"K/3,000/1/90"	"K/3,000/12/90"
"K/3,000/11/91"	"K/3,000/10/92"	"K/3,000/10/93"	"K/3,000/12/94"
"K/4,000/9/95"	"K/4,000/12/96"	"K/4,000/10/97"	"K/4,000/12/98"
"K/4,000/1/99"	"K/3,000/12/00"	"K/4,000/12/01"	"K/4,000/11/02"
"K/5000/10/03"	"K/4000/12/04"	"K/5000/11/05"	"<1906>"
"6,000 XI '07"	"6,000 XI '08"	"6,000 V '09"	"7,000 X '09"
"9,000 IX '10"	"W 8,000 X '11"	"1,000 I '12"	"W 7,500 XI 12"
"W 7,000 XI 13"	"W 8,000 X 14"	"W 8,000 X 15"	"W 1,000 X 15"
"W 8,000 VIII 16"	"W 8,000 IX 17"	"W 6,500 VII 18"	"7500 10/19"
"500 10/19" [mm]	"10,000 7/20"	"1000 7/20" [mm]	"7000 11/21"
"750 11/21" [mm]	"8,000 9/22"	"375 9/22" [mm]	"9,000 8/23"
"375 8/23" [mm]	"10000 12/24"	"500 12/24" [mm]	"1000 2/25"
"11,500 12/25"	"1000 12/25" [mm]	"13000 9-26"	"1625 11-26" [mm]
"13000 9-27"	"1000 11-27" [mm]	"13,000 2/28"	"14,000 5/29"
"1,000 10/29" [mm]	"14,000 6/30"	"15,000 2/31"	"1,000 2/31" [mm]
"16000 8/32"	"15000 3/33"	"16,000 5/34"	"1000 5/34" [mm]
"15,000 2/35"	"1000 8/35" [mm]	"26,000 4/36"	"1,000 4/36" [mm]
"25,500 12/37"	"21,000 10/38"	"1,000 1/39" [mm]	"1,500 10/39" [mm]
"10,000 4/41"	"10,000 7/42"	"10,000 4/43"	"1,000 12/43" [mm]
"10,000 3/44"	"10,000 10/45"	"1,000 6/46" [mm]	"15,000 10/46"
"7,000 10/47"	"625 7/48" [mm]	"10,000 8/48"	"10,000 9/49"
"2/50"	"1,375 5/50" [mm]	"2/51"	"800 7/51" [mm]
"2/52"	"800 9/52" [mm]	"10/53" [mm]	"11/53"
"9/54"	"11/55"	"11/55" [mm]	"10/56"
"6/58"	"4/60"	"2/61"	

REGISTER OF RAINFALL IN 1869.

Kept at Birstow Leicestershire

by Miss Gilford

Latitude $52^{\circ} 39' 36'' N$

Time of Observation ... *9 A.M.*

Longitude $0^{\circ} 57' 0''$ E.

Height of Receiver of Rain Gauge.	Above Ground
	Above Sea Level.....

CONDENSED INSTRUCTIONS.—Place the gauge on the ground, quite clear of trees and walls, keep its orifice level, empty it daily at 9 a.m. and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind it is sometimes blown out of the funnel; take then one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 2 inches snow = .17 of rain. When there is no rain a line should be drawn, rather than cyphers inserted.

REGISTER OF RAINFALL IN 1869

Kept at Nos 13 and R, 130 Wm, Lancashire by R. H. Ainsworth Esqr.

Latitude.....
Longitude

Time of Observation.. 9 A.M
Height of Receiver
of Rain Gauge

Above Ground	14 in -
Above Sea Level

CONDENSED INSTRUCTIONS.—Place the gauge on the ground, quite clear of trees and walls, keep its orifice level, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind it is sometimes blown out of the funnel; take then one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 2 inches snow = 17 of rain. When there is no rain a line should be drawn, rather than cyphers inserted.

Date. Jan. Feb. March. April. May. June. July. Aug. Sept. Oct. Nov. Dec.

in. in.

1	-15	-37	-42	-14	---	-3	---	-75	---	--4	-25	---
2	-24	-60	---	-77	-11	-15	---	-14	---	--6	-45	---
3	-18	-15	---	-4	-34	-5	---	-43	---	-35	-21	---
4	-32	---	-9	-1	---	-12	---	---	-4	--2	-30	---
5	--9	---	-1	-12	-4	---	-20	---	-36	---	-86	--3
6	--1	-1	---	-20	-61	---	-13	---	-14	---	-33	---
7	--6	101	-6	-39	-86	-5	---	165	---	-18	-49	---
8	---	-72	-5	-7	---	---	-20	-57	-23	-59	-44	---
9	---	-11	---	-11	-42	---	---	-35	-16	---	-8	---
10	--1	-33	---	---	---	---	---	-19	-47	--2	---	-34
11	--1	---	---	---	---	---	---	160	---	---	---	---
12	--1	6	---	---	---	---	---	55	-51	-25	-30	-29
13	---	---	---	---	---	-7	---	-3	-14	-23	-79	-22
14	--1	-35	---	-16	---	-69	-1	---	-36	-83	--3	-21
15	--1	---	---	-30	---	-44	---	-7	-80	-67	-12	-33
16	-57	-45	-14	-15	---	-18	---	---	-31	-20	--3	-58
17	--4	-1	---	-15	-16	-10	---	---	-4	-42	---	-99
18	--4	-10	-6	---	-52	-34	---	---	-48	--7	---	-53
19	---	-4	-58	-37	-23	---	---	---	-44	---	-61	-20
20	-12	-10	---	-65	-20	---	---	---	-9	-29	---	---
21	-22	---	-1	---	---	---	---	---	-8	---	-6	-12
22	---	---	---	---	---	---	5	---	-41	-14	---	---
23	---	-5	---	---	---	-2	---	-1	-71	-48	-44	-14
24	---	-72	---	-6	-8	---	---	---	-9	---	---	---
25	--31	-27	---	---	-1	---	-6	---	-2	-25	-35	---
26	-20	---	---	---	-13	---	-64	---	-32	---	-27	-20
27	--9	-37	-2	---	---	-8	---	---	-9	---	-7	---
28	-23	-50	---	---	---	---	---	---	-80	---	-5	-50
29	-16	---	-7	---	---	-34	---	115	-71	-40	---	-1
30	-13	---	---	---	-11	---	-2	---	-22	---	---	-12
31	-56	---	---	---	---	---	---	---	---	-13	---	-7
Totals	377	632	151	369	382	232	165	474	1006	593	693	488
Total from Jan. 1	5	5	5	5	5	5	5	5	5	5	5	5
												55-62

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. Symons, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

REGISTER OF RAINFALL IN 1869																		
Att, Yorkshire. by Alfred M. Box.																		
Longitude	W. 1° 37' 57"	Time of Observation	8-20 A.M.	Height of Receiver of Rain Gauge	Above Ground 3 inches													
Latitude 53° 35' 9"																		
CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind it is sometimes blown out of the funnel; take then one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 2 inches snow=17 of rain. When there is no rain a line should be drawn, rather than cyphers inserted.																		
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.						
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.						
1	0.29	0.36	0.33	0.50	0.01						
2	0.17	0.27	0.15	0.51	0.27	0.05	0.20	0.23						
3	0.11	0.02	0.84	0.20	0.01	0.07	0.08						
4	0.34	0.04	0.01	0.01	0.02	0.17	0.17	0.13						
5	0.14	0.02	0.04	0.30	0.37	0.36 0.03						
6	0.01	0.04	0.04	0.72	0.01	0.15	0.06						
7	0.91	0.30	0.72	0.12	0.05	0.09	0.03						
8	0.65	0.12	0.09	0.01	0.37	0.24	0.01						
9	0.31	0.01	0.08	0.26	0.08	0.09	0.01	0.05						
10	0.55	0.02	0.26	0.28	0.06	0.15						
11	0.01	0.65	0.08						
12	0.02	0.23	0.37	0.02	0.08	0.05						
13	0.04	0.08	0.15	0.08	0.62	0.12						
14	0.03	0.11	0.02	0.15	0.16	0.13	0.28	0.01	0.29						
15	0.07	0.01	0.07	0.25	0.44	0.29	0.01	0.43						
16	0.18	0.16	0.09	0.36	0.01	0.10	0.30	0.34						
17	0.04	0.04	0.01	0.12	0.34	0.04	0.02	0.08	0.44						
18	0.08	0.18	0.29	0.76	0.05	0.60						
19	0.56	0.06	0.49	0.04	0.36	0.01	0.15						
20	0.02	0.07	0.14	0.01	0.01						
21	0.36	0.02	0.06	0.01	0.05	0.22	0.07						
22	0.02	0.02	0.06	0.03	0.15						
23	0.09	0.02	0.27	0.02						
24	0.18	0.01	0.11	0.10	0.03						
25	0.05	0.05	0.08	0.01	0.04	0.07	0.01						
26	0.12	0.08	0.05	1.30?	0.19	0.05	0.06	0.16						
27	0.02	0.52	0.07?	0.01	0.04	0.01						
28	0.32	0.38	0.17	0.23	0.09	0.05						
29	0.22	0.01	0.05	0.08	0.12	0.30	0.42						
30	0.32	0.01	0.11	0.33	0.02	0.13						
31	0.20	0.01						
Totals	3.03	4.75	1.88?	1.92	5.47?	0.89	0.40	1.99	4.89	2.11	3.25	3.55						
Total from Jan. 1	3.03	7.78	9.66?	11.58?	17.05?	17.94?	18.34?	20.33?	25.22?	27.33?	30.58?	34.13?						
K-1000/12/70. Wedday 20	20	21	11	16	9	6	11	22	16	23	25							

REGISTER OF RAINFALL IN 1877

Kept at Merton Villa, Cambridge by G. Warren
 Latitude 52° 13' N. 19.87 Height of Receiver of Rain Gauge
 Longitude 0° 8' E. Time of Observation 9 a.m. Above Ground 1 foot
 Above Sea Level 40 feet

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "8" being prefixed. With a low temperature and high wind it is sometimes blown out of the funnel; take then one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 2 inches snow = .17 of rain. When there is no rain a line should be drawn, rather than cyphers inserted.

Observers will oblige by sending duplicates of this Register, or even the monthly totals, to Mr. G. J. Symons, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from more than 1500 stations.

Additional copies of this form (price 3d. each) can be obtained of the above, from Mr. STANFORD, 6 & 7, Charing Cross, and from all the leading Opticians.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	—	.06	—	—	—	—	—	—	—	.11	—	.01
2	—	—	—	.08	—	.01	.61	—	—	.05	—	—
3	—	.16	—	.04	.05	.17	.10	—	—	—	.02	—
4	—	.14	—	—	—	.06	.11	.08	—	—	—	.03
5	.05	—	—	—	—	—	.09	—	—	—	—	—
6	.01	—	.05	—	—	—	—	—	.23	.02	—	.03
7	—	.38	.09	—	—	—	.02	—	—	.12	.03	.03
8	.01	—	—	—	—	.03	—	—	.44	—	.03	—
9	S. .04	.09	.20	—	.02	.01	.01	—	.04	—	—	—
10	—	.33	.05	—	—	—	.62	—	—	—	—	—
11	S. .03	—	—	.18	—	—	.12	—	—	—	.04	—
12	—	.02	—	—	—	—	.09	—	—	—	—	—
13	—	—	.07	—	—	.10	—	—	—	—	—	.06
14	—	—	.18	.17	—	.31	—	—	—	—	.45	.02
15	.11	—	.54	.43	—	.21	—	—	—	—	—	—
16	.04	.03	.01	.01	.01	.19	—	.09	—	—	.08	.01
17	—	—	—	.23	.01	1.26	—	.24	—	—	—	—
18	.03	—	—	.47	.10	—	—	—	—	—	—	—
19	—	.01	—	.04	.07	.14	.06	—	—	.10	—	.05
20	—	.03	—	.02	—	.20	.05	.05	—	.16	—	.09
21	—	.01	—	—	—	.13	.01	—	—	.19	—	.02
22	—	—	—	.14	—	.42	.02	—	—	—	.01	.04
23	.17	—	—	.02	—	.03	.05	—	.58	—	—	—
24	—	—	—	—	—	.01	.22	.03	.17	.01	—	—
25	.01	—	—	—	.36	—	.07	.01	—	—	.04	.09
26	S. .04	—	—	.02	—	—	.02	—	1.15	—	.02	.01
27	—	.04	—	.09	.03	.09	.25	—	—	—	—	—
28	S. .04	.02	—	.36	—	—	.06	—	.09	—	—	.02
29	—	—	—	.02	.11	—	.01	.22	—	1.47	—	.04
30	—	—	—	—	—	.09	.13	—	.33	—	.17	.06
31	—	—	.05	—	—	—	—	—	—	—	—	—
Totals	.58	1.32	1.26	2.40	.65	3.41	2.88	.53	4.58	.76	.93	.57
Total from Jan. 1	1.90	3.16	5.56	6.21	9.62	12.50	13.03	17.61	18.37	19.30	19.87	

* In the instances of brackets, the rainfall was not measured till the last day, being absent from home; each day bracketed were rainy days.

make it

E.P. & W.

REGISTER OF RAINFALL IN 1872

Kept at Wisbech

Latitude $52^{\circ} 41' S.$

Longitude 0° 9' E

Time of observation... *9 a.m.*

Height of Receiver
of Rain Gauge. } Above Ground ... *8 inches*

Above Sea Level.....104.

CONDENSED INSTRUCTIONS—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

REGISTER OF RAINFALL IN 1876.

12/14/15

Kept at Stretham, Ely, Cambridgeshire by Mr. Edwin Stanley.

Latitude Time of Observation... *8 a.m.* Height of Receiver
of Rain Gauge. Above Ground. *4 ft. 9 in.*
Longitude Above Sea Level.....

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifices level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—e.g., 3 inches snow = 26 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	.25	.08	.23		.02							.13
2	.27		.12			.08		.21	.15	.04		.33
3	.04					.03		.02	.17	.05	.36	.15
4								.33	.43	.03		.11
5		.24	.08			.04			.21		.03	.10
6						.04	.25	.03	.12			
7		.07							.39	.24	.05	.50
8	.06		.14			.03			.02	.04	.11	.02
9			.05	.02			.24		.06	.06		
10			.03	.25					.03	.03		
11			.20						.01	.01	.24	
12			.40			.05				.39	.44	
13			.05	.45	.05	.31			.06		.05	.17
14		.44	.14	.44	.02				.02	.03	.06	
15		.09	.05			.47		.31			.10	
16		.14		.05		.05			.07			
17		.05	.04						.47			.22
18	.07	.02		.05					.18		.16	.08
19				.16						.02	.04	.19
20		.25	.05	.14				.07				.18
21	1.16			.20								
22		.03			.04	.03			.05		.03	
23				.25	.05	.55	.79		.15			.39
24		.05			.05	.09		.23	.06		.05	.24
25		.23		.30	.10						.08	.06
26		.14	.04		.18		.05	.05	.05			.14
27		.05	.47	.29	.04			.03	.08		.04	
28		.09	.20	.06			.07	.19	.38			
29		.03	.08	.40				.12				.26
30	.02	X		.03			.04		.60		.14	.06
31		X		.02	X		X	.65	.40	X	X	.04
Totals	1.87	1.98	2.39	3.14	0.59	1.68	2.09	1.99	3.76	0.94	1.98	3.37
Total from Jan. 1.												
K/1000/1/73.	1.87	3.85	6.24	9.38	9.97	11.65	13.74	15.73	19.49	20.43	22.41	25.78

REGISTER OF RAINFALL IN 1873												
Kept at Beech House, Cambridge by James Nuttall												
Latitude.....	52° 0'	Height of Receiver of Rain Gauge	Above Ground.....	1 ft.....								
Longitude	0° 0'	Time of Observation.....	9 A.M.									
		CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water, e.g., 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.										
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0.12	0.03 S	0.20	—	—	—	—	0.08	0.21	—	—	—
2	0.09	0.60 S	—	—	—	0.07	—	—	0.05	0.03	0.50	—
3	0.40	0.26 S	0.05	0.01	0.03	0.01	0.29 T	—	0.09	0.01	—	—
4	0.28	0.04	—	0.12	0.21	0.36	0.02	—	0.12	0.05	0.02	0.02
5	0.01	—	0.02	—	0.09	—	0.12	—	0.01	—	0.25	—
6	—	—	0.16	0.11	0.01	0.69	—	—	0.02	—	0.23	—
7	—	0.02	0.02	0.12	0.23	—	—	—	0.37	0.29	0.01	—
8	0.02	—	—	0.03	0.01	—	—	—	—	0.15	0.03	—
9	0.05	0.02 S	0.07	—	0.03	—	0.01	0.02	0.22	0.02	0.23	—
10	—	0.15 S	0.04	—	—	0.08	—	0.18	0.25	—	0.14	—
11	0.06	0.05 S	0.08	—	—	—	—	0.03	—	0.12	—	—
12	0.09	0.04	0.05	—	—	—	—	0.18	—	0.69	—	—
13	—	0.01	—	—	—	0.30	0.81	—	0.03	—	—	—
14	—	—	—	—	—	0.03	0.35 T	0.01	0.49	—	—	—
15	—	—	—	—	—	—	0.40 T	—	0.20	0.02	—	0.02
16	0.01	—	0.05	—	—	—	—	—	—	—	0.03	—
17	0.02	—	—	—	0.21	0.21	0.11	0.04	—	—	—	—
18	0.14	—	—	—	0.02	0.03	—	0.38	—	—	0.02	0.05
19	0.02	—	—	—	—	—	—	0.02	—	0.02	—	0.08
20	0.06	—	0.15	—	0.21	—	—	0.05	0.01	0.01	—	—
21	0.13	—	0.04	—	0.17	—	—	0.03	—	0.25	0.14	—
22	0.15	0.05 S	—	—	0.06	—	—	—	—	0.33	—	0.02
23	0.05	0.02 S	—	—	0.02	—	—	—	—	0.16	—	0.01
24	—	0.17 S	—	0.01	—	—	0.98 T	—	—	0.02	—	—
25	0.02	0.19	—	—	0.01	—	0.03	—	—	—	—	—
26	—	0.29	—	0.32	0.12	—	0.02	0.40 T	—	—	0.03	0.19
27	—	—	—	0.02	—	—	—	—	—	—	—	—
28	—	—	—	0.12	—	—	—	0.36 T	—	—	0.02	—
29	—	—	—	—	—	0.33	—	0.13	—	0.010	—	—
30	—	—	0.07	0.01	—	0.11	—	—	—	—	—	0.06
31	—	—	0.10	0.15	—	0.02	—	—	—	0.21	—	—
Totals	1.78	1.94	1.63	0.77	1.63	2.22	2.18	2.86	2.10	2.37	1.97	0.45
Total from Jan. 1	—	3.72	4.85	5.62	7.25	9.47	11.65	14.51	16.61	18.98	20.95	21.40
K/1500/12/73.			8	6	8	4	6	5	6	9	9	4

REGISTER OF RAINFALL IN 1874

Kept at Pamfiford Hall
Latitude 52° 10 $\frac{1}{2}$ North

Latitude $52^{\circ} 10' \text{ North}$

Latitude 52 North

Longitude... 7° East

Time of Observation

Time of Observation

J. A.M. Height of Receiver
of Rain Gauge.

by W. P. Hammond Esq.

Above Ground.....1 foot.....

Above Sea Level... 113 feet

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—e.g., 3 inches snow = 25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

See back
REGISTER OF RAINFALL IN 1876

Kept at *Ayresby House, Chatteris* by *Alfred Edward Ruston*
 Latitude *52° 27'* Diameter *8 inches*

Time of Observation *9 A.M.* Receiver of Rain Gauge Height above Ground *6 inches*
 Longitude *101° 15' W.* Above Sea Level

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. When snow is not melted at the proper time for measuring, melt what is caught in the funnel by adding to the snow a previously ascertained quantity of warm water, and then deducting this quantity from the total measurement, enter the residue as rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	0.20	0.06	0.05	—	—	—	—	—	—	—	—	0.23
2	0.20	—	0.10	—	0.01	0.09	—	0.28	0.16	0.03	—	0.38
3	0.01	—	—	—	—	0.11	—	0.01	0.34	0.06	0.41	0.24
4	0.01	0.11	—	—	—	0.01	—	0.25	0.35	—	—	0.06
5	—	0.12	0.10	—	—	0.05	0.02	—	0.07	0.04	0.03	0.16
6	—	0.06	—	—	—	0.03	0.27	0.04	0.37	0.16	—	0.01
7	—	0.02	—	—	—	—	—	—	0.12	0.01	0.14	0.32
8	—	0.05	0.19	—	—	0.20	0.01	—	—	0.09	0.26	—
9	—	—	0.02	—	—	—	—	—	0.03	0.01	0.04	—
10	0.06	—	0.01	0.28	—	—	—	—	0.06	0.06	—	—
11	—	—	0.16	0.05	—	—	—	—	—	—	0.40	0.01
12	0.21	—	0.51	0.33	0.04	—	—	—	0.02	0.14	0.45	0.16
13	—	0.22	0.02	0.87	—	0.29	—	—	0.02	—	0.08	0.02
14	—	0.34	0.19	0.01	0.01	—	—	—	0.04	0.01	0.04	—
15	—	0.18	—	—	—	0.55	—	0.02	—	—	0.20	0.03
16	0.03	0.19	0.01	0.05	—	—	—	—	0.05	0.01	0.01	—
17	0.02	0.05	—	—	—	0.01	—	—	0.13	—	—	0.17
18	—	0.07	0.06	0.10	—	—	—	—	0.35	—	0.18	0.05
19	—	—	0.02	0.17	—	—	—	0.04	—	0.01	0.03	0.22
20	0.19	0.26	0.01	0.28	—	—	—	0.07	—	—	0.02	0.14
21	0.16	—	—	0.14	—	—	—	0.05	—	—	—	—
22	—	0.08	0.05	—	0.02	0.09	0.38	—	0.10	—	—	0.10
23	—	—	0.14	0.02	0.65	—	—	—	0.25	—	—	0.29
24	—	0.04	—	0.12	0.36	—	—	0.15	0.13	—	0.13	0.07
25	—	0.19	—	0.01	0.14	—	—	—	0.01	—	0.17	—
26	0.01	0.19	0.10	—	0.16	—	0.05	—	0.14	—	0.06	0.28
27	—	0.04	0.62	0.25	0.10	—	—	0.04	0.03	—	0.14	0.02
28	—	0.09	0.04	0.15	—	—	0.18	0.37	0.54	—	0.06	0.07
29	—	0.19	0.12	0.38	—	—	—	—	—	—	—	0.31
30	0.05	—	—	—	—	0.02	0.22	0.43	0.36	—	0.15	0.19
31	—	—	—	—	—	—	0.58	0.34	—	—	—	0.04
Totals	2.15	2.53	2.38	3.28	0.86	2.10	1.71	2.09	3.67	0.69	3.00	3.57
Total from Jan. 1.	2.15	4.68	7.06	10.34	11.20	13.30	15.01	17.10	20.77	21.46	24.46	28.03

S.a. ~~W~~ Corva by Olo.

REGISTER OF RAINFALL IN 1877

Kept at Gilden Morden in the County of Cambs. by J. Johnson
1712

Latitude Time of Observation, 8 A.M. Height of Receiver
of Rain Gauge. Above Ground 1 ft. 2 in.
Longitude. Above Sea Level 106. ft.

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow and enter that as the yield of water—*e.g.*, 3 inches snow = .25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

REGISTER OF RAINFALL IN 1878

Kept at ~~Papworth~~ ~~Wren~~ the County of Cambridge by B. Dering
is Diameter 5 inches

Latitude

Diameter..... *Sixty* 60

Time of Observation

94

Diameter.....17"

Longitude.....

Height of Receiver above Ground.....

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow, and enter that as the yield of water—*e.g.*, 3 inches snow = 25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

REGISTER OF RAINFALL IN 1879

Kept at Grantham Mill in the County of Cambridge by James Neatby

Latitude 52° 14' N.

diameter..... 5 inches

5 inches

Time of Observation... *9 A.M.*

height of Receiver above Ground 5 feet

Longitude $84^{\circ} 10' E$

Sea Level - 31 feet.

CONDENSED INSTRUCTIONS.—Fix the gauge firmly, with its orifice level and 1 ft. above the ground, quite clear of trees and walls, empty it daily at 9 a.m., and enter it against the preceding day. Snow should be melted slowly in a closed vessel and the amount entered as rain, an "S" being prefixed. With a low temperature and high wind, it is sometimes blown out of the funnel; then take one-twelfth of the average depth of snow, and enter that as the yield of water—*e.g.*, 3 inches snow = 25 of rain. When there is no rain, a line should be drawn, rather than cyphers inserted.

Sav
REGISTER OF RAINFALL IN 1880

Kept at Cambridge in the County of Cambridge by W. L. Glashier Esq. M.A.
Latitude 52° 12' 51" N. Longitude 0° 0' 22" E. Time Observation 9 A.M.

Diameter 8 inches
Height of Receiver above Ground 14 inches
" " " Sea Level 14.0 feet

RAIN GAUGE

NOTE.—Full instructions respecting the measurement of rain, and every detail connected therewith, are given in a little pamphlet, entitled, "Arrangements for the Systematic Observation and Record of the Rainfall of the British Isles," which is supplied gratis on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.04	.05	—	.18	.16	—	—	—	—	.01 1
2	—	.01	.23	.11	—	.02	.14	.17	—	.35	.01	.02	2
3	.01	.01	.24	—	—	.14	.51	—	—	—	—	.04	3
4	.01	—	.01	.02	.03	.01	.01	—	—	.89	—	.01	4
5	.03	.04	—	—	.03	.19	—	—	—	.13	—	—	5
6	—	.01	—	—	—	.14	.04	.37	—	.77	—	.02	6
7	—	.18	—	—	—	.02	.11	.41	—	.41	.18	—	7
8	—	.09	—	.14	—	.09	.03	—	—	.09	.01	—	8
9	.01	.13	.03	.01	—	.02	—	—	—	.02	.02	—	9
10	.02	—	—	.01	.34	—	.01	—	—	—	—	.06	10
11	—	.02	—	—	.05	—	.03	—	.125	.04	.02	—	11
12	—	—	.01	.01	—	—	.02	—	.36	.02	.13	—	12
13	—	—	—	—	.11	—	—	.16	—	.02	—	.04	.16 13
14	—	.03	—	.43	—	—	.39	.01	.55	—	.40	.21	14
15	.05	.05	—	.16	—	.29	.03	—	.14	—	.58	.14	15
16	.06	.35	—	—	—	—	—	—	—	—	.02	.02	16
17	—	—	—	—	—	—	.05	—	.13	—	.01	.02	17
18	—	.39	—	—	—	.02	—	—	.29	.02	.31	.03	18
19	—	.03	—	.30	.01	.48	.14	.01	.03	.02	.02	.18	19
20	.01	.14	—	—	—	.01	.09	.02	.01	.16	—	.02	20
21	—	.03	—	—	—	—	.02	—	.04	.02	.01	.19	21
22	.02	.04	—	.13	—	.22	.28	—	.02	.01	—	.10	22
23	—	.15	—	—	—	.08	—	—	—	—	.02	.18	23
24	—	—	—	.02	—	.36	.02	—	—	—	.05	—	25
25	—	.01	—	.19	—	.31	.34	.42	—	—	.04	.27	26
26	—	—	—	.03	.03	—	.45	.02	—	.86	.04	.25	27
27	—	—	—	—	.16	—	.03	.02	—	.45 D	.01	.03	28
28	—	—	—	.01	.01	—	.11	—	—	.18 D	.01	.03	29
29	—	—	—	—	—	—	.28	—	—	.02	—	.19	29
30	.02	—	—	—	—	.06	.13	—	—	—	—	.26	30
31	—	.31	—	.02	—	—	—	—	—	—	—	.02	31
Totals	.24	1.61	.87	1.73	.68	2.65	3.60	1.45	2.84	5.46	2.01	2.46	
Total from Jan. 1	=	25.60											

Accurate observers of rainfall will oblige by sending a copy of their record to Mr. G. J. Symons, of 62, Camden Square, London, N.W., for insertion in his annual tables of British Rainfall, which now contain returns from about 2,000 stations.

Additional Copies of this form (price 3d. each) can be obtained of the above, from Mr. Stanhope, 55, Charing Cross, and from all the leading opticians.

Jan

REGISTER OF RAINFALL IN 1881

Kept at Cherryhinton Waterworks in the County of Cambridge by Henry Tomlinson C.E.

Latitude

Diameter

Longitude

Time of Observation

RAIN GAUGE.

Height of Receiver above Ground

Sea Level

NOTE.—Full instructions respecting the measurement of rain, and every detail connected therewith, are given in a little pamphlet, entitled, "Arrangements for the Systematic Observation and Record of the Rainfall of the British Isles," which is supplied gratis on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.01	.04	.	.05	.	.	.05	.02	.01	.	.	1
2	.10	.01	.	.	.1203	.	.02	.28	2
3	.0801	.04	.	.04	.01	3
4	.02	.0202	.	.27	.	4
5	.02	.10	.23	.	.2409	.04	5
6	.09	.4296	.32	.	.26	.06	.01	.14	6
7	.01	.0275	.31	.	.11	.03	.	.32	7
8	.02	.25	.07	.	.	.13	.01	.	.03	.28	.	.01	8
9	.07	.0724	.83	.	.06	.	.	.01	9
10	.01	.50	.02	.	.	.05	.03	.06	.	.02	.	.	10
11	.02	.1901	.09	.	.	.08	11
12	.03	.02	.	.0639	.03	.	.07	.07	12
13	.02	.	.	.12	.	.	.01	.33	.18	.	.	.03	13
140504	.	.74	.	.	14
15	.	.41	.	.2502	.	.30	15
16	.02	.03	.	.13	.01	.	.	.46	.01	.	.	.09	16
1701	.01	.	.	.39	.	.	.08	.12	17
18	.	.01	.	.	.13	.27	.	.42	.01	.	.	.11	18
19	.05	.02	.	.	.11	.04	.01	.40	.03	.	.05	.	19
20	.0416	.	.0531	20
21	.	.19	.02	.	.	.01	.	.	.07	.27	.07	.17	21
22	.01	.03	.04	.0843	.15	.35	.10	.	22
23	.	.04	.	.04	.	.03	.01	.01	.33	.28	.	.	23
24	.	.11	.07	.08	.	.	.20	.26	.02	.30	.01	.02	24
2501	.	.	.01	.38	.01	.31	.03	25
2610	.01	.12	.	.23	.02	.03	.23	.	26
27	.14	.01	.	.05	.29	.	.13	.	.01	.81	.34	.	27
28	.004	.004	.	.02	.01	.15	.	.	.01	.02	.	.	28
29	.003	.	.	.01	.002	.	.21	.04	.	.02	.	.	29
30	.13	.	.	.11	.	.	.01	.66	.	.03	.01	.	30
31	.0228	.0891	.	31
Totals	.61	2.33	1.03	1.11	1.17	2.01	1.82	5.51	1.85	2.49	1.70	3.85	24.78

Total from Jan. 1

K/3,000/12/81

See page 5
REGISTER OF RAINFALL IN 1883

Kept at Trinity College, Cambridge in the County of
Latitude $52^{\circ} 12' 51''$

by J. W. L. Glaisher Esq. FRS

Longitude $0^{\circ} 0' 22''$ E.

Time of Observation 9.15 A.M.

RAIN GAUGE Diameter.....

Height of Receiver above Ground 4 in.

Sea Level 40 feet

NOTE.—Full instructions respecting the measurement of rain, and every detail connected therewith, are given in a little pamphlet, entitled, "Arrangements for the Systematic Observation and Record of the Rainfall of the British Isles," which is supplied gratis on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	—	.10	—	.01	—	—	—	.04	.05	.02	.01	1
2	.14	—	.03	—	.14	.03	—	—	.09	—	.04	.06	2
3	—	—	—	—	.02	.01	.02	—	—	.02	.32	.09	3
4	.05	—	—	—	.03	—	.11	—	—	—	.02	.05	4
5	.01	—	.02	.02	.33	.06	—	—	.25	—	.03	.05	5
6	.02	—	—	—	—	—	—	—	.01	.03	.53	.08	6
7	—	—	.01	—	.14	.09	.08	—	—	—	.13	.42	7
8	.83	—	—	—	.03	.36	.16	—	—	.05	.06	.05	8
9	—	—	—	—	.01	.46	.08	.01	—	.01	.01	—	9
10	—	—	—	—	—	.03	.04	—	—	.14	.07	—	10
11	—	—	.15	—	—	.08	.69	—	.77	.21	—	—	11
12	—	—	—	.07	—	.04	.02	—	.24	.44	—	.02	12
13	—	—	—	.39	—	.26	—	.01	—	.05	—	.01	13
14	—	.82	—	.11	—	.01	.06	—	—	—	—	.02	14
15	—	.05	—	.02	—	.05	.02	.10	—	.18	.41	.02	15
16	—	.01	—	.06	—	—	—	.31	—	.15	.04	.01	16
17	—	—	—	.04	—	.13	.05	.03	—	.01	.01	.01	17
18	—	.04	—	.01	—	.19	—	.01	.82	.03	.13	.01	18
19	—	—	—	.01	—	—	—	.16	.46	.46	.13	—	19
20	—	—	.01	.01	—	—	—	.08	.01	—	.10	.05	20
21	—	—	.05	.03	—	.14	—	.01	—	.63	.06	—	21
22	—	—	.02	.20	—	.05	.04	.39	—	.02	.01	.02	22
23	—	—	.02	.06	.01	—	.05	—	—	.31	.10	—	23
24	—	.02	.02	.19	.02	.35	.05	.12	—	.74	.02	.05	24
25	—	.05	.85	.94	.53	.02	.47	.29	—	—	—	.48	25
26	.01	.04	—	.03	—	—	—	.01	.01	.06	.02	.26	26
27	.02	.08	—	.23	—	—	.11	—	—	.73	—	.05	27
28	.06	.40	—	.03	.08	—	.01	.13	.64	.34	.20	.02	28
29	.16	—	.01	.38	—	—	—	.01	.06	—	.06	.05	29
30	—	—	.01	.06	—	—	.03	.01	.03	.07	.01	.37	30
31	—	—	.04	—	—	—	—	.10	—	.02	—	.24	31
Totals	1.43	1.51	1.34	2.87	1.35	2.34	2.09	1.78	2.03	4.75	2.47	2.48	
Total from Jan. 1	—	26.44											

K/3,000/12/82

REGISTER OF RAINFALL IN 1883

Kept at Trinity Coll, Cambridge in the County of

by J.W.-L. Glaisher Esq. F.R.S.
21

Latitude

Diameter 8 in.

Time of Observation... 9

Gini

Longitude

Digitized by Google

- 6 -

Note. Full instructions -

“ , , , Sea I

20 feet

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles*," which is sent post free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

REGISTER OF RAINFALL IN 1885													
Kept at Cherryhinton Pumping Station in the County of Cambridge by Wm. W. Gray													
Latitude	Diameter 5"												
Longitude	Height of top above Ground 1 ft.												
RAINFALL	Sea Level 35 ft.												
NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.													
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1		.06	.01	.09						.01	.01	.01	1
2		.01		.01					.29	.07	.12	.02	2
3		.01	.28						.12		.39	.05	3
4		.20		.65				.11	.02	.11	.29		4
5				.04	.22	.20		.50	.06	.01	.25	.08	5
6		.03	.23	.03	.02	.13				.81		.01	6
7				.03	.01	.16	.01	.01		.01			7
8	.15	.06	.04	.08		1.42			.26	.34			8
9	.16	.01		.14	.02				.03	.04	.03	.08	9
10	.41			.09					1.00	.13	.02		10
11	.02			.05	.04		.21			.01	.01		11
12	.04						.01	.15	.03		.01		12
13	.07						.43		.08	.34			13
14	.07	.16							.04	.40	.23		14
15	.02	.16		.05						.10			15
16	.03	.32		.29	.08	.08	.01		.26	.02			16
17		.16			.12				.05				17
18		.02			.06		.02		.09	.03		.02	18
19		.01			.06	.09	.08	.02	.08			.01	19
20					.16	.12	.03	.05	.03				20
21			.16		.33			.22		.02	.05		21
22	.01				.44	.01		.01				.01	22
23				.33	.10				.06	.97	.09		23
24	.01	.07			.10		.13			.04	.35	.01	24
25		.09			.02	.38	.01		.01	.12	.29		25
26	.10	.06	.09					.05		.09	.25	.01	26
27		.02						.19	.05	.01	.11		27
28	.05	.05		.17	.20	.02			.28	.07	.09	.12	28
29		.03			.01					.01	.12		29
30		.03			.09					.08	.20	.24	30
31		.29								.31		.07	31
Totals	1.49	1.50	.81	1.65	2.89	2.37	.80	1.31	2.92	4.27	2.95	.76	
Total from Jan. 1	1.49	2.99	3.80	5.45	8.34	10.71	11.51	12.82	15.74	20.01	22.96	23.71	

Red ink
REGISTER OF RAINFALL IN 1886

Kept at Chatteris

in the County of Cambridge by H. F. Tressler

Latitude 52° 27'

Diameter 5 in.

Time of Observation 9 a.m.

Height of top above Ground 6 in.

Longitude

" " " Sea Level 45?

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.52			.73		.15		.02			1
2			.03	.23				.07	.40				2
3	.07								.02		.19		3
4									.02			.24	4
5	.03	.02						.07	.02	.04	.55		5
6	.04		.08						.06	.27	.02	.14	6
7	.11		.44				.23			.02		.24	7
8			.02				.02		.09			.07	8
9			.10				.07	.67		.08	.21		9
10	.30		.11	.07	.02			.10	.40	.23	.50		10
11	.20	.04		.05	.23		.10				.76	.24	11
12	.11	.04			.60	.07	.33	.10		.33	.05		12
13	.11				.71	.04	.38	.20					13
14	.02	.07			.15	.08				.19	.03	.60	14
15	.08		.05	.03	.03		.08	.26		.53	.02	.10	15
16	.07			.03	.12			.07		.16	.03		16
17	.05	.02		.03	.10	.05	.29	.50		.13	.02		17
18			.03	.05		.10		.40		.14			18
19	.07		.15		.07	.05	.57	.04					19
20	.18		.12								.36		20
21	.05				.19		.01				.10		21
22	.18		.12		.08	.08						.26	22
23	.20		.01		.08		.52						23
24	.20					.32						.10	24
25	.08				.15	1.39					.02		25
26				.03		.16	.21		.07			.103	26
27				.02		.10			.09	.02		.03	27
28				.07	.03	.07			.03	.02			28
29	.06			.28								.02	29
30	.08		.09				.12			.08			30
31	.08		.02		.02		.07			.25			31
Totals	2.40	0.19	1.62	1.12	3.19	1.16	4.33	2.87	1.20	2.97	2.40	3.07	
Total from Jan. 1	2.40	2.59	4.21	5.33	8.52	9.68	14.01	16.58	17.78	20.78	23.15	26.22	

82 below

REGISTER OF RAINFALL IN 1889

Kept at Aykbury House, Chatteris in the County of Cambridgeshire by A. C. (Ans) Purkin

Latitude _____

Diameter 8 in.

Time of Observation 9 A.M.

Height of top above Ground

Longitude _____

" " " Sea Level 45 ft. ?

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.22	—	.19	—	.02	—	—	.17	—	.03	—	1
2	.11	.15	—	—	.07	.54	—	—	—	—	.10	—	2
3	.19	—	—	—	.30	.14	—	—	.07	—	.10	—	3
4	.35	—	—	—	.09	—	—	—	.21	—	.17	.08	4
5	.08	—	—	—	—	—	.05	—	.13	—	.17	—	5
6	.13	—	—	—	.17	—	—	—	.22	—	.30	.04	6
7	.13	—	1	.03	—	—	.02	—	—	.03	—	—	7
8	.09	—	—	—	—	—	—	—	—	.05	.08	.07	8
9	.03	—	—	—	—	—	—	—	.10	.05	.32	—	9
10	—	—	—	—	—	.06	—	—	—	.22	.02	—	10
11	.24	—	.25	—	.06	—	—	—	—	.03	—	.10	11
12	—	—	—	—	.15	—	—	.42	—	.08	—	.18	12
13	—	—	—	.05	.08	—	—	.20	—	—	—	.02	13
14	—	—	.02	—	—	—	—	—	.29	.07	—	.10	14
15	—	—	—	.03	—	—	—	—	—	.09	—	.02	15
16	—	—	—	—	—	.16	—	.20	—	—	—	—	16
17	.25	.29	—	—	.05	—	—	—	—	—	—	—	17
18	.12	—	—	—	.02	—	—	.08	—	—	.04	.09	18
19	.20	—	—	—	.28	—	—	.03	—	.02	—	—	19
20	—	.14	—	—	—	—	—	—	.03	—	—	—	20
21	—	—	.09	—	.15	—	—	—	—	—	.06	—	21
22	—	—	.15	—	.17	—	—	—	—	—	.04	.03	22
23	—	—	.06	.36	.17	—	—	—	—	.10	—	—	23
24	—	—	.04	.14	.04	—	.03	—	—	—	.01	—	24
25	—	—	.16	.03	—	—	—	—	—	—	—	—	25
26	—	—	.18	.19	.07	—	.10	.06	.10	.03	—	—	26
27	—	—	.04	—	.10	—	—	—	.04	.15	—	.02	27
28	.02	—	—	.19	.11	—	—	—	—	.27	.11	—	28
29	—	—	—	.01	—	—	.01	.31	.20	.77	.06	—	29
30	—	—	—	—	—	—	—	.14	.07	.01	—	—	30
31	—	—	.29	—	.05	—	.13	—	—	—	—	—	31
Totals	1.80	.80	1.38	1.22	1.96	.70	.56	1.24	1.93	1.72	1.61	.75	
Total from Jan. 1	1.80	2.60	3.98	5.20	7.16	7.86	8.42	9.66	11.59	13.31	14.92	15.67	

Saw

as HSW

REGISTER OF RAINFALL IN 1888

Kept at Observatory in the County of Cambs by N. Todd
 Latitude 52° 13' Diameter 6 in.
 Time of Observation 8 A.M. Height of top above Ground 14
 Longitude 22° 8' " " Sea Level 84

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					0.020			0.130	0.035		0.515		1
2	0.140	0.060		0.167	0.065		0.530		0.108	0.140	0.110		2
3	0.020		0.020	0.030	0.050		0.031		0.350		0.110		3
4	0.015						0.465	0.210		0.120			4
5	0.010						0.460						5
6	0.020		0.015				0.030	0.020	0.030				6
7	0.060		0.060						0.010				7
8	0.070	0.050					0.030		0.060		0.270		8
9			0.040			0.090	0.035		0.210				9
10		0.262	0.021				0.130		0.051		0.320		10
11	0.005	0.650					0.130						11
12	0.020	0.030	0.050	0.040		0.020				0.045	0.215		12
13	0.165	0.050				0.090							13
14	0.300	0.010				0.481				0.025			14
15	0.080		0.140			0.160	0.270		0.030		0.100		15
16		0.030	0.042	0.170	0.095						0.015		16
17		0.030	0.240	0.098		0.005					0.040		17
18	0.190		0.040		0.070	0.260					0.020		18
19	0.100	0.070	0.690	0.010	0.050		0.022				0.400		19
20			0.080			0.120	0.030	0.510			0.020		20
21	0.210					0.027		0.390			0.105		21
22		0.199	0.020				0.550	0.042					22
23		0.090	0.113				0.100	0.020	0.020		0.022		23
24	0.110	0.110	0.040				0.050	0.350	0.050		0.330		24
25	0.210					0.158	0.030			0.401	0.090		25
26		0.050				0.160	0.040				0.110		26
27	0.075		0.060	0.090		0.182	0.310	0.020		0.060	0.030		27
28	0.030		0.110			0.020	0.010	0.440	0.020	0.272	0.110	0.075	28
29		0.020	0.120		0.280	0.030	0.376		0.032	0.060	0.010		29
30	0.020		0.030		0.015		0.140	0.020		0.190	0.208		30
31	0.020		0.020				0.010						31
Totals	0.580	1.160	2.221	1.868	0.708	1.758	4.002	2.174	1.016	0.827	3.099	0.922	
Total from Jan. 1	0.580	1.740	3.961	5.829	6.537	8.295	12.297	14.471	15.487	16.314	19.413	20.335	

<i>Cam</i> REGISTER OF RAINFALL IN 1890													
Kept at 13 Sidney Street in the County of Cambridge by Walter C. Rain													
Latitude	Diameter 8 inch												
Longitude	Height of top above Ground 60 ft												
Sea Level 92 ft													
NOTE.—Full instructions respecting the measurement of rainfall are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.													
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.+	0.01	0.08	0.—	0.—	0.02	0.02	0.—	0.—	0.01	0.07	0.+	1
2	0.01	0.—	0.03	0.—	0.—	0.+	0.01	0.21	0.+	0.—	0.01	0.—	2
3	0.16	0.—	0.—	0.—	0.—	0.+	0.08	0.—	0.02	0.—	0.11	0.—	3
4	0.06	0.01	0.01	0.—	0.01	0.09	0.45	0.—	0.01	0.—	0.01	0.04	4
5	0.01	0.01	0.+	0.—	0.06	0.01	0.11	0.—	0.—	0.—	0.—	0.01	5
6	0.10	0.01	0.—	0.01	0.01	0.01	0.01	0.—	0.—	0.—	0.17	0.—	6
7	0.+	0.01	0.01	0.11	0.+	0.—	0.12	0.—	0.—	0.31	0.10	0.+	7
8	0.—	0.+	0.02	0.01	0.01	0.03	0.03	0.02	0.—	0.01	0.02	0.—	8
9	0.09	0.—	0.18	0.02	0.30	0.+	0.15	0.06	0.—	0.—	0.—	0.—	9
10	0.01	0.—	0.04	0.+	0.81	0.34	0.06	0.57	0.—	0.—	0.+	0.01	10
11	0.04	0.—	0.+	0.02	0.10	0.06	0.09	0.03	0.—	0.—	0.01	0.—	11
12	0.+	0.0+	0.—	0.+	0.01	0.25	0.02	0.01	0.—	0.—	0.11	0.—	12
13	0.—	0.—	0.—	0.—	0.—	0.01	0.+	0.01	0.—	0.—	0.01	0.—	13
14	0.02	0.25	0.—	0.01	0.—	0.—	0.01	0.07	0.—	0.—	0.01	0.06	14
15	0.+	0.23	0.—	0.06	0.—	0.—	0.—	0.+	0.—	0.19	0.—	0.08	15
16	0.—	0.01	0.—	0.01	0.02	0.08	0.—	0.+	0.—	0.11	0.01	0.—	16
17	0.07	0.—	0.—	0.01	0.02	0.02	1.06	0.01	0.04	0.01	0.01	0.03	17
18	0.01	0.—	0.27	0.01	0.+	0.01	0.64	0.—	0.03	0.+	0.01	0.18	18
19	0.01	0.—	0.88	0.—	0.06	0.+	0.01	0.09	0.03	0.+	0.+	0.15	19
20	0.+	0.02	0.22	0.—	0.01	0.—	0.—	0.01	0.—	0.12	0.+	0.—	20
21	0.04	0.01	0.—	0.09	0.—	0.02	0.—	0.02	0.+	0.01	0.02	0.—	21
22	0.11	0.—	0.01	0.01	0.—	0.01	0.—	0.02	0.—	0.+	0.02	0.—	22
23	0.01	0.—	0.06	0.02	0.—	0.02	0.01	0.04	0.—	0.—	0.14	0.—	23
24	0.06	0.+	0.12	0.02	0.—	0.—	0.—	0.05	0.—	0.04	0.03	0.—	24
25	0.06	0.01	0.02	0.01	0.—	0.41	0.—	0.08	0.—	0.14	0.01	0.—	25
26	0.08	0.01	0.01	0.03	0.—	0.02	0.—	0.05	0.—	0.13	0.03	0.03	26
27	0.23	0.17	0.—	0.04	0.—	0.01	0.02	0.03	0.—	0.01	0.18	0.04	27
28	0.09	0.01	0.—	0.01	0.—	0.09	0.09	0.18	0.—	0.06	0.04	0.+	28
29	0.10	—	0.—	0.+	0.06	0.13	0.06	0.01	0.—	0.01	0.—	0.—	29
30	0.09	—	0.—	0.—	0.01	0.26	0.—	0.—	0.—	0.01	0.—	0.01	30
31	0.01	—	0.—	—	0.—	—	0.—	0.—	—	0.08	—	0.01	31
Totals	1.47	0.77	1.96	0.50	1.49	1.90	3.05	1.57	0.13	1.25	1.43	0.65	
Total from Jan. 1	1.47	2.24	4.20	4.70	6.19	8.09	11.14	12.71	12.84	14.09	15.52	16.17	

ew jctn

REGISTER OF RAINFALL IN 1890

Kept at Aybster House, Chatteris in the County of Cambridge by A. Newell Parker

Latitude _____ Diameter 8
Longitude _____ Height of top above Ground 6 in.
" " " Sea Level 45?

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.11	-	-	-	-	-	-	-	.12	.02	1
2	-	-	.01	-	-	-	.06	.07	-	-	-	-	2
3	.46	-	-	-	-	-	-	.03	.03	-	.12	-	3
4	.08	-	.04	-	-	.05	.30	-	-	-	-	.09	4
5	-	-	-	-	-	.04	.11	-	-	-	-	-	5
6	.04	-	-	.23	.08	-	-	-	-	-	.33	-	6
7	-	-	-	-	.05	-	.10	-	-	.40	.09	-	7
8	-	-	.14	-	-	.01	-	.05	-	-	.05	-	8
9	.16	-	.11	-	.50	-	-	.55	-	-	-	-	9
10	.03	-	.06	-	.81	.84	-	.34	-	-	.03	-	10
11	.04	-	-	-	.05	.08	-	.01	-	-	.11	-	11
12	-	-	-	-	.06	.19	.06	.03	-	-	.12	-	12
13	-	-	-	-	-	-	-	.04	-	-	-	-	13
14	-	.24	-	.05	-	-	.30	.04	-	-	-	.07	14
15	.08	.44	-	.15	-	-	-	.01	-	.08	-	.06	15
16	-	-	-	.03	.10	.03	-	-	-	.07	-	-	16
17	.09	-	-	.01	.02	-	.47	.09	.09	-	.03	-	17
18	.08	-	.48	-	.02	.47	-	.04	-	-	-	-	18
19	-	-	.88	-	.48	-	-	-	.04	-	-	.15	19
20	-	.05	.15	-	-	-	-	-	-	.13	-	-	20
21	.05	-	-	-	-	.01	-	.08	.07	-	.07	-	21
22	.21	-	-	.10	-	-	-	.08	-	-	.02	-	22
23	.04	-	.09	.13	-	.01	-	.09	.03	-	.53	-	23
24	.13	-	.13	.02	-	-	-	.04	-	.10	.02	-	24
25	.05	.03	.03	-	-	.36	-	.11	-	.07	.01	-	25
26	-	.01	.01	.18	-	.03	-	-	-	.05	.05	.05	26
27	.34	.04	-	.02	-	-	.08	-	-	.15	.10	-	27
28	.16	.02	-	-	-	.17	.12	.09	-	-	.01	-	28
29	.14	-	-	-	.07	.19	.03	-	-	.01	.03	-	29
30	.13	-	-	-	-	.44	-	-	-	-	-	-	30
31	-	-	-	-	-	-	.01	-	-	.07	.03	-	31
Totals	2.31	.83	2.24	.89	2.15	2.54	2.14	1.20	.30	1.13	1.86	.47	
Total from Jan. 1	2.31	3.14	5.38	6.27	8.42	10.96	13.10	14.30	14.60	15.73	17.59	18.06	

K/3,000/12/90. 15 wet days. 7 dry days. 13 wet days. 9 wet days. 10 wet days. 15 wet days. 13 wet days. 12 wet days. 10 wet days. 11 wet days. 12 wet days. 13 wet days. 14 wet days. 15 wet days. 16 wet days. 17 wet days. 18 wet days. 19 wet days. 20 wet days. 21 wet days. 22 wet days. 23 wet days. 24 wet days. 25 wet days. 26 wet days. 27 wet days. 28 wet days. 29 wet days. 30 wet days. 31 wet days. EDWARD STANFORD, COOKSFUR STREET, CHARING CROSS. PRICE 3d.

1.0.

REGISTER OF RAINFALL IN 1891

Kept at The Drury CHITTERS in the County of Cambridgeshire by

Latitude

Time of Observation

RAIN GAUGE.

Diameter

Height of top above Ground

Longitude

", ", Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02		12		57			52		62	1
2					21	.87		.57				02	2
3				0.03		.04		.10	02		09		3
4	.10			.26		1.07		.15					4
5	04			.33		.03		.02				04	5
6	05		06	09			09		04	.78		.03	6
7	.20		27	03	03		.50			.06		.17	7
8			02	04			.14	.14			07	.12	8
9					.16	.08		.18				.05	9
10			12		.42			.45		.23	.22	.36	10
11										12	23		11
12										13	30	.15	12
13										15	.03	.38	13
14									.04	.06	10		14
15	.07		22	09	02					.14	.40	.15	15
16					.04						04		16
17	04		08		.57		.35	.33					17
18				.08					.16	.32	05		18
19		.02	03				.13		.10	.20			19
20	28		05		.10			1.25					20
21					.17		.07	.04	.20	.78			21
22			03		.11		.07	.30		.76	03		22
23	25				.23	12	.12						23
24	07			93	03								24
25			08		.20	18		03		07			25
26							25	.20	.05	.50	04		26
27			03		08		.09	.42				.20	27
28	03					.05					32	.10	28
29	11			.10	23		.44		.05			.03	29
30	.15		06				.27	.07	.04		02	.45	30
31	.24						.16	.30		02			31
Totals	1.63	0.02	1.07	1.09	3.42	2.50	3.20	4.67	0.70	4.84	1.84	2.87	
Total from Jan. 1	1.63	1.65	2.72	3.72	7.14	9.64	12.84	17.51	18.21	23.05	24.89	27.76	

8.5

REGISTER OF RAINFALL IN 1892

Kept at 13 Sidney Street, Cambridge
in the County of Cambridgeshire

by W. G. Rain F.R.Met.Soc.

Diameter 8 inches

Height of top above Ground 60 feet

Lat. Lon. Time of Observation 9 A.M.

, , , Sea Level 92 feet

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	0.04	0.03	0.02	0.—	0.13	1
2	0.—	0.01	0.02	0.—	0.13	0.06	0.—	0.—	0.02	0.46	0.38	0.09	2
3	0.—	0.01	0.02	0.—	0.18	0.01	0.—	0.—	0.05	0.04	0.+	0.06	3
4	0.—	0.03	0.03	0.—	0.02	0.09	0.—	0.—	0.+	0.22	0.08	0.03	4
5	0.04	0.01	0.02	0.—	0.01	0.05	0.44	0.—	0.—	0.01	0.08	0.—	5
6	0.02	0.—	0.+	0.—	0.01	0.+	0.02	0.04	0.—	0.19	0.06	0.14	6
7	0.08	0.—	0.—	0.—	0.+	0.—	0.02	0.05	0.04	0.02	0.01	0.04	7
8	0.12	0.05	0.—	0.—	0.—	0.—	0.—	0.04	0.—	0.06	0.—	0.16	8
9	0.01	0.03	0.04	0.—	0.—	0.—	0.—	0.+	0.—	0.12	0.—	0.01	9
10	0.03	0.+	0.08	0.—	0.—	0.22	0.—	0.01	0.—	0.—	0.—	0.10	10
11	0.09	0.—	0.04	0.—	0.—	0.08	0.—	0.—	0.—	0.—	0.+	0.02	11
12	0.01	0.01	0.03	0.06	0.—	0.02	0.14	0.—	0.—	0.09	0.03	0.02	12
13	0.—	0.—	0.02	0.03	0.04	0.03	0.33	0.04	0.—	0.28	0.—	0.02	13
14	0.—	0.29	0.01	0.02	0.01	0.+	0.01	0.—	0.—	0.02	0.03	0.06	14
15	0.—	0.23	0.04	0.14	0.03	0.01	0.15	0.—	0.—	0.15	0.21	0.—	15
16	0.01	0.03	0.01	0.10	0.02	0.09	0.63	0.02	0.—	0.06	0.30	0.—	16
17	0.—	0.16	0.—	0.02	0.04	0.+	0.05	0.—	0.—	0.03	0.—	0.—	17
18	0.—	0.—	0.—	0.02	0.05	0.05	0.06	1.39	0.—	0.02	0.—	0.—	18
19	0.—	0.06	0.—	0.+	0.09	0.12	0.73	0.01	0.43	0.01	0.06	0.—	19
20	0.—	0.29	0.—	0.14	0.01	0.30	0.01	0.—	0.40	0.01	0.01	0.—	20
21	0.03	0.14	0.06	0.02	0.—	0.+	0.—	0.—	1.43	0.26	0.—	0.—	21
22	0.03	0.01	0.10	0.—	0.—	0.44	0.—	0.—	0.02	0.+	0.+	0.—	22
23	0.02	0.05	0.01	0.01	0.—	0.41	0.—	0.+	0.02	0.—	0.—	0.—	23
24	0.—	0.11	0.—	0.04	0.01	0.—	0.—	0.05	0.+	0.02	0.—	0.—	24
25	0.—	0.01	0.—	0.04	0.34	0.02	0.—	0.—	0.01	0.+	0.—	0.—	25
26	0.02	0.01	0.03	0.01	0.23	0.—	0.—	0.—	0.—	0.21	0.15	0.—	26
27	0.02	0.—	0.12	0.13	0.01	0.—	0.—	0.41	0.08	0.42	0.08	0.+	27
28	0.01	0.02	0.01	0.05	0.—	0.80	0.—	0.08	0.—	0.29	0.+	0.—	28
29	0.—	0.08	0.+	0.01	0.01	0.01	0.—	0.09	0.45	0.+	0.02	0.—	29
30	0.06	—	0.—	0.—	0.—	0.—	0.—	0.01	0.01	1.01	0.—	0.—	30
31	0.—	—	0.—	—	0.02	—	0.+	0.22	—	0.03	—	0.+	31
Totals	0.63	1.64	0.49	0.90	1.26	3.44	2.62	2.83	3.29	4.08	1.50	0.88	
Total from Jan. 1	0.63	2.30	3.09	3.99	5.25	8.69	11.31	14.14	14.43	21.51	23.01	23.89	

Kept at Carlton
in the County of Cambs

Lat. $52^{\circ} 08'$ Lon. $0^{\circ} 23'$ Time of Observation

RAIN GAUGE.

by G. Long
Diameter 5 inches

Height of top above Ground 1 ft

" " " Sea Level 320 ft

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.3	1.4*	—	0.1	—	—	1.20	0.6	—	—	1.15	1
2	0.02	0.7	0.1	—	0.4	—	—	—	0.2	—	1.15	—	2
3	—	3.1	0.4	—	—	—	—	1.29	—	1.2	0.6	0.3	3
4	—	0.7	0.1	—	—	—	—	1.11	—	—	—	0.2	4
5	0.10	—	—	—	—	1.4	0.6	—	—	0.5	0.5	—	5
6	—	—	—	—	—	0.1	—	0.3	—	1.0	—	0.9	6
7	—	0.1	—	—	—	—	—	—	—	1.20	0.6	0.2	7
8	0.06	0.1	—	—	—	—	—	—	—	0.6	—	1.14	8
9	0.1	—	—	—	—	—	1.6	—	1.5	—	—	—	9
10	0.3	1.3	—	—	—	—	5.3	1.23	—	1.81	0.3	1.17	10
11	—	0.6	—	—	—	—	—	1.20	—	0.6	—	0.2	11
12	—	0.3	—	—	—	1.63	1.89	—	1.5	—	—	—	12
13	—	0.5	0.1	—	—	—	0.3	0.2	—	—	—	0.24	13
14	0.7	1.2	—	—	—	0.1	0.1	—	—	3.6	0.2	1.20	14
15	0.1	0.2	—	—	—	—	—	—	—	0.8	1.31	—	15
16	1.2	1.3	1.0	0.8	0.01	—	—	—	—	—	0.2	—	16
17	1.7	—	1.2	—	0.2	—	0.4	—	—	—	0.1	—	17
18	0.5	0.6	—	—	1.32	—	—	—	—	3.0	0.4	0.1	18
19	0.1	0.2	—	—	0.2	—	1.2	—	—	—	1.19	1.14	19
20	—	—	—	—	0.1	1.66	1.26	—	0.8	—	1.34	1.18	20
21	1.5	0.17	—	—	0.9	0.1	1.30	—	1.0	—	—	1.13	21
22	—	1.84	—	—	—	1.0	1.7	1.02	—	1.43	—	—	22
23	0.2	2.4	—	—	—	1.20	—	0.2	0.2	0.2	—	—	23
24	—	0.4	—	—	—	0.2	1.24	1.36	0.4	—	—	—	24
25	0.2	0.1	—	—	—	—	—	—	—	—	—	—	25
26	1.0	0.2	—	—	—	—	—	—	0.6	0.9	1.81	—	26
27	0.1	2.7	—	—	—	1.0	1.68	—	1.1	1.04	1.28	0.4	27
28	0.6	1.5	—	0.1	—	1.2	—	1.16	0.5	—	—	0.1	28
29	0.3	—	—	0.05*	—	0.1	1.21	—	0.9	0.5	—	—	29
30	0.2	—	—	1.74	—	1.18	—	0.1	0.2	1.10	—	—	30
31	1.2	—	—	—	—	1.16	—	—	—	—	—	—	31
Totals	1.58	2.76	1.33	1.09	1.37	1.46	3.76	2.54	1.04	3.00	2.48	1.92	
Total from Jan. 1			1.43		1.32		3.57					22.75	

85

Edward Stanford

REGISTER OF RAINFALL IN 1894

Kept at Cambridge University & Town Water Works, C.^o
Pumping Station Cherryhinton
in the County of Cambridge.

by W.W. Gray

Diameter 5

Height of top above Ground

Lat. _____ Lon. _____ Time of Observation 9 a.m.

RAIN GAUGE.

" " " Sea Level 35

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.07		.05		.20					.04	.02	1
2		.31		.08	.04	.01	.23		.12		.04		2
3	.02	.01				.12		.02	.03	.02	.04		3
4	.01	.01				.55		.10	.10	.10	.01		4
5	.06	.10				.02		.05	.11	.06	.08		5
6						.16		.02	.38	.09			6
7								.02	.01	.01	.53	.10	7
8	.10	.11				.19	.03	.05	.12	.01		.02	8
9	.18	.08			.04	.08		.25	.05	.10	.03	.01	9
10	.01					.09	.05	.56	.75	.09	.01		10
11	.08					.39		.12	.04		.03	.28	11
12	.01	.14				.01	.03	.02	.10			.96	12
13						.01	.02	.28	.03		.09	.04	13
14	.34	.05			.04			.02			.05	.64	14
15	.05	.02	.08			.10	.45	.03		.05	.12	.10	15
16	.02	.11	.13			.02		.02		.02	.01	.02	16
17	.04	.27				.10					.02	.03	17
18			.35			.02		.01		.06	.01	.06	18
19	.03								.11	.02		.01	19
20	.01					.06	.18		.02	.09	.10		20
21								.01	.11		.02	.01	21
22	.20							.64	.04	.01		.01	22
23		.15			.06	.03		.02	.58	.12	.06	.01	23
24	.04	.02			.28		.01	.45	.04	.12	.37	.01	24
25	.05				.09			.50	.59	.67		.01	25
26	.01					.75		.02	.01	.02	.20		26
27	.04	.04			.01	.01				.04		.01	27
28		.08			.04	.33					.32		28
29	.06				.06	.04		.01			.01	.04	29
30					.01	.19				.02	.12		30
31					.02	.18		.01				.02	31
Totals	1.41	1.24	.39	1.30	2.23	1.99	3.20	2.92	1.99	2.06	3.00	1.55	
Total from Jan. 1		2.65	3.04	4.34	6.57	8.56	11.81	14.73	16.72	18.78	21.78	23.33	

J. a

C. V. M.

REGISTER OF RAINFALL IN 1896

Kept at Palace Gardens Ely
in the County of Cambridgeshire

by George Russell Bullock Webster and
Henry Thomas Brasier

Diameter 5 inches

Height of top above Ground one foot

RAIN GAUGE

Lat. 52° 24' Lon. E

Time of Observation 9 a.m.

Sea Level 64 ft

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	.02	-	.02	-	-	-	.54	-	.12	-	1
2	-	-	.11	-	-	-	-	-	.02	-	.01	.50	2
3	.01	-	-	-	-	.01	.03	.03	.01	-	-	.02	3
4	-	-	.06	.20	-	.21	.02	.02	.42	.20	-	.56	4
5	-	-	.01	.01	-	-	-	.04	.18	.03	-	.03	5
6	-	.01	.12	-	-	.20	-	-	.01	.21	-	.05	6
7	.01	-	.23	-	-	.29	.12	-	.08	.15	.38	.01	7
8	-	.06	.02	-	-	.09	-	.02	.37	-	.02	.01	8
9	.02	-	.24	-	-	.28	-	.08	.03	-	-	.13	9
10	.01	-	.04	.04	-	.48	-	-	.47	.08	-	.02	10
11	.01	.01	.02	-	-	-	-	-	.12	.17	-	.17	11
12	.02	-	-	.08	.07	-	-	-	.97	.12	-	.27	12
13	.13	-	-	.01	-	-	-	.04	.05	.37	-	.08	13
14	.07	-	.07	.07	-	-	.03	-	.01	.09	.21	.02	14
15	.02	-	.06	.04	-	-	.15	.21	-	.15	-	.04	15
16	-	-	.04	.11	-	-	.20	-	.16	.12	-	-	16
17	-	-	.29	.01	-	.02	-	.09	.35	.06	-	.02	17
18	-	-	.29	-	.01	-	-	.03	.01	.01	.02	.02	18
19	-	-	-	-	-	-	-	.17	-	.76	.03	.01	19
20	-	.18	.40	-	.08	.10	-	-	.03	.14	-	.09	20
21	-	.09	.08	-	.14	-	.12	.27	.07	.04	-	.02	21
22	.01	-	.22	.03	.03	.01	-	.01	.09	-	-	-	22
23	-	-	-	-	-	.07	.10	.26	-	.01	-	-	23
24	.38	-	.01	-	-	-	-	.03	.49	.18	-	.32	24
25	.23	-	.03	.01	-	-	.01	-	.08	.21	-	.01	25
26	-	-	.06	-	-	-	.50	.02	.01	-	-	.11	26
27	10	.02	.13	.04	-	-	-	.11	.03	-	.03	.23	27
28	-	.09	.16	-	-	-	-	-	.02	-	-	.08	28
29	-	.27	.26	-	-	-	-	-	-	.08	-	.05	29
30	-	-	.01	.02	-	.06	.62	-	-	-	-	.02	30
31	-	-	.07	-	-	-	-	.21	-	-	-	-	31
Totals	1.03	.73	3.05	.67	.35	1.82	1.90	1.64	4.62	3.08	.82	2.89	
Total from Jan. 1	1.03	1.76	4.81	5.48	5.83	7.65	9.55	11.19	15.81	18.89	19.71	22.60	

A.A.

REGISTER OF RAINFALL IN 1896

Kept at The Observatory, Cambridge
in the County of Cambridgeshire

Lat. 52° 12' 51" N Lon. 22° 55' E Time of Observation 8 a.m.

RAIN GAUGE.

by A. Walker

Diameter 8 inches

Height of top above Ground 1 foot

,, Sea Level 84 feet

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.008	0.000	0.080	0.053	0.010	0.000	0.000	0.040	0.636	0.000	0.116	0.030	1
2	0.00	0.00	0.80	0.00	0.08	0.00	0.00	0.00	0.49	0.00	0.16	4.51	2
3	0.04	0.00	0.00	0.00	0.00	0.20	0.41	0.17	0.00	0.00	0.00	0.020	3
4	0.00	0.00	0.03	1.62	0.00	2.39	0.02	0.00	4.70	1.56	0.00	3.60	4
5	0.00	0.00	0.02	0.10	0.00	0.03	0.00	0.00	0.18	0.20	0.00	0.53	5
6	0.00	0.00	0.90	0.00	0.00	3.04	0.00	0.00	0.08	1.66	0.00	0.27	6
7	0.00	0.00	2.20	0.00	0.00	2.48	2.24	0.00	0.70	1.48	4.07	0.00	7
8	0.12	0.70	0.00	0.00	0.00	0.15	0.00	3.68	1.85	0.00	0.30	0.00	8
9	0.00	0.00	3.30	0.00	0.00	5.15	0.00	0.60	0.06	0.00	0.00	1.89	9
10	0.11	0.00	0.07	1.29	0.00	7.02	0.00	0.30	2.30	0.32	0.00	0.10	10
11	0.10	0.16	0.20	0.58	0.00	0.00	0.00	0.06	2.92	1.38	0.00	1.33	11
12	0.00	0.00	0.00	0.51	0.24	0.00	0.00	0.00	1.050	2.10	0.00	2.92	12
13	0.60	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.058	1.80	0.05	0.55	13
14	0.65	0.00	0.91	0.31	0.00	0.00	0.00	0.00	0.00	1.60	1.40	0.62	14
15	1.36	0.00	0.30	0.10	0.00	0.00	0.30	0.00	0.00	2.20	0.04	0.30	15
16	0.00	0.00	0.18	0.99	0.00	0.00	1.30	0.00	0.03	2.79	0.00	0.00	16
17	0.00	0.00	2.73	0.00	0.00	0.12	0.00	1.20	3.10	0.20	0.00	0.05	17
18	0.00	0.00	4.04	0.00	0.07	0.00	0.00	0.89	0.02	0.00	0.19	0.02	18
19	0.00	0.00	0.00	0.00	0.37	0.00	0.00	4.42	0.00	7.23	0.00	0.01	19
20	0.00	1.29	4.09	0.00	0.38	0.18	0.00	0.00	0.46	0.60	0.00	1.00	20
21	0.00	0.58	0.80	0.00	1.61	0.00	0.30	3.61	1.20	0.50	0.00	0.03	21
22	0.00	0.00	2.18	0.21	0.22	0.00	0.00	0.00	1.22	0.00	0.00	0.00	22
23	0.09	0.00	0.00	0.00	0.00	0.21	0.00	0.69	0.03	0.00	0.00	0.00	23
24	2.34	0.00	0.07	0.00	0.00	0.06	0.00	2.38	3.84	0.80	0.00	3.20	24
25	2.49	0.00	0.00	0.00	0.00	0.00	0.34	0.90	1.87	1.16	0.00	0.07	25
26	0.00	0.00	0.51	0.00	0.00	0.00	1.72	0.00	0.03	0.00	0.00	1.30	26
27	0.59	0.11	0.00	0.00	0.10	0.00	0.20	0.32	0.00	0.50	1.51	0.00	27
28	0.00	0.12	2.07	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00	0.76	28
29	0.00	2.30	2.36	0.40	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.17	29
30	0.00	0.08	0.70	0.00	0.30	0.80	0.00	0.00	0.00	0.00	0.00	0.07	30
31	0.00	0.12	0.00	0.00	0.00	0.00	1.56	0.00	0.10	0.00	0.07	0.00	31
Totals	0.857	0.526	2.876	0.740	0.307	2.143	0.763	2.106	4.301	2.768	0.787	2.538	
Total from Jan. 1											20.712	9	

REGISTER OF RAINFALL IN 1897

Kept at Bartlow
in the County of Cambs.

Lat. $52^{\circ} 8'$ Lon. $0^{\circ} 23'$ Time of Observation 9 a.m.

by Gerald H. Long

Diameter 5 in.

Height of top above Ground 1 foot

" " Sea Level 340 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			1.5	.03		.07			.25				1
2	.05	.42	.15*		.06					.28			2
3			.01										3
4		.12	.20		.07				.11				4
5	.09	.23	.12					.20	.54				5
6	.13	.49				.21	.31				.03		6
7	.20			.23		.18			.07		.02	.28	7
8	.22					.65		.27					8
9	.10			.16		.32					.06		9
10	.01		.20									.27	10
11		.02			.07				.07	.02			11
12	.01	.04	.15									.19	12
13	.01	.01		.08				.03		.05		.10	13
14	.06	.02	.31							.02	.15	.11	14
15			.21					.03					15
16	.37	.04	.30								.05		16
17		.27	.22		.14				.08			.03	17
18	.04	.04			.18			.37	.23	.18			18
19	.20	.03	.10		.36	.05			.38	.06			19
20	.15		.01		.03	.09	.13						20
21			.16			.60	.10						21
22	.36								.05				22
23	.06								.03				23
24	.06				.07			.13	.09	.01			24
25				.10	.02	.01				.02			25
26			.15			.03	.29	.53		.01	.20	.06	26
27			.07		.25	.02				.02	.24	.04	27
28	.04	.06		.20	.04	.05					.12	.05	28
29	.03				.15	.02		.03	.83		.06	.12	29
30	.04			.26	.04			.18	.02		.02	.02	30
31			.28		.35							.03	31
Totals	1.83	2.01	2.37	1.75	1.03	2.31	1.04	2.15	2.90	1.72	1.47	1.57	
Total from Jan. 1	1.83	3.84	6.21	7.96	8.99	11.30	12.34	14.49	17.39	18.11	19.08	20.65	

REGISTER OF RAINFALL IN 1898
*Kept at The Palace, Ely
in the County of Cambridge
by the Rev. G.R. Bullock-Webster*

Approved by R.M.S.

Lat. $52^{\circ} 24' N.$ Lon. $0^{\circ} 15' E.$
Time of Observation 9 a.m.
Diameter 6 inches
Height of top above Ground 1 foot
,, , Sea Level 64

Note.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'19	-	08	-	26	04	68	-	-	-	-	.01	1
2	02	-	02	-	03	02	-	-	-	-	15	-	2
3	02	09	22	07	17	-	-	08	-	-	09	-	3
4	43	02	02	-	10	-	02	73	-	02	04	-	4
5	40	10	02	-	33	-	01	10	-	03	05	-	5
6	04	02	-	-	08	22	-	115	-	-	01	.84	6
7	-	-	01	-	03	02	-	38	-	-	-	.21	7
8	01	-	-	10	09	-	-	08	-	-	-	14	8
9	-	02	-	10	08	74	02	03	-	-	06	.01	9
10	-	-	-	17	25	18	01	16	-	-	02	.01	10
11	-	02	-	10	20	-	-	01	-	02	.01	-	11
12	-	12	-	03	11	01	-	-	-	03	.09	-	12
13	-	02	04	-	36	-	-	-	-	04	.01	-	13
14	-	02	-	09	01	-	-	-	-	01	-	.03	14
15	-	-	01	-	06	-	-	13	-	03	.02	.01	15
16	-	01	-	03	02	-	-	02	-	23	.01	.10	16
17	-	10	-	-	-	-	-	-	-	18	-	.02	17
18	03	-	-	-	-	02	05	-	03	.52	-	.35	18
19	02	01	11	-	04	-	-	06	-	.21	-	-	19
20	-	-	01	-	68	-	-	-	-	44	.02	.09	20
21	-	-	-	-	02	08	01	-	-	01	.17	-	21
22	-	04	07	-	03	-	13	-	-	01	.03	-	22
23	-	07	22	-	-	03	-	05	-	-	06	-	23
24	-	-	20	-	-	18	-	-	-	04	.09	.02	24
25	-	-	06	-	-	23	-	-	-	02	.16	-	25
26	-	08	30	40	-	50	-	02	-	-	.35	-	26
27	-	08	08	33	15	11	-	03	-	-	.02	.07	27
28	-	-	02	15	-	-	30	.06	-	-	.10	.16	28
29	07	01	02	07	11	02	04	-	29	.58	.01	.12	29
30	-	-	-	02	32	-	-	-	-	03	.04	-	30
31	.09	-	-	-	13	-	-	-	-	-	.15	-	31
Totals	1.32	.82	1.51	1.66	3.66	2.40	1.27	2.67	.32	2.45	1.60	2.34	
Total from Jan. 1	1.32	2.14	3.65	5.31	8.97	11.37	12.64	15.31	15.63	18.08	19.68	22.02	✓

S.A.

REGISTER OF RAINFALL IN 1899.

Kept at Fenton Hall,
in the County of Cambridge
by A. S. nice.

Lat. Lon.
Time of Observation 9 a.m.
Diameter 5 inches, "
Height of top above Ground 1.6
,, , Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	-	-	-	-	-	.39	-	-	.36	-	.24	1
2	.12	-	-	-	-	-	.07	-	.26	.02	.43	-	2
3	.02	-	-	-	-	-	.51	-	-	.09	.98	.03	3
4	-	-	-	.05	-	-	-	-	.02	.08	.22	.23	4
5	-	.19	-	.04	-	-	-	.07	-	-	.93	.34	5
6	.02	.15	-	.16	-	-	-	.08	.26	.05	.04	.19	6
7	.05	.15	-	.40	-	-	.40	.02	.49	-	.22	.04	7
8	-	.16	.17	.08	.10	-	-	-	.02	-	-	-	8
9	.02	.07	-	.31	.01	-	-	-	-	-	.29	-	9
10	.05	-	-	.08	.02	-	.09	-	-	-	.02	-	10
11	.20	-	-	.05	-	-	.17	-	-	-	.07	-	11
12	.09	.02	-	-	.13	-	-	-	-	-	.13	-	12
13	.28	-	-	.23	-	-	-	-	-	-	-	-	13
14	-	-	-	.25	.19	-	-	-	-	-	-	-	14
15	.44	.40	-	.02	.29	-	-	.86	.20	-	-	-	15
16	.03	-	.02	.04	.06	-	-	-	.03	-	-	-	16
17	.16	-	-	.03	-	-	.22	-	.02	-	-	.03	17
18	-	-	-	-	.05	-	-	.05	-	-	-	-	18
19	.05	-	-	-	.30	.25	-	.06	.23	-	.04	-	19
20	.05	-	-	-	.16	.01	-	-	.05	-	.02	-	20
21	.03	-	.41	-	.19	-	.01	-	.13	-	-	.02	21
22	.06	-	-	-	.05	.26	.60	-	-	-	.03	.03	22
23	.06	-	-	.02	.05	-	1.33	-	.12	-	-	.10	23
24	-	-	-	.17	.42	.12	-	-	.06	-	-	.02	24
25	-	-	.20	.26	-	.03	-	-	.05	-	-	.04	25
26	-	-	-	-	.02	-	.02	-	.04	.28	-	.05	26
27	-	-	.08	.02	-	-	-	.02	.05	.60	-	-	27
28	.08	-	-	-	-	.03	-	-	-	.07	-	.28	28
29	.04	-	-	.21	-	.07	-	.13	.98	.34	-	.18	29
30	-	.16	-	-	.58	-	.01	-	.02	-	-	-	30
31	.02	.02	-	-	-	-	.20	-	-	-	-	-	31
Totals	2.01	1.14	1.06	2.42	1.99	1.40	3.64	1.45	3.00	1.95	3.29	1.79	
Total from Jan. 1	2.01	3.15	4.21	6.63	8.62	10.02	13.66	15.11	18.11	20.06	22.35	25.14	

Co.

REGISTER OF RAINFALL IN
Kept at The Palace, Ely
in the County of Cambridge
by the Rev: G.R. Bullock Webster

1900

Lat. $52^{\circ} 24'$ Lon. $0^{\circ} 15'$ E

Time of Observation 9 a.m.

Diameter 5 m.

Height of top above Ground 1 foot

,, " Sea Level 64 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.50	-	.02	-	-	.43	-	.31	.01	.01	.28	.08	1
2	.10	1.10	.03	.01	-	.08	.04	.24	.05	.01	.01	.02	2
3	.31	.10	.04	.16	-	-	.05	.46	-	-	.02	.13	3
4	.05	.05	.02	.09	-	-	.02	.01	-	.46	.25	.05	4
5	.02	.02	.05	.19	-	.22	.02	.10	-	.05	.02	.34	5
6	.67	.0	.01	.02	.04	.08	.03	.26	-	-	.22	-	6
7	.14	.0	-	.10	-	.06	-	.04	.04	-	.15	.02	7
8	.04	.0	-	.01	.48	.14	-	-	-	-	.01	.01	8
9	.03	.0	-	-	.05	-	-	.40	-	-	-	-	9
10	.01	.15	-	.12	-	-	-	.06	-	-	-	-	10
11	-	-	-	.03	-	-	-	-	-	-	-	.01	11
12	-	-	.01	.07	.04	.23	-	-	-	-	.18	.02	12
13	-	.50	-	-	-	.05	-	-	-	.13	.13	-	13
14	.05	-	-	-	-	.08	-	-	-	-	.06	.03	14
15	.03	.35	.09	-	-	.05	.71	-	-	-	.06	.02	15
16	.10	.14	.02	.02	-	.02	-	-	.01	.01	.04	-	16
17	.04	.02	-	.09	-	-	-	-	-	.04	.06	-	17
18	-	.23	.23	.01	-	-	-	.01	.04	.06	.01	.04	18
19	.24	.13	.02	-	-	-	.15	-	-	.02	.01	.01	19
20	-	.08	-	-	-	.07	.02	.02	-	.04	.04	.06	20
21	.30	.13	.03	-	-	.15	-	.04	-	.18	.01	-	21
22	.01	.12	.01	-	.25	.52	-	-	-	.02	.02	-	22
23	.01	.08	-	-	.01	.02	-	.01	-	-	-	-	23
24	.18	.17	-	.03	.15	.08	-	.01	.05	.04	.31	.03	24
25	.02	.02	.04	-	.04	.10	-	.42	.01	.06	.10	.02	25
26	.02	.13	.04	-	.01	.04	.10	-	.04	.34	.03	.21	26
27	.21	.10	.24	-	.04	-	-	-	.11	.26	.01	.04	27
28	.05	.03	-	-	-	.02	-	-	.01	.41	.08	.01	28
29	.03	-	-	.01	-	.15	-	-	-	.12	.01	.02	29
30	.01	-	.01	.04	-	-	-	-	.17	.12	.02	.02	30
31	.01	-	-	-	.03	.04	.04	.26	-	.04	-	.05	31
Totals	3.20	3.75	.91	1.10	1.14	2.60	1. ²⁰ ₃₀	2.65	.54	2.43	2.16	2.30	
Total from Jan. 1	3.20	6.95	7.86	8.96	10.10	12.70	13. ⁹⁰ ₇₀	16. ⁵⁵ ₇₃	17.16	19. ⁵⁵ ₇₃	21. ⁷¹ ₈₉	24. ⁰¹ ₁₆	

S. a

REGISTER OF RAINFALL IN 1901

Kept at 13 Sidney Street, Cambridge
 in the County of Cambridgeshire
 by W.C. Rain. F.R.Met. Soc.

Lat. Lon.
 Time of Observation
 Diameter as before
 Height of top above Ground.
 " " Sea Level.

NOTE.—Full instructions respecting the measurement of rain are given in "Arrangements respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	0.—	0.—	0.13	0.02	0.—	0.—	0.22	0.—	0.—	1.15	0.—	0.—	2
3	0.+	0.—	0.04	0.54	0.—	0.—	0.+	0.—	0.—	0.14	0.—	0.—	3
4	0.—	0.06	0.16	0.+	0.—	0.—	0.—	0.+	0.—	0.05	0.02	0.—	4
5	0.01	0.06	0.12	0.02	0.—	0.—	0.09	0.04	0.—	0.04	0.01	0.01	5
6	0.—	0.+	0.10	0.19	0.09	0.—	0.36	0.—	0.—	0.13	0.01	0.—	6
7	0.01	0.—	0.34	0.01	0.08	0.—	0.+	0.—	0.+	0.+	0.—	0.16	7
8	0.08	0.—	0.+	0.02	0.14	0.—	0.—	0.—	0.44	0.02	0.—	0.10	8
9	0.01	0.—	0.—	0.25	0.10	0.—	0.—	0.—	0.+	0.+	0.—	0.—	9
10	0.—	0.+	0.—	0.13	0.+	0.—	0.—	0.—	0.01	0.03	0.—	0.—	10
11	0.—	0.—	0.+	0.45	0.—	0.—	0.—	0.03	0.04	0.—	0.11	0.01	11
12	0.—	0.—	0.—	0.03	0.—	0.10	0.10	0.02	0.+	0.—	0.04	0.62	12
13	0.—	0.—	0.—	0.09	0.—	0.16	0.—	0.—	0.01	0.—	0.42	0.03	13
14	0.—	0.02	0.—	0.24	0.—	0.02	0.—	0.54	0.—	0.—	0.+	0.06	14
15	0.—	0.—	0.06	0.05	0.—	0.—	0.—	0.26	0.—	0.02	0.—	0.+	15
16	0.—	0.04	0.08	0.04	0.—	0.+	0.—	0.+	0.45	0.34	0.—	0.+	16
17	0.04	0.05	0.+	0.—	0.—	0.01	0.—	0.—	0.24	0.01	0.01	0.01	17
18	0.04	0.04	0.+	0.—	0.—	0.+	0.—	0.—	0.01	0.16	0.—	0.—	18
19	0.03	0.05	0.19	0.—	0.—	0.05	0.—	0.—	0.+	0.01	0.—	0.—	19
20	0.—	0.—	0.01	0.—	0.—	0.03	0.—	0.—	0.15	0.—	0.04	0.—	20
21	0.+	0.18	0.—	0.—	0.—	0.07	0.—	0.—	0.01	0.+	0.05	0.—	21
22	0.—	0.01	0.02	0.—	0.—	0.+	0.+	0.—	0.+	0.01	0.06	0.—	22
23	0.—	0.+	0.—	0.—	0.—	0.—	0.—	0.—	0.+	0.—	0.—	0.03	23
24	0.01	0.02	0.05	0.—	0.—	0.11	0.32	0.—	0.—	0.08	0.—	0.40	24
25	0.—	0.+	0.01	0.—	0.+	0.—	0.23	0.49	0.—	0.—	0.03	0.01	25
26	0.—	0.05	0.02	0.02	0.—	0.—	0.30	0.16	0.—	0.+	0.01	0.—	26
27	0.14	0.01	0.02	0.08	0.—	0.—	0.+	0.01	0.—	0.—	0.+	0.+	27
28	0.04	0.06	0.06	0.—	0.+	0.—	0.—	0.+	0.—	0.—	0.—	0.22	28
29	0.02		0.01	0.—	0.40	0.—	0.—	0.—	0.—	0.04	0.—	0.12	29
30	0.—		0.23	0.—	0.02	1.22	0.—	0.14	0.—	0.+	0.—	0.02	30
31	0.02		0.01		0.—		0.—	0.01		0.—		0.02	31
Totals	0.45	0.65	1.44	2.18	0.85	1.44	1.64	1.43	1.36	2.36	1.11	1.82	
Total from Jan. 1	0.45	1.10	2.88	5.065	5.90	4.684	9.354	11.084	12.445	14.8879	15.90	19.42	

S. o.

REGISTER OF RAINFALL IN

Kept at Benet Place Cambridge
in the County of Cambridge
by Rev. J. Wardale

1902,
Lat. $52^{\circ}12'$ Long. $0^{\circ}17\frac{1}{2}'$ E
Time of Observation 9 a.m.
Diameter 5 inches
Height of top above Ground 1 ft
" " Sea Level 42 ft

NOTE.—Full instructions respecting the measurement of rain are given in "The British Rainfall Organization—Rules for Rainfall Observers," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.02			.10	.10			.02		.23	1
2		.04			.07	.11			.03			.02	2
3		.05			.23	.12			.11			.02	3
4		.11			.13	.13	.03		.17				4
5					.38	.03			.44		.01	.10	5
6						.13	.22		.54			.02	6
7						.03	.02	.08	.65		.02		7
8							.10		.08			.06	8
9							.03	.23	.03	.03	.29		9
10		.04						.10	.01	.20	.10		10
11		.03			.07		.02		.04	.30	.10	.06	11
12							.07	.40			.02	.05	12
13								.30			.06	.01	13
14		.04	.32			.03					.07	.07	14
15						.10	.12	.42		.01	.03	.20	15
16							.29					.02	16
17							.11		.03	.12		.26	17
18							.29			.33			18
19		.01			.04	.05			.06	.12			19
20					.06		.09			.05			20
21					.06	.01					.07	.01	21
22		.03	.42			.06	.38			.03			22
23			.06			.09							23
24		.02	.24	.19						.03		.32	24
25									.12			.10	25
26									.04	.07		.06	26
27													27
28												.08	28
29												.12	29
30													30
31													31
Totals													
	.45	1.08	.83	.93	3.71	1.93	.76	3.24	.68	1.26	1.19	1.06	
Total from Jan. 1		1.53	2.36	3.29	7.00	8.93	9.69	12.93	13.61	14.87	16.06	17.12	

S.A.

REGISTER OF RAINFALL IN 1903

Kept at The Priory Chatteris

in the County of Cambridge

by Herbert Fane Fyfe

BRITISH RAINFALL
FORM A.

Lat. 52° 27' Long.

Nearest Railway Station Chatteris

Time of Observation 9 A.M.

Diameter 5 in.

Height of top above Ground ft. 8 in.

" " Sea Level 31 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
1	.10		.09	.30	.06								1
2	.17		.12	.10	.13			.50	.16		.23		2
3	.10		.20	.20	.20				.03	.22		.17	3
4	.40			.12	.17				.26	.45			4
5	.25				.07	.01							5
6			.11		.18					.40			6
7			.07		.06				.06	.31	.02	.12	7
8	.09				.36				.21	.69	.01	.23	8
9			.17						.05		.07	.05	9
10			.05		.41			.08	.90	.10	.05	.22	10
11					.10		.05	.29		.72			11
12	.10		.10				.14			.54	.10		12
13						.76					.06		13
14			.12	.04		.31	.09	.10		.41	.03		14
15			.07		.09	.47	.49		.03				15
16					.12	.58	.10	.59			.11		16
17			.20		.17	.30	.15	.18	.35		.26		17
18	.15						.50	.13		.08			18
19						.42		.08		.07	.07	.10	19
20			.09					.42		.10			20
21							.10			.03			21
22	.15	.07					.15		.15	.09			22
23	.10	.55					1.52				.05		23
24	.19							.76	.12	.20			24
25	1.5	.12	.08				.30			.21	.04	.05	25
26	.05		.16				.50	.05		.08	.11		26
27	.37		.06	.10			.30		.07	.48	.63		27
28			.11				.20	.11	.13	.06	.31		28
29			.11		.05				.31		.03		29
30			.04	.37			.26						30
31													31
Totals	1.88	.72	2.01	1.68	2.17	2.85	4.36	3.49	2.45	5.48	2.01	1.00	
Total from Jan. 1	1.88	2.60	4.61	6.29	8.46	11.31	15.67	19.16	21.61	27.09	29.10	30.10	

W.E. Rain S.R. Met. Soc.

REGISTER OF RAINFALL IN 1904

Kept at 13 Sidney Street Cambridge
in the County of Cambridgeshire
by W. E. Rain S.R. Met. Soc.

Lat. Long.
Nearest Railway Station Cambridge
Time of Observation 9 A.M.
Diameter 8 in.
Height of top above Ground 60 ft. — in.
" " Sea Level 92 ft.

FORM A.
BRITISH RAINFALL

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
1	0. —	0.26	0.02	0.01	0.14	0.13	0. —	0. —	0.04	0.05	0.01	0. —	1
2	0. —	0.11	0.05	0.01	0.02	0. —	0.14	0. —	0.14	0. —	0. —	0.03	2
3	0.03	0.11	0.09	0. —	0.05	0. —	0.01	0. —	0.05	0. —	0. —	0.01	3
4	0.01	0.06	0.01	0.10	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0.03	4
5	0. —	0.01	0.01	0.04	0. —	0. —	0. —	0. —	0. —	0.08	0. —	0.04	5
6	0.01	0.06	0.02	0. —	0.19	0. —	0. —	0. —	0.02	0. —	0.23	0.45	6
7	0.01	0.10	0.08	0.01	0.04	0. —	0. —	0. —	0.03	0.06	0.27	0.03	7
8	0.04	0.08	0. —	0.05	0. —	0. —	0. —	0. —	0.02	0. —	0.02	0.02	8
9	0.01	0.45	0.01	0.01	0.02	0.22	0. —	0. —	0. —	0. —	0. —	0.22	9
10	0.14	0.36	0. —	0.16	0.01	0. —	0. —	0. —	0. —	0. —	0.19	0.02	10
11	0.02	0.01	0. —	0. —	0.01	0. —	0. —	0.11	0. —	0. —	0. —	0.23	11
12	0.12	0.11	0. —	0.08	0. —	0. —	0. —	0.03	0.12	0. —	0. —	0. —	12
13	0.02	0. —	0. —	0. —	0. —	0.02	0. —	0. —	0. —	0. —	0. —	0. —	13
14	0. —	0. —	0.01	0.01	0. —	0.24	0. —	0.05	0.26	0. —	0. —	0.34	14
15	0. —	0. —	0. —	0.12	0. —	0. —	0. —	0.04	0. —	0. —	0. —	0.01	15
16	0. —	0.14	0. —	0. —	0. —	0. —	0. —	0.01	0. —	0.11	0. —	0. —	16
17	0.01	0.12	0. —	0. —	0. —	0. —	0. —	0.22	0. —	0. —	0. —	0. —	17
18	0.05	0.01	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0. —	18
19	0.04	0.11	0.04	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0.01	0.01	19
20	0.08	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0. —	0. —	20
21	0.01	0. —	0.03	0. —	0.04	0. —	0. —	0.01	0. —	0.31	0.16	0. —	21
22	0. —	0. —	0. —	0.18	0. —	0. —	0.03	0.04	0.02	0.03	0.03	0. —	22
23	0. —	0. —	0. —	0. —	0.08	0. —	0. —	0.06	0.20	0.24	0.23	0.03	23
24	0. —	0. —	0.02	0. —	0.04	0.02	0. —	0.02	0.05	0.02	0. —	0.01	24
25	0.03	0. —	0.01	0. —	0.02	0.01	0.57	0.01	0. —	0. —	0. —	0. —	25
26	0.01	0. —	0. —	0. —	0.02	0.16	0.14	0. —	0. —	0. —	0. —	0.03	26
27	0.05	0. —	0. —	0. —	0.08	0. —	0.22	0. —	0.01	0. —	0. —	0.02	27
28	0.03	0. —	0.22	0. —	0. —	0. —	0.01	0. —	0. —	0. —	0.01	0.01	28
29	0.02	0.03	0.25	0.02	0. —	0. —	0.18	0. —	0. —	0. —	0. —	0.05	29
30	0.15	—	0.30	0. —	0.01	0.01	1.18	0. —	0.56	0.02	0. —	0. —	30
31	0.14	—	0.04	—	0.36	—	0. —	1.03	—	0.03	—	0.01	31
Totals	1.09	2.16	1.19	0.64	1.40	0.85	24.5	1.63	1.35	0.95	1.16	1.60	
Total from Jan. 1	1.09	3.25	4.44	5.11	6.51	7.36	9.81	11.44	12.79	13.94	14.90	16.50	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d. 164

REGISTER OF RAINFALL IN 1906													
Kept at Heatherdene, Fenwick Avenue, in the County of Cambridge. by W. B. Parsons, J.P.								Lat. Long. Nearest Railway Station Cambridge, Jan. 1907 Time of Observation 9 A.M. Diameter 8 in. Height of top above Ground 1 ft. 2 in. " " Sea Level ft.					
RAIN GAUGE.													
Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
1			in.	in.	in.	in.	in.	in.	in.	.20	.05	.01	1
2		.23	.01		.10	.08		.04		.50	.12		2
3	.04										.15	.01	3
4	.52	.12			.25					.03	.52	.05	4
5	.40				.05							.05	5
6	.05										.26	.02	6
7	.27		.02								.15	.31	7
8	.02		.05								.18	.36	8
9	.07	.13			.07						.18	.08	9
10		.14	.14		.01	.03	.01	.09					10
11	.15	.02	.14					.01				.08	11
12	.34		Snow .13					.05		.01	.12	.04	12
13	.06	.05		.07				.02	.31	.23		.19	13
14		.04	.10			.04			.16		.01	.05	14
15	.04	.02	.04			.20	.02	.05			.11	.25	15
16	.08	.24	.02		.14	.12			.07	.01	.36	.29	16
17	.14		.06	.03		.03		.05	.06	.22	.11		17
18	.15	.09	.02					.04		.02	.36	.01	18
19			.11		.02			.04		.01	.01		19
20	.14	.14	.12	.05	.20					.03	.02	.18	20
21	.02		.04	.08								.01	21
22	.24			.12		.02			.03	.03			22
23		.05	.10	.13		.14							23
24		.04	.06		.01				.18		.11		24
25	.02		.15		.02						.01	.41	25
26		.08	.04		.19						.06	.03	26
27		.13		.18	.01	.35	.20				.03	.13	27
28		.01		.02		2.17					.20	.18	28
29	.03			.04		.22	.22				.14	.05	29
30				.24	.01		.01				.50	.10	30
31	.03				.04						.01	.05	31
Totals	2.81	1.48	1.47	.93	1.25	3.50	.61	.73	.62	3.06	3.12	2.22	
Total from Jan. 1	2.81	4.29	5.76	6.69	7.94	11.44	12.05	12.78	13.40	16.48	19.58	21.80	

FORM A.
BRITISH RAINFALL.

Jan. 1907

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper 3d.
172 days

REGISTER OF RAINFALL IN 1906													
Kept at		Chatteris Cambridge											
in the County of		Cambridge											
by		at Harold Ruston											
Lat.	Long.												
Nearest Railway Station													
Time of Observation													
Diameter of Rain Gauge in.													
Height of top of Gauge above Ground ft. in.													
Sea Level ft.													
" " " "													
NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.													
Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		'01	.16		'02	'09				'13	.11	'07	1
2	'08	'18	.01	.06	.07	.04		'08		'65	.17		2
3	'08								'04		.27	.05	3
4	'29	'09	.01	.02	.15					'09	.19	.07	4
5	.62												5
6	'15							'06	.07		.25	.08	6
7	.42		.03		.19					'15	.55		7
8	-	.14	.03		.12			'20		'11	.09	.13	8
9	.15	.13	.01							'13	.07		9
10	-		.20					'03	.03				10
11	.09	.06	.10	.03						'04		.13	11
12	.29		.09							'12			12
13	.05							'03	.17	.25		.08	13
14	-	.07	.08			'06			'31			.05	14
15	-	.13	.02		'08	.72	.12	.04			.11	.30	15
16	.14	.29			'05	.35		'06	.20	.07	.33	.29	16
17	.23								'14	.07	.08	.06	
18	.23	.15	.01					'12		.03	.70	.02	.07
19	-	.19	.05		.02					'01			19
20	.11		.12		.37					'02	.04	.14	20
21			.03			'04			'04		.01	.01	21
22			.02	.07	.03	'60					.05		22
23			.14	.20	.11		'07						23
24	.22	.08	.17	.05				'23		'12			24
25			.26		.02							.45	25
26			.09	.04		.17					.03	.07	.21
27			.16		.24	.05	.05				.03		.10
28			.01		.05	1.45					.20	.02	.08
29			.02				'15	.08			.16		29
30								.02			.45		30
31											.01	.03	31
Total	3.17	1.78	1.58	.74	1.47	3.55	.53	1.04	.93	3.33	3.46	2.15	TOTAL for year
No. of Rain Days	17	15	20	9	15	9 ¹⁰	7 ⁸	11	8	20	16	17 ¹⁸	

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

23.73 22.73 Price 2d.

50.
REGISTER OF RAINFALL IN 1908

Kept at Cherwell Pumping Station
in the County of Cambridge
by Wm. W. Gray A.M.I.C.E.

Lat.	Long.	FORM A BRITISH RAINFALL JAN 1908
Nearest Railway Station	Cambridge 6 miles	
Time of Observation	9 am	
Diameter of Rain Gauge	5 in.	
Height of top of Gauge above Ground	1 ft — in.	
" "	Sea Level 35 ft.	

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.15			.04			.19				1
2		.03	.05		.06				.03				2
3			.03	.05	.04		.16		.15				3
4				.15	.02	.30	.01	.03	.04			.09	4
5	.02		.14	.09	.03			.15				.02	5
6	.03		.08	.02	.13							.08	6
7	.35		.05		.08								7
8	.15		.03		.02	.10	.22					.04	8
9	.01	.05	.02			.02	.45		.02	.30		.08	9
10		.03					.02					.02	10
11			.08	.25					.55		.10	.04	11
12							.36	.09			.01	.19	12
13					.06	.05	.15				.04	.20	13
14					.05		.03					.24	14
15	.02	.10	.08		.16		.31		.16				15
16	.01	.20			.01	.45	.35		.05	.55		.05	16
17		.10				.09	.21	.02				.18	17
18		.04					.45		.03		.03	.02	18
19	.02		.06	.34			.04					.02	19
20			.04				.02	.20				.03	20
21			.02					.24			.33		21
22		.16	.04	.01				.05			.08		22
23		.03		.90	.03			.32	.32	.04			23
24	.02	.05			.02				.10	.15	.04		24
25		.06	.53	.06	.03				.04	.10	.01		25
26		.06	.03					.13		.02			26
27		.13	.13	.08				.06	.03	.18			27
28	.05	.04		.20				.18		.03	.02	.02	28
29	.03	.02	.10	.10	.02			.10			.10	.23	29
30	.01		.10	.04				.05		.02	.01		30
31					.13			.34				.02	31
Total	.72	1.04	1.68	2.18	1.14	1.05	2.48	1.96	1.94	1.42	.83	1.60	TOTAL for year 18.20
No. of Rain Days	12	14	14	15	14	7	14	14	13	9	11	18	161

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGISTER OF RAINFALL IN 1909

210
FORM A.
BRITISH RAINFALL
STED 1910

Kept at Cambridge Backhouse -
Harvey Rd
in the County of Camb
by Smith Nuttall

	Lat.	Long.											
	Nearest Railway Station												
	Time of Observation												
	Diameter of Rain Gauge	in.											
	Height of top of Gauge above Ground	ft.	in.										
	" "	Sea Level	ft.										
NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.													
Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1 06	. 72	. .	. 59	. 05	. 04	. 19	. .	1
2	. 02	. .	. 30 06	. .	. 02	. .	. 04	. 02	. 50	2
3	. 02	. 03	. 02 08	. 04	. .	. 19	. 02	. 05	. .	3
4 55	. .	. 14	. .	. 02	. 24	. .	4
5	. 04	. .	. 02 03	. 06	. 06	. 15	. .	. 04	. .	5
6 54 05	. 25	. 04	. .	. 02	. 03	. .	6
7	. 15	. .	. 09 22	. 22	. 36	. .	. 03	. .	7
8	. 01	. 01 17	8
9	. 15	. 09	. 14 45 07	9
10	. 12	. 03 03	. 16	. 04	. 08	. .	. 18	. .	10
11 02 11	. 18	. .	. 26	. .	. 01	. .	11
12 03	. 03	. 01 32	. 01	. .	. 02	. .	12
13	. 05	. .	. 17	. 10 01	. 06	. 10	13
14	. 06	. 02	. 12	. .	. 03 14	. 15	14
15 09 31	. 13	. 07	15
16 02	. .	. 06	. 06	. 07	. 03	. 21	. .	16
17 03	. .	. 15	. 54	. .	. 24	17
18	. 03	. .	. 04 02	. 23	18
19	. .	. 03	. 60 04	. 02	. 03	. .	. 07	. .	19
20	. 02	. .	. 05 03	. 12	. 05	. 06	20
21	. .	. 06	. 01	. .	. 03	. .	. 12	. .	. 01	. 03	. 27	. .	21
22 04	. .	. 16 11	. 03	. 04	. 02	. .	22
23 27	. .	. 08	. .	. 08	. .	. 06	. .	23
24	. .	. 36	. .	. 34	. 47	. .	. 03	. 08	. 03	. 02	. 10	. .	24
25	. .	. 05	. 01	. 39	. 68	. 04	. 28	. 10	. 01	. .	. 09	. .	25
26	. .	. 03	. 04	. 45 01	. 40	26
27	. 02	. 04	. 02	. 04	. 05	. .	. 55	. 08	. 21	. 01	. 16	. .	27
28	. 03	. .	. 15	. 03	. 02 22	. 66	. .	. 05	. .	28
29 02	. 72	. .	. 13	. 06	. 07	. 01	. 06	. 26	. .	29
30	. .	. 43	. 03 26	. 02	. 01	. .	. 02	. .	30
31	. .	. 03	. 02 01	. 01	. 22	31
Total	. 75	. 25	2.74	1.65	1.42	3.38	2.71	1.93	1.77	3.79	6.2	2.65	TOTAL for year 23.46
No. of Rain Days	14	7	21	11	10	15	17	14	20	25	11	22	18.7

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1910												
<i>Dr. C. H. A. S. for Cambridge</i> Kept at <u>Burwell</u> 2 in the County of <u>Cambridge</u> by <u>R. Stephenson Esq.</u>												
<small>28 JAN 1911</small> <small>BRITISH RAINFALL FORM 227</small>												
Pattern RAIN GAUGE Diameter of top _____ in. Height of top above Ground _____ ft. " " " Sea Level _____ ft.												
Time of Observation _____ Nearest Railway Station { Name _____ Distance _____ Direction _____												
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.												
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
1	.06	.07			.20		.06	.15-	.18		.05-	.66
2	.02	.18			.15	.17	.10		.03			.60
3		.01			.10		.21			.10		.19
4	.03			.26	.15-	.02		.25				.10
5		.11		.33	.13		.59	.26				.02
6	.04			.03	.04		.14		.04		.15-	
7		.02			.04	.14	.19		.11			
8	.04	.12	.24		.11		.08	.04	.02			.06
9	.14			.04	.02						.06	.02
10		.05-				.11			.02	.05-	.26	.03
11	.17	.06-	.21		.17			.07		.52	.06	.02
12		.25-		.03	.05-	.04		.01	.10	.17	.11	.08
13	.07			.22				.08	.62		.20	.05-
14				.07	.46			.03	.12		.11	.20
15	.11			.15-	.03				.04		.07	.75-
16		.05-		.03-	.04				.01			.09
17		.11	.08		.39		.04			.05-		.19
18	.28	.06	.20		.21		.07	.11		.23	.11	.02
19		.20	.02	.08			.03	.02	.02	.18		
20								.23	.01			
21		.01		.06					.08			.07
22		.23		.08				.05-	.27			
23	.16			.05-				.75-	.12			
24	.08	.25-		.13		.20	.05-	.14			.05-	.12
25		.03		.10		.35-	.41	.24		.02		
26		.03		.07					.06			.30
27	.33	.01				.31				.22	.72	.03
28	.04	.11		.36	.15-	.05-		.17		.02		.03
29				.03	.05-	.10		.06	.04	.02	.04	
30		.14			.04	.05-	.16		.07	.03	.18	
31						.12				.31		.13
Total	1.71	1.94	8.2	2.12	2.62	1.65	3.50	2.24	1.35-	1.88	2.21	3.76
No. of Rain Days	15-	19	7	18	19	11	15-	20	13	13	14	22
												TOTAL for year 2580

REGISTER OF RAINFALL IN 1909.													
FORM A.2. BRITISH RAINFALL. JAN 1910													
<p>Kept at <u>Carlton Hall</u> in the County of <u>Cambridge</u> by <u>A. S. nice</u></p> <p>Pattern RAIN GAUGE Diameter of top <u>.5</u> in. Height of top above Ground <u>1</u> ft. <u>.6</u> in. " " " Sea Level <u>290</u> ft. Time of Observation <u>9 a.m.</u> Nearest Railway Station <u>Dullingham</u> Distance <u>4½</u> Direction <u>N.W.</u> Jan. 1, following.</p>													
<p>IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.</p>													
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	.06	.44	—	.89	.09	.03	—	.27	1
2	.02	—	.50	—	.02	.10	—	.05	—	—	.04	.57	2
3	—	—	—	—	—	.10	.06	—	—	.10	—	.11	3
4	—	.04	—	—	—	.40	—	—	.24	.02	.02	.33	4
5	.03	—	—	—	—	.06	.14	—	.09	.11	—	.08	5
6	—	—	.67	—	—	—	.18	—	.22	—	—	.04	6
7	.13	—	.03	—	—	—	.19	—	.28	.57	—	.15	7
8	.07	—	—	—	—	—	.02	—	.15	.04	—	—	8
9	.18	.12	.15	—	—	—	.48	—	—	—	.03	.13	9
10	.19	.04	—	—	—	—	.29	—	.03	.07	—	.38	10
11	—	.05	.03	.09	—	.15	.18	—	—	.16	—	.02	11
12	—	—	.04	.04	.05	—	—	.39	.05	.03	.03	.03	12
13	.04	—	.28	.19	—	—	.04	—	.05	.05	—	—	13
14	.10	.03	—	—	.02	—	—	—	—	—	.22	—	14
15	.09	—	.23	—	.10	.03	.18	—	.07	.25	—	—	15
16	—	—	—	.03	—	.17	.07	—	.09	.14	.18	—	16
17	—	—	—	.02	—	—	.31	—	.12	—	.45	—	17
18	—	—	.08	—	—	.03	.15	.06	—	—	—	—	18
19	.04	—	.03	.46	—	—	.07	—	.05	—	.13	—	19
20	—	—	—	—	—	.04	.21	.03	.12	—	—	—	20
21	—	—	.07	—	—	—	.07	—	.02	.05	.47	—	21
22	—	—	.02	.06	—	.10	—	—	.05	.03	—	—	22
23	—	—	—	—	.32	.02	.07	—	.12	—	.22	—	23
24	—	—	.41	—	.22	.73	—	.05	.08	—	—	.09	24
25	—	—	.08	.05	.59	.88	.03	.32	.07	—	—	.10	25
26	—	.05	.03	.03	.15	.02	—	.02	.03	.63	—	—	26
27	—	.10	—	.09	.07	—	.67	—	.05	.27	.08	.16	27
28	—	—	.14	.01	.05	—	.03	—	.33	.02	—	.06	28
29	.05	—	.61	—	—	.07	.11	.17	.06	.20	—	—	29
30	—	—	.23	.08	—	—	.36	—	.06	.03	—	.02	30
31	.05	—	—	—	—	.05	—	—	.19	—	—	—	31
Total	.92	.43	2.98	1.71	1.37	3.38	3.23	2.39	2.54	4.15	.81	3.99	27.90
No. of Rain Days	12	7	16	11	12	13	20	13	20	23	9	21	177

Sa

REGISTER OF RAINFALL IN 1910

(Aylesbury House, Chatteris)

Kept at Chatteris
in the County of Cambridge 2
by A. Harold Cusson.

S.A. H&B cont'd c. 24.II.11

	Pattern -										
	RAIN GAUGE Diameter of top 8 in.										
	Height of top above Ground 1 ft. - in.										
	" " " Sea Level 31 ft.										
	Time of Observation 9 a.m.										
	Nearest Railway Station Name Chatteris										
	Distance 2 miles Direction N.W.										
	Jan. 1, following.										

FORM A.2.
BRITISH RAINFALL
1 JANUARY 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.04	.02			.10		.13	.08	.05	.30		.11	1
2		.33			.12	.17	.12					.68	2
3					.11		.04	.02				.28	3
4					.42	.10		.15				.18	4
5	.08	.05	.06	.14		.50	.15					.02	5
6		.05				.65				.42			6
7		.03		.02	.07	.11	.05	.03				.02	7
8	.05	.09		.17		.04						.10	8
9	.04		.27	.05								.04	9
10	.07							.02		.26		.06	10
11	.27	.02	.15	.02	.16		.25	.03	1.20	.04		.02	11
12			.07	.04	.05					.10		.20	12
13	.02	.05						.03	.22			.31	13
14	.34		.08	.57			.05		.42			.36	14
15	.10	.02		.15	.10				.02			.87	15
16	.02	.08	.25									.18	16
17	.07	.01	.06		.40		.32					.19	17
18	.07	.12	.10	.01	.25			.32	.01	.05			18
19					.10		.02	.02				.10	19
20		.12	.05		.01		.19	.01	.02			.03	20
21	.03	.02		.05					.06			.20	21
22	.13	.31		.03				.09	.15				22
23	.05	.02		.01		.05	.05	.22				.05	23
24		.26				.56	.04	.07				.02	24
25	.06		.02			.62	.29	.27					25
26	.04	.04		.02				.06				.26	26
27	.32					.25				.33	.83	.06	27
28		.05		.50	.09			.19	.09	.04			28
29	.16			.05	.04	.07		.16		.04			29
30				.08	.07	.20		.10				.16	30
31					.19					.42		.05	31
Total	1.46	1.98	.86	1.95	2.60	1.99	2.64	2.36	.95	2.51	2.36	4.86	TOTAL for year 26.52
No. of Rain Days	15	19	109	19	17	8	15	19	11	9	9	22	172

9,000, IX, '10.

REGISTER OF RAINFALL IN 1912													
Kept at <u>Burnell</u> in the County of <u>Cambridgeshire</u> by <u>R. Stephenson</u>													
Pattern _____ RAIN GAUGE Diameter of top _____ in. Height of top above Ground _____ ft. in. , , , Sea Level _____ ft.													
Time of Observation _____ Nearest Railway Station { Name _____ Distance _____ Direction _____													
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.													
FORM A2. BRITISH RAINFALL 24 JAN 1913 Jan. 1, following.													
Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						04	05		11	08		10	1
2			01		01	01	33					18	2
3	14			02	06	55	02	18	02	04		01	3
4	11		31		05	06					35		4
5		11	23					17			05	05	5
6	23	07			02	47	1.33	18					6
7					01	51	02	11	01				7
8	15	11	08			06		12	20			03	8
9		02		16	01	14					25		9
10		02		05				05	12		11	02	10
11	10	05							13		08	08	11
12	10	02	07		05	02					25		12
13	06					10	14				20		13
14					03	20		04	03		06	03	14
15	18	03	19		23	25		10				12	15
16		05			04	43		05		06	07		16
17	12		18			11		10				10	17
18	08		09				03	05		06	05	11	18
19	09	09	14			24	45		03	05			19
20		19			03			53		31			20
21	03	03	45		28			92		17	07		21
22	36	08	04		02		29	15		04		06	22
23	53	42	23		08			1.00	05		20	10	23
24	30				08	04	14	02			04		24
25		03				16	03	1.07		15	28		25
26							12	1.73		27	18	20	26
27					01					10		20	27
28		03		04			18	04	03	35	09	36	28
29				02		11	10	35	65	42	04		29
30					24	03		05	52	13	02		30
31		08		04		19	19		04		04		31
Total	261	1.11	2.34	29	1.21	3.33	3.11	7.77	1.89	2.10	2.02	2.35	TOTAL for year
No. of Rain Days.	15	14	15	5	17	18	15	23	12	14	17	20	3013
													185

W. 8,000, X. '11.

Kept at Swaffham - ~~near~~ ~~vacation~~
in the County of Cambridge
by the Rev. D. Fisher
on August 22nd

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

18/E
BRITISH FORM A.
RAINFALL
Nearest Railway Station Stowmarket JAN
Time of Observation 6 a.m.

Nearest Railway Station Woffham JAN 19
Time of Closure 26

Time of Observation 9 a.m. N 1913
Diameter of Rain Gauge 4 1/2 in.

Diameter of Rain Gauge 48 in.
Height of top of Gauge above Ground 1 ft.

Height of top of Gauge above Ground ft.

REGISTER OF RAINFALL IN 1913													
Kept at <u>Boxworth, St. Ives.</u> in the County of <u>Cambridgeshire</u> by <u>E. H. Thornhill</u>													
	Lat.	Long.											
	Time of Observation												
	Nearest Railway Station												
	Diameter of Rain Gauge in.												
	Height of top of Gauge above Ground ft. in.												
	" " " " Sea Level ft.												
	IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.												
	27 JAN 1914 BRITISH RAINFALL FORM A. Jan. 1, following												
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.03	.12	.10	.15		.03			1.03	.01	.05		1
2	.02	.15			.08		.16		.11	.02	.02		2
3	.02		.16		.73				.18		.02		3
4	.17		.01		.02	.03	.10		.01	.19	.05	.11	4
5	.03	.01					.01		.47	.02			5
6	.02	.02			.25	.25	.31		.01	.08			6
7	.09				.05		.15		.48	.04			7
8		.01	.01	.18	.18				.05	.17			8
9	.01	.19	.04	.01	.02	.10			.02		.05	.01	9
10	.02		.01	.01	.12		.07	.03			.40		10
11	.59		.36		.01			.21		.02			11
12	.01	.01			.06			.02		.01	.13		12
13	.02		.01					.01	.02	.01	.42		13
14	.04	.01	.09	.04			.62			.17			14
15	.15	.02	.15	.12			.15		.02		.05		15
16	.05		.47	.28					.08	.01			16
17	.12		.11	.11		.32	.02			.01		.06	17
18	.02		.05	.05			.01	.01	.37				18
19	.09		.03	.02	.04	.01	.06		.45			.05	19
20	.26		.16		.02					.19			20
21			.10		.07					.08			21
22	.31	.01	.22				.01	.02	.13	.01	.24		22
23		.01	.01			.05	.02	.06	.02	.01			23
24	.01			.01		.02		.01			.01		24
25	.01	.02		.11			.02			.73		.05	25
26	.03	.16	.02					.01				.11	26
27	.01		.02	.02	.15	.02				.06	.01		27
28	.17		.24	.06					.01	.10	.01	.03	28
29	.11		.11	.23	.24			.07		.01	.01	.02	29
30	.21		.10					.13	.01	.10	.17		30
31								.44		.02		.02	31
Total	2.48	.72	2.28	1.71	2.01	1.04	1.71	1.02	2.29	3.00	1.85	.50	20.61
Rain Days.	24	13	22	18	13	12	14	12	14	23	17	11	193

John Rapp 202 Nov 29, in want - end for with the year starts 25-11-15

REGISTER OF RAINFALL IN 1914

Kept at **Bunkley Hall**
in the County of **Cambs P. Agincourt**
by **R. W. Rapp**

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level **980** ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

BRITISH FORM A
RAINFALL
JAN 1915

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	—	—	20	—	—	15	21	1
2	—	—	—	2	—	—	1	4	—	—	—	—	2
3	—	—	20	4	—	—	54	—	—	—	—	—	3
4	—	—	—	13.	8	—	—	4	—	—	37.	18	4
5	—	—	12	18	2	—	16	38.	—	—	—	12	5
6	—	11.	2	2	1.	10	5	—	—	—	25	—	6
7	—	4.	32	—	4.	1	—	—	—	—	—	22	7
8	20	6	46	—	50	28	—	12.	—	—	—	—	8
9	89	—	50	3	12	46	—	—	—	—	—	95	9
10	63	4	—	5	3	—	—	—	—	—	—	—	10
11	—	18	50	—	5.	12	12	—	—	—	30	—	11
12	2	—	4	—	—	—	—	—	52	—	—	—	12
13	—	15	20	—	—	—	29.	—	2	—	13	80	13
14	—	—	16	—	—	—	—	—	—	50	—	25	14
15	—	—	25	—	—	—	—	2	—	—	—	47	15
16	—	—	7	—	—	—	—	—	2	—	—	—	16
17	—	35	1	—	—	—	12	—	—	—	—	15.	17
18	—	11	5	—	—	—	—	—	—	—	—	24	18
19	—	5	17	—	—	83	—	—	—	—	41	—	19
20	—	2.	22	—	—	10	—	—	18	—	—	4	20
21	—	25	22	—	—	7	—	—	—	—	—	8	21
22	—	—	4	—	—	—	—	—	61	—	—	—	22
23	—	—	2	—	34.	1	—	—	—	—	—	—	23
24	—	—	2	1	3.	2	23	—	—	8	18	—	24
25	—	—	8	14	—	—	—	—	—	35	—	—	25
26	—	—	—	—	—	5	13	18	—	—	—	460	26
27	—	—	—	—	—	5	—	—	—	—	—	—	27
28	—	—	—	—	—	—	—	—	—	—	—	85	28
29	—	—	5	—	—	—	—	—	—	—	—	—	29
30	—	—	8	—	—	—	—	—	—	19	2.	32	30
31	—	—	—	20	—	—	—	—	—	—	—	—	31
Total	185	139	330	62.	128	200	162	92	74	206	377	533	YEAR'S TOTAL 2934
Rain Days.	5	12	21	9	10	10	9	4	7	8	46	25	18

3.50 .62

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915													
Kept at <u>Abington Pigotts</u> in the County of <u>Cambridgeshire</u> by <u>J. N. Woodham</u>							Lat. _____ Long. _____ Time of Observation _____ Nearest Railway Station _____ Diameter of Rain Gauge _____ in. Height of top of Gauge above Ground _____ ft. _____ in. " " " " Sea Level _____ ft.						
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection, and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.													
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		10	15-					.01	.06			20	1
2	.37	10	26	15-	.05	.02		.58		.07	.05-		2
3	.20		.02	.14				.25		.02	.15-		3
4	.30							.02			.42		4
5	.11	.19						.03			.16		5
6	.20			.20			1.12	.01		.13			6
7	.05-	.22	.07	.05-				.10	.07				7
8		.30								.02			8
9				.03		.01				.15-	.74		9
10	.23		.06							.03	.05-		10
11	.02		.02		.02						.73		11
12	.10			.27	.28			.60		.05-	.72		12
13	.45-				1.12						.36		13
14	.02				.02			.43		.07	.08	.06	14
15	.11							.07	.25-		.06	.08	15
16	.26							.37	.75-				16
17	.17				.15-			.15-	.05-				17
18	.05-	.25-						.15-		.03	.12		18
19		.02											19
20	.32		.06					.02		.02		.36	20
21	.10							.07					21
22	.80		.50					.03		.16		.15-	22
23	.05-	.23						.53		.25-	.20	.21	23
24		.11				.08	.13			.04		.06	24
25			.03			.02	.05-					.05-	25
26		.16				.12	.18					.15-	26
27						.16	.05-						27
28		.15-				.02	.05-	.05-	.68	.40		.10	28
29						.14		.10		.05-		.15-	29
30	.05-	X				.26		.04	X	.38	X		30
31		X	X			X		.04	X	.38	X		31
Total	2.96	2.22	1.69	.93	1.64	.83	3.48	2.83	1.26	1.32	1.98	3.50	24.64
Rain Days.	14	13	11	8	6	9	15-	15-	6	10	9	18	134

128
204
BRITISH RAINFALL
FORM A.
Jan. 1, following.

YEAR'S TOTAL

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915													1307 FORM A. BRITISH RAINFALL 1 JAN 1916
Kept at Fossestone, Cambridge. In the County of Cambridgeshire 2 by W Francis Hicks.													
Lat.	Long. $\frac{3}{4}$ mile WNW of Rain Station 13 Sidney Street.												
Time of Observation 9 a.m.													
Nearest Railway Station Cambridge													
Diameter of Funnel of Rain Gauge 5 in.													
Height of top of Gauge above Ground 1 ft. 1 in.													
" " " Sea Level 65 ft.													
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.													
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.30	0.09	0.02	nil	0.09	nil	nil	0.03	0.04	nil	0.01	0.12	1
2	0.05	0.04	0.13	0.02	nil	0.02	nil	nil	0.13	nil	0.03	0.04	2
3	0.22	nil	0.11	0.16	nil	nil	0.02	0.38	nil	nil	0.02	0.14	3
4	0.19	nil	nil	nil	nil	nil	0.06	1.04	0.03	trace	0.03	0.47	4
5	0.02	0.10	nil	nil	0.06	nil	nil	0.01	nil	0.03	nil	0.18	5
6	0.18	0.02	0.06	0.14	nil	nil	1.07	0.02	nil	0.04	nil	0.03	6
7	0.10	0.24	0.05	nil	nil	nil	0.36	0.01	nil	nil	0.01	0.08	7
8	nil	0.14	0.05	0.01	nil	nil	nil	0.16	nil	nil	0.02	nil	8
9	trace	0.09	nil	nil	nil	0.03	nil	0.01	nil	nil	0.20	0.59	9
10	0.32	nil	0.05	nil	nil	nil	nil	nil	nil	nil	0.03	0.04	10
11	0.02	nil	0.02	nil	0.05	nil	nil	nil	nil	nil	0.65	nil	11
12	0.06	nil	nil	0.29	0.24	nil	nil	nil	nil	0.01	1.00	0.08	12
13	0.05	0.33	nil	nil	1.20	nil	nil	0.51	nil	nil	nil	nil	13
14	nil	0.15	nil	nil	trace	nil	0.27	0.01	0.03	nil	nil	0.33	14
15	0.11	0.02	nil	nil	0.02	nil	nil	0.10	nil	nil	0.22	0.11	15
16	nil	0.04	nil	nil	nil	nil	0.53	0.01	nil	nil	nil	0.01	16
17	0.02	0.14	nil	nil	0.03	nil	0.03	0.15	nil	nil	0.03	nil	17
18	0.01	0.07	0.25	nil	trace	nil	nil	0.81	nil	trace	0.07	nil	18
19	nil	0.01	0.02	nil	nil	nil	0.11	nil	nil	0.02	nil	nil	19
20	0.20	nil	nil	0.11	nil	nil	nil	nil	nil	0.02	nil	0.35	20
21	0.03	trace	nil	nil	0.01	nil	0.26	0.02	nil	trace	nil	0.03	21
22	0.84	0.03	0.33	0.01	nil	nil	0.36	nil	0.04	nil	nil	0.15	22
23	0.01	0.11	0.03	0.07	nil	0.03	0.03	nil	0.22	0.10	nil	0.20	23
24	nil	0.02	0.15	nil	nil	nil	0.19	nil	0.24	nil	nil	0.08	24
25	trace	nil	0.02	0.01	nil	0.28	0.06	nil	nil	0.01	nil	0.16	25
26	nil	0.04	0.01	nil	nil	0.06	0.05	nil	nil	nil	nil	0.17	26
27	nil	0.07	0.02	nil	nil	0.08	0.04	nil	nil	0.48	nil	0.02	27
28	nil	0.04	0.01	nil	nil	0.37	0.12	nil	0.77	0.12	nil	nil	28
29	nil	—	nil	nil	nil	0.07	0.04	0.08	nil	0.01	0.05	0.12	29
30	0.03	X	nil	nil	nil	0.75	0.05	0.10	trace	nil	nil	trace	30
31	0.03	X	nil	X	nil	X	0.10	nil	X	0.06	X	0.10	31
Total	2.79	1.79	1.33	0.82	1.70	1.69	3.75	3.45	1.50	0.90	2.37	3.60	YEAR'S TOTAL 25.69
Rain Days.	20	20	17	9	8	9	19	17	8	11	14	23	175

REGISTER OF RAINFALL IN 1917													
Kept at <u>Boxworth.</u> in the County of <u>Cambridge.</u> by <u>C. H. Monkell.</u>													
Lat. <u>52°15' N.</u> Long. <u>3° W.</u> Time of Observation <u>9 a.m.</u> Nearest Railway Station <u>Sawtry</u> Diameter of Funnel of Rain Gauge <u>5</u> in. Height of top of Gauge above Ground <u>1</u> ft. <u>in.</u> " " " Sea Level <u>26</u> ft.													
1240 BRITISH FORM A. RAINFALL <u>3 JAN 1918</u>													
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.													
Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.08				1.11	.17		.06		1
2	.01	.02		.30		.09		.13		.01	.05		2
3								.37		.11	.11		3
4		.10	.01	.01				.02		.59			4
5	.20		.01	.15					.02	.03	.14		5
6						.06			.02	.07		.01	6
7	.40		.01			.48				.41		.01	7
8	.22			.20			1.04	.22		.25	.09	.03	8
9	.07		.12	.04			.01	.28		.03		.05	9
10	.34	.02	.21	.14				.11		.03			10
11	.65		.51	.14				.06		.21			11
12	.09		.03	.07	.02			.06		.22	.01	.01	12
13	.16	.02	.02	.01		.42		.10	.03	.03	.01	.01	13
14	.04		.01	.03				.07			.01		14
15	.02			.03				.50		.01	.01	.02	15
16	.03	.06		.21		.08	.12			.63		.05	16
17	.01		.01	.15	.66	.18	.23	.03	.44	.35		.02	17
18	.03	.01		.07	.03	.15	.16		.94				18
19	.01	.06	.20		.11	.03			.17				19
20	.02	.16	.14		.07						.17		20
21	.01	.02	.01							.01	.01		21
22	.01	.01	.09						.02	.15			22
23	.02			.14				.12	.05			.05	23
24	.02	.01				.18		.08		.12	.04		24
25			.02								.05	.01	25
26			.06			.03		.26	.17		.36	.04	26
27			.01			.01	.01	.33				.02	27
28		.03	.16			.90		.03		.06		.03	28
29						.42	.48	.01		.14		.13	29
30	.01						.66	.10		.07		.02	30
31	.01		X	X	.18	X	X	.48	.06	X	.01	X	31
Total	1.77	.54	1.71	1.60	1.06	3.03	3.19	4.05	2.03	3.67	1.12	.54	24.11
Rain Days	21	13	19	14	7	13	9.30	21	10	21	14	17	179
							15.86	112	127	148	162	128	

EDWARD STANTON LTD., 12, 13 & 14, Newgate St., W.C.
Waterlow and Sons Limited, Printers, London, W.C. London

Price 2d.

REGISTER OF RAINFALL IN 1917													
Kept at Purwell in the County of Cambridgeshire by P. Stephenson							Lat.	Long.					
							Time of Observation						
							Nearest Railway Station						
							Diameter of Funnel of Rain Gauge	in.					
							Height of top of Gauge above Ground	ft. in.					
							" "	Sea Level ft.					
1245 80 FORM A BRITISH RAINFALL Jan. 1, following.													
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.													
Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				02		-		1.40	19		10		1
2				25		16		21			05		2
3								50			10		3
4				22				03		80			4
5	24			26				06	02		14		5
6						18				18			6
7	24			01		28				29	03		7
8				16				1.45	02	25	15	08	8
9	08	02		04				24		03	05	10	9
10	25		14	12				05		03	02		10
11	09		63	06						18			11
12	09			07	05			03		24			12
13	11		15			01	02	05	04	21			13
14	05			15							03		14
15								06		03	09		15
16	02	06		25		05	30			63		11	16
17		02	03	25	57		25		45	22			17
18	03			08		06	16	02	68				18
19		05	11			05			25				19
20	02	15	25		02						24		20
21			05							03	09		21
22								03	03	10			22
23		06	22		13			15	06	05			23
24	05					05		03		12	06		24
25			02				28				15		25
26			15			03		16	04	60	10		26
27									38		07		27
28		05	14			1.22		07			05		28
29						30	35	05		24		10	29
30		X	03				56	09					30
31	08	X	28	X		X	32	10	X	X			31
Total	1.35	63	2.20	1.72	77	2.29	3.69	3.73	1.76	3.60	1.57	.97	24.28
Rain Days.	13	8	13	13	4	11	9	21	9	16	12	11	140
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1917.

Kept at Swaffham Prior Vicarage
in the County of Cambridgeshire
by the Rev. L. Fisher

Lat. 52° 15' Long. 0° 18' E
Time of Observation 9 a.m. G.M.T.
Nearest Railway Station Swaffham Prior
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " Sea Level 44 ft.

BRITISH RAINFALL
27 JUN 1918
FORM A

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.08				1.26	.16		.09		1
2	.06	.02		.18		.19		.19			.04		2
3								.40		.23	.07		3
4				.18				.12		.54			4
5	.23	.01		.20				.15	.01		.16		5
6						.19				.68			6
7	.22					.11				.37		.01	7
8	.08			.16			1.26	.03		.24	.12	.02	8
9	.04		.05	.01			.01	.18		.02	.04	.11	9
10	.22		.10	.11			.04			.01	.03		10
11	.07	.01	.57	.03						.16	.02		11
12	.04	.01	.03	.04	.05			.02		.23	.01		12
13	.16	.05	.01		.03	.02	.04	.03	.03				13
14	.01	.02		.17						.01	.10		14
15	.02		.01					.04		.02		.01	15
16	.01	.05		.21	.01	.05	.32			.64		.13	16
17	.01		.02	.23	.55		.21	.00	.42	.21			17
18	.03	.01		.04		.06	.15	.03	.65				18
19	.01	.05	.17			.01			.22			.01	19
20	.02	.16	.10								.21		20
21	.01	.02	.05								.01		21
22			.09					.03	.02	.11			22
23	.01			.11				.14	.03	.02		.05	23
24	.02	.03			.15			.02		.10	.04		24
25	.01	.02				.10					.01	.05	25
26		.10			.02			.19	.05		.50	.09	26
27		.02				.01	.37						27
28	.03	.15			1.00		.06			.04		.06	28
29	.01				.30	.51	.01			.20		.11	29
30	.02	X				.56	.06			.01			30
31	.04	X	.27	X	X	.28	.10	X	X	X	.01		31
Total	1.34	0.63	1.80	1.47	0.72	2.11	3.43	3.28	1.59	3.36	1.36	0.76	21.85
Rain Days.	22	15	16	13	4	11	11	22	9	19	15	13	169

REGISTER OF RAINFALL IN 1919													1170	
Kept at Pinehurst, Cambridge													Lat.	Long.
in the County of													Time of Observation	
by C. D. Foster													Nearest Railway Station	
													Diameter of Funnel of Rain Gauge in.	
													Height of top of Gauge above Ground ft. in.	
													Sea Level ft.	
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.													Jan. 1. following.	
Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.	
1	.33	.03			.05		.48					.90	1	
2	.26		.02		.05		.05	.17				.49	2	
3	.23		.21				.05		.03		.18	.08	3	
4	.8		.28			.05	.09	.03			.15	.23	4	
5	.4	.20	.27				.20		.14	.01		.15	5	
6			.07								.05		6	
7	.1		.25				.02				.08	.07	7	
8			.03	.09	.03						.07		8	
9			.04	.03						.02	.02		9	
10	.4		.15	.04							.01	.04	10	
11	.10		.14	.09			.52				.03		11	
12			.18	.01		.07	.17			.04	.03	.01	12	
13	.10			.10					.01	.01		.04	13	
14	.24			.11			.02		.07	.02			14	
15	.21		.06	.06							.15	.11	15	
16	.03	.60		.04				.02			.08	.02	16	
17		.88	.03	.02							.22	.02	17	
18		.10	.01					.15			.02	.06	18	
19	.01	.15	.22			.18	.10	.14	.03		.06	.02	19	
20	.40	.02	.02			.58	.58	.28	.02				20	
21	.51	.31					.52			.01	.01	.15	21	
22	.43	.04					.15		.12		.03	.45	22	
23						.06	.15	.05	.04			.06	23	
24				.16		.19	.02			.02		.01	24	
25	.06				.08	.12	.03					.06	25	
26	.17	.30	.25	.10				.14	.08			.31	26	
27	.79	.10		.86				.16		.02	.01	.01	27	
28		.01		.17			.02	.78		.08	.07	.28	28	
29	.05			.5			.02	.14		.19	.05	.08	29	
30	X	X	.30	.26		.20		.02		.04	.13	.11	30	
31	.03	X	X	.02	X	X	.01		X	.04	X	.04	31	
Total	3.72	3.13	2.59	2.24	.25	1.36	3.15	2.09	.71	.54	1.35	3.75	24.91	
Rain-Days	20	12	20	17	4	8	18	12	10	13	20	25	17.9	

YEAR'S TOTAL

FORM A
BRITISH RAINFALL
15 JAN 20

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at *forhampton Storeyard*
in the County of *Cambridgeshire*
by *Storekeeper (Mr. G. J. Golding)*

Lat. _____ Long. _____
Time of Observation *9 a.m.* Nearest Railway Station *Cambridge 9.5 m.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " Sea Level *52* ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.02	-	-	.07	-	.25	-	-	.05	.02	.83	1
2	.23	-	.02	-	.02	-	.08	-	.13	-	.19	.58	2
3	.25	-	.22	-	-	-	.04	-	.04	-	.13	.06	3
4	.04	-	.25	-	-	.08	.24	.03	-	-	-	.18	4
5	.04	.19	.23	-	-	-	.04	-	.16	-	-	.14	5
6	-	-	-	-	-	-	-	-	-	-	.04	-	6
7	.01	-	.24	-	-	-	.01	-	-	-	.10	-	7
8	.05	-	.04	-	-	-	-	-	-	-	.10	-	8
9	-	-	.03	.08	-	-	-	-	-	.03	.03	-	9
10	-	-	.13	.02	-	-	-	-	-	-	.01	.02	10
11	.11	-	.15	.04	-	-	.53	-	-	-	.04	.05	11
12	-	-	.15	-	-	.06	.16	-	-	.05	.02	-	12
13	.10	-	-	.09	-	-	-	-	-	.01	-	-	13
14	.21	-	-	.09	-	-	.02	-	.08	-	-	-	14
15	.24	-	.05	.04	-	-	-	-	-	-	.03	.08	15
16	.03	.61	-	.03	-	-	.03	-	-	-	.09	.02	16
17	-	.77	.04	.01	-	-	-	-	-	-	.19	.01	17
18	-	.14	.02	-	-	-	.13	-	-	-	.03	.05	18
19	-	.14	.21	-	-	.23	.12	.14	.02	-	.05	.01	19
20	.38	.01	.02	-	-	.45	.60	.29	.01	-	-	.04	20
21	-	.29	.01	-	-	-	.65	-	-	-	-	.10	21
22	-	.41	.02	-	-	-	.10	-	.14	-	.03	.40	22
23	-	-	.01	.06	.04	.07	.14	.05	.04	-	-	.05	23
24	-	-	.15	-	.18	.02	-	-	.01	-	-	-	24
25	.04	-	-	.06	.20	.03	-	.25	-	-	-	.05	25
26	.16	.34	.21	.05	-	-	.06	-	-	-	-	.28	26
27	.92	.08	-	.94	-	-	-	.31	-	.02	-	.01	27
28	-	-	-	.20	-	-	.01	.64	-	.08	.06	.27	28
29	.04	-	-	.05	-	-	.01	.15	-	.16	.06	.12	29
30	-	X	X	.01	.26	-	.18	-	.01	-	.03	.11	30
31	.03	X	X	-	X	-	X	.02	-	X	-	.05	31
TOTAL	3.27	3.00	2.05	2.12	.35	1.28	3.13	2.12	.62	.44	1.33	3.50	YEAR'S TOTAL 23.21
Days with .01 in. or more	18.	11	19	16	4	9	18	12	8	9	19	23	165

Dr. C. B. 44/2000 10/19 1171

FORM A.2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

1203

Kept at Cambridge [M.O.]
in the County of Cambridge
by R. Irvin Lynch M.A.

Lat. $52^{\circ} 12'$ Long. $0^{\circ} 8' E$
Time of Observation 8h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 41 ft.

10/15 FEB 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	1
1	6.6	1.0	-	-	1.5	-	8.1	-	-	0.9	-	23.2	2
2	6.2	-	0.4	-	1.2	-	1.2	-	3.3	-	4.3	14.2	3
3	6.4	-	5.5	-	-	-	1.3	-	0.9	-	4.2	1.9	4
4	2.0	-	(1.3)	-	-	1.7	3.3	0.8	-	-	-	5.1	5
5	0.8	4.8	6.5	-	-	-	4.3	-	(4.3)	-	-	3.8	6
6	-	-	1.7	-	-	-	-	-	-	-	1.1	-	7
7	-	-	6.6	-	-	-	-	-	-	-	2.3	-	8
8	1.4	-	1.1	2.8	-	-	-	-	-	-	2.2	-	9
9	-	-	1.3	0.8	-	-	-	-	-	0.5	0.8	-	10
10	-	-	3.1	1.2	-	-	-	-	-	-	-	-	11
11	2.6	-	3.5	2.5	-	-	12.9	-	-	-	0.8	1.6	12
12	-	-	4.7	-	-	1.4	4.3	-	-	1.0	0.9	-	13
13	2.2	-	-	1.9	-	-	-	-	-	-	-	0.2	14
14	5.9	-	-	3.7	-	-	0.6	-	1.9	-	-	-	15
15	6.5	-	1.3	1.4	-	-	-	-	-	-	0.6	2.1	16
16	1.0	(16.3)	-	1.1	-	-	-	0.5	-	-	2.0	-	17
17	-	14.3	0.5	0.4	-	-	-	-	-	-	(5.4)	0.7	18
18	-	10.2	0.5	-	-	-	-	3.6	-	-	-	1.6	19
19	-	4.2	5.2	-	-	4.1	2.6	3.7	0.6	-	1.9	0.3	20
20	8.5	-	0.8	-	-	(15.2)	(14.8)	7.4	-	-	-	-	21
21	9.6	7.3	-	-	-	-	12.9	-	-	-	-	3.6	22
22	-	10.6	1.2	-	-	-	4.2	-	3.7	-	1.0	11.5	23
23	-	-	-	-	-	1.6	5.4	1.0	1.1	-	-	2.1	24
24	-	-	-	3.7	-	5.4	0.4	-	-	0.3	0.2	-	25
25	2.4	-	-	1.9	(3.1)	0.5	-	2.5	-	-	-	1.5	26
26	4.2	8.3	0.5	3.4	-	-	-	5.0	1.9	-	-	6.7	27
27	(16.0)	2.4	0.1	(26.8)	-	-	-	3.1	-	0.4	-	-	28
28	-	-	3.3	-	-	0.2	(23.0)	-	2.2	-	-	6.8	29
29	1.5	X	-	2.8	-	-	0.2	3.5	-	(4.1)	2.6	1.7	30
30	-	X	-	6.5	-	5.5	-	0.6	-	1.0	2.2	2.6	31
31	1.3	X	-	-	-	-	0.2	-	X	0.6	X	1.2	
99													YEAR'S TOTAL
TOTAL	85.1	79.4	51.8	64.2	5.8	35.4	76.9	54.7	17.7	11.0	32.5	42.4	606.9
Days with 0.2 mm. or more	18	10	18	16	3	8	17	12	8	9	16	20	155
(44,284). Wt. 21,958—218. 500. 10/19. Grp. 132. A. & E.W.													607

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Waffham Prior Vicarage
in the County of Cambridge
by the Revd L. Fisher

Lat. 52° 15' Long. 0° 18'.Time of Observation 9 a.m.Nearest Railway Station Waffham priorDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 4 in." " " " Sea Level 44 ft.1117
6 FEB 1921

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				'13	'05		'18			'23	'01	'09	1
2	'01				'01					'09		'03	2
3		'02		'18		'04	'35	'15	'10	'01	'01		3
4		'01	'05	'18	'01		'35	'09	'04	'01		'16	4
5			'05	'01	'12		'49	'02	'06			'06	5
6				'10	'10	'06		'55		'12			6
7								'05				'05	7
8	'13							'03	'12				8
9	'40								'12				9
10	'09	'06	'12					'04			'02	'02	10
11	'19		'06	'11	'02			'09				'09	11
12			'03	'10		'04						'12	12
13	'01	'03	'02	'20		'16						'01	13
14			'01	'17	'08		'05	'06		'02	'01	'13	14
15				'02	'24	'02				'10	'02	'06	15
16					'01	'06					'21		16
17							'07						17
18								'01					18
19								'08					19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
TOTAL	1.69	0.51	1.41	2.77	2.36	1.53	3.43	1.03	2.54	0.71	0.47	1.64	YEAR'S TOTAL 20.29
Days with >0.1 in. or more	17	11	18	22	12	11	19	9	17	12	12	21	18.182
Days with >0.4 in. or more	11	3	12	16	8	8	14	8	13	3	5	12	11.3

FORM A METEOROLOGICAL		ORGANIZATION.												
Kept at Cambridge Botanic Gdn in the County of Cambridge by														Lat. $52^{\circ}12'$ Long. $0^{\circ}8'E$
														Time of Observation 8h 45M
														Nearest Railway Station
														Diameter of Funnel of Rain Gauge 5 in.
														Height of top of Gauge above Ground 1 ft. 1 in.
														" " " Sea Level 141 ft.
														Jan. 1, following
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.														
Records taken in Inches should not be entered on this form.														
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
21	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.0	-	1.6	-	-	-	-	-	1.4	-	0.4	2.2	1	
2	0.9	-	-	-	2.9	-	-	-	-	-	12.8	-	2	
3	-	-	0.2	-	-	4.6	-	2.5	-	8.5	8.7	-	3	
4	3.2	-	-	-	1.2	-	-	2.9	-	-	2.8	-	4	
5	-	-	-	0.3	-	-	-	0.7	-	-	10.1	-	5	
6	-	-	(3.6)	-	0.5	-	(4.0)	-	-	-	-	-	6	
7	12.0	-	-	-	1.6	-	-	(4.8)	-	-	-	-	7	
8	0.8	-	0.7	-	(4.0)	0.7	-	-	-	-	-	0.9	8	
9	-	-	-	2.8	0.4	-	-	-	-	-	-	-	9	
10	1.8	-	-	-	-	-	-	-	0.6	3.5	-	-	10	
11	1.8	0.6	-	-	0.4	-	-	0.2	(22.1)	-	0.2	0.8	11	
12	3.8	-	1.2	-	-	-	-	3.5	5.2	-	-	1.7	12	
13	1.9	-	1.3	(11.2)	-	-	-	2.6	2.8	2.1	-	-	13	
14	-	-	0.2	0.3	-	0.3	-	0.5	-	-	4.8	-	14	
15	-	-	5.0	-	-	(1.8)	-	-	-	-	-	0.6	15	
16	0.3	-	0.3	2.0	-	-	1.4	-	-	-	2.5	0.5	16	
17	1.3	-	0.3	0.3	-	-	4.2	-	-	-	-	-	17	
18	(13.6)	0.4	-	-	-	-	-	0.8	1.2	-	-	-	18	
19	-	3.3	-	-	0.6	-	-	0.1	(9.8)	-	-	-	19	
20	-	-	-	-	1.4	-	0.5	-	2.2	-	-	-	20	
21	-	-	-	-	-	-	1.3	-	-	0.9	-	-	21	
22	0.4	-	-	0.8	-	-	-	-	1.2	-	-	1.1	22	
23	-	-	-	3.1	-	-	0.3	-	-	-	-	-	23	
24	0.6	-	-	6.4	-	-	-	-	-	-	-	2.8	24	
25	-	(5.9)	-	-	0.3	(5.6)	-	-	-	-	-	2.1	25	
26	0.5	-	0.7	-	1.5	2.2	-	-	-	-	-	(6.1)	26	
27	0.2	-	0.1	-	0.3	-	-	-	-	-	0.9	1.3	27	
28	-	-	2.2	-	0.4	-	-	-	-	-	-	1.6	28	
29	-	X	0.9	-	1.5	-	1.9	2.3	-	-	1.5	1.3	29	
30	1.3	X	-	-	-	-	-	-	-	-	2.2	1.6	30	
31	-	X	-	-	1.6	X	-	0.7	X	-	X	-	31	
99	TOTAL	50.4	6.9	16.4	32.1	16.9	15.1	8.0	27.9	33.5	28.5	43.0294	308.1	
Days with 0.2 mm. or more														YEAR'S TOTAL
Days with 1.0 mm. or more														
(44,284), 10719, (52,639), Wt. 10,000—359, 1000, 7/20, Gp. 132, A. & E. W.														Copied from 10/3202.

AIR MINISTRY. FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. (Formerly M.R.O. Form A.1.) REGISTER OF RAINFALL IN 1923.													
Kept at <u>Campton</u> in the County of <u>Cambridge</u> by <u>D. Dudley</u>				Lat. <u>52° 10'</u> Long. <u>6° W</u> Time of Observation <u>9 a.m.</u> Nearest Railway Station <u>Old North Rd</u> Diameter of Funnel of Rain Gauge <u>5"</u> in. Height of top of Gauge above Ground <u>1</u> ft. in. " " " Sea Level <u>170</u> ft.									
IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.													
Records taken in Millimetres should not be entered on this form.													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	'09	nil	'19	nil	nil	nil	nil	nil	nil	nil	nil	nil	2
3	'08	nil	'02	nil	'06	nil	nil	nil	nil	nil	nil	nil	3
4	Nil	nil	nil	nil	nil	'08	nil	nil	'24	'10	'35	nil	4
5	Nil	nil	nil	nil	nil	'05	nil	nil	'14	nil	nil	nil	5
6	'39	nil	nil	'02	'02	'06	nil	nil	nil	'05	nil	nil	6
7	'23	nil	'04	'01	nil	'15	nil	nil	nil	nil	nil	nil	7
8	Nil	'22	'30	nil	nil	nil	nil	nil	nil	'29	nil	'13	8
9	'04	'08	'09	nil	nil	nil	nil	nil	nil	'27	'31	nil	9
10	Nil	'04	'03	nil	'07	'01	1.35	nil	nil	nil	'07	nil	10
11	'03	'03	nil	'26	'03	nil	nil	nil	nil	'12	nil	nil	11
12	Nil	'38	'68	'31	'15	'08	nil	nil	nil	'82	nil	nil	12
13	Nil	'11	'15	'02	nil	nil	nil	nil	nil	'38	nil	nil	13
14	Nil	'35	'05	nil	nil	nil	nil	nil	'03	nil	nil	nil	14
15	'03	'07	'03	nil	'11	'05	nil	nil	'62	'01	'09	nil	15
16	Nil	'16	nil	nil	nil	nil	nil	nil	'21	nil	'08	nil	16
17	04	'10	nil	nil	nil	nil	nil	nil	'21	'04	nil	nil	17
18	Nil	'46	nil	nil	nil	'11	nil	nil	'03	nil	'04	nil	18
19	'04	'07	nil	nil	nil	nil	'19	'03	'01	'09	nil	nil	19
20	nil	'09	'05	nil	nil	nil	nil	nil	'20	'02	nil	nil	20
21	Nil	'02	nil	nil	nil	nil	nil	nil	'53	'25	'02	'28	21
22	Nil	'22	nil	nil	'16	nil	nil	'09	'15	'03	nil	nil	22
23	Nil	'06	'12	'02	nil	nil	'06	'63	'50	'10	nil	'03	23
24	nil	'07	'01	'06	nil	nil	nil	'60	'17	'04	nil	nil	24
25	nil	'33	nil	'19	nil	'08	'24	'40	'01	'14	nil	'39	25
26	Nil	'03	'02	'05	nil	nil	nil	nil	nil	'22	nil	'22	26
27	nil	'01	'04	'02	'13	nil	nil	'03	nil	'04	nil	'27	27
28	Nil	'11	nil	'04	'04	nil	'09	'02	nil	'02	nil	'23	28
29	'15	nil	'01	'08	nil	nil	'38	nil	nil	'10	nil	'23	29
30	nil	X	nil	'01	nil	'06	nil	nil	'11	nil	'15	nil	30
31	01	X	'32	nil	X	'64	nil	X	nil	X	'19	nil	31
TOTAL	1.05	2.70	2.14	1.18	1.01	'61	2.74	3.02	2.64	3.55	2.24	YEARLY TOTAL	12
Days with .01 in. or more	12	22	16	12	12	9	8	10	12	34.5	1.15	2.29	24.07
Days with .04 in. or more	X	15	16	12	7	9	X	7	9	15	8	7	153
													100

AIR MINISTRY.
FORM 1091 METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
(formerly D.M.O. Form A.2). REGISTER OF RAINFALL IN 1922.

1162

Kept at Cambridge (Botanic Gdns) and rainfall by observer
in the County of Cambridge
by The Curator

Lat. $52^{\circ}12'$ Long. $0^{\circ}8'E$
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " Sea Level 41 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62. Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	-	2.9	5.9	-	3.1	-	3.3	0.2	-	-	3.8	1.5	1	
2	-	7.6	1.9	-	-	-	5.1	-	-	-	-	-	2	
3	-	0.7	2.3	6.7	2.5	-	3.1	4.0	-	0.2	3.4	-	3	
4	-	0.2	0.4	0.7	2.4	-	0.9	-	-	0.2	-	-	4	
5	-	1.3	3.2	4.2	-	-	17.0	-	-	5.4	4.0	-	5	
6	2.5	-	1.3	-	-	-	0.2	3.9	-	-	5.5	-	6	
7	5.1	-	4.5	1.3	-	-	3.4	8.1	-	-	-	0.6	7	
8	1.4	-	2.6	5.8	-	-	1.8	23.7	-	-	-	-	8	
9	1.8	-	-	0.2	-	-	0.2	4.5	0.3	-	0.6	0.8	9	
10	-	-	-	-	-	-	-	-	0.2	-	2.3	-	10	
11	0.3	-	-	-	3.3	-	-	-	-	-	-	-	11	
12	-	0.7	-	3.5	0.2	-	-	4.6	3.1	-	-	-	12	
13	0.6	-	-	10.6	-	8.2	-	-	-	-	-	-	13	
14	-	-	0.4	-	2.3	9.3	-	17.9	-	-	-	-	14	
15	11.9	2.5	-	0.1	-	-	-	-	-	0.1	-	0.4	15	
16	1.5	3.6	-	4.8	3.8	0.2	11.0	2.5	0.8	-	0.1	1.5	16	
17	-	0.5	-	1.2	8.6	-	3.5	-	-	-	-	3.6	17	
18	2.1	-	-	0.2	-	0.2	4.5	-	0.7	-	0.3	0.3	18	
19	3.6	2.6	2.3	-	-	-	-	-	7.1	2.5	-	4.2	19	
20	-	-	-	-	-	-	-	-	-	0.4	-	0.3	20	
21	2.8	6.1	-	-	-	-	1.7	-	-	-	-	5.4	21	
22	0.2	1.9	-	2.3	-	1.0	33.4	2.1	-	0.8	-	0.7	22	
23	-	-	-	1.4	-	1.7	16.8	-	-	-	-	-	23	
24	0.3	-	4.0	1.1	5.4	2.7	-	0.8	-	-	-	-	24	
25	8.8	-	-	14.9	3.6	-	-	-	-	-	-	0.6	25	
26	1.4	1.2	1.8	1.0	-	2.0	1.7	-	0.4	-	3.1	-	26	
27	5.2	3.5	1.6	0.8	-	-	-	4.4	5.8	0.4	-	5.2	27	
28	1.1	1.8	0.4	-	-	5.6	-	-	0.5	-	1.1	0.6	28	
29	0.3	X	-	0.3	-	2.1	-	1.1	-	0.6	-	2.8	29	
30	1.6	X	2.8	-	-	-	-	4.1	16.8	-	0.2	6.5	30	
31	1.9	X	-	X	-	X	1.7	2.2	X	0.3	X	2.0	31	
99	TOTAL	54.4	35.8	33.1	60.2	37.1	26.0	129.1	66.2	53.6	10.9	24.4	37.0	
													YEAR'S TOTAL ✓	
	Days with 0.2 mm. or more	20	14	14	19	10	10	18	14	11	9	10	17	166
	Days with 1.0 mm. or more	15	10	12	13	9	8	15	12	5	2	7	9	17

(65,309). Wt. 21,626—6781. 750. 11/21. Gp. 133. A. & E. W.

Copied from NO 3252

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Boxworth
 in the County of Cambs.
 by C. H. Horwile.

Lat. 52° 15' N. Long. 3° W.Time of Observation 9 a.m.Nearest Railway Station Swarney Sta.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.05		.06	.21	.07	.22			.28		P.R.R. 1
2	.04		.20		.22	.14	.02	.08			.29		R.W.L. 2
3			.02		.27		.13	.01					3
4						.56		.01	.19	.05		.24	4
5									.01	.06			5
6							.02		.04	.06	.25		6
7							.32		.03	.22			7
8	.03				.03	.18			.07	.22			8
9	.05	.03			.08				.18	.07			9
10	.13	.02		.16	.24	.04				.01			10
11	.08			.50	.32	.32		.01		.02	.99		11
12	.13	.01			.09			.03	.03		.43		12
13				.46	.12		.02		.32	.02		.19	13
14													14
15		.20	.05		.04		.02		.23			.23	15
16									.06	.11		.05	16
17	.16				.02		.82	.10	.01				17
18	.26	.09			.25	.04		.01		.09	.03		18
19	.12	.01			.12				.03	.07	.02		19
20	.01				1.03		.06		.32				20
21	.47		.05	.02	.03		.08	.03	.04	1.45		.01	21
22	.70		.23	.02			.03		.07		.04		22
23				.06	.07		.01	.08			.01	.35	23
24	.20	.25		.06	.38			.23				.05	24
25		.02			.05		.11		.15	.02	.12		25
26					.34			.02	.01	.20	.18	.30	26
27		.17			.33			.42	.10		.33	.83	27
28					.35			.41	.18		.01	.22	28
29		.08		.06	.02		.14	.27		.32	.01	.04	29
30	X			.95	.15		.27	.06	.26		.03	.38	30
31	X		.02	X	.40	X		.01	X		X	.12	31
TOTAL	2.46	.88	.57	3.91	3.82	2.00	2.62	1.54	2.07	3.39	2.81	2.29	YEAR'S TOTAL 28.96
Days with .01 in. or more	14	10	6	12	19	11	16	19	10	17	13	13	188
Days with .04 in. or more	11	5	4	10	15	10	10	8	12	12	7	12	116.

AIR MINISTRY.
FORM 1091. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Helensburgh (Ferniegar)
in the County of Dumbarton
by Tas. N. Stirling

Lat. _____ Long. *from 51° 5' N. Lat. 3° 30' E. Long.*
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground ft. *21* in.
" " " " Sea Level ft. *21* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
[]

Records taken in Inches should be entered on Form 1090.

Date	✓ Jan.	✓ Feb.	✓ March	✓ April	✓ May	✓ June	✓ July	✓ August	✓ Sept.	✓ Oct.	✓ Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.5	1.5	0.2	-	9.8	-	6.7	3.0	1.0	-	✓ 30.2	1.0	1
2	1.4	0.3	-	-	6.3	-	1.5	-	-	3.4	3.7	-	2
3	0.8	1.0	✓ 12.0	1.7	3.0	-	1.8	1.6	-	-	0.3	1.2	3
4	2.7	5.8	-	-	7.6	-	0.8	9.9	-	1.2	0.7	10.4	4
5	0.5	1.5	-	-	3.2	10.5	4.8	2.0	0.4	1.3	-	9.5	5
6	1.6	0.2	-	1.5	12.1	✓ 12.1	5.6	0.4	-	8.0	-	2.6	6
7	13.7	0.7	-	3.3	0.6	11.9	2.8	0.4	15.0	4.3	-	7.0	7
8	0.3	1.9	0.2	1.1	-	2.6	0.2	-	9.2	0.2	-	10.6	8
9	1.8	5.3	-	6.1	18.8	3.0	1.5	-	-	7.5	-	-	9
10	4.4	4.0	-	5.8	2.9	5.0	15.3	0.8	5.1	3.0	0.4	0.2	10
11	14.2	-	-	1.2	2.5	6.6	-	3.0	4.0	7.7	4.4	1.0	11
12	✓ 22.3	1.0	-	-	2.0	0.3	1.0	0.6	4.2	-	-	10.5	12
13	4.9	-	-	2.4	0.6	-	2.8	-	4.0	-	-	12.7	13
14	4.6	1.0	-	1.7	1.5	-	2.2	12.4	2.6	-	-	1.6	14
15	0.5	0.4	-	2.1	4.3	-	2.5	2.8	9.2	-	-	7.0	15
16	-	-	-	0.6	2.2	1.1	8.8	9.8	3.4	0.3	-	1.4	16
17	5.8	4.6	-	-	2.5	4.0	8.1	6.0	-	1.0	1.0	1.0	17
18	20.4	-	-	9.8	-	-	-	-	0.6	✓ 20.9	-	8.2	18
19	8.7	0.3	-	0.3	1.2	0.4	-	4.7	4.6	4.6	0.2	-	19
20	2.0	-	-	0.2	2.6	3.2	1.2	5.8	14.0	-	0.2	0.1	20
21	13.1	-	8.6	-	5.4	1.9	0.6	0.5	7.9	-	28.7	-	21
22	3.6	-	7.4	-	1.7	-	-	2.4	11.5	0.2	7.3	14.1	22
23	8.8	2.4	7.1	-	0.9	0.5	10.0	0.2	2.1	-	18.6	0.7	23
24	-	1.0	6.6	✓ 13.1	6.4	-	1.0	-	-	-	1.1	1.2	24
25	9.0	-	-	2.1	6.6	5.3	-	0.6	-	1.3	1.8	✓ 25.0	25
26	6.0	0.2	-	4.8	2.4	3.3	-	4.3	-	-	9.5	24.3	26
27	2.0	-	-	7.9	9.9	0.9	2.9	3.0	-	1.6	4.2	2.2	27
28	2.4	✓ 5.9	-	0.7	9.0	9.7	5.4	13.2	16.0	14.0	2.3	10.0	28
29	-	1.5	-	3.8	-	2.4	1.1	5.2	✓ 28.3	10.3	5.8	21.6	29
30	0.8	X	-	-	2.2	1.9	17.9	3.0	3.0	10.9	4.1	8.2	30
31	2.8	X	-	X	1.6	X	6.4	10.2	X	8.4	X	9.8	31
TOTAL	160.6	40.5	42.1	70.2	127.3	85.1	131.4	107.9	152.1	109.1	124.5	203.1	1353.9
Days with 0.2 mm. or more	28✓	20✓	7✓	20✓	27✓	20✓	25✓	25✓	21✓	19✓	19✓	26✓	257✓
Days with 1.0 mm. or more	23✓	14✓	5✓	16✓	24✓	16✓	22✓	18✓	19✓	16✓	14✓	24✓	211✓

(*230) Wt. 15497—7987 375 9522 T.S. 128. 632 1.59 1.65 277 5.01 3.35 5.18 4.25 5.99 4.30 4.90 7.99 53.30

AIR MINISTRY. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION. REGISTER OF RAINFALL IN 1924.													
Kept at <u>Camerton</u> in the County of <u>Cambridge</u> by <u>D. Dudley</u>				Lat. <u>52° 10'</u> Long. <u>5 W</u> Time of Observation <u>9 a.m.</u> Nearest Railway Station <u>Old North Plat</u> Diameter of Funnel of Rain Gauge <u>5"</u> in. Height of top of Gauge above Ground <u>11 ft.</u> in. " " " " Sea Level <u>170</u> ft.									
<p>Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.</p> <p>Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.</p> <p>Records taken in Millimetres should be entered on Form 1091.</p>													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	nil	nil	'08	nil	.22	'19	.08	.14	nil	nil	.24	nil	RRR
2	.03	nil	.29	nil	.22	.20	.01	.17	nil	nil	nil	.52	EV2
3	nil	nil	nil	nil	.24	nil	.15	.02	nil	nil	nil	.01	3
4	nil	nil	nil	nil	nil	.35	nil	nil	.22	.02	nil	.22	4
5	nil	nil	nil	nil	nil	nil	nil	nil	.01	.14	nil	nil	5
6	nil	nil	nil	nil	nil	.01	nil	nil	.05	.22	nil	nil	6
7	nil	nil	nil	nil	.04	.28	nil	nil	.02	.13	nil	nil	7
8	nil	nil	nil	nil	.03	.04	nil	nil	.05	.35	nil	nil	8
9	.10	.04	nil	nil	nil	.09	nil	nil	.11	.06	nil	nil	9
10	.14	nil	nil	nil	.22	.06	nil	nil	nil	nil	nil	nil	10
11	.07	nil	nil	.725	.29	.35	nil	nil	nil	.03	.94	nil	11
12	.15	.03	nil	.42	.01	.14	nil	nil	nil	.35	nil	nil	12
13	nil	nil	nil	.38	.13	nil	nil	.09	.24	nil	nil	.20	13
14	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	nil	14
15	nil	.20	nil	nil	.01	nil	nil	nil	.03	nil	nil	.22	15
16	nil	nil	nil	nil	nil	nil	nil	nil	.11	nil	nil	.08	16
17	.11	nil	nil	nil	.01	nil	.84	.07	nil	nil	nil	.08	17
18	.32	.10	nil	nil	.33	.05	.06	.09	nil	.16	nil	nil	18
19	.03	nil	nil	nil	.15	nil	nil	.25	nil	.01	nil	nil	19
20	nil	nil	nil	nil	(?) .75	nil	.06	nil	.29	nil	nil	nil	20
21	.44	nil	.08	.03	.02	nil	.11	nil	nil	.126	nil	nil	21
22	.63	nil	.19	nil	nil	nil	.03	nil	.09	nil	.32	nil	22
23	nil	nil	.02	.04	.09	nil	.02	.28	nil	nil	nil	.32	23
24	.25	.13	nil	.04	.33	nil	nil	.15	nil	nil	nil	nil	24
25	nil	nil	.02	.03	.13	nil	.15	.11	.12	nil	nil	.13	25
26	nil	nil	nil	.34	nil	nil	.14	.08	.10	.18	.42	.11	26
27	nil	.18	nil	.26	nil	nil	.34	.12	nil	.25	.05	.21	27
28	nil	nil	nil	.15	nil	nil	.56	.21	nil	.06	nil	nil	28
29	nil	.05	nil	.21	nil	nil	.37	.17	nil	.31	.20	.04	29
30	nil	X	nil	.35	.16	nil	.65	.25	.34	.33	.08	.31	30
31	nil	X	.03	X	.30	X	nil	.6	X	nil	X	.18	74031
TOTAL	2.27	.77	.71	2.99	3.68	1.56	3.57	2.80	1.83	3.56	2.70	2.50	YEAR'S TOTAL 28.82
Days with >1 in. or more	11	7	4	12	20	11	15	16	14	15	8	13	14.9
Days with >4 in. or more	8	6	4	10	15	10	13	16	11	12	8	11	12.4

<p style="text-align: center;">Compared with Form 3202</p> <p style="text-align: center;">AIR MINISTRY.</p> <p style="text-align: center;">REGISTER OF RAINFALL IN 1924.</p> <p>Kept at <i>The Botanic Garden</i> in the County of <i>Cambridge</i> by <i>F G Preston, Superintendent</i></p>												<i>entry M03</i> <i>1110</i> <i>1203</i> <i>10 JAN</i>	
												Lat. <i>52° 12' N</i> Long. <i>8° E</i> Time of Observation <i>9 a.m.</i> Nearest Railway Station <i>Cambridge G.Y.R.</i> Diameter of Funnel of Rain Gauge <i>5</i> in. Height of top of Gauge above Ground <i>-</i> ft. <i>13</i> in. " " " Sea Level <i>441</i> ft.	Jan. 1, following.
<p>Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.</p> <p>Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.</p>													
Records taken in Inches should be entered on Form 1090.													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	W.B. 1
2	1.4	-	0.7	-	1.1	3.6	1.9	2.0	-	-	7.4	-	2
3	0.5	-	10.4	-	7.9	3.4	-	25.0	-	-	-	13.6	3
4	-	-	-	-	10.7	-	4.6	-	-	-	-	-	4
5	-	-	-	-	0.7	-	-	-	0.3	4.2	-	-	5
6	-	-	-	-	-	0.2	-	0.9	1.1	5.9	-	-	6
7	-	-	-	-	-	10.6	-	-	0.6	4.3	-	-	7
8	-	-	-	-	0.5	0.4	-	-	0.6	5.7	-	-	8
9	0.4	1.2	-	-	-	2.1	-	-	3.9	1.3	-	-	9
10	4.3	-	-	20.2	5.0	0.4	-	-	-	-	-	-	10
11	1.4	0.2	-	6.1	9.7	1.2	-	-	0.2	14.9	-	-	11
12	3.6	-	-	0.5	-	8.6	-	-	1.3	-	16.4	-	12
13	-	-	-	8.8	11.1	-	-	(1.6)	9.8	-	-	5.7	13
14	0.2	-	-	-	-	-	-	0.2	-	-	-	-	14
15	-	0.7	-	-	0.7	-	0.6	-	0.3	-	-	1.7	15
16	-	-	-	-	-	-	-	0.2	3.5	-	-	-	16
17	3.7	-	-	-	-	-	25.9	4.7	-	-	-	-	17
18	4.3	1.9	-	-	12.4	1.9	0.9	1.2	-	1.8	0.5	-	18
19	0.7	-	-	-	3.3	-	-	2.4	1.3	2.4	0.2	-	19
20	-	-	-	-	-	1.6	0.6	4.8	-	-	-	-	20
21	12.8	-	1.2	0.9	4.2	-	1.7	7.2	0.4	35.8	-	-	21
22	21.7	0.2	2.2	0.6	-	-	4.3	1.9	2.4	-	0.9	-	22
23	-	-	1.6	0.5	1.6	-	0.6	2.8	-	-	0.6	4.3	23
24	6.8	6.2	-	0.5	8.3	-	-	7.2	-	-	-	1.2	24
25	-	-	-	0.8	1.9	-	2.5	-	2.1	0.2	3.8	1.2	25
26	-	0.8	-	7.2	-	-	-	0.2	5.1	3.5	6.2	1.5	26
27	-	4.5	-	4.5	-	-	8.4	1.6	-	9.1	1.8	6.9	27
28	-	-	-	3.8	-	-	8.9	5.5	-	0.5	2.2	-	28
29	0.5	2.9	-	2.2	0.6	-	24.2	7.8	0.2	7.5	0.2	0.5	29
30	-	X	-	16.6	6.4	-	8.4	4.2	9.7	8.6	0.3	8.3	30
31	-	X	-	X	9.1	X	-	-	X	-	X	4.6	31
99	TOTAL	652	186	161	73.2	95.3	50.6	94.5	57.1	52.8	91.4	72.8	3
Days with 0.2 mm. or more.	14	9	5	14	18	11	14	19	18	16	13	12	163
Days with 1.0 mm. or more	9	5	4	8	14	8	11	14	12	12	7	11	115

<p style="text-align: center;">✓ = wet day. ✓ = wet. M.C.</p> <p style="text-align: center;">AIR MINISTRY.</p> <p style="text-align: center;">FOR OFFICIAL USE.</p> <p style="text-align: right;">4068</p>													
<p>FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.</p> <p style="text-align: center;">REGISTER OF RAINFALL IN 1924.</p>													
<p>Kept at <u>Beith Filtering Station</u> in the County of <u>Ayr</u> by <u>William G. Dale</u></p>													
<p>Lat. <u>55° 44'</u> Long. <u>4° 33'</u> Time of Observation <u>12 NOON</u> Nearest Railway Station <u>1 $\frac{3}{4}$ Miles</u> Diameter of Funnel of Rain Gauge <u>5</u> in. Height of Rain Gauge above Ground <u>6</u> ft. <u>in.</u> OFFICE "EDINBURGH" Sea Level <u>125</u> ft.</p>													
<p>THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.</p>													
<p>An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.</p>													
<p>29 JAN 1925</p>													
<p>Records taken in Millimetres should be entered on Form 1091.</p>													
<p>Jan. 1, following.</p>													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	08	03	00	00	40	00	50	22	02	00	84	44	1
2	06	03	00	00	02	00	14	00	00	32	00	00	2
3	02	02	03	00	09	00	34	15	00	01	00	24	3
4	(00)	20	00	00	(03)	00	15	30	00	06	00	14	4
5	14	10	00	00	01	41	21	00	04	50	00	30	5
6	13	02	00	19	50	58	36	06	05	04	00	13	6
7	24	01	00	(00)	06	20	03	00	34	10	00	38	7
8	00	05	02	(01)	02	70	04	00	29	05	00	63	8
9	09	10	00	20	06	10	(01)	00	14	20	00	02	9
10	20	00	00	09	80	30	(02)	08	11	15	14	00	10
11	15	03	00	00	00	14	50	12	02	05	00	00	11
12	94	00	00	(03)	01	(10)	06	04	05	00	00	62	12
13	19	00	00	04	(01)	(04)	20	00	02	00	00	03	13
14	03	00	00	00	06	03	24	32	14	00	00	06	14
15	00	00	00	15	30	00	25	19	49	00	00	23	15
16	00	00	00	00	09	00	14	28	20	06	00	07	16
17	14	36	00	00	04	12	00	13	12	00	26	05	17
18	41	00	00	39	06	08	09	00	22	65	00	14	18
19	33	02	00	04	12	12	02	10	19	08	00	00	19
20	12	02	00	00	13	04	00	24	42	00	00	03	20
21	83	00	20	00	05	00	00	03	09	00	183	00	21
22	03	00	09	00	30	00	00	05	14	00	50	32	22
23	40	14	10	00	06	04	40	00	06	00	40	01	23
24	00	03	10	89	30	01	00	00	05	00	07	00	24
25	14	00	00	(30)	10	10	00	04	00	09	05	83	25
26	28	05	00	(20)	20	14	00	22	00	00	34	90	26
27	05	00	00	09	50	14	03	10	00	16	23	08	27
28	13	20	00	00	00	16	16	53	124	33	01	20	28
29	04	00	00	06	10	09	07	15	59	50	20	34	29
30	08	X	00	00	02	04	20	12	(09)	19	09	19	30
31	06	X	00	X	00	X	54	21	X	16	X	04	31
TOTAL	546	141	54	263	442	304	483	374	529	340	498	657	46.64
Days with 01 in. or more.	26	14	6	13	27	21	23	22	23	19	14	25	23.81
Days with 01 in. or more	23	8	4	13	22	19	20	21	20	18	13	21	(20.3)

Travelling Form.													5689/ 59a	
For Official use.														
AIR MINISTRY.													County No.	
FORM 1091. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.													River Div.	
REGISTER OF RAINFALL IN 1931.													Station No.	
Kept at		Rain (Golf Course)		Lat.		Long.						150		
in the County of		Rain.		Time of Observation										
by				Nearest Railway Station										
				Diameter of Funnel of Rain Gauge		in.								
				Height of top of Gauge above Ground		ft. in.								
				" " " Sea Level		ft.								
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.														
Records taken in Inches should be entered on Form 1090.														
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date	
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	3.6	4.6	.	1.9	2.7	5.4	0.7	0.1	10.2	8.7	-	-	1	
2	1.4	2.0	7.7	5.2	0.1	.	1	0.1	4.0	6.3	0.1	0.5	2	
3	0.4	1	0.8	.	4.9	0.1	1	0.2	0.3	1	4.5	1.7	3	
4	1.1	1	.	1.9	1	1	1.9	0.2	1.9	2.3	1	3.8	4	
5	-	0.9	.	1	0.3	.	11.3	0.1	0.3	2.5	-	4.6	5	
6		1	1.2	.	-	0.9	4.7	0.1	1.8	1	.	1.1	6	
7	0.1	2.1	.	1	0.9	0.9	0.9	3.6	0.3	7.0	6.3	1	7	
8	6.5	0.2	2.4	.	1	0.8	.	1.0	1.9	0.2	0.1	3.7	8	
9	1.1	0.1	5.0	1	3.0	9.4	.	1.6	0.3	.	1.0	1.7	9	
10	0.3	4.6	0.5	0.4	1.9	4.0	.	.	0.4	1.2	0.2	.	10	
11	0.4	2.2	0.2	0.4	1	1	2.4	0.4	4.3	2.6	.	.	11	
12	3.6	2.1	2.6	0.4	1	0.1	0.8	4.8	-	.	0.1	.	12	
13	0.4	4.9	.	1	0.5	2.4	0.8	.	.	0.5	.	.	13	
14	6.7	0.5	1.0	1.2	0.1	44.0	12.1	.	-	.	4.2	1	14	
15	3.5	4.1	.	0.4	0.5	0.3	2.0	.	-	.	.	.	15	
16	14.6	1.8	.	6.8	2.9	.	0.1	1.3	1.4	1	1	.	16	
17	0.4	4.4	.	2.6	.	0.3	1.9	3.4	-	0.5	1.0	1	17	
18	6.6	0.6	.	1	1	3.6	0.2	1	0.3	.	0.8	0.5	18	
19	2.8	0.2	.	1.5	0.1	0.7	1.9	12.6	-	2.0	.	0.1	19	
20	-	1.3	1.6	0.1	.	1	8.9	-	1	1	1	.	20	
21	-	2.9	1.3	5.4	.	1	7.3	0.5	-	.	.	1	21	
22	4.5	2.6	3.9	1	4.5	1	0.4	1.3	-	4.9	.	1	22	
23	15.2	.	.	0.5	0.3	0.6	1	1.5	0.5	4.7	8.6	0.2	23	
24	0.4	2.1	1	0.1	4.5	.	4.1	0.1	1	.	0.1	1.6	24	
25	4.1	1.1	1	0.5	1	.	16.2	8.6	1	.	0.7	1	25	
26	3.4	0.2	1	4.3	3.7	1	31.7	.	.	0.6	8.9	1	26	
27	0.6	1.7	6.7	5.1	.	1	8.9	.	0.2	4.6	1	1.2	27	
28	6.7	-	.	.	12.2	2.3	0.4	.	1	0.8	3.2	.	28	
29	6.7	-	.	.	.	0.5	0.8	.	1.4	3.7	1	2.4	29	
30	6.7	X	1	0.8	0.2	3.9	.	.	2.8	.	.	.	30	
31	4.8.	X	.	X	20.7	X	0.5	.	X	1	X	1.0	31	
TOTAL	(3.4)	1.86	1.37	1.56	2.48	3.16	3.41	1.48	1.27	2.06	1.47	1.07	2683	
Days with 0.2 mm. or more.	79.8	47.3	34.9	39.5	63.1	80.2	112.0	50.2	32.3	52.3	37.4	27.3	YEAR'S TOTAL	
Days with 1.0 mm. or more.	(22)	22	13	17	15	16	22	15	17	16	11	14	200	
Days with 1.6 mm. or more.	(15)	16	10	10	10	8	13	11	9	12	7	11	132	

<p>* See also 108A File 660628/26</p> <p>AIR MINISTRY.</p> <p>FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.</p> <p>REGISTER OF RAINFALL IN 1926.</p> <p>Kept at <u>+ Fenwick (Amblaird Fitter)</u> in the County of <u>Ayr.</u> by <u>William Dunbar</u></p>													4083 B
													County No. River Dist. Station No.
													Lat. Long. Time of Observation 9 am GMT Nearest Railway Station Kilmaurs or Stewarton Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground 1 ft. in. " " " Sea Level 590 ft.
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													Jan. 1, following.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													
Records taken in Millimetres should be entered on Form 1091.													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.00	.05	.06	.00	.17	.00	.00	.00	1.34	.25	.24	1
2	.29	.08.	.10	.02	.00	.00	.00	.00	.00	.08	.06	.41	2
3	.60	.01	.39	.47	.00	.00	.00	.00	.02	.07	.45	.04	3
4	.04	.00	.03	.00	.66	.00	.00	.00	.06	.00	.69	.18	4
5	.17	.77	.58	.00	.07	.00	.00	.44	.14	.00	.29	.06	5
6	.10	.14	.07	.02	.24	.00	.07	.05	.07	.07	.07	.12	6
7	.05	.14	.57	.03	.17	.25	.00	.00	.11	.23	.04	.05	7
8	.40	.01	.36	.06	.00	.00	.40	.10	.00	.79	.00	.38	8
9	.04	.00	.06	.00	.14	.05	.01	.00	.45	.06	.09	.05	9
10	.11	.00	.31	.00	.36	.63	.15	.10	.49	.06	.29	.19	10
11	.00	.00	.08	.00	.12	.17	.00	.17	.15	.38	.34	.01	11
12	.01	.00	.11	.00	.09	.17	.00	.12	.00	.68	.38	.00	12
13	.00	.26	.03	.09	.16	.00	.00	.15	.15	.60	.24	.05	13
14	.03	.82.	.02	.54	.10	.19	.00	.03	1.26	.03	.17	.05	14
15	.07	.17	.00	.18	.00	.09	.00	.12	.00	.05	.15	.16	15
16	.00	.04	.00	.14	.00	.53	.00	.26	.20	.25	.15	.40	16
17	.15	.08.	.00	.13	.00	.00	.00	.39	.00	.00	.01	.41	17
18	.14	.11	.00	.05	.03	.00	.19	.25	.02	.01	.67	.10	18
19	.09	.55	.00	.14	.02	.19	.04	.03	.19	.00	.03	.05	19
20	.00	.12	.00	.01	.00	.13	.85	1.31	.06	.02	.01	.00	20
21	.15	.48	.00	.02	.00	.11	.04	.58	.01	.04	.08	.00	21
22	.86	.12.	.00	.22	.00	.00	.69	.02	.00	.00	.00	.00	22
23	.42	.19.	.00	.00	.00	.00	1.32	.15	.48	.11	.00	.00	23
24	.50	.00	.00	.00	.43	.00	.63	.00	.08	.59	.05	.00	24
25	.06	.07	.00	.17	.10	.00	.00	.03	.09	.33	.39	.00	25
26	.05	.40	.00	.23	.15	.00	.02	.00	.02	.00	.03	.00	26
27	.11	.45	.00	.00	.16	.00	.06	.00	.00	.13	.00	.06	27
28	.11	.06	.10	.01	.03	.00	.11	.00	.04	.00	.02	.24	28
29	.12	X	.10	.02	.04	.00	.02	.00	.00	.00	.02	.02	29
30	.03	X	.02	.00	.38	.00	.00	.00	.85	.00	.00	.11	30
31	.06	X	.47	X	.12	X	.00	.00	X	.00	X	.10	31
TOTAL	4.92	5.07	3.95	2.61	3.67	2.68	4.60	4.30	4.94	5.92	4.97	3.48	60.51 YEAR'S TOTAL
Days with >.1 in. or more.	27	21	18	20	20	12	15	18	21	21	25	23	241
Days with >.04 in. or more	24	19	14	13	17	12	12	14	17	18	19	21	200

Section **A** for the entry of Daily Observations.**FOR OFFICIAL USE.**

FORM 1090. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.Kept at Gartmore House Gardens
in the County of Perth X-WednesdayDiameter of Funnel of Gauge 5 in.Height of top of Gage above Ground 1 ft. in.
" " Ground " Sea Level 160 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.00	.04	N.	.61	.04	.14	.08	N.	.01	N.	.16	N.	1
2	.94	.12	N.	.03	.01	.05	N.	N.	.06	.02	.10	N.	2
3	.11	.48	N.	N.	.14	.24	.01	.04	.01	.03	.01	N.	3
4	.20	.59	N.	.19	.66	N.	N.	N.	N.	N.	.05	N.	4
5	.23	1/28 ^{Red}	T.	.38	.24	.23	N.	.30	N.	T.	N.	N.	5
6	.14	1.03	.04	.03	.18	N.	.10	.02	N.	N.	.06	.03	6
7	.05	.42	.09	T.	N.	N.	N.	.64	.11	N.	.01	.36	7
8	.58	1.02	N.	.08	.32	N.	N.	.76	.23	N.	N.	.59	8
9	T.	.53	N.	.09	.04	N.	.05	.10	.39	N.	N.	.47	9
10	.06	.33	.12	N.	.24	N.	N.	N.	T.	N.	N.	.01	10
11	T.	.09	N.	.01	.52	N.	N.	.95	.02	N.	N.	N.	11
12	.01	.22	.05	.24	.25	N.	.01	.38	N.	.18	N.	N.	12
13	.45	.19	.09	.22	T.	.02	T.	.08	.09	N.	N.	N.	13
14	.10	.24	T.	1.23	N.	N.	.21	N.	.03	N.	.01	.02	14
15	.03	.09	.01	.82	.09	N.	N.	N.	.14	N.	.32	.13	15
16	.12	.02	.04	.01	.49	N.	.33	N.	N.	.65	T.	.03	16
17	.41	N.	.01	.83	.29	N.	.68	N.	.48	.05	N.	.04	17
18	T.	T.	.04	.03	.02	N.	.03	N.	.29	.06	N.	5 in Snow	18
19	.01	N.	N.	N.	.29	.01	.08	N.	.23	.12	N.	4 in Snow	19
20	.01	N.	.02	N.	.23	N.	.01	1.46	.40	.65	N.	1 in Snow	20
21	N.	.09	N.	.41	N.	N.	N.	.01	.04	.13	N.	1 in Snow	21
22	.18	1/28 ^{Red}	.02	.99	N.	N.	.12	.03	.37	.14	N.	2 in Snow	22
23	.14	.49	.11	.36	.32	N.	N.	.28	T.	.16	N.	1/28 ^{Red}	23
24	T.	.16	T.	.06	.59	N.	N.	.04	N.	.02	N.	N.	24
25	N.	.25	N.	.02	.04	N.	.20	N.	.59	.15	N.	.24	25
26	N.	.44	N.	.02	1.22	N.	.05	.36	.01	.69	N.	.41	26
27	.04	.04	N.	.01	.63	N.	N.	.05	.04	.19	N.	.32	27
28	1.22	.01	.04	N.	.45	N.	.01	.10	.32	.28	.04	.34	28
29	.51		.04	.03	.66	.71	N.	.01	.04	.44	.10	.30	29
30	1.16	X	.49	.01	1.29	.03	N.	.03	N.	.04	.03	.15	30
31	.30	X	.94	X	.22	X	.03	.06	X	T.	X	N.	31
TOTAL	8.00	7.22	2.24	6.74	9.53	.89	2.00	5.76	3.96	4.03	9.24	.36	
Days with .01 in. or more.	24	24	16	24	26	8	16	20	21	.18	11	21	229
Days with .04 in. or more.	20	22	12	14	24	5	10	15	16	.15	4	14	144

(Signed) A. B. Matheson (P.T.O.)

Section	A	for the entry of Daily Observations.	4390	FOR OFFICIAL USE.									
AIR MINISTRY. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.				4390									
Register of Rainfall in 1930.													
Kept at	<u>RENFREW AERODROME</u>												
in the County of	<u>RENFREW</u>												
Diameter of Funnel of Gauge	8 in.			Observers are requested to read the instructions printed overleaf before filling in this form.									
Height of top of Gauge above Ground	1 ft.	0 in.	Every Observer should fill in section C overleaf.										
"	Ground	Sea Level	36 ft.										
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													
Records taken in Inches should be entered on Form 1090.													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
30	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	1
1	1.59	1.0	0.2	0.1	-	-	1.9	-	Trace	7.2	-	-	1
2	1.5	TT	-	0.4	-	-	3.6	3.4	-	Trace	6.6	-	2
3	6.5	0.2	2.3	TT	TT	-	0.3	1.4	-	1.4	0.1	0.2	3
4	2.4	0.1	0.3	TT	-	-	1.4	1.8	1.5	8.8	-	-	4
5	4.2	-	14.1	-	-	-	0.3	-	TT	3.7	-	0.4	5
6	5.9	-	0.8	TT	-	0.1	0.1	0.4	8.3	0.3	3.3	6.0	6
7	9.1	-	-	0.1	3.2	-	1.7	0.2	0.3	15.9	22.6	0.8	7
8	3.1	-	8.0	4.4	1.3	2.2	0.1	0.2	-	6.3	12.2	0.7	8
9	5.6	-	0.4	-	-	14.1	-	1.5	10.0	0.9	3.7	Trace	9
10	22.3	-	8.1	-	TT	2.1	-	1.0	0.4	5.7	1.8	1.1	10
11	9.4	-	0.9	4.0	0.9	TT	-	3.8	2.4	5.3	-	10.6	11
12	3.4	-	-	2.9	3.0	-	-	0.1	-	17.9	0.1	17.9	12
13	0.2	-	TT	1.9	9.2	-	5.9	2.6	2.0	6.2	Trace	1.1	13
14	-	4.2	TT	0.4	0.9	-	13.5	0.2	0.1	6.2	5.0	0.1	14
15	-	-	TT	-	0.8	-	5.0	0.5	-	6.9	1.6	5.7	15
16	4.3	TT	15.4	-	0.2	-	4.8	-	Trace	12.9	Trace	5.2	16
17	11.9	-	0.3	-	14.3	-	2.5	12.4	33.1	11.6	0.3	Trace	17
18	2.1	TT	-	-	2.5	TT	0.2	12.1	14.8	0.9	5.3	0.1	18
19	5.6	-	0.2	0.1	0.6	6.1	6.3	10.4	7.9	4.8	Trace	0.6	19
20	2.2	-	4.4	0.6	-	6.7	2.5	22.2	0.4	3.5	18.6	0.1	20
21	8.5	-	5.0	-	-	14.4	-	15.0	Trace	4.1	10.6	0.2	21
22	0.8	-	0.4	1.8	-	0.4	1.0	1.8	9.2	1.4	6.0	2.2	22
23	-	TT	TT	2.0	-	13.2	-	4.1	2.6	4.6	Trace	14.7	23
24	1.4	TT	1.5	8.0	-	2.9	TT	0.2	8.4	5.9	9.9	0.2	24
25	-	0.4	0.1	0.1	-	0.6	0.1	10.1	-	0.1	10.4	2.5	25
26	TT	0.2	TT	TT	-	0.3	1.3	0.2	-	Trace	0.4	11.9	26
27	0.3	-	0.1	-	TT	31	7.1	0.4	-	0.6	0.1	13.1	27
28	5.9	-	4.5	TT	-	22	8.0	0.3	-	0.2	-	19.0	28
29	0.9	X	3.8	-	-	TT	33.1	4.1	-	11.6	-	0.3	29
30	TT	X	4.2	-	-	0.2	-	0.4	-	1.9	-	-	30
31	1.2	X	0.4	X	1.1	X	-	0.1	X	2.3	X	-	31
99	5.55	2.24	3.10	1.17	1.61	2.21	4.46	4.83	3.60	5.98	4.94	4.82	YEARS TOTAL
TOTAL	140.9	6.1	78.7	29.8	141.0	68.9	113.4	122.7	91.14	151.9	125.6	104.7	1075.1
Days with 0.2 mm. or more.	25	5	20	10	12	14	17	24	14	27	17	21	209
Days with 10 mm. or more.	21	2	11	7	4	10	14	14	11	22	15	13	150

(Signed) (P.T.O.)

Section **A**

for the entry of Daily Observations.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

REGISTER OF RAINFALL IN 1927.

4502A

Kept at FINEHORN
in the County of MORAY

Rushmore

Diameter of Funnel of Gauge 3 in.
Height of top of Gauge above Ground ft 9 in.
,, Ground,, Sea Level 2 feet below ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										00	25		1
2										42	—	—	2
3										90	—	—	3
4										—	08	—	4
5										—	07	—	5
6										—	12	—	6
7										—	25	—	7
8										—	08	—	8
9										—	19	—	9
10										—	11	—	10
11										—	04	—	11
12										09	01	—	12
13										08	—	—	13
14										—	10	—	14
15										09	10	—	15
16										10	04	—	16
17										10	—	—	17
18										07	—	—	18
19										—	—	—	19
20										—	—	—	20
21										06	09	—	21
22										80	—	50	22
23										17	—	—	23
24										14	08	30	24
25										55	—	06	25
26										28	—	—	26
27										—	—	—	27
28										37	—	—	28
29										06	—	—	29
30	X									—	—	—	30
31	X	X	X	X					X	25	X		31
TOTAL										4.54	1.91	2.84	Year's Total
Days with .01 in. or more.										14	15	31	
Days with .04 in. or more.										17	15	31	

Please read the Notes and Instructions Overleaf.

(144ws)

Major T. ROSS

(Signed)

Ross

S.P.T.O.

Section **A** for the entry of Daily Observations.
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

FOR OFFICIAL USE.

REGISTER OF RAINFALL IN 1927.

4325

Kept at Tenbyars
 in the County of Fife

160

Diameter of Funnel of Gauge.....9 in.Height of top of Gauge above Ground.....1 ft.— in.
 " Ground " Sea Level40 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Inches should be entered on Form 1090.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
1	Tr	Tr	0.9	Tr	-	6.5	Tr	0.3	7.1	6.8	6.3	-	1
2	0.2	0.2	3.5	7.6	11.1	-	0.1	0.6	-	33.3	1.9	-	2
3	Tr	0.5	4.0	0.3	3.9	-	1.7	-	-	-	0.4	-	3
4	1.6	Tr	1.4	8.6	19.7	Tr	6.6	-	-	-	0.1	-	4
5	1.1	7.1	0.2	0.6	-	4.9	11.7	17.2	-	-	0.2	1.5	5
6	0.8	-	-	0.1	Tr	0.2	-	0.8	13.3	Tr	0.7	0.5	6
7	0.1	3.7	-	Tr	0.1	0.1	5.3	8.3	7.8	Tr	0.1	0.2	7
8	7.4	-	-	0.1	0.2	1.0	11.9	22.0	7.0	Tr	-	0.1	8
9	-	-	1.1	1.3	Tr	-	Tr	0.4	3.7	Tr	7.4	0.2	9
10	-	Tr	0.8	Tr	-	-	17.8	-	6.2	-	Tr	0.2	10
11	1.7	Tr	0.3	Tr	-	0.2	3.6	1.8	-	-	0.3	1.9	11
12	7.4	Tr	-	0.1	Tr	-	Tr	0.6	-	-	0.2	Tr	12
13	1.4	7.7	0.1	7.7	7.0	-	Tr	5.1	Tr	0.8	Tr	Tr	13
14	Tr	0.1	0.9	1.7	3.4	-	-	20.0	Tr	Tr	0.3	9.9	14
15	1.1	0.2	1.2	0.3	-	-	-	1.6	-	1.1	3.4	1.7	15
16	1.3	0.1	0.2	-	-	7.9	-	9.1	3.4	1.9	0.1	0.1	16
17	Tr	-	Tr	-	-	7.5	-	-	1.4	0.2	1.2	-	17
18	-	-	0.2	Tr	Tr	Tr	-	0.2	-	0.2	1.0	1.3	18
19	Tr	0.2	0.1	-	0.1	Tr	-	1.6	4.3	-	1.6	3.7	19
20	0.7	0.2	0.4	-	0.6	1.2	3.3	0.7	7.4	-	4.6	2.1	20
21	Tr	0.5	1.0	1.9	0.5	0.2	2.7	3.1	26.5	16.7	5.6	4.5	21
22	Tr	6.0	4.8	Tr	Tr	1.5	Tr	2.2	26.0	26.3	2.9	25.0	22
23	0.9	0.1	17.5	7.1	2.0	5.2	0.1	6.8	0.1	Tr	4.3	2.1	23
24	7.7	-	1.0	1.7	Tr	0.7	-	-	0.3	3.6	Tr	0.5	24
25	7.1	7.3	7.0	Tr	-	13.3	-	-	4.7	7.6	-	7.9	25
26	1.6	3.3	Tr	0.1	-	-	Tr	Tr	7.7	7.9	0.6	-	26
27	8.5	0.2	Tr	Tr	1.7	0.4	3.7	0.1	Tr	0.7	Tr	-	27
28	1.9	7.3	Tr	0.1	-	0.1	0.6	0.1	18.2	16.7	1.7	0.1	28
29	7.4	X	4.2	-	-	Tr	-	-	0.7	-	-	0.3	29
30	0.1	X	7.5	0.2	1.7	Tr	1.2	1.9	4.9	1.3	-	-	30
31	Tr	X	-	X	Tr	X	-	7.6	X	Tr	X	-	29.48 31
TOTAL	1.57	.93	1.69	.90	1.97	1.93	2.93	4.22	4.95	4.57	1.55	2.27	YEARS TOTAL 748.87
Days with 0.2 mm. or more.	10.0	23.7	43.0	22.9	50.0	49.9	74.3	107.1	125.7	116.1	39.4	51.7	
Days with 1.0 mm. or more.	14	14	20	12	11	14	17	21	14	15	19	17	191
	14	7	12	8	9	9	11	14	16	11	12	11	133

Please read the Notes and Instructions Overleaf.

(144v)

(Signed).....

J. H. Hawley

F. E.
P.T.O.

Section **A** for the entry of Daily Observations.
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
 FORM 1090.

FOR OFFICIAL USE.

REGISTER OF RAINFALL IN 1928.

Kept at Craigdarroch, Kirkcudbright
 in the County of Wigtown
 Diameter of Funnel of Gauge..... .5 in.
 Height of top of Gauge above Ground..... 9 in.
 " " " " Sea Level..... 300 ft.

METEOROLOGICAL
OFFICE,
EDINBURGH,

10 JAN 1929

3955

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.73	.08	.20	.0	0	0	.31	.0	.0	.06	.0	.0	1	
2	.04	.28	.0	.43	.06	.0	.05	.0	.19	.0	.0	.0	2	
3	.11	.40	.0	.06	.07	.0	.01	.0	.48	.0	.0	.07	3	
4	.61	.63	.23	.0	.0	.0	.112	.0	.11	.0	.0	.08	4	
5	1.03	.06	.03	.0	.0	.10	.07	.0	.18	.38	.10	.11	5	
6	.63	.0	.0	.0	.0	.0	.0	.121	.23	.14	.0	.20	6	
7	.58	.0	.0	.09	.0	.11	.0	.30	.21	.62	.0	.02	7	
8	.06	.0	.0	.15	.0	.36	.10	.15	.01	.05	.0	.13	8	
9	.11	.13	.0	.28	.0	.63	.0	.05	.12	.47	.69	.47	9	
10	.03	.61	.0	.0	.0	.0	.35	.43	.30	.43	.10	.15	10	
11	.36	.19	.0	.35	.0	.0	.01	.55	.0	.76	1.08	.02	11	
12	.15	.13	.04	.04	.0	.22	.04	.09	.2	.0	.0	.0	12	
13	.21	.33	.0	.02	.0	.86	.0	.13	.0	.0	.0	.0	13	
14	.87	.35	.0	.0	.0	.0	.0	.10	.08	.48	.62	.0	14	
15	.15	.21	.10	.0	.0	.02	.03	.0	.0	.35	.37	1.05	15	
16	.0	.29	.54	.0	.0	.0	.0	.0	.0	.68	.33	.53	1.47	16
17	.20	.16	.21	.07	.17	.0	.0	.0	.21	.10	.43	.0	17	
18	1.45	.0	.19	.04	.20	.64	.01	.0	.0	.75	.83	.55	18	
19	.63	.0	.91	.0	.07	.14	.0	.32	.0	.76	.22	.26	19	
20	.55	.0	.14	.0	.04	.0	.0	1.26	.05	.08	.35	.0	20	
21	.16	.0	.48	.0	.02	.42	.0	.0	.06	.29	.55	.08	21	
22	.15	.16	.06	.32	.0	.07	.03	.21	.0	.06	.52	.23	22	
23	.86	.0	.11	.17	.0	.06	.14	.52	.0	.77	1.26	.04	23	
24	.15	.0	.04	.0	.0	.16	.01	.0	.0	.14	.32	.11	24	
25	.16	.0	.0	.01	.0	.22	.0	.0	.0	.84	.37	.85	25	
26	.05	.0	.34	.0	.62	.04	.67	.31	.0	.47	.44	.18	26	
27	.54	.0	.0	.0	.45	.26	.01	.04	.0	.0	.02	.0	27	
28	.30	.0	.22	.0	.0	.80	.17	.38	.02	.14	.06	.16	28	
29	.14	.16	.79	.0	.0	.42	.0	.25	.0	.64	.05	.10	29	
30	.02	X	.10	.0	.0	.15	.0	.0	.0	.43	.05	.0	30	
31	.54	X	.0	X	.0	X	.0	.0	X	.01	X	.0	66.16	
TOTAL	11.57	4.17	4.73	2.03	1.70	5.66	3.13	6.30	2.73	9.55	9.26	5.33	66.76	
Days with .01 in. or more.	30	16	18	13	9	19	17	17	15	25	21	21	221	
Days with .04 in. or more.	28	16	17	11	8	18	10	17	12	24	20	19	200	

Section	A	for the entry of Daily Observations.	4069 FOR OFFICIAL USE.										
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. FORM 1091. REGISTER OF RAINFALL IN 1928.													
Kept at <u>Boyle</u> in the County of <u>Middlesex</u> .						METEOROLOGICAL OFFICE, EDINBURGH. 5 JAN 1929							
Diameter of Funnel of Gange..... 8 in. Height of top of Gauge above Ground..... 1 ft. 2 in. " Ground " Sea Level 645 ft.													
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													
Jan. 1, following													
Please read the Notes and Instructions Overleaf.													
Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
1	6.0	9.1	0.5	0.3	0.4	—	4.7	—	—	—	—	—	1
2	tr.	6.4	0.8	2.5	tr.	—	0.2	—	0.3	—	8.7	—	2
3	tr.	5.	0.3	3.8	0.4	—	tr.	—	3.7	—	10.6	—	3
4	2.1	9.2	1.8	0.3	tr.	0.1	2.7	—	6.2	—	0.3	0.8	4
5	7.2	5.9	3.7	tr.	—	—	0.3	—	6.4	1.4	0.1	0.5	5
6	5.2	5.2	tr.	—	—	0.3	4.3	2.7	0.1	tr.	—	8.1	6
7	3.3	0.3	1.3	0.1	—	10.5	—	6.0	2.2	2.6	3.5	—	7
8	7.0	8.0	0.3	tr.	—	14.0	0.2	0.3	10.0	1.1	0.1	—	8
9	4.4	5.7	2.5	tr.	—	16.3	0.1	0.7	4.9	5.6	1.2	0.6	9
10	13.2	5.2	1.8	5.2	—	2.3	4.3	2.6	5.5	0.4	4.0	—	10
11	7.9	1.9	3.5	3.1	—	0.1	0.8	12.0	—	7.3	4.1	1.4	11
12	10.9	0.8	4.9	1.5	0.6	0.6	0.3	3.2	—	—	0.2	0.4	12
13	2.7	5.7	1.0	tr.	0.4	29.4	0.1	10.7	—	—	—	tr.	13
14	10.3	0.8	—	0.3	tr.	0.4	—	—	0.1	1.4	2.0	tr.	14
15	3.0	2.6	—	0.6	3.2	4.7	1.5	1.2	—	0.9	0.3	5.1	15
16	1.8	4.2	0.4	tr.	6.6	—	—	0.6	2.6	7.4	3.9	4.5	16
17	0.4	0.3	0.3	tr.	6.7	12.2	tr.	—	5.7	0.1	—	—	17
18	11.7	tr.	3.4	0.1	3.9	4.4	—	tr.	tr.	11.1	3.7	1.7	18
19	/	0.1	1.7	0.5	0.7	2.2	—	8.1	2.6	4.3	3.4	0.8	19
20	3.9	—	2.9	2.1	3.4	—	—	15.3	—	1.0	2.7	0.1	20
21	2.4	—	tr.	—	—	2.0	—	3.1	—	7.1	5.0	0.3	21
22	tr.	—	0.7	tr.	—	3.8	—	0.4	—	0.1	7.5	1.7	22
23	4.7	tr.	0.5	0.4	0.3	—	0.1	3.7	1.3	2.1	18.6	7.5	23
24	5.9	tr.	4.5	—	—	1.2	—	1.0	0.3	4.1	7.5	7.2	24
25	8.1	tr.	tr.	0.5	—	10.5	—	18.5	—	0.1	0.2	9.1	25
26	8.6	0.1	2.6	—	5.2	11.2	25.4	19.8	—	3.0	—	—	26
27	3.2	tr.	0.2	—	8.0	—	15.4	0.5	4.4	—	—	tr.	27
28	6.2	—	tr.	0.2	tr.	6.3	1.2	3.3	0.7	—	1.1	4.6	28
29	9.2	tr.	5.6	0.3	tr.	3.2	0.1	3.6	—	6.5	0.3	3.4	29
30	0.1	X	3.8	1.4	0.1	3.0	1.3	1.8	—	7.1	—	0.5	30
31	6.4	X	0.1	X	tr.	X	tr.	1.9	X	6.6	X	—	31
TOTAL	156.8	71.5	49.1	23.2	39.9	138.7	63.0	21.0	57.0	81.3	89.0	58.3	948.8
Days with 0.2 mm. or more.	26	16	24	16	13	20	14	23	15	19	21	18	225
Days with 1.0 mm. or more.	25	12	15	7	7	17	9	18	12	17	16	11	166
(144w)	6.17	2.81	1.93	0.91	1.57	5.46	2.48	4.76	2.24	3.20	3.60	2.30	37.33
40-9999.	(Signed) J. D. Stuart, M.A. (P.T.O.)												

Section **A** for the entry of Daily Observations.
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION 3970
 FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Conlongon Castle, Ruthwell
 in the County of Dumfries

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 4 ft. in.
 " " Ground " Sea Level 5170 ft.

METEOROLOGICAL
OFFICE,
EDINBURGH.

5 JAN 1929

FOR OFFICIAL USE.

Jan. 1, following.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
28	.50	.07	.18	.05			.59			.04	.01		1
1													
2	—	.60	.06	.25	.03		Freeze		.01		.05		2
3	.03	.03	.18	.10	.14				.40		.01		3
4	.27	.62	.41	.01			.94		.09			.09	4
5	.32	.05	—	.02			.04		.25	.23		.13	5
6	.19	.01	—	—				.78	.02	.01		.12	6
7	.20	.01	—	.12		.39		.70	.26	.79			7
8	.01	.13	—	.11		.35		.09	.09	.43	.01	.07	8
9	.33	.18	Freeze	.03		.74			.17	.12	.20	.12	9
10	.14	.52	.01	.10			.22	.29	.23	.51	.54		10
11	.53	.03	—	.14		.01	.05	.125		.42	.49		11
12	.60	.10	.05	—	.02	.11	.44	.41			.10		12
13	.05	.24	—	.01		.177		.16			.03		13
14	.53	.13	—			.14		.03	.02	.25	.34		14
15	.30	.27	—			.08	Freeze		.17	.04	.73		15
16	—	.15	.35		.05			.19	.39	.42	.55		16
17	.03	.02	.31	Freeze	.06	.02			.20		.01	.12	17
18	.90	.01	.13	.09	.10	.44			.01	.93	.39	.20	18
19	.18	—	.43		.35	.40		.24		.25	.28	.14	19
20	.22	—	.65		.02		1.04	Freeze	.09	.45			20
21	.44	.01	.02			.30				.55	.21	.04	21
22	Freeze	—	.01			.05	.28	.01		.03	.55	.14	22
23	.33	—	—	.05		.01		.56	.03	.24	.39	.11	23
24	.15	—	.12	.12		.16	.02	.17		.21	.25	.50	24
25	.14	—	—	.04		.20	.04	.11		.21	.16	.50	25
26	.12	—	.22		.52	.19	.70	.82		.67	.02	.10	26
27	.05	—	—		.35	.03	.09	.20					27
28	.20	—	.02			.70	.08	.03	Freeze	.20	.24		28
29	.44	.19	.66			.14	.11	.29		.50	Freeze	.05	29
30	.01	X	.05	.02		.07	.02	.05		.56	—		30
31	.19	X	—	X		X	—	.05	X	.01	X		31
TOTAL	7.46	3.37	3.86	1.26	1.64	6.30	3.71	7.45	2.26	7.27	5.21	3.88	53.65
Days with 0.1 in. or more.	28	20	18	16	10	21	15	23	14	23	23	17	226
Days with 0.4 in. or more.	24	13	14	11	7	17	13	18	9	19	18	17	180

40-9999

Cov. after ref. to obs.

M

(Signed).....

[P.P.O.]

Section	A	for the entry of Daily Observations.	4653	FOR OFFICIAL USE.									
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.													
FORM 1090.	REGISTER OF RAINFALL IN 1929.												
Kept at <i>Peterhead (Stockbridge)</i>	<i>Peterhead Aberdeenshire</i>												
in the County of													
Diameter of Funnel of Gauge	157? 16												
Height of top of Gauge above Ground	1 ft	in.	60 ft	1 in.									
,, Ground	,, Sea Level	ft.											
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													
Please read the Notes and Instructions Overleaf.													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	.2	.16		.5			.3	.3		.13	.18	.3	1
2	.11		.12		.45			.15			.14	.8	2
3	.1		.6	.3	.8			.2	.32	.8		.17	3
4	.6		.18		.3	.6		.2	.22	.4	.26		4
5	.10			.25			.17	.24	.2	.50		.3	5
6	.12	.13		.43	.31	.9	.3	.24	.67		.29		6
7	.4								.3	.15	.7		7
8	.3		.6	.10			.2	.12	.5		.7		8
9	.10	.8		.13	.6	.2	.6	.3		.2		.1	9
10	.2	.10		.7	.6	.10	.19				.12		10
11	.3		.2			.2	.12				.7	.45	11
12	.5	.3			.10		.3					.8	12
13	.4	.53		.23	.15		.24		.5			.2	13
14	.8	.20		.7			.6	.6	.16			.1	14
15	.6	.20		.1			.22		.6				15
16	.78	.25			.20		.38		.4	.1	.2		16
17	.30		.6				.54						17
18	.3		.12		.9		.3	.18	.8	.01			18
19	.1		.9		.6		.2	.26		.20	.25		19
20		.11		.2			.5	.3	.9	.1	.77		20
21	.3	.16	.8		.6	.2	.21	.4	.1		.35		21
22	.8		.3		.11			.6	.3		.55		22
23	.13		.3						.1	.34	.8		23
24	.14	.50	.4	.6	.4	.7				.1	.59		24
25	.26	.10	.3							.41	.35		25
26	.4						.3	.2	.23		.7		26
27	.1		.45				.24	.3	.18	.5			27
28	.10		.21			.21	.1		.22	.29	.26		28
29	.11		.3				.19	.10	.3	.3	.4		29
30	.3	X	.1	.1	.8	.10	.9		.2	.15	.1		30
31		X	.5	X		X	.6	.1	X		X		31
TOTAL	2.26	2.94	3.7	1.81	1.30	1.89	2.66	3.09	1.43	2.91	3.20	4.99	28.85
Days with .1 in. or more.	21	19	5	18	11	16	12	23	14	22	16	25	204
Days with .4 in. or more.	14	15	4	13	8	13	9	14	8	15	13	18	144

40-9999

(Signed) James Robertson [P.T.O.]

Houston Manse

FOR OFFICIAL USE. *Convict 4386*

Section **A** for the entry of Daily Observations. *4386*
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091. **REGISTER OF RAINFALL IN 1930.**

Kept at HOUSTON (THE MANSE),
in the County of RENFREW.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground , Sea Level 103 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	18.9	0.2	0.1	0.9	-	-	Tr	6.7	-	-	9.4	-	1
2	19.3	0.4	0.1	1.3	-	-	5.1	3.7	-	-	1.1	-	2
3	5.7	0.2	3.6	-	-	-	Tr	2.1	-	1.1	Tr	0.1	3
4	2.3	0.2	1.0	Tr	-	-	-	1.7	1.7	14.5	-	0.2	4
5	6.5	-	19.9	Tr	-	-	0.9	-	-	3.2	-	-	5
6	10.7	-	0.9	-	-	-	Tr	-	-	1.1	4.3	5.4	6
7	12.3	-	-	0.9	-	-	-	-	0.5	21.5	32.3	0.5	7
8	5.2	-	11.7	5.4	1.2	6.2	0.1	0.7	-	Tr	22.1	1.7	8
9	2.8	-	-	-	-	14.9	-	4.0	7.5	2.0	3.1	-	9
10	28.0	-	5.7	-	Tr	0.9	-	2.6	Tr	7.5	2.5	2.9	10
11	13.1	-	1.1	6.1	0.5	-	Tr	4.0	0.1	3.6	Tr	7.0	11
12	5.8	-	Tr	1.0	5.6	-	-	Tr	-	25.2	Tr	18.1	12
13	0.9	-	Tr	0.7	8.6	-	1.4	3.5	3.1	8.3	0.2	2.5	13
14	-	9.7	-	0.7	0.8	-	9.0	-	-	10.3	7.9	-	14
15	-	Tr	-	-	0.7	-	2.3	-	-	7.5	0.7	9.4	15
16	9.3	-	16.8	-	Tr	-	8.0	-	0.2	15.6	-	2.8	16
17	17.0	-	0.6	-	29.6	-	2.2	14.7	34.6	12.0	1.2	1.2	17
18	3.0	-	Tr	-	1.9	-	0.9	15.9	0.3	0.5	3.4	0.5	18
19	5.0	-	0.6	-	3.3	5.2	1.6	8.7	8.5	9.5	0.4	1.5	19
20	2.5	-	3.2	0.7	-	4.9	18.8	18.0	1.2	1.5	18.8	0.2	20
21	15.1	-	5.1	-	-	13.8	-	13.5	-	6.5	17.9	0.3	21
22	1.4	0.1	Tr	3.1	-	0.5	0.9	0.6	17.8	3.3	Tr	9.3	22
23	-	0.2	-	5.9	-	14.4	Tr	7.3	5.1	4.7	4.1	5.7	23
24	3.3	-	4.2	11.7	-	4.3	-	0.2	13.7	6.0	18.3	1.0	24
25	-	0.7	Tr	0.6	-	0.4	Tr	-	-	0.8	7.8	10.7	25
26	0.3	Tr	Tr	Tr	-	2.8	11.0	13.1	-	0.3	-	12.7	26
27	Tr	0.1	2.9	-	-	1.8	8.7	1.3	-	2.3	-	12.3	27
28	4.0	0.1	4.7	-	-	3.6	7.7	5.8	-	0.8	-	14.5	28
29	2.0	X	3.9	-	-	0.4	10.0	Tr	-	12.3	-	0.6	29
30	0.1	X	14.1	-	-	0.5	-	0.6	-	2.7	-	-	30
31	0.9	X	0.5	X	0.3	X	-	Tr	X	2.4	X	-	31
TOTAL	16.9	4.7	3.96	1.54	2.07	2.94	3.49	5.07	3.71	7.36	6.12	4.77	YEARS TOTAL 49.1
Days with 0.2 mm. or more.	195.4	11.9	100.7	39.0	52.5	74.6	88.6	128.7	94.3	187.0	155.5	121.1	1249.3
Days with 1.0 mm. or more.	25	7	18	13	10	15	15	21	12	28	18	23	205
(144w)	22	1	14	7	6	10	12	17	9	24	15	17	154

40-9999 (Signed) George Muir [P.T.O.]

Section	A	for the entry of Daily Observations.	4345	FOR OFFICIAL USE.									
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.				4345									
FORM 1090. REGISTER OF RAINFALL IN 1930.													
Kept at <u>BIRKHEADSTEEL</u> , <u>DALRY</u> . in the County of <u>AYR</u> .				METEOROLOGICAL OFFICE, EDINBURGH.									
Diameter of Funnel of Gauge <u>FIVE</u> in. Height of top of Gauge above Ground <u>ONE</u> ft. — in. Ground " Sea Level <u>520</u> ft.				17 MAR 1951									
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													
Please read the Notes and Instructions Overleaf.													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	.86	—	—	—	—	—	—	.50	—	—	.40	—	1
2	.38	—	—	.06	—	—	.42	.83	—	—	—	—	2
3	.26	—	.44	—	—	—	.32	.14	—	.05	—	—	3
4	.19	—	.07	—	—	—	.05	.08	.05	.53	—	—	4
5	.18	—	.89	—	—	—	.30	—	—	.20	—	.05	5
6	.25	—	.14	—	—	.02	.05	—	.35	.19	.14	.36	6
7	.38	—	—	.05	—	—	—	.05	.09	1.02	.97	.18	7
8	.20	—	.22	.73	.20	.27	.05	.57	—	.03	.33	.33	8
9	.10	—	—	—	—	.89	—	.42	.58	.02	.09	.40	9
10	.80	—	.38	—	—	.03	.01	.06	—	.27	.14	.54	10
11	.31	—	.09	.30	—	—	.06	.37	.05	.12	.02	—	11
12	.29	—	—	.31	.29	—	—	.16	—	.60	—	1.04	12
13	.05	—	—	.09	.33	—	.03	.38	.32	.18	.01	.34	13
14	—	<u>.20</u>	—	.04	—	—	.16	.02	—	.40	.33	—	14
15	—	.01	—	.18	—	.04	—	—	.20	—	.71	—	15
16	.10	—	.40	—	.02	—	.30	—	—	.43	—	.10	16
17	.35	—	.05	—	1.20	—	.14	.57	1.80	.50	.01	.05	17
18	.20	—	—	—	.20	—	—	.65	.12	.02	.37	.07	18
19	.25	—	—	—	.30	.37	—	.69	.43	.00	.25	.13	19
20	.16	—	.19	—	.02	.22	.98	.76	.12	.49	.84	.11	20
21	.48	—	.09	—	—	.48	—	1.02	—	.54	.62	.03	21
22	.25	—	—	.17	—	.05	.04	.17	.57	.30	.28	.30	22
23	—	—	—	.32	—	.52	—	.28	.13	.17	.15	.15	23
24	.09	—	.07	.80	—	.20	—	.04	.52	.22	.40	.05	24
25	—	.03	—	.02	—	.04	.06	.50	—	.10	1.00	.58	25
26	.04	—	.03	.01	—	.14	.35	—	—	.07	.09	.70	26
27	—	—	.07	—	—	.13	.23	.07	—	.04	—	.02	27
28	—	—	.18	—	—	.18	.20	.12	—	.20	—	.63	28
29	.10	X	.20	—	—	—	.30	.10	—	.99	—	.03	29
30	.01	X	.36	—	—	—	—	—	—	.21	.02	—	30
31	—	X	.08	X	—	X	—	—	X	.22	X	—	31
TOTAL	6.14	.34	3.95	2.90	2.74	3.54	4.09	8.25	5.13	8.91	6.29	6.90	YEAR'S TOTAL 59.08
* Days with over 1 in. or more.	24	3	18	12	9	14	20	24	13	29	20	23	209
* Days with over .04 in. or more.	23	1	17	10	7	11	18	23	13	26	16	20	185
40-9999	(Signed) <i>Gilmertonchristie</i>											[P.T.O.]	
*See Instruction 2 (f) on other side.													

Section	A	for the entry of Daily Observations.										5476	
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.													COPY FOR OFFICIAL USE.
REGISTER OF RAINFALL IN 1931.													5476
Kept at Kirkcaldy (or where used) in the County of Fife.													400
Diameter of Funnel of Gauge 5 in.													100
Height of top of Gauge above Ground 1 ft. 0 in.													2 JAN 1932
Ground .. Sea Level 6.6 ft.													
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													Jan. 1, following
Please read the Notes and Instructions Overleaf.													
Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	·01	—	·18	—	·10	·04	—	·50	·04	·01	·01	2
3	—	·01	·03	—	—	·05	·10	—	—	·02	·95	·15	3
4	·03	·08	—	·02	—	—	·04	—	—	·10	—	·01	4
5	—	·25	—	—	·28	·03	·09	—	—	·05	·03	·06	5
6	—	·14	·04	—	·03	·68	·31	·15	—	·08	·04	—	6
7	—	·05	·04	—	·14	trace	·34	·11	—	·03	·22	·09	7
8	—	·13	·06	—	·05	·18	·16	·03	—	·02	·06	—	8
9	·03	·09	·10	—	·22	·12	1.11	·15	—	·05	·14	—	9
10	·03	·04	·01	—	·06	·13	·09	trace	—	trace	·04	slight trace	10
11	trace	·24	—	·02	—	—	·66	—	·20	—	—	—	11
12	—	·01	·19	·04	—	—	·02	·02	—	·02	—	—	12
13	trace	—	·35	—	·03	·54	·01	trace	—	—	·08	·01	13
14	—	·05	·01	—	·10	1.45	·19	·06	—	—	·94	·03	14
15	·02	·02	—	·04	trace	·19	—	·04	·03	—	·02	—	15
16	—	·04	—	·04	—	·08	—	—	·24	—	—	—	16
17	·11	·09	—	·06	—	·08	·05	·11	—	·01	·61	—	17
18	—	—	—	—	—	·14	·01	—	·03	—	·24	·06	18
19	·34	·02	·05	—	—	·01	·41	1.09	·02	—	·01	trace	19
20	·08	·30	trace	—	—	—	·01	·43	—	—	·12	·03	20
21	—	·02	·05	—	—	·01	·09	·02	—	—	—	—	21
22	·18	·01	·04	·32	·02	·01	·06	·02	—	trace	·02	·12	22
23	·05	·03	·02	·29	—	·09	·01	·06	—	·30	1.40	·08	23
24	·04	·03	—	·02	·03	—	·25	trace	—	trace	·08	—	24
25	—	·02	—	·24	·20	—	·26	—	—	—	·11	—	25
26	—	—	—	·10	—	—	·63	—	—	·01	·48	—	26
27	·21	trace	·03	·30	·02	—	trace	—	—	·30	·20	·03	27
28	·33	·12	—	·02	1.20	—	·02	—	—	trace	·13	·02	28
29	·26	X	·09	—	trace	—	·20	—	·04	·14	·03	·01	29
30	·02	X	trace	—	·30	—	—	—	·14	trace	·01	—	30
31	·25	X	—	X	·53	X	2	—	X	trace	X	·20	31
TOTAL	2.04	1.83	1.18	1.98	3.24	4.84	5.42	2.29	1.42	1.32	6.08	1.03	YEAR 1930 33.80
* Days with ·01 in. or more.	15	23	16	15	15	18	25	13	9	15	25	16	205
* Days with ·04 in. or more.	10	13	11	11	10	14	19	9	6	9	14	9	138

40-9999

*See Instruction 2 (f) on other side.

(Signed) Francis T. Grand / [P.T.O.]

5598

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091. **REGISTER OF RAINFALL IN 1931.**

Kept at *Arbreathe (W. Cormelton)*
in the County of *Angus.*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
Ground *93* ft. Sea Level *93* ft.

UNITED KINGDOM METEOROLOGICAL OFFICE,
EDINBURGH.

400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.


Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	1
2	—	0.6	1.6	trace	—	1.0	1.8	—	8.6	6.9	—	0.6	2
3	—	1.4	1.0	14.8	—	2.5	—	—	3.5	1.9	3.2	5.0	3
4	trace	1.0	—	—	0.2	2.0	1.4	trace	—	—	12.6	0.5	4
5	—	2.6	0.1	0.1	—	—	0.2	trace	—	0.1	—	—	5
6	—	9.0	—	—	4.0	—	0.3	—	0.1	trace	0.2	0.2	6
7	—	3.9	0.9	—	—	14.8	14.2	—	1.0	0.8	3.4	—	7
8	—	0.8	8.1	trace	6.2	—	1.8	4.3	trace	trace	3.8	0.1	8
9	0.2	0.5	0.3	trace	—	6.3	1.9	0.3	0.1	—	2.4	—	9
10	0.2	0.5	2.4	—	5.0	14.0	—	1.1	—	—	4.8	0.1	10
11	0.1	—	2.3	0.3	0.6	3.8	0.2	—	—	—	1.4	—	11
12	—	2.5	—	—	—	—	5.2	trace	4.0	0.1	—	trace	12
13	1.3	—	10.3	trace	—	3.0	0.5	0.9	—	—	—	—	13
14	1.0	—	trace	0.1	2.1	5.2	—	—	—	—	4.9	—	14
15	—	1.4	—	1.5	4.3	44.0	trace	—	—	—	9.2	1.4	15
16	—	—	0.4	—	3.5	—	—	0.9	—	trace	—	—	16
17	3.4	1.8	—	1.6	—	—	—	trace	4.4	trace	—	—	17
18	—	1.1	—	6.5	—	4.9	4.4	4.2	—	trace	4.8	—	18
19	6.8	—	—	0.1	—	—	0.8	2.8	2.3	—	15.7	2.9	19
20	—	3.4	—	—	—	—	11.3	20.6	—	0.2	—	0.4	20
21	—	—	0.3	—	trace	—	—	8.4	—	—	0.9	4.4	21
22	—	2.6	—	0.1	0.4	1.5	—	0.6	1.6	—	1.6	2.6	22
23	—	5.4	—	—	3.5	1.2	—	—	—	8.4	39.8	0.4	23
24	—	—	1.2	—	1.1	5.4	—	1.6	trace	—	—	2.2	24
25	—	—	—	2.4	—	—	3.6	0.6	—	—	4.1	—	25
26	—	—	—	0.3	0.2	—	36.6	—	—	—	8.2	—	26
27	—	1.3	—	2.5	8.9	19.5	—	4.9	—	—	0.6	4.1	27
28	—	13.5	4.4	—	—	—	0.4	—	—	—	0.8	0.4	28
29	—	3.6	1.4	—	—	2.1	1.3	—	—	3.4	1.8	4.5	29
30	—	trace	X	1.1	—	0.2	—	4.4	—	0.3	—	trace	30
31	—	29.3	X	—	X	32.5	X	—	—	X	0.5	X	31
TOTAL	2.94	—	1.27	1.18	1.72	3.28	4.22	4.69	1.78	1.11	—	1.16	YEAR'S TOTAL 444.4
*Days with 0.2 mm. or more.	34	X	14	4	15	14	14	13	22	10	48	49	321
*Days with 1.0 mm. or more.	34	X	14	4	15	14	14	13	22	10	48	49	321
(144 w)	12	10	10	9	10	13	16	4	6	5	18	4	123
40-9999	(Signed) James N. Robertson P.T.O.												

COPY FOR OFFICIAL USE.
 Section **A** for the entry of Daily Observations.
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1099. REGISTER OF RAINFALL IN 1933.

Kept at **BALLINDALLOCH**
 in the County of **Perth**

Diameter of Funnel of Gauge **8** in.
 Height of top of Gauge above Ground **1** ft. — in.
 " Ground " Sea Level **630** ft.



16 JUN 1934

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	Traces	.31	Snow	Traces	.01	Traces	Traces	Traces	1.10	Traces	.01	.18	Traces
3	.24	.10	.02	.11	"	.01	"	Traces	.34	Traces	.45	.01	2
4	Traces	.15	.07	.02	.02	Traces	"	"	.01	.02	.30	Traces	3
5	.03	.38	.12	.10	.02	"	"	"	Traces	Traces	.01	"	4
6	Traces	.36	Traces	Traces	Traces	"	"	.18	"	"	Traces	.08	5
7	"	.22	.01	.15	"	"	"	Traces	.20	.02	.02	.09	6
8	.11	.04	.01	.21	.01	"	.13	.04	Traces	.22	.09	.02	7
9	Traces	.03	.03	Traces	.10	.04	Traces	.24	"	.22	Traces	Traces	8
10	.24	"	Traces	.03	.02	"	.16	.02	"	.24	.13	"	9
11	Traces	"	"	Traces	.19	Traces	Traces	"	Traces	.10	"	"	10
12	"	.03	"	.06	.52	"	.40	"	.04	.04	"	"	11
13	"	.03	"	.01	Traces	"	.01	.02	.02	.04	.15	.04	12
14	.20	Traces	"	Traces	.26	"	.52	.01	Traces	Traces	.01	.01	13
15	Traces	"	.01	.47	Traces	.20	.16	.02	"	.02	.15	.03	14
16	.14	Snow	"	Traces	.01	"	.23	Traces	.10	"	.14	.18	Traces
17	.03	"	Hailstones	.14	.06	"	.04	"	Traces	.22	.01	.01	"
18	.02	.46	"	.06	.19	Snow	.10	.32	.03	.01	Traces	.23	.01
19	Traces	.12	"	.14	Snow	.04	.06	.26	Traces	Traces	"	.10	Traces
20	"	.15	"	Traces	.02	Traces	.45	.05	.12	.09	Traces	Traces	"
21	"	.20	.08	.02	.31	.04	.14	.43	Traces	.15	.18	"	21
22	"	.09	"	Traces	Traces	Traces	Traces	.16	"	.32	Traces	"	22
23	"	.39	"	"	.18	.57	.14	Traces	.34	.96	.02	"	23
24	"	Traces	"	"	.14	.04	Traces	Traces	.12	.19	.18	.02	24
25	"	.02	Snow	"	Traces	Traces	.01	"	Traces	.24	.59	Traces	.09
26	"	.35	"	"	"	.01	Traces	"	"	.02	.49	"	Traces
27	"	.15	"	"	.03	.01	.03	"	Traces	.65	.03	.02	27
28	"	Traces	"	.20	.03	Traces	.13	"	"	.163	.01	.06	28
29	.04	"	"	.96	Traces	"	.05	"	.02	.78	Traces	.02	29
30	.03	Snow	X	.08	.09	"	"	.47	"	Traces	.16	"	Traces
31	.23	X	.05	X	"	X	.36	.11	X	.34	X	.03	31
TOTAL	1.28	3.96	.79	3.02	1.49	2.40	2.93	1.68	1.74	7.33	2.31	.45	29.38
*Days with " or in or more.	12	21	12	21	.16	14	16	15	13	24	20	13	197
*Days with .04 in or more.	7	17	8	15	8	9	13	10	8	19	12	4	30

40-9999

*See Instruction 2 (f) on other side.

(Signed) *Charles Mackenzie* P.T.O.

COPY FOR OFFICIAL USE.													
Section	A	for the entry of Daily Observations. AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.											
Station No. 5662													
FORM 1090. REGISTER OF RAINFALL IN 1933.													
Kept at <u>Fruidie Huntly</u> <u>in the County of Aberdeenshire</u>													
Diameter of Funnel of Gauge	5	in.	Height of top of Gauge above Ground	1	ft.	Sea Level	400	ft.					
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													
Please read the Notes and Instructions Overleaf.													
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.61	.05	.02					.10		.03	.16	.08	1
2	.08	.09	.08	.03		.01			.16	.97	.07		2
3	.12	.14	.69		.01				.08	.02	.36	.01	3
4	.40	.11	.09	tr							.02		4
5	.13	.01	.01	tr			.14			.04	.03	.05	5
6	.12	.02	.15						.11	.02	.03	.05	6
7	.05	.02	.19	.22		.02	.02	.04		.61	.03	.04	7
8	.01		.04	.04				.15		.68	.02		8
9	.18	.02		.03			.14	.04		.09	.32		9
10	.10					.21	.08				.11		10
11	.01	.02		.04	.04		.56	.04		.14			11
12	.01	.04		.03	.14		.09		.08	.10			12
13	.16		.02	.01		.02			.02	.01	.11		13
14	.23			.16			.94	.06	.03	.01	.08	.26	14
15	.04	.04	.38	.01	.23	.06				.04	.21	.02	15
16	.10	.04		.02		.34	.05	.04		.03	.33		16
17	.12	.19	.16	.09		.03		.04	.03		.07		17
18	.01	.30	.06	.06	.16	.13	.01			.48	.02		18
19	.05	.20	.02	.08	.04	.13		.01		.03	.22		19
20	.16		.03	.63	.55	.05				.13	.02		20
21	.25	.02	.02		.16	.23	.23	.01	.25	.01			21
22	.66				.05		.10		.64				22
23	.25				.05		.09	.21	.10	.59	.01		23
24	.05		.08	.04			.03	.12	.14	.16	.01		24
25	.01		.02		.02				.30	.51		.05	25
26	.69				.02	.02			.64	.27		.07	26
27	.96	.03					.51	.01		.55	.21	.22	27
28	.03		.46	.05			.30			.51	.08	.22	28
29	.01			.55			.15		.01	.35		.03	29
30	.03	X		.05			.12	tr		.25			30
31	.03	X	.04	X		X	.60	.20	X	.15	X	.12	31
TOTAL	.99	5.02	1.51	2.49	8.81	1.95	4.86	1.55	1.11	6.21	3.89	1.33	31.66
*Days with or more.	16	25	15	21	14	14	19	18	13	26	22	16	21
*Days with or more.	8	21	8	8	8	9	15	13	8	19	14	11	13

40-9999

*See Instruction 2 (f) on other side.

Spare column, no entries required.

(Signed) P. Jones

[P.T.O.]

COPY FOR OFFICIAL USE.
 Section **A** for the entry of Daily Observations.

Station No. 5001

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at *Castle Kennedy* Wigtownshire
 in the County of *Wigtown*

Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *1* ft. *—* in.Ground *—* Sea Level *85* ft.

2 JAN 1935

METEOROLOGICAL
OFFICE,
EDINBURGH.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
1	27	03	15		22			33		07	20	35	†	1	
2	14	02						48	26	10	58	19		2	
3	10								43	83	20	32		3	
4	29	30	04					05	11	1'35'		36		4	
5		10	42					18		49		16		5	
6	14	02	32	40	04			43	43			14		6	
7	34	10	33	07	19	04			31		68	56		7	
8		10		48	12			02	35	05	05	1'12		8	
9	33		07	20				30	02	14	03	62		9	
10	30		07	12				16	08	05		22		10	
11	10	02	25					09		03		38		11	
12			43	14						03		20		12	
13	20		35	11	02					17		26		13	
14	05	33	07	05	14	08	08			54		20		14	
15	39	20		78	02	01	26	40	01		10			15	
16	89	37	03	20		01		08	20		03			16	
17	07	08	07	15		39		42	13		80			17	
18	19	10		39	38			18	03		24			18	
19	02	11		38	06	12	33	11	27	11	17			19	
20	01		15	17	05	09	60	01	05		09			20	
21	05	01	19	06	02	76	33	06	80	10	04	13		21	
22	18		23	02		10		02	84			09		22	
23	02		02	40		05	03	15	14	04	04	15		23	
24		21	12	03	24	03	07		16	1'03	03			24	
25	13		04				15		79	62	05	1'04		25	
26	10		02			05	14	16	04	04		16		26	
27						23	21	25	17	16		64		27	
28								11	32	18	48			28	
29								12	05	08	06	82	45		29
30	32	X						04	27	05	11	07	08		30
31	X	X	X	X	X	X	17	X	17	X	34				31
TOTAL	489	63	3'00	2'33	14'34	2'35	2'09	4'43	6'26	7'32	2'11	9'87	49'62	✓	
* Days with .01 in. or more.	22	10	17	16	16	14	17	20	24	28	14	30	228	✓	
* Days with .04 in. or more.	20	4	15	13	15	12	13	18	22	24	11	29	197	✓	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed)

Robert W. Rye.

[P.T.O.]

COPY FOR OFFICIAL USE.													
Section	A	for the entry of Daily Observations. AIR MINISTRY—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.											
Station No. 5177													
REGISTER OF RAINFALL IN 1934.													
Kept at Glasgow University in the County of Lanark													
METEOROLOGICAL OFFICE, EDINBURGH.													
5 JAN 1935													
Diameter of Funnel of Gauge	8	in.	Height of top of Gauge above Ground	1	ft.	in.	,, Ground	Sea Level	8.5	ft. a.s.o.e.			
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													
Jan. 1, following													
Please read the Notes and Instructions Overleaf.													
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†
1	4.9	2	6.4	2	0.7	—	2	27.0	1.6	2	—	4.4	1
2	0.2	2	1.5	—	2	—	—	1.7	5.3	2	4.5	3.2	2
3	8.4	—	4.3	2	2	—	—	2	9.1	11.2	5.2	6.0	3
4	8.9	2	3.9	0.3	2	—	—	2.1	5.7	6.5	—	3.1	4
5	0.8	2	11.1	2	2.5	2	—	0.1	2	3.4	—	2	5
6	5.7	0.3	1.0	1.2	4.9	0.5	—	4.1	12.1	7.7	—	1.1	6
7	6.5	2	2.6	2.4	0.1	2.9	—	2	1.8	0.8	—	2.4	7
8	3.0	0.8	3.2	0.6	4.1	1.4	—	0.8	1.1	3.8	—	17.4	8
9	15.6	0.3	0.1	1.4	2	—	—	6.4	2	2.2	2	8.9	9
10	2.3	2	0.7	4.4	2	—	—	1.0	0.9	2	3.6	0.5	10
11	6.4	2	6.9	10.3	3.6	—	—	0.9	—	3.1	—	1.1	11
12	6.3	2	1.4	22.4	0.1	—	9.2	2	—	1.4	0.7	0.8	12
13	4.6	—	—	0.8	1.5	0.7	1.1	—	—	3.6	0.4	1.4	13
14	1.7	2	4.4	2.2	0.2	4.2	2.9	1.4	—	6.4	0.1	0.9	14
15	2.3	2	2.5	1.2	11.2	1.0	4.9	2.7	11.5	0.1	0.4	0.3	15
16	11.6	2	5.2	2	1.0	2	0.3	2	0.4	2	0.2	0.6	16
17	5.7	—	1.5	2.1	1.8	2	7.7	2	2.7	0.2	0.1	8.4	17
18	0.2	2	2	0.4	9.5	3.1	1.0	1.5	1.5	2	2	2.5	18
19	2	0.1	—	0.3	5.9	2	2.5	6.3	1.3	6.0	0.2	1.5	19
20	0.9	2	—	1.4	5.4	0.3	2.6	18.2	1.3	1.1	0.4	0.2	20
21	0.1	0.5	1.4	0.7	0.1	12.5	7.8	12.0	8.1	2.9	0.4	0.2	21
22	1.6	2	—	1.4	—	21.2	—	1.4	7.8	1.3	2	—	22
23	0.1	2	0.2	4.2	0.9	—	1.0	2	3.8	2.6	2	3.7	23
24	2	—	—	1.0	1.3	2	0.9	—	1.6	16.6	—	—	24
25	2.3	0.1	1.5	2.4	2	—	1.8	—	11.9	16.5	6.4	5.4	25
26	3.9	—	0.1	4.9	2	0.9	0.9	—	8.7	9.7	0.2	10.6	26
27	—	—	—	—	—	0.5	1.7	1.8	4.1	4.0	2	4.0	27
28	—	2	—	—	—	0.5	2.0	16.2	3.0	1.2	0.3	1.4	28
29	0.2	X	2	—	—	2	5.8	1.3	2	15.2	2	2.0	29
30	1.9	X	0.3	—	—	—	1.4	0.8	4.8	0.2	0.2	11.2	30
31	0.1	X	—	X	—	X	0.6	0.6	X	—	X	8.6	31
TOTAL	11.30	36	2.87	2.80	2.16	1.90	2.77	11.27	11.32	3.03	.92	4.80	Year's Total 889.8
* Days with 0.2 mm. or more.	245	54	819	621	315	1613	819	420	223	324	1614	728	225
* Days with 1.0 mm. or more.	19	1	16	15	12	7	15	16	21	21	4	21	168

COPY FOR OFFICIAL USE.														
Section	A	for the entry of Daily Observations.												
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.														
FORM 1030. REGISTER OF RAINFALL IN 1935.														
Kept at ... MANSFIELD ... in the County of ... Rutland ...														
Diameter of Funnel of Gauge..... 5 ..in.														
Height of top of Gauge above Ground..... 1 ft. 5 in.														
" Ground " Sea Level 573ft.														
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.														
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.														
Please read the Notes and Instructions Overleaf.														
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date	
1	0.21	1.26	—	—	—	—	—	—	0.91	0.01	0.10	0.25	1	
2	0.02	0.12	0.25	—	—	0.16	0.01	—	0.33	2.12	0.12	0.01	2	
3	—	0.18	0.37	0.01	—	0.26	0.39	0.01	0.05	0.40	0.51	0.02	3	
4	—	0.06	0.25	—	—	0.14	0.20	0.16	—	—	—	0.01	4	
5	—	0.10	0.03	0.01	—	0.03	—	—	—	—	0.23	0.06	5	
6	0.01	—	—	—	—	0.50	—	—	—	0.04	0.19	0.01	6	
7	—	—	—	0.30	—	0.46	—	—	—	1.23	0.01	0.40	7	
8	0.16	—	—	0.13	—	—	—	—	—	0.61	—	0.39	8	
9	0.29	—	—	1.31	—	0.16	0.10	—	—	0.42	0.21	—	9	
10	0.20	0.23	—	0.63	—	0.82	—	0.12	0.06	0.12	—	—	10	
11	0.50	0.36	—	0.33	0.01	0.63	—	—	—	0.15	0.61	0.01	11	
12	—	0.32	—	—	—	0.12	—	—	0.35	0.40	0.10	0.10	12	
13	0.30	0.18	—	0.14	0.15	0.06	0.01	0.02	0.25	0.50	0.33	0.01	13	
14	—	0.07	—	0.01	—	0.01	—	—	0.94	0.24	0.10	0.97	14	
15	—	1.21	—	0.23	0.10	—	—	0.23	0.00	0.51	0.55	0.31	15	
16	—	0.49	—	0.36	0.36	0.01	0.13	0.19	0.82	0.40	0.23	—	16	
17	—	0.38	—	0.08	—	0.02	0.02	0.10	0.15	0.22	0.56	—	17	
18	—	1.13	—	—	0.10	—	0.34	—	0.03	1.15	—	—	18	
19	—	1.2	0.13	0.31	0.04	0.11	0.54	—	0.52	0.05	0.28	—	19	
20	—	0.05	—	0.42	—	0.06	0.01	—	0.12	0.01	—	—	20	
21	—	0.23	0.29	0.06	—	—	0.05	0.11	0.06	0.13	—	0.04	21	
22	0.01	0.05	0.21	0.04	0.02	—	—	—	0.01	0.08	—	—	22	
23	0.31	—	0.07	0.01	—	0.20	0.10	—	—	0.54	—	—	23	
24	0.31	0.31	0.45	—	—	0.11	—	—	—	—	0.01	0.36	24	
25	0.04	—	0.15	—	—	0.06	0.01	0.62	—	0.09	0.98	0.49	25	
26	—	0.16	0.01	—	—	0.17	0.76	—	0.13	0.70	0.21	0.38	26	
27	—	0.33	—	—	—	0.13	0.35	—	0.37	0.85	0.59	0.08	27	
28	0.01	0.30	0.01	—	—	—	0.02	0.40	0.27	0.45	0.20	0.05	28	
29	0.01	0.35	—	—	—	—	—	0.01	0.51	0.39	0.65	0.31	29	
30	0.06	0.14	—	—	—	—	—	0.07	0.63	0.65	0.57	0.28	30	
31	0.68	0.01	0.01	—	—	0.18	—	—	0.13	0.39	—	0.39	31	
TOTAL	3.12	8.70	2.12	4.68	0.18	4.61	3.07	2.71	9.21	13.49	6.84	4.76	Year's Total 64.69	
* Days with .01 in. or more.	16	22	15	17	7	21	16	12	20	28	22	218	✓	
* Days with .04 in. or more.	11	22	11	13	5	18	11	10	19	26	20	17	183	✓

40-9999.

* See Instruction 2 (b) on other side.

† Spare column, no entries required.

(Signed) *James Thomas Alcock, F.R.O.*

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.Station No. 5707

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

REGISTER OF RAINFALL IN 1937.Kept at Inverness (Culduthel Res.)
in the County of InvernessDiameter of Funnel of Gauge.....5 in.Height of top of Gauge above Ground.....1 ft.....in." Ground " Sea Level212 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
37	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	8.5	6	3.0	-	-	1.0	6	6	2.6	7.2	6	3.0		1
2	6.2	3.0	7.0	6	-	0.7	8.2	6	3.2	6.6	-	-		2
3	10.7	0.4	1.8	0.5	2.2	4.0	1.3	6	0.6	6	-	-		3
4	4.9	0.2	1.0	-	1.4	0.7	-	3.2	3.7	6	-	1.1		4
5	2.8	1.0	.	-	1.3	3.5	0.5	0.7	-	-	6	-		5
6	9.5	0.7	6	1.0	3.4	7.0	4.0	-	-	-	-	6		6
7	2.2	6	-	0.4	0.2	-	1.0	6	6.9	-	0.3	6		7
8	6.8	-	6	2.2	6	-	-	-	0.8	-	0.7	-		8
9	8.0	3.0	-	-	-	17.2	7.0	-	-	-	-	-		9
10	-	2.8	-	6	-	6	-	-	-	-	6	2.0		10
11	-	6	1.2	-	-	6	-	-	0.8	6	0.9	6		11
12	12.0	3.7	-	-	-	0.9	-	5.0	-	1.2	-	-		12
13	6	1.0	0.8	-	-	18.0	1.5	84.0	6	0.3	-	2.0		13
14	-	3.5	6	-	-	-	7.8	17.5	6	1.0	1.2	-		14
15	0.2	1.0	6	-	-	-	-	6	1.0	-	6	4.0		15
16	-	6	2.8	0.3	-	6	-	7.0	-	-	-	1.0		16
17	7.0	-	0.7	0.7	6	6	-	6	-	-	-	-		17
18	1.5	9.0	1.0	2.2	-	2.2	5.3	5.3	2.0	-	6	-		18
19	-	2.2	4.0	0.3	-	1.5	6	6	3.5	1.1	5.0	-		19
20	1.0	9.1	2.8	3.0	6	2	8.5	-	6	-	-	-		20
21	1.2	1.2	1.5	6	21.1	-	1.8	-	-	7.1	-	-		21
22	6.8	0.5	8.8	6	6	2.0	1.5	-	-	1.0	-	6		22
23	-	-	2.2	0.2	-	-	3.2	2.3	-	-	0.8	3.0		23
24	5.0	-	1.2	-	-	6	1.5	0.7	-	-	0.9	4.0		24
25	5.4	-	6	-	-	6	-	6	-	8.0	1.5	-		25
26	6	6.3	-	0.5	2.3	6	6	-	-	12.2	-	-		26
27	-	0.5	1.0	-	-	6	1.3	-	1.5	-	-	4.5		27
28	6	3.5	-	-	-	1.0	-	9.7	-	2.7	1.0	-		28
29	-	X	-	-	6	6	-	-	0.4	3.8	6	-		29
30	6	6	-	-	6	0.6	-	-	9.2	4.0	1.0	-		30
31	0.13	6	-	6	6	-	2.5	6	-	6	6	✓		31
99	3.59	2.34	1.61	5.32	5.77	2.57	7.52	2.88	5.67	1.62	2.17	5.7	97.24.21	
TOTAL	91.2	59.4	40.8	8.1	31.7	38.6	65.5	143.9	41.2	55.0	145.24.6	61.15	✓ ✓	
Days with 0.2 mm. or more.	18.	20.	16.	9.	8.	12.	16.	12.	14.	12.	11.	9.	1.57	✓ ✓
Days with 1.0 mm. or more.	16.	15.	14.	2.	7.	9.	14.	10.	10.	11.	6.	9.	12.3	✓ ✓

(Min) * See Instruction 2 (f) on other side.

40-9999.

141

104

73

19

68

80

† Spare column entries required except year's total.

36

(Signed)

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily ObservationsStation No. **5575.5**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at **TORFAR (Year on Sheet)**in the County of **ANGUS**Diameter of Funnel of Gauge.....**5"** in.Height of top of Gauge above Ground.....**1 ft. 6 in.**" Ground " Sea Level**226.44 ft.****THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	19		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	1
2	08			02		06	01	05	49	02	03			2
3	02			04		02			52		07			3
4	14		17	04		01			05		17			4
5	76	04	05	14				07						5
6	69	05		04		04		36		19				6
7	10	06						10		64	03			7
8	14	07	28			01	51	22		04				8
9	96	12							06					9
10									03	07	02			10
11	06			08		06	54	54	71	03	09			11
12	03				21	26	15	05		04				12
13				05			07	03		21	01	26		13
14	25					02	22	09	06		11			14
15		05		30	09	04	19			29	24			15
16	03	02				10			13	39	33			16
17	33	39		34	07	63			03	09	44			17
18	54	02		04		07			03		25			18
19	23					67			02					19
20	67	03	11			07				01				20
21		54	08			40					22			21
22	09	14	09		08	07								22
23	126	06	06	03		83			03					23
24	14	20	04			10		07	38					24
25	72	07	07	07	05		08			02	02			25
26	03	09				08		02	42					26
27	19	03						05	04		07			27
28	04	34	31			07		07	01	05				28
29		63				23			07					29
30	02	02	02	10	14	21				04				30
31		02	02	02				01		27				31
TOTAL	532	407	241	26	138	120	978	145	294	147	190	254	Years Total 2972 ✓	
* Days with .01 in. or more.	180	416	520	26	711	814	520	29	314	714	312	618	455	174 ✓
* Days with .04 in. or more.	16	12	15	4	10	9	17	7	11	7	9	12	129	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) William Welsh [P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily ObservationsStation No. **5822**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1938

Kept at **Deerness**
in the County of **Orkney**Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground.....**1**.ft. **0**.in.,, Ground, Sea Level**14.0**.ft. ✓**400** March cond. for arith.
150 Sept. cond. by Fin. 3202.**T.L.**

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	0.8	7.1	1.1	8.3	-	Trace	0.9	-	Trace	-	11.9	9.1	†	1
2	0.7	5.4	2.3	4.5	-	8.4	0.4	-	2.2	3.6	16.7	5.0		2
3	1.0	16.8	0.7	2.7	-	0.4	3.0	-	1.1	6.4	8.0	Trace		3
4	1.7	5.8	-	5.7	-	1.0	0.6	-	0.6	9.2	3.2	0.4		4
5	1.6	4.4	1.3	1.2	0.3	0.4	Trace	-	5.0	1.6	26.3	-		5
6	3.8	0.3	0.2	1.1	3.0	6.7	0.3	0.3	1.9	8.3	1.3	2.8		6
7	11.2	0.9	-	Trace	1.1	0.3	8.4	-	Trace	2.2	0.5	2.4		7
8	4.0	2.9	0.5	-	12.2	2.0	11.1	-	0.2	8.0	0.2	0.3		8
9	2.8	7.9	0.4	-	1.2	1.7	3.5	Trace	-	10.4	1.3	3.5		9
10	2.4	1.0	3.9	-	0.3	1.9	1.0	-	6.7	4.8	1.9	0.4		10
11	1.0	4.7	0.2	-	5.2	Trace	0.7	-	3.8	2.8	0.9	2.5		11
12	10.2	1.7	Trace	-	3.1	Trace	-	0.2	2.3	4.4	1.8	-		12
13	3.9	Trace	-	-	3.6	-	0.3	0.2	5.7	30.7	0.7	1.2		13
14	7.5	-	-	-	3.5	2.3	-	0.3	1.7	6.1	0.5	3.7		14
15	3.4	-	7.1	2.2	Trace	0.4	-	5.8	4.0	3.9	-	1.1		15
16	1.0	0.4	3.1	1.4	-	-	-	2.7	11.9	0.9	4.1	6.7		16
17	0.2	-	-	0.6	0.4	-	2.8	2.5	7.2	6.6	8.2	-		17
18	4.6	-	3.0	2.2	0.2	6.0	3.1	15.5	Trace	0.6	1.9	4.0		18
19	5.4	-	4.2	0.2	0.2	1.2	7.0	10.9	0.4	0.4	Trace	5.1		19
20	1.3	-	2.0	1.2	-	3.9	-	6.1	1.3	-	-	0.9		20
21	0.7	2.2	1.1	0.2	2.3	Trace	-	Trace	Trace	5.9	0.2	Trace		21
22	-	Trace	1.2	Trace	16.1	0.3	-	-	-	1.2	1.2	6.5		22
23	2.2	-	2.7	-	10.1	7.9	-	0.5	-	1.2	19.2	18.6		23
24	2.9	-	9.1	1.0	1.8	10.9	0.2	0.4	-	1.7	1.0	Trace		24
25	2.5	2.5	6.2	3.1	Trace	3.8	1.8	0.8	0.2	6.5	0.4	14.7		25
26	7.1	Trace	1.4	0.6	5.5	12.6	4.3	-	Trace	2.9	1.3	3.2		26
27	12.6	1.3	2.1	0.2	3.9	35.6	4.7	3.3	-	2.1	1.9	1.8		27
28	6.2	3.3	3.9	0.2	3.6	0.8	8.9	2.4	1.9	1.1	-	9.0		28
29	1.0	☒	15.9	-	0.5	0.9	4.6	Trace	-	12.9	1.9	3.7		29
30	17.6	☒	2.0	-	1.4	Trace	4.7	0.3	-	7.6	Trace	1.9		30
31	12.4	☒	2.3	☒	1.9	☒	0.2	10.7	☒	7.1	☒	3.8		31
TOTAL	133.7	71.6	78.9	36.6	80.6	10.9.2	72.5	62.9	58.1				Year's Total	✓
* Days with 0.2 mm. or more.	30	17.3	25.5	18.8	23.8	22.3	22.8	17.8	18.4	29.3	25.7	42.5	+ 5.5	271.✓
* Days with 1.0 mm. or more.	26	14	20	12	17	15	14	9	14	26	18	21	20.6	✓

(141W)

See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) *Wm. J. Macrae* I.P.T.O. 5.26 2.82 3.07 1.44 3.17 4.30 2.85 2.48 2.29 6.35 4.39 4.42 4.284 ✓

COPY FOR OFFICIAL USE
 Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
 FORM 1090

Station No. 5642.5

REGISTER OF RAINFALL IN 1938.

Kept at CRAIGIEBUCKLER.

in the County of ABERDEEN.

Diameter of Funnel of Gauge..... 5... in. ✓

Height of top of Gauge above Ground.... 1.ft.... 0.in✓

Ground " Sea Level ... 220.... ft.✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	.03	.03	trs.	—	—	52	.09	—	.23	—	—	—	—	1
2	.03	—	—	.33	—	64	.03	—	.08	.36	—	—	—	2
3	.05	—	—	.09	—	.02	.92	—	.12	.89	.56	—	—	3
4	—	—	—	.01	—	.06	trs.	—	trs.	.18	.08	.20	—	4
5	.04	.08	.05	—	—	.03	.09	.25	trs.	—	.09	—	—	5
6	.07	—	.06	—	—	.03	.17	.25	.03	1.55	.30	—	—	6
7	.04	trs.	—	trs.	.08	—	1.26	.09	—	—	.11	.04	—	7
8	.05	.02	—	—	.02	—	.04	.02	—	.18	.13	—	—	8
9	.25	.09	.03	—	—	.09	trs.	—	—	trs.	.11	.57	—	9
10	—	.28	.03	—	—	.22	—	—	.10	—	—	.11	—	10
11	—	.08	—	—	.06	.02	.09	.02	—	.23	.12	.22	—	11
12	.29	.08	—	—	—	.02	.03	—	—	.05	.19	.14	—	12
13	.15	.10	—	—	—	—	.06	.02	.72	.03	.04	.14	—	13
14	.57	—	—	—	.01	.02	—	—	.09	—	—	.08	—	14
15	.10	—	—	—	1.05	—	—	.10	.10	—	—	.18	—	15
16	.21	.18	—	.04	.20	—	—	trs.	.38	trs.	.09	1.14	—	16
17	—	.03	—	.01	.01	—	.05	.18	.23	—	—	.08	—	17
18	.07	.03	—	.02	.06	.08	.02	.04	—	—	.27	.04	—	18
19	trs.	—	.07	.04	.01	—	.12	.05	.04	.01	—	.18	—	19
20	.01	—	.03	—	—	.01	.08	.03	.12	—	—	.32	—	20
21	—	.01	—	.08	.24	—	—	.37	.02	.15	—	.25	—	21
22	—	.02	.28	.04	.18	—	—	—	—	.05	.09	.14	—	22
23	—	—	—	—	.11	.63	—	—	.04	—	.76	.12	—	23
24	—	—	.06	.01	.09	.04	.20	.05	.03	.48	.05	.05	—	24
25	.01	.05	.03	.03	.15	.07	.49	—	—	.03	.07	.15	—	25
26	.01	—	—	—	.05	.49	—	.01	—	.34	.04	trs.	—	26
27	.04	.06	trs.	.14	.04	.10	.40	.10	.02	.04	.05	.06	—	27
28	.21	.04	—	.01	.20	.19	.05	.05	.12	—	—	.09	—	28
29	.21	X	.01	—	.06	.06	.13	—	trs.	.09	.25	.05	—	29
30	.16	XX	—	—	.03	.30	.12	.03	.34	—	.14	—	—	30
31	.08	XX	—	XX	.38	XX	.05	—	XX	.03	XX	—	—	31
TOTAL	2.68	1.18	0.65	0.85	3.06	3.78	4.57	1.44	4.33	3.14	3.24	4.35	33.57	✓
* Days with .01 in. or more.	22	16	10	13	21	21	21	17	18	17	19	22	217	✓
* Days with .04 in. or more.	17	10	5	7	15	15	18	10	15	13	19	22	166	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) Hugh D. Welsh, for [P.T.O.]

COPY FOR OFFICIAL USE														
Section	A	for the entry of Daily Observations AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION												
Station No. 50265 ✓														
FORM 1090 REGISTER OF RAINFALL IN 1940														
Kept at CARRUGHAN in the County of KIRKCUDBRIGHT														
Diameter of Funnel of Gauge.....5.....in.														
Height of top of Gauge above Ground.....1.....ft.....2.....in.														
.....Ground Sea Level73.....ft.														
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY														
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.														
Please read the Notes and Instructions Overleaf														
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date	
1	-	.01	-	.06	-	-	.4	-	-	-	.3	.16	1	
2	-	-	-	.26	-	-	.10	-	-	-	.71	.18	2	
3	-	.08	-	.09	-	-	.2	-	-	.3	-	.5	3	
4	-	.18	-	-	-	-	.1	.6	.4	.21	.12	.21	4	
5	-	.20	-	-	-	-	.27	.1	-	.51	.39	.81	5	
6	.09	.06	-	.25	-	-	.19	-	.7	.02	-	.3	6	
7	.26	.07	-	.03	.10	-	.9	.10	.4	.13	.7	-	7	
8	-	-	.10	-	-	-	.10	.5	-	.175	.66	.35	8	
9	-	-	.19	.02	-	-	.33	.8	.4	.83	.11	.24	9	
10	-	-	.05	-	-	-	.99	-	-	.1	.24	.10	10	
11	-	-	1.12	.01	-	-	197	-	.28	-	.75	-	11	
12	-	-	.26	-	-	.1	-	.1	.4	-	-	-	12	
13	-	-	.00	-	-	-	.39	.1	.5	-	.1	.30	13	
14	-	-	.13	.21	-	-	.59	-	.2	.2	-	.92	14	
15	-	-	-	.01	.50	-	-	-	-	.11	.23	.24	15	
16	-	-	.26	-	-	-	.21	-	.151	.28	-	.18	16	
17	-	-	.30	-	-	-	.29	.3	.28	.1	.4	.30	17	
18	.01	.01	.13	.04	-	-	.9	.14	.47	-	-	.41	18	
19	.03	.15	.14	.40	-	-	.27	-	.38	.2	.100	.1	19	
20	-	.05	.12	.24	.02	-	.2	.24	.1	.33	.28	-	20	
21	-	-	.17	.34	-	.27	-	-	.9	.2	-	-	21	
22	-	.05	.08	-	.01	.41	-	-	.23	.1	.15	-	22	
23	.24	.14	.17	.29	.11	.7	.9	-	.4	-	.21	-	23	
24	.71	.05	.02	.04	.06	.1	.6	-	.1	-	.1	-	24	
25	.03	-	-	.17	.7	-	-	-	-	-	.2	-	25	
Snow	.20	.28	.01	-	.05	-	.2	.3	-	.1	.9	-	26	
Snow	.47	.16	-	-	.01	-	.40	-	-	.2	.2	-	27	
28	.08	-	.08	.04	.36	-	-	.6	-	.4	-	.5	28	
29	-	-	.28	.02	.72	.10	.7	-	-	.10	-	.16	29	
30	.01	xx	.06	.10	.02	-	-	-	-	.53	-	.40	30	
31	-	xx	.62	xx	xx	-	-	-	xx	+ xx	-	-	31	
TOTAL	213	149	469	245	211	.88	661	82	360	494	514	510	3,996 ✓	
* Days with 0.0 in. or more.	11	14	2	21	2	18	5	12	4	73	23	4	125	✓
* Days with .04 in. or more.	7	12	19	13	4	1	19	17	14	10	1	15	17	14.5

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Alice Clark Maxwell [P.T.O.]

COPY FOR OFFICIAL USE

Section **A.** for the entry of Daily ObservationsStation No. **5831**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1091.

REGISTER OF RAINFALL IN 1949Kept at **Baltasound (Helliarath)**
in the County of **Shetland**August corrected to agree with episode
July 18th " " " "Diameter of Funnel of Gauge.....**5**.....in.Height of top of Gauge above Ground.....**1**.....ft.....in.
" Ground Sea Level**0**.....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
49	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	48.1	3.1	12.8	-	0.2	-	0.1	2.3	11.2	2.8	4.2	0.8		1
2	1.3	2.7	0.8	3.0	0.3	0.4	-	5.8	0.2	1.8	5.2	15.0		2
3	5.6	0.2	2.0	6.1	-	-	2.1	7.4	0.1	1.3	6.8	5.3		3
4	2.7	0.1	1.9	3.9	-	0.2	0.1	-	2.1	7.5	8.0	3.8		4
5	4.4	-	9.3	1.4	2.7	0.1	-	1.1	0.4	0.1	0.8	19.7		5
6	1.9	-	4.8	0.1	5.2	6.5	-	-	0.5	0.5	29.9	11.5		6
7	18.6	3.5	3.8	1.6	0.4	0.4	-	1.0	1.4	8.3	8.8	27.9		7
8	1.1	4.2	1.4	0.7	0.2	1.1	-	21.8	5.6	1.0	0.4	1.5		8
9	4.8	14.0	1.7	1.2	0.1	1.0	-	3.9	11.5	0.1	4.0	2.0		9
10	6.0	3.6	0.2	6.5	-	6.1	0.2	2.2	0.6	1.5	3.5	1.1		10
11	5.1	2.7	20.9	5.7	-	1.1	1.3	-	0.5	14.5	0.1	2.0		11
12	9.3	9.9	5.0	3.6	-	5.2	0.5	13.9	-	4.0	9.2	8.5		12
13	4.1	2.7	8.9	6.4	2.6	4.1	0.8	3.8	-	0.9	4.0	3.8		13
14	1.5	4.9	3.5	0.4	4.5	2.7	-	1.5	8.6	0.6	0.3	8.1		14
15	3.2	3.3	1.8	6.8	0.9	0.2	-	3.3	2.6	1.1	-	2.3		15
16	4.6	7.5	0.7	0.8	11.5	-	-	2.8	0.3	0.1	1.2	19.0		16
17	8.4	2.6	6.9	0.1	1.0	-	0.1	-	0.3	0.3	1.1			17
18	15.1	3.8	3.1	3.1	1.3	-	3.6	6.1	-	17.6	3.8	4.0		18
19	4.5	0.4	2.6	4.3	0.2	-	0.3	0.4	-	6.8	4.1	4.5		19
20	0.2	1.8	5.5	4.4	-	-	0.1	0.4	2.0	9.0	4.5	8.0		20
21	1.2	8.8	1.6	3.5	-	-	-	1.0	0.5	9.5	4.3	8.5		21
22	4.6	17.4	1.4	1.7	-	-	-	0.6	0.1	0.8	9.4	1.0		22
23	3.4	9.7	0.2	2.9	5.1	-	1.7	0.1	11.1	14.5	2.5	4.5		23
24	2.5	2.0	0.6	0.7	0.5	-	0.9	0.5	5.2	4.3	0.4	6.1		24
25	1.6	6.6	2.2	1.2	1.6	-	2.0	0.1	0.6	2.4	1.8	8.5		25
26	0.3	3.8	0.2	2.9	1.6	-	0.1	0.8	0.3	7.5	0.5	7.9		26
27	1.2	8.7	0.1	12.1	0.8	0.1	9.8	0.4	4.9	2.1	1.0	2.5		27
28	2.0	2.4	-	5.1	1.4	0.8	1.4	1.6	5.0	3.9	4.5	4.2		28
29	2.5	X	-	0.2	0.1	0.1	4.8	-	0.1	0.5	0.9	0.1		29
30	0.6	X	0.2	2.5	1.4	4.4	1.3	0.2	6.5	0.5	6.8	-		30
31	0.1	X	-	X	1.0	X	15.0	3.9	X	-	X	1.1		31
99	6.1	4.9	4.0	3.6	5.7	137	16.0	3.23	3.23	4.75	4.83	7.57	Total	
TOTAL	1755	1244	103.7	92.4	114.9	34.8	15.7	82.0	82.0	125.8	122.6	192.3	1226.1	
* Days with 0.2 mm. or more.	30	26	27	27	21	15	15	26	23	27	28	29	293	
* Days with 0.1 mm. or more.	27	23	20	22	13	9	10	15	13	20	21	28	221	

(11W) * See Instruction 3 (f) on other side.

† Spare columns no entries required, except year's total.

(Signed) T: Edmondston Tandy

F.R.F.P. P.B.E.S.P. P.T.O.

COPY FOR OFFICIAL USE
 Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. **95439/5**

FORM 1091.

REGISTER OF RAINFALL IN 1941.Kept at **PORT ELLEN ISLAY**
in the County of **ARGYLLSHIRE**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **0** ft. **11** in.Ground " Sea Level **70** ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	1
2									-	2.3	-	1.3		2
3									-	Trace	-	Trace		3
4									-	-	-	0.6		4
5									-	Trace	6.3	2.7		5
6									-	11.4	3.8	6.0		6
7									0.5	1.3	0.8	2.0		7
8									1.2	Trace	1.2	2.9		8
9									Trace	10.3	13.1	0.8		9
10									3.5	0.5	7.2	2.1		10
11									0.3	-	2.1	3.6		11
12	Readings of rainfall commenced on 7th September 1941								Trace	0.4	0.7	1.6		12
13									1.7	6.9	0.1	1.3		13
14									1.4	2.5	4.9	6.6		14
15									0.5	12.6	Trace	6.0		15
16									0.3	4.9	3.7	6.9		16
17									-	14.2	6.2	Trace		17
18									-	2.7	1.0	3.2		18
19									-	8.0	0.3	1.0		19
20									-	2.3	9.8	-		20
21									-	0.1	2.4	1.5		21
22									-	Trace	1.3	0.3		22
23									-	-	14.1	0.6		23
24									0.8	-	3.3	4.6		24
25									1.1	0.3	1.6	Trace		25
26									7.2	2.1	10.3	3.7		26
27									18.4	0.8	8.4	9.7		27
28									7.9	0.7	-	-		28
29									9.1	0.7	Trace	-		29
30	X	X	X	X					2.1	9.4	Trace	-		30
31	X	X	X	X					X	1.0	X	-		31
TOTAL									1.93	4.11	4.10	2.72	Year's Total	
* Days with 0.2 mm. or more.									4.90	10.44	10.41	69.0		
* Days with 1.0 mm. or more.									15	21	22	92		
(141w)	* See Instruction 3 (f) on other side.								10	15	19	18		
									† Spare column, no entries required, except year's total. (Signed) C. Wood [P.T.O.]					

COPY FOR OFFICIAL USE
 Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
 FORM 1090

Station No. **5487****REGISTER OF RAINFALL IN 1941**Kept at *Clackmannan Water Works, Pittenweem*
in the County of *Fife*.Diameter of Funnel of Gauge.....**5**...in.Height of top of Gauge above Ground.....**4**..ft.....in." Ground " Sea Level**4.68**....ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	1
2	0.20	0.08	0.23	0.04						0.01	0.18			2
3	0.43	0.08	0.03	0.29			0.24				0.26			3
4			0.05	0.40							0.28			4
5			0.20					0.04			0.02			5
6			0.30	0.34	0.03			0.03	0.08		0.10		0.05	6
7			0.25	0.40			0.24	0.11	0.01		0.01		0.29	7
8			0.04	0.08			0.22			0.08				8
9			0.08	0.08				0.01						9
10			0.04				0.02		0.05	0.03	1.33			10
11	0.08		0.04					0.13	0.09		0.21			11
12		0.18					0.11	0.12			0.18	0.10		12
13	0.10	0.62			0.24	0.03	0.02	0.41	0.06	0.17	0.80	0.15		13
14		0.24			0.11	0.10	0.24	0.05			0.08	0.16		14
15	0.30		0.25	0.01			0.17	0.20		0.04	0.13			15
16		0.10	0.05					0.04		0.02	0.24			16
17	0.07	0.05					0.36	0.34		0.20				17
18	0.20	0.20	0.20				0.48							18
19	0.30		0.01				0.13	0.02	0.06	0.42	0.10			19
20	0.30	0.17					0.13	0.04			0.10			20
21	0.42	0.50	0.04	0.04		0.20	0.25	0.20						21
22	0.30	0.06		0.07	0.06	0.48	0.10	0.13			0.03			22
23	0.12				0.52						0.11			23
24	0.26			0.44	0.07						0.16			24
25	0.05	0.17					0.35	0.05	0.07	0.01				25
26	0.21	0.28	0.42		0.22				0.22		0.12			26
27	0.03	0.10	0.10	0.05	0.38			0.16						27
28	0.05	0.04	0.02		0.03		0.03	0.08	0.32	0.01				28
29	0.01	0.02	0.03	0.04			0.07	0.15	0.29	0.14	0.03			29
30		0.02	0.80		0.05	0.15			0.10	0.20	0.10			30
31	0.03	0.04	0.04		0.01	0.01	0.01		0.10	0.10				31
TOTAL	2.29	3.92	2.86	1.92	1.90	0.97	2.94	2.80	1.24	3.20	3.19	0.73	27.96	✓
* Days with .01 in. or more.	15	20	16	16	11	7	19	22	9	16	19	7	177	✓
* Days with .01 in. or more.	11	20	13	13	8	6	15	18	8	11	15	7	145	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) *Charles Binell* [P.T.O.]

COPY FOR OFFICIAL USE
 Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
 FORM 1090 Station No. **5003 ✓**

REGISTER OF RAINFALL IN 1942

Kept at **LOGAN House X**
 in the County of **Wigtown**

Diameter of Funnel of Gauge.....**8** in.
 Height of top of Gauge above Ground.....**/** ft.....in.

Ground Sea Level**SD** ft.
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	1
2	001 062 001 019	=	=	001	=	002	005	002	=	=	=	=		2
3	028 042 002 019	=	=	005	057	067	003	=	=	=	=	=		3
4	030 011 059 043	=	=	004	001	001	016	=	=	=	=	=		4
5	001 001 024 048	=	=	005	=	056	050	=	048	=	=	=		5
6	001 002 030 019	=	=	005	020	022	=	002	=	=	=	=		6
7	001 001 037 012	=	005	014	059	065	009	013	008	=	=	=		7
8	003 003 026	=	026	=	038	040	003	015	001	=	=	=		8
9	005 005 010	=	=	005	001	016	010	010	010	010	010	010		9
10	001 005 005	=	=	007	007	012	001	000	000	000	000	000		10
11	003 004 006	=	006	001	001	001	001	001	014	054	054	054		11
12	042 006 004 029	=	001	023	005	005	005	005	013	005	013	013		12
13	001 001 007	=	=	014	001	005	005	005	018	001	001	001		13
14	005 005 015	=	=	016	009	005	005	005	015	025	025	025		14
15	005 005 005	=	042	042	039	017	003	011	002	036	036	036		15
16	004 004 036	=	=	004	010	010	010	010	051	051	051	051		16
17	023 004 004	=	061	001	001	001	001	004	022	003	003	003		17
18	001 001 001	=	001	001	001	001	001	021	005	001	005	005		18
19	082 010 010	=	029	029	029	029	029	001	006	008	001	023		19
20	004 004 004	=	017	017	017	017	017	040	007	001	046	046		20
21	012 002 002	=	004	004	014	030	004	024	003	003	003	003		21
22	190 001 001	=	001	001	001	045	003	011	001	001	001	001		22
23	048 001 006	=	039	039	066	066	004	000	002	002	002	002		23
24	046 034 081	=	034	034	001	091	012	012	001	007	007	007		24
25	013 001 001	=	001	001	031	023	004	173	003	003	003	003		25
26	005 002 006	=	006	006	002	001	001	125	004	004	004	004		26
27	028 018 001	=	033	002	033	002	002	028	006	006	006	006		27
28	003 041 006	002	011	011	030	030	014	003	009	009	009	009		28
29	001 020 020	=	004	004	002	002	006	001	015	001	001	001		29
30	082 021 021	=	021	021	021	021	016	016	016	056	056	056		30
31	067 023 013	=	013	013	006	006	006	006	006	062	062	062		31
TOTAL	6.92	246	3.87	2.56	2.94	0.59	3.31	4.01	3.66	5.86	0.70	5.44	Year's Total 142.32	
* Days with .01 in. or more.	29	14	11	24	12	16	10	14	23	24	25	12	24	237
* Days with .04 in. or more.	17	8	11	218	211	213	14	214	1415	1419	217	5	119	38

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) **K. McDonald 8/2** [P.T.O.]

File No. R238

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090 REGISTER OF RAINFALL IN 1944

Kept at **ELLON (Taylormont House) (Gordon)** *Code for arithmetic - observer agrees.* *D.G. 7.2.45*

in the County of **Aberdeen**

Diameter of Funnel of Gauge.....**5.1** in.

Height of top of Gauge above Ground.....**1.0** ft.

" Ground " Sea Level**90** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date	
1	.01	.14	.05	.21	.16	.46	.30	-	-	.06	.06	.01	1	
2	.02	-	.18	.20	.22	.10	.26	-	-	-	.05	.02	2	
3	.14	.15	.04	.90	.18	.09	.28	-	.14	.44	.01	.09	3	
4	-	.08	.01	.11	.64	.13	.55	-	.30	.10	.25	-	4	
5	.09	-	-	-	.06	.01	-	-	.03	.06	.01	-	5	
6	.02	.01	-	-	-	-	.01	-	-	-	.09	.02	6	
7	.14	.21	-	-	-	.04	-	-	.04	-	.03	.68	7	
8	-	.10	.01	-	.08	.04	-	.50	.13	.01	.10	.03	8	
9	-	.12	.02	.04	.18	.09	.05	.13	-	-	.28	.01	9	
10	-	.01	.04	.03	-	-	-	-	.01	.03	.02	.00	10	
11	.04	.02	.02	.10	-	-	-	-	.81	-	.28	-	11	
12	.20	.04	.13	-	-	.03	-	-	-	.01	.01	-	12	
13	.19	.28	.12	-	.06	.09	.09	.10	-	.22	.41	.03	13	
14	-	-	.01	.01	.02	.05	.13	-	-	.03	.60	.28	14	
15	-	-	.03	.40	.38	.14	.30	.03	.10	-	.19	.14	15	
16	-	-	.03	.08	.11	-	-	.06	-	.01	.15	.60	16	
17	.01	.04	-	-	.38	-	-	-	-	.12	.02	.01	17	
18	-	.02	.02	-	.04	.02	-	-	-	.10	-	-	18	
19	-	.04	-	-	.02	-	-	.03	.02	-	.03	.01	19	
20	-	.02	-	.03	-	.02	.05	-	.52	.61	.19	.08	20	
21	-	.02	.01	.13	-	-	-	-	-	.21	.10	.14	21	
22	-	.01	-	.12	-	-	.02	-	.28	.21	.18	-	22	
23	.03	-	-	.04	.23	-	-	-	.09	.14	-	.03	23	
24	.65	-	.06	.08	-	.09	.01	-	.09	-	.05	.01	24	
25	.19	.24	.26	-	-	.06	.10	.01	.09	.22	.15	.03	25	
26	.04	.14	-	-	-	.28	-	-	.24	.09	-	.02	26	
27	.03	-	.01	.02	.09	.29	-	.42	.11	.01	.12	-	27	
28	.35	.01	.12	.11	.03	-	-	.04	.02	.11	.03	-	28	
29	.01	.24	.10	-	-	-	.02	-	.10	.02	-	-	29	
30	-	☒	.13	-	-	.01	-	.03	.24	-	.02	.15	30	
31	.01	☒	.01	☒	.09	☒	-	-	☒	-	☒	-	31	
TOTAL	2.23	2.06	1.14	2.44	2.49	2.10	2.50	1.68	2.61	3.48	3.51	3.70	24.60	31.07
* Days with .01 in. or more.	18✓	21✓	22✓	14✓	18✓	19✓	14✓	10✓	18✓	21✓	25✓	22✓	29✓	
* Days with .04 in. or more.	10✓	13✓	11✓	13✓	15✓	14✓	10✓	6✓	14✓	14✓	16✓	10✓	15✓	146

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) *S. John T. Gordon* [P.T.O.]

COPY FOR OFFICIAL USE
Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
FORM 1091.

Station No. *5776/7***REGISTER OF RAINFALL IN 1944**

Kept at *TAIN, Airfield*
in the County of *ROSS-SHIRE*.

Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. *50* in.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY***An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.*

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	0.6	tr.	1.9	tr.	3.0	14.9	4.0	-	3.6	1.7	4.7	2.8	t	1
2	2.5	5.5	0.9	1.3	0.2	7.6	2.7	-	1.8	6.8	0.6	5.4		2
3	3.3	1.8	1.0	11.3	3.8	2.4	7.1	--	1.8	2.4	0.2	8.1		3
4	tr.	tr.	1.0	6.4	17.1	1.4	5.3	--	13.2	1.7	6.1	2.3		4
5	0.1	--	tr.	2.3	0.3	0.4	3.5	--	0.4	0.7	7.5	1.0		5
6	0.8	tr.	tr.	--	--	0.9	tr.	0.4	0.5	0.5	5.5	3.7		6
7	8.5	3.1	--	--	--	--	tr.	1.4	3.0	--	3.9	tr.		7
8	8.5	1.1	--	--	1.0	tr.	--	8.0	0.7	tr.	2.8	5.5		8
9	tr.	0.5	tr.	tr.	tr.	1.6	--	6.3	0.8	0.1	0.4	0.5		9
10	--	0.2	0.1	--	--	--	2.0	4.8	tr.	0.9	--	--		10
11	5.0	--	tr.	1.7	--	1.0	0.2	tr.	--	8.9	tr.	3.2		11
12	0.4	tr.	5.2	tr.	--	1.9	--	0.2	--	0.5	8.5	--		12
13	6.4	1.3	2.0	tr.	3.5	2.1	--	0.2	2.4	8.0	9.9	--		13
14	tr.	--	0.7	tr.	1.0	1.5	1.1	3.9	1.6	10.6	1.0			14
15	--	0.6	tr.	--	0.6	4.7	2.0	tr.	2.5	4.0	16.6	0.7		15
16	--	0.1	0.2	3.2	2.6	--	--	tr.	0.2	0.2	6.2	2.32		16
17	tr.	--	0.7	3.5	tr.	--	1.1	tr.	4.4	1.0	2.6			17
18	1.0	--	2.8	tr.	1.8	--	--	tr.	--	1.3	0.1	---		18
19	tr.	7.3	6.4	3.8	0.7	tr.	0.2	tr.	--	0.2	--	tr.		19
20	6.7	2.0	1.2	6.0	--	--	tr.	--	0.6	6.8	0.1	1.0		20
21	3.4	tr.	1.7	0.6	2.0	--	tr.	--	tr.	0.1	0.3	0.5		21
22	1.8	0.1	0.1	0.8	--	0.8	tr.	--	5.0	1.3	4.0	--		22
23	2.2	--	--	0.1	tr.	--	tr.	0.1	0.2	tr.	--	tr.		23
24	4.8	--	0.1	0.4	4.3	0.2	--	4.3	--	5.2	--	0.7		24
25	1.0	6.5	6.5	--	0.6	9.4	4.5	--	4.9	0.1	--	2.4		25
26	8.6	tr.	0.7	tr.	tr.	0.3	2.6	0.2	11.9	0.6	--	tr.		26
27	11.9	2.0	tr.	0.3	1.0	14.3	tr.	3.8	1.7	tr.	2.8	0.6		27
28	4.8	--	0.1	0.9	9.7	--	--	0.3	0.1	2.7	0.5	---		28
29	1.5	2.6	tr.	--	1.0	--	tr.	--	0.1	7.6	0.4	0.3		29
30	0.2	tr.	0.1	0.9	0.2	--	3.7	4.8	0.8	tr.	1.2			30
31	tr.	tr.	0.5	tr.	--	--	0.8	tr.	0.9	tr.	0.1			31
TOTAL	3.31	1.37	1.29	1.60	2.27	256	1.40	1.44	2.53	2.76	3.65	1.81	Year's Total <i>25.98</i>	
* Days with 0.2 mm. or more.	84.0	34.7	32.4	40.6	57.6	65.1	35.6	36.7	64.3	70.0	92.7	45.9	659.6	
** Days with 1.0 mm. or more.	21	13	14	15	19	18	12	15	20	24	20	20	211	
	17	10	10	8	13	12	10	9	13	15	14	14	145	

(144w)

* See Instruction 3 (f) on other side.

† Spare column for entries required, except year's total.

(Signed) *R. M. Murray, C.H.* [P.T.O.]

Metereological Officer.

COPY FOR OFFICIAL USE													Station No. 5678/5			
Section	A	for the entry of Daily Observations														
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION																
REGISTER OF RAINFALL IN 1944																
FORM 1099	No. of wet days advised in box by comparison with neighbouring stations.															
Kept at <u>Selgov (The Head)</u>																
in the County of <u>Moray</u>																
Diameter of Funnel of Gauge.....	5	in.														
Height of top of Gauge above Ground.....	17	ft.	154	in.												
" Ground "	Sea Level	120	ft.													
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY																
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.																
Please read the Notes and Instructions Overleaf																
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date			
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†			
2	.04	.11	5 .17	-	.01	.51	.01	-	.14	.04	.06	.06	1			
3	.14	.10	5 .08	.20	.01	.01	.09	-	-	.15	.07	.13	2			
4	SR .18	5 .15	5 .03	.18	.12	.13	.04	-	.10	.13	.02	.20	3			
5	TR .05	5 .04	.38	31	.05	.39	-	.28	.17	.24	.01		4			
6	.13	.01	.01	.12	TR	.01	TR	-	.02	.05	.08	TR	5			
7	.02	TR	-	-	.40	TR	.04	-	TR	.04	STR		6			
8	.34	.12	-	-	-	-	.35	.01	.03	.07	5 .05		7			
9	SR .18	.01	-	-	TR	-	.50	.167	.01	.17	.13		8			
10	SR .18	.06	.01	TR	.05	.10	TR	.01	.03	-	.01	.01	9			
11	TR .05	TR	-	-	.03	.36	.06	TR	.01	-	.47		10			
12	SR .15	-	.01	-	-	.02	-	.02	-	.26	.02	.84	11			
13	.07	-	SR .18	.01	-	.07	-	.01	-	-	.35	.03	12			
14	.20	10	5 .18	-	.03	.06	.01	.05	.02	.12	.31	.01	13			
15	-	-	-	-	.09	TR	.04	.24	.14	.23	-		14			
16	TR	-	.07	TR	-	.10	.32	.03	.19	.05	.64	-	15			
17	-	-	.03	.09	31	.01	TR	.01	.37	✓	.02	.04	16			
18	-	-	.06	.01	.14	-	-	.01	-	X	.05	-	17			
19	.01	-	.02	-	.16	-	TR	-	X	.03	-		18			
20	-	.19	.12	TR	.12	-	TR	.05	.41	048	.01	-	19			
21	-	.07	.04	.03	-	-	.03	.04	.01	X	.04	.04	20			
22	.03	.01	.02	.02	TR	-	.03	-	-	—	TR	.04	21			
23	.03	.01	.01	.11	.02	.01	.01	-	.20	X	.14	TR	22			
24	.08	-	-	.04	.01	-	TR	-	.71	TR	.01	TR	23			
25	.07	-	.02	.02	.18	.14	-	.04	.04	.10	5 .03	.03	24			
26	-13	SR .60	23	.01	.01	.34	.14	-	.15	.01	TR	.07	25			
27	.30	5 .11	.02	-	TR	.10	.26	TR	.54	.13	5 .03	.05	26			
28	.22	5 .11	TR	.04	.08	.50	.01	.05	.06	—	.16	TR	27			
29	.15	-	.02	.09	.17	.01	-	TR	TR	.21	.02	-	28			
30	.03	SR .11	5 .08	-	.01	-	-	.01	TR	.06	.01	.05	29			
31	-	5 .04	TR	.01	.06	.08	.16	.13	.05	TR	.06		30			
TOTAL	2.68	1.97	1.08	1.35	1.75	2.75	1.78	1.65	1.12	2.26	2.66	2.32	Year's Total 26.37 ✓			
* Days with .01 in. or more.	21	18	23	15	18	21	14	19	20	258	26	19	232 ✓			
* Days with .04 in. or more.	16	14	11	9	10	14	8	13	14	14?	15	14	152 158 ✓			

* See Instruction 3 (f) on other side. + Spare column, no entries required, except year's total.

(Signed) *M. Ross. Jan. 1, 1944.* [P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090 **JOHNSTONE REGISTER OF RAINFALL IN 1945.**

Kept at Hawthornes (Braefield) Days adjusted in Jan. 8.6.
in the County of Renfrew no. 3 27.4.46

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

Ground " Sea Level 100 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
1	.03	.37	—	.32	—	.27	.30	—	—	—	.12	—	1		
2	.23	.01	—	.40	.14	.07	—	—	—	—	—	.28	2		
3	—	1.27	.03	.07	—	.30	.02	—	—	—	.04	.04	3		
4	—	.32	—	.25	—	.11	—	.03	—	.04	—	.42	4		
5	—	.13	—	.21	.32	.62	.02	.13	—	—	—	.03	5		
6	.12	1.22	—	—	—	.04	.01	.27	—	—	—	.24	6		
7	.05	.09	—	—	.20	.62	—	.05	—	.04	.03	.32	7		
8	—	.30	—	—	.07	.07	—	—	—	.03	—	.32	8		
9	—	.60	—	—	.03	—	.54	—	—	.62	—	—	9		
10	—	.10	—	.49	—	—	—	—	.14	1.01	—	—	10		
11	—	.10	—	.60	—	.29	—	—	—	—	—	.01	11		
12	—	.75	.03	.12	.02	—	—	—	.73	—	—	.04	12		
13	—	.53	.04	.03	.81	.12	1.36	—	.23	—	—	—	13		
14	—	.12	—	.35	.09	.08	.03	.09	.29	—	—	.03	14		
15	—	.07	.10	—	.50	.08	.38	.06	.65	—	—	.39	15		
16	.05	.21	—	—	.81	—	.34	—	1.15	—	—	.49	16		
17	1.14	.08	.04	—	—	.13	.11	—	.22	—	—	.53	17		
18	.20	—	.35	—	.01	—	.69	—	—	—	—	.38	18		
19	—	.28	.83	—	—	—	.08	—	.29	—	—	.02	19		
20	—	—	.07	—	.41	.03	.05	—	.20	.22	.03	—	20		
21	.01	.17	—	—	.33	—	.36	.11	.88	.35	.03	.01	21		
22	.20	.13	—	—	.38	.21	.05	—	.82	.25	—	.04	22		
23	—	—	—	—	—	.10	—	1.18	.05	1.23	.09	.11	23		
24	—	.82	.04	—	—	—	—	.03	—	1.18	.04	—	24		
25	—	.85	.37	—	—	.32	—	—	.03	.27	.13	—	25		
26	—	.08	—	—	.24	.08	.14	—	.23	.04	—	.68	26		
27	—	.04	.37	—	.21	—	—	.10	.03	.80	.04	.33	27		
28	—	.40	.24	.07	1.18	—	—	.10	—	.50	—	—	28		
29	—	X	.27	.02	.03	.20	.03	—	.01	.11	.04	—	29		
30	1.04	X	.56	—	.03	.23	—	.05	.01	.25	.01	—	30		
31	.67	X	.81	X	.37	X	—	—	X	.62	X	—	31		
TOTAL	3.74	9.04	4.15	2.93	6.18	3.97	4.51	2.20	5.96	7.56	.60	4.71	55.55	✓	
* Days with .01 in. or more.	12.11	25	15	12	20	20	17	12	17	17	11	20	198		
* Days with .04 in. or more.	10.9	24	13	10	15	19	12	10	13	16	7	15	164		
* See Instruction 3 (i) on other side. + Spare column, no entries required, except year's total.													Year's Total	163	

(Signed) James M. Nird [P.T.O.]

COPY FOR OFFICIAL USE
 Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
 FORM 1091.

Station No. **5598****REGISTER OF RAINFALL IN 1949**

M.W.R.

Kept at **Abroath (W. Cemetery)**
in the County of **Angus**1/2/49 Station moved to Springfield Park
—number 5598 retained.Diameter of Funnel of Gauge.....**5** in.Height of top of Gauge above Ground.....**1**, ft. **9** in.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

T.F.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0.2	-	-	b	-	2.8	-	9.3	-	2.8	-	-	-	1
2	-	-	-	1.5	-	-	-	0.4	0.6	1.1	0.1	1.7	-	2
3	-	-	4.1	3.1	-	0.2	6.0	-	0.2	-	b	-	-	3
4	-	-	1.5	0.2	-	-	23.2	b	20.8	-	3.3	-	-	4
5	1.4	-	8.7	-	-	1.7	-	0.4	1.7	-	-	-	-	5
6	11.5	-	-	14.1	10.3	0.6	-	-	b	0.1	-	6.9	-	6
7	1.9	0.8	1.0	14.0	b	2.8	-	32.3	-	0.4	-	0.3	-	7
8	-	4.1	0.3	-	0.7	-	-	3.1	-	-	-	5.9	-	8
9	-	4.2	3.3	0.8	b	0.5	-	-	1.1	0.1	5.5	-	-	9
10	-	b	0.1	-	-	7.5	-	b	-	2.5	-	-	-	10
11	0.1	1.1	1.3	b	-	-	-	-	-	0.5	3.7	1.0	-	11
12	0.1	1.2	-	-	-	b	-	0.9	-	0.4	2.2	2.0	-	12
13	b	0.6	-	-	-	b	12.7	-	-	-	-	-	-	13
14	-	0.9	-	-	2.3	-	0.2	3.7	0.6	0.5	-	1.8	-	14
15	4.9	0.3	1.9	-	-	-	-	2.0	-	0.3	-	-	-	15
16	b	0.2	0.4	-	2.1	-	-	7.8	-	1.1	10.3	0.7	-	16
17	-	b	-	-	8.2	-	-	1.5	-	10.5	11.0	-	-	17
18	-	4.0	0.4	-	0.6	-	0.2	-	-	-	-	5.8	-	18
19	2.6	4.1	-	-	-	-	1.1	-	-	-	-	0.2	-	19
20	1.1	0.5	-	5.4	-	-	3.6	-	-	4.5	5.2	-	-	20
21	-	1.2	0.6	5.0	-	-	0.6	b	b	-	11.1	1.6	-	21
22	1.1	0.8	-	b	6.6	-	-	-	-	-	5.5	-	-	22
23	3.5	-	-	0.2	0.9	-	-	-	2.0	16.1	5.9	b	-	23
24	-	-	-	0.3	b	-	-	-	2.2	0.3	2.2	-	-	24
25	0.1	-	-	-	-	b	0.3	b	300	7.3	2.2	-	-	25
26	-	b	-	0.8	2.1	-	-	0.1	-	-	1.0	-	-	26
27	-	-	-	-	-	-	0.2	-	-	-	-	2.4	-	27
28	-	0.8	-	-	b	5.1	b	-	-	0.1	b	4.0	-	28
29	-	X	-	5.7	-	0.3	b	0.4	-	-	-	0.5	-	29
30	0.6	X	-	-	3.1	-	4.2	0.1	-	1.9	-	-	-	30
31	b	X	-	X	0.3	X	-	0.9	X	3.3	X	-	-	31
TOTAL	1.15	5.98	0.93	2.01	1.46	0.85	2.05	2.49	1.15	3.01	3.04	1.45	20.57	
Days with 0.2 mm. or more.	29.1	24.8	23.6	51.1	37.0	21.5	52.0	63.2	29.1	76.5	77.3	36.8	522.0	
Days with 1.0 mm. or more.	10.1	15.1	11.1	12.1	11.1	9.1	10.1	13.1	8.1	16.1	13.1	15.1	143	
81	7.	7.	7.	7.	7.	5.	6.	7.	5.	10.	13.	11.	93	

(044w)

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

Print only Signed The Town Council P.T.O.

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090 Station No. 57828

REGISTER OF RAINFALL IN 1946.

Kept at ~~Gruinard~~ ~~Haide~~ ~~Johnstone~~
in the County of Ross & Cromarty

Diameter of Funnel of Gauge..... 6 in.

Height of top of Gauge above Ground..... 7 ft. 10 in.

" Ground Sea Level 60 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	1
2	-	.06	-	-	-	.13	.74	.03	-	.06	-	.23		2
3	.18	.37	.07	-	-	.11	.26	.03	.01	.55	.03	.41		3
4	.76	.10	.02	.26	-	.50	.67	.10	.02	.31	-	.07		4
5	.33	.18	.07	.08	-	.57	.38	.14	.26	-	-	.14		5
6	-	.40	-	.30	-	.08	.03	.12	.10	-	.36	-		6
7	-	.33	.10	.34	-	.06	-	.12	-	-	.04	.04		7
8	.19	.12	.06	.11	-	.50	.09	.03	.68	-	-	-		8
9	.04	.19	.10	.06	-	.05	-	.27	.01	-	.06	-		9
10	.16	.27	-	.17	-	.10	-	.01	.27	-	.10	-		10
11	.29	.26	.03	1.35	-	-	.29	-	-	-	.53	.24		11
12	-	.03	-	.08	-	-	.46	.03	.12	-	.45	.08		12
13	-	.05	-	.03	.04	-	1.20	.07	.14	-	.35	.04		13
14	-	.01	-	-	.12	-	.67	.18	.30	-	-	.17		14
15	-	.55	-	.40	.01	-	-	.02	.36	-	-	.05		15
16	-	.06	.18	.33	-	.42	-	.17	.85	-	-	-		16
17	-	.06	.09	.01	-	.03	-	.08	.87	-	.08	-		17
18	-	.18	.07	.02	-	.10	.10	.28	.33	-	.06	-		18
19	-	.25	.19	.18	-	.08	.52	.26	.18	-	-	-		19
20	-	.26	.14	.12	.10	.06	.26	.30	.02	-	.03	.09		20
21	.05	.19	.04	.10	-	.02	.03	.14	1.04	-	.18	.32		21
22	.05	.68	.21	.19	-	.01	.13	.01	.38	.02	.02	.23		22
23	.02	.18	.14	.18	-	.33	.38	.24	.72	.26	.14	-		23
24	.04	.27	.25	.14	-	.13	.04	.27	.08	-	.12	.20		24
25	.03	.04	.13	-	-	.08	.05	.01	.06	-	.13	.40		25
26	.11	.12	-	-	-	.09	.16	.02	.42	-	.25	.51		26
27	.18	.37	-	-	-	.03	.03	.01	.27	.10	.18	.13		27
28	.25	.08	-	-	-	.48	.31	.39	-	.65	.10	-		28
29	.08	-	-	-	-	.54	.26	.07	-	.18	.70	-		29
30	.55	✉	-	-	-	.55	.05	.31	.04	-	.31	.21		30
31	.30	✉	-	✉	.14	✉	.06	.10	✉	-	✉	.20		31
TOTAL	3.61	5.94	2.04	4.18	.96	5.01	7.01	3.65	7.57	1.30	5.30	5.48	Year's Total	52.11 ✓
* Days with .01 in. or more.	18	28	17	19	6	25	25	30	24	6	21	22	241	✓
* Days with .04 in. or more.	16	26	15	16	5	21	22	20	20	5	18	22	206	✓

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) Angus Macpherson [P.T.O.]

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Station No. **5559/5***M.O.*

FORM 1090

REGISTER OF RAINFALL IN 1948

*Loch Rannoch Railway (Station) T.
in the County of Perth.*

Diameter of Funnel of Gauge.....**5**.....in.
Height of top of Gauge above Ground.....**1**.....ft.....in.

"Ground" Sea Level **1007 ft.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	2.02	1.30	—	.98	—	—	—	—	.30	.71	.20	.48	†	1
2	.95	.60	.05	.10	.07	.35	.30	—	.30	.25	.50	1.31		2
3	.05	.70	.01	.40	.10	.04	1.55	—	.23	.25	1.45	.30		3
4	—	.30	—	.04	.40	.40	.05	—	.10	—	.22	.41		4
5	.54	.80	.20	.20	.01	1.00	.01	.10	.40	—	—	.50		5
6	.15	.52	—	.35	—	.70	—	.02	.38	—	—	.45		6
7	—	.60	1.01	1.16	—	.23	.01	.20	.55	—	—	.53		7
8	—	1.20	.02	.21	—	.30	—	.10	.40	.70	.20	.33		8
9	—	.70	.40	.01	—	.01	—	—	.28	1.30	.20	.79		9
10	.45	.10	.08	—	—	—	.15	—	.05	.05	.02	.32		10
11	.65	.80	.01	—	.38	—	.02	.22	.60	.21	.09	.20		11
12	.42	.05	—	.20	.03	—	.13	.40	.10	.10	.00	.39		12
13	.38	.22	—	.15	—	—	.01	.01	.15	.90	.30	.12		13
14	.06	.29	.28	.02	—	.10	—	.12	.75	.70	.27	.49		14
15	—	.01	.50	.01	—	.10	—	.65	.05	.10	.20	.38		15
16	—	—	.30	—	—	.12	—	1.07	.15	.54	.38	.54		16
17	—	—	—	—	—	.10	—	.25	.01	.03	.20	.14		17
18	—	—	1.15	.35	—	.10	.42	.01	.60	.04	.10	—		18
19	.80	—	1.00	.01	—	.15	.25	—	.02	.18	.70	—		19
20	—	—	1.22	—	—	.10	.35	—	—	.10	.50	—		20
21	—	.20	.35	.28	—	.20	.05	.95	.01	.30	.20	—		21
22	—	.01	.07	.25	—	.01	.02	2.20	—	.25	—	—		22
23	—	—	—	.01	.05	.05	.05	.50	.40	1.20	—	—		23
24	.15	—	—	—	—	.05	.33	.50	.75	.70	—	—		24
25	.20	—	—	—	.40	.34	.18	.25	1.20	.03	.05	—		25
26	.30	—	—	.30	.04	.25	.01	—	.70	—	.01	—		26
27	.04	—	—	.70	.06	.20	—	—	.30	—	.05	.40		27
28	.70	—	—	.05	.04	.15	—	.52	1.19	—	—	.155		28
29	.64	—	.40	—	—	—	—	.25	.18	.15	.02	.40		29
30	.70	—	.28	—	.04	—	—	.60	.20	.06	—	.10		30
31	.52	—	.65	—	.35	—	.08	.40	—	.30	—	.50		31
TOTAL	9.72	8.40	7.98	5.78	1.97	5.05	3.97	9.32	10.25	9.15	6.46	10.63	Year's Total 88.68	
* Days with .01 in. or more.	19	17	19	21	13	23	19	21	28	24	22	22	22	248
* Days with .04 in. or more.	19	15	16	16	11	21	13	18	25	22	19	22	22	217

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) **N.P.S. Hydro Electric Board P.T.O.**

COPY FOR OFFICIAL USE
 Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
 FORM 1091.

Station No. **059**.**REGISTER OF RAINFALL IN 19**Kept at **PALROSS AIR PORT**in the County of **INVERNESS**:Diameter of Funnel of Gauge..... **5** in. and **11.3** in.Height of top of Gauge above Ground **3 ft 5 in.**,, Ground „ Sea Level **35.5** ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	3.01	-	-	-	-	0.7	1.7	29.0	0.1	-	0.2	4.9	†	1
2	0.4	-	-	0.5	-	1.9	-	4.2	2.1	0.1	-	0.4		2
3	-	-	0.4	0.9	-	0.3	-	TR	-	0.1	3.3	12.4		3
4	-	-	10.5	11.1	9.8	10.2	5.6	0.1	0.2	TR	0.9	12.8		4
5	-	-	0.6	1.4	0.1	2.0	1.2	0.4	0.6	0.7	TR	4.5		5
6	4.1	-	-	7.8	8.0	TR	0.2	0.4	TR	6.0	-	9.5		6
7	6.6	-	-	9.3	-	0.2	0.4	17.7	TR	2.0	TR	2.7		7
8	0.9	2.5	-	0.1	1.7	TR	0.2	TR	2.6	0.1	TR	0.4		8
9	-	4.7	8.5	-	-	1.6	-	0.1	3.3	TR	4.5	14.0		9
10	2.3	0.1	-	0.1	-	5.3	0.6	TR	-	2.7	2.1	TR		10
11	1.8	0.4	0.3	5.2	-	-	0.5	0.2	3.2	0.2	TR	-		11
12	-	0.2	2.9	0.2	-	TR	5.3	0.1	-	TR	TR	13.7		12
13	0.8	-	0.8	0.2	1.2	0.6	TR	0.2	1.0	-	3.6	TR		13
14	0.8	0.6	0.1	-	8.6	TR	TR	11.3	32.8	-	0.2	TR		14
15	3.2	-	3.2	2.5	0.6	-	-	11.8	0.4	3.2	TR	0.3		15
16	1.4	0.1	0.9	-	4.6	-	-	TR	-	-	TR	6.2		16
17	2.2	-	0.4	0.3	2.6	-	0.2	0.1	-	3.0	0.1	3.9		17
18	14.9	0.3	0.5	0.1	-	-	TR	TR	TR	1.4	-	5.5		18
19	10.1	1.3	-	1.3	-	-	0.7	1.0	-	0.2	-	13.9		19
20	4.6	-	0.4	8.6	-	-	3.1	10.3	-	0.2	TR	3.4		20
21	0.7	4.7	0.1	4.6	-	-	0.8	10.5	TR	0.1	TR	0.2		21
22	0.6	2.0	-	1.0	0.9	-	0.2	TR	TR	-	12.7	-		22
23	4.0	4.1	-	-	2.3	-	-	0.1	0.1	2.0	TR	TR		23
24	-	1.2	-	TR	TR	-	-	-	-	9.0	0.6	11.1		24
25	0.5	3.5	0.3	0.4	-	-	9.1	-	TR	12.8	3.7	12.5		25
26	-	13.2	-	0.2	0.5	0.7	0.6	TR	TR	0.9	0.5	0.1		26
27	-	0.2	-	1.7	TR	0.9	1.3	-	-	-	13.8	-		27
28	0.4	11.3	-	0.1	TR	3.5	0.3	0.3	0.4	0.6	0.2	4.3		28
29	-	-	-	-	-	2.8	0.8	1.2	-	-	TR	-		29
30	-	☒	-	1.2	0.1	-	2.0	0.1	-	1.0	4.3	-		30
31	TR	☒	-	☒	1.0	☒	1.2	1.5	☒	0.2	☒	-		31
TOTAL	95.4	50.4	49.9	48.8	40.0	29.8	35.8	103.7	46.8	46.5	53.7	136.7	Year's Total	707.5
* Days with 0.2 mm. or more.	20	15	13	19	12	13	21	15	10	17	14	20		189
* Days with 1.0 mm. or more.	11	10	4	12	9	4	9	10	6	10	8	16		112

(144w) * See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) *W. Macmillan Shand*

[P.T.O.]

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

Station No. 57457

REGISTER OF RAINFALL IN 1948Kept at ~~Alloa Park~~ ^{Hous} ~~Gardens~~
in the County of Clackmannan

Diameter of Funnel of Gauge..... 5 in.

Height of top of Gauge above Ground..... 3 ft. 1 in.

Ground Sea Level 50 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	.53	1.30	—	30	.11	—	—	—	.06	.35	.02	.22		1
2	.09	.22	.01	—	.06	.28	—	.10	.95	—	.53	.25		2
3	.08	.13	.01	.05	.12	.48	.48	—	.30	—	.33	.02		3
4	.21	.02	—	—	.18	.26	.11	.07	.04	—	—	—		4
5	.04	.46	—	.06	.03	.08	—	.05	.03	—	.04	.40		5
6	.28	.60	.08	.02	—	1.26	—	.08	.01	—	.10	.38		6
7	.15	.28	.32	.48	—	.02	—	.23	.12	—	—	.24		7
8	.02	.55	—	—	.60	—	—	.06	.06	.65	.02	.30		8
9	.26	.41	.09	—	—	—	—	.03	.02	.61	.02	.26		9
10	.82	.07	—	—	—	.04	.02	.05	.37	.06	.08	—		10
11	.41	.43	—	—	.23	—	—	.21	.38	.32	.15	.81		11
12	.24	.07	—	—	.02	—	.60	.78	.10	.01	.75	.03		12
13	.58	.09	—	—	.08	.02	.10	—	.18	.68	.11	.08		13
14	.36	.07	.01	—	—	.01	—	.65	1.32	.08	.01	.32		14
15	.01	.02	.18	—	—	.04	.10	.20	.09	.04	.18	.01		15
16	.03	.08	.11	—	—	.14	—	.44	—	.28	.03	.08		16
17	.37	—	—	.36	—	.56	—	.12	—	.15	.32	—		17
18	.22	.01	.27	.09	—	.12	.39	—	.11	.06	.04	—		18
19	.11	.09	.26	.01	—	.18	.27	.04	—	—	.10	—		19
20	.10	.06	.08	.02	—	.08	.28	.08	—	—	.39	—		20
21	.03	.11	.03	—	.04	.06	.11	.82	.01	.02	—	—		21
22	.02	—	—	.75	.22	.21	.02	.32	—	.02	.03	—		22
23	—	—	.02	—	.20	.01	—	.18	—	.15	—	—		23
24	—	.02	—	—	—	—	.22	.47	.08	—	—	—		24
25	—	—	—	—	.02	.02	—	.18	.06	—	—	—		25
26	.11	—	—	.02	.24	—	—	—	.78	—	—	—		26
27	.08	—	—	.20	.02	.10	—	—	.02	.08	—	.03		27
28	.06	—	.01	.22	.39	.03	—	.46	.26	—	.02	.81		28
29	.02	—	.18	.02	—	—	—	.09	.02	.09	—	.31		29
30	.39	—	.12	—	.28	—	—	.48	.02	.07	—	.10		30
31	.12	—	.45	—	.25	—	.10	.44	—	.52	—	.33		31
TOTAL	5.74	5.09	2.23	2.60	2.79	4.56	3.12	6.59	5.07	4.35	3.27	5.06	50.47	
* Days with .01 in. or more.	28	21	17	14	17	21	13	25	24	19	20	20	239	
* Days with .04 in. or more.	22	17	11	9	13	15	12	23	14	16	13	16	184	

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed)

(A. M.)

[P.T.O.]

The East of Mar & Kellie Rd., Elph.

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

Station No. **5542****REGISTER OF RAINFALL IN 1950**Kept at **(Ardlach.) Rothesayhead.**in the County of **Perth.**Diameter of Funnel of Gauge..... **5** in.Height of top of Gauge above Ground..... **1 ft. 12 in.**Ground Sea Level .. **37.0** ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

'An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.'

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
1	in. .06	in. .73	in. .28	in. .35	in. .76	—	in. .01	in. .07	in. .20	in. .08	in. .41	in. .18	†	1	
2	in. .36	in. .81	in. .29	in. .01	in. .23	—	in. .03	in. .40	in. .01	in. .03	in. .02	in. .08		2	
3	in. .22	in. .14	in. .02	in. .01	in. .01	in. .02	—	in. .02	in. .12	in. .94	—	in. .08		3	
4	in. .01	in. .07	in. .01	in. .16	—	in. .02	—	in. .12	in. .34	in. .61	Trace	Trace		4	
5	in. .73	—	—	in. .06	—	—	—	in. .58	in. .16	in. .10	—	Trace		5	
6	in. .07	in. .01	—	in. .15	in. .03	Trace	Trace	in. .01	in. .120	in. .14	—	in. .19		6	
7	in. .29	in. .45	—	in. .95	—	—	in. .09	Trace	in. .57	in. .42	in. .60	in. .02		7	
8	in. .29	in. .65	in. .27	in. .10	—	Trace	in. .26	in. .76	in. .13	in. .78	in. .71	in. .13		8	
9	in. .14	in. .29	in. .01	in. .48	Trace	in. .03	in. .05	in. .23	Trace	in. .95	in. .72	in. .58		9	
10	in. .11	in. .72	Trace	in. .10	—	—	in. .72	in. .30	in. .17	in. .60	in. .05	in. .22		10	
11	in. .31	in. .04	Trace	in. .02	—	—	in. .17	in. .17	in. .91	in. .15	in. .50	in. .01		11	
12	in. .30	—	Trace	in. .01	—	—	in. .01	in. .02	in. .55	in. .23	in. .05	—		12	
13	in. .01	in. .10	—	Trace	—	in. .09	in. .146	in. .02	in. .81	in. .35	—	in. .03		13	
14	in. .58	in. .71	in. .03	Trace	—	in. .01	in. .24	in. .28	in. .43	in. .34	Trace	Trace		14	
15	in. .58	in. .20	in. .46	—	—	in. .01	in. .70	in. .15	in. .02	in. .06	in. .06	in. .05		15	
16	in. .03	in. .19	in. .10	in. .03	Trace	Trace	in. .69	in. .06	in. .190	in. .02	in. .09	in. .03		16	
17	—	in. .76	in. .67	in. .36	in. .46	in. .15	in. .56	in. .12	in. .51	in. .02	in. .02	in. .16		17	
18	in. .01	in. .28	in. .03	in. .01	in. .06	in. .10	in. .13	in. .35	in. .01	in. .01	in. .62	in. .03		18	
19	in. .06	in. .18	in. .04	—	in. .16	—	in. .38	in. .21	in. .48	in. .02	in. .08	in. .36		19	
20	—	in. .06	in. .38	in. .06	in. .17	in. .03	in. .58	in. .54	in. .07	Trace	in. .13	in. .17		20	
21	—	—	in. .01	in. .01	in. .03	in. .37	in. .01	in. .01	in. .02	in. .12	in. .02			21	
22	Trace	Trace	in. .41	in. .02	in. .40	in. .01	in. .11	in. .29	in. .20	in. .01	in. .01	in. .06		22	
23	in. .01	in. .01	in. .07	in. .06	in. .08	Trace	in. .01	in. .17	in. .21	—	—	in. .04		23	
24	—	Trace	in. .01	in. .03	Trace	in. .04	in. .03	in. .125	in. .36	—	—	—		24	
25	in. .01	Trace	—	in. .05	—	in. .09	in. .12	in. .42	in. .13	—	—	—		25	
26	in. .01	—	—	Trace	in. .05	in. .04	in. .23	in. .07	in. .02	—	—	in. .01		26	
27	in. .01	in. .01	—	in. .06	in. .32	in. .05	in. .06	in. .21	in. .05	in. .02	in. .01			27	
28	—	in. .01	in. .01	in. .02	in. .05	in. .79	in. .10	in. .08	in. .25	—	in. .16	—		28	
29	in. .30	—	—	in. .01	in. .03	in. .03	in. .03	Trace	in. .05	—	in. .23	—		29	
30	in. .31	—	in. .08	—	in. .53	Trace	in. .08	in. .36	in. .11	in. .66	in. .12	in. .42	in. .01		30
31	—	—	in. .08	—	in. .14	in. .11	in. .10	—	in. .03	in. .17	in. .17	in. .03			31
TOTAL	in. 5.76	in. 8.42	in. 4.08	in. 4.65	in. 2.58	in. 2.27	in. 7.23	in. 8.87	in. 10.70	in. 7.09	in. 5.05	in. 2.50	Year's Total 69.20		
* Days with .01 in. or more.	in. 24	in. 21	in. 19	in. 25	in. 15	in. 18	in. 27	in. 28	in. 29	in. 24	in. 20	in. 23	(273)		
* Days with .04 in. or more.	in. 16	in. 17	in. 11	in. 14	in. 11	in. 10	in. 20	in. 23	in. 24	in. 18	in. 17	in. 18	in. 194	98.	

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) *James Martin Esq.* [P.T.O.] *V. (A.W.)*

Section **A** for the entry of Daily Observations
 AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
 FORM 1090

Station No. **55441 ✓****REGISTER OF RAINFALL IN 1950.**

Kept at **DUNIRA GARDENS**
 in the County of **PERTH**

Diameter of funnel of gauge **10.5** in.Height of top of gauge above ground **1** ft **8** in.
 " ground " sea level **200** ft.**THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	—	.83	.06	—	.47	—	—	.15	.11	.04	.73	.16	†	1
2	.39	.65	.14	.24	.11	—	—	.27	—	—	—	.26		2
3	.19	.35	.04	—	—	—	—	—	.40	.53	—	.04		3
4	—	.05	—	.09	—	—	—	.15	.06	.50	—	.12		4
5	.50	—	—	—	—	—	—	.68	.05	.08	—	—		5
6	.36	.08	—	.16	.05	.05	.01	—	.09	.06	—	—		6
7	.41	.33	—	.15	—	—	.19	—	.57	.17	.46	—		7
8	.25	.39	.06	.18	—	—	.15	.88	.06	.35	.50	.04		8
9	.15	.23	—	.20	—	—	.04	.15	—	.06	.32	.69		9
10	.02	.77	—	.06	—	—	.82	.29	.15	.21	.01	—		10
11	.14	—	—	—	—	—	.04	.05	.42	.08	.44	.10		11
12	.25	—	—	.04	—	—	1.46	—	.24	.43	.04	—		12
13	.03	.06	—	—	—	.26	.04	—	.42	.11	—	—		13
14	.38	.43	.07	—	—	.43	—	—	.08	.11	.08	—		14
15	.21	1.03	.63	—	—	—	1.05	.04	.01	—	.03	—		15
16	.01	.64	1.24	.05	—	—	.23	.04	1.90	.46	—	—		16
17	—	.76	.86	.17	.45	.09	.26	.50	.15	—	—	.19		17
18	—	.30	.07	—	.38	.08	.10	.75	—	—	.26	—		18
19	.21	.14	.05	—	.23	—	.51	.11	.14	—	.12	.69		19
20	—	—	.35	—	.13	.03	.30	.37	.04	—	.13	.42		20
21	—	—	—	.02	.15	.23	—	—	.11	.14	.25	—		21
22	—	—	.68	.01	.14	—	.23	.34	.10	—	—	.08		22
23	—	—	.04	.12	—	—	—	.09	.25	—	—	.02		23
24	—	—	—	—	—	—	—	1.57	.42	—	—	—		24
25	.05	—	—	.08	—	.11	.03	.50	.13	—	—	—		25
26	—	—	—	—	.05	—	.13	.90	.06	—	—	—		26
27	—	—	—	.05	—	.10	.04	.03	.04	.04	.03	—		27
28	—	—	—	—	—	.31	.62	.48	.10	—	.14	—		28
29	.31	—	—	—	—	—	.14	.03	.05	—	.09	—		29
30	.25	—	—	.46	—	—	.55	—	.95	.26	.29	—		30
31	—	—	.02	—	—	—	—	—	.02	—	—	—		31
TOTAL	4.11	1.34	4.08	3.91	2.16	1.69	6.90	7.32	7.66	4.67	3.92	2.81	58.51	
* Days with .01 in. or more.	18	16	14	16	10	10	21	22	24	18	14	12	201	
* Days with .04 in. or more.	15	16	13	14	10	9	19	20	26	17	14	11	184	

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) **L.C.W.P. Robertson** [P.T.O.]

Section A for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Station No. 5041 ✓

FORM 1091.

Kept at Eskdalemuir Observatory
in the County of Dumfriesshire.

REGISTER OF RAINFALL IN 1950

Copy supplied direct by the

Height of top of Gauge above Ground 1 ft. 4 in.

Ground 794 ft. Sea Level 794 ft. Diameter of Funnel of Gauge 8 in.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	†									
1	9.4	13.6	6.5	21.7	16.5	-	1.6	-	9.5	9.8	8.2	3.1		1
2	8.4	10.4	9.4	0.1	9.4	-	-	3.3	0.7	3.5	3.2	Tr		2
3	5.2	13.2	2.1	Tr	1.0	-	-	0.5	5.0	2.0	Tr	2.8		3
4	2.2	6.6	0.9	5.9	Tr	-	-	0.9	12.6	6.0	0.5	1.4		4
5	12.1	-	0.2	1.6	-	-	-	7.9	0.3	25.0	0.9	Tr		5
6	28.9	Tr	Tr	2.2	Tr	-	Tr	-	46.4	9.3	0.2	5.3		6
7	4.9	7.8	-	29.3	-	-	2.5	-	2.5	0.4	26.2	-		7
8	10.4	1.9	3.8	12.4	-	Tr	0.4	21.7	0.4	12.3	2.5	3.3		8
9	1.3	5.5	0.1	15.4	Tr	0.4	0.1	2.7	Tr	13.1	0.6	23.9		9
10	5.5	9.2	-	6.1	-	Tr	9.4	1.4	32.2	2.4	-	2.3		10
11	2.0	8.5	1.7	0.3	-	-	0.2	12.0	8.4	1.2	11.3	0.4		11
12	4.4	5.4	-	1.6	-	-	0.8	6.8	7.1	4.4	3.5	-		12
13	-	1.4	Tr	5.2	-	4.7	24.3	Tr	12.0	3.3	2.1	-		13
14	5.5	17.6	4.1	-	-	1.7	1.9	11.9	8.5	1.4	-	Tr		14
15	9.3	38.5	7.1	-	-	1.7	11.3	13.1	2.4	-	Tr	-		15
16	-	4.1	20.5	9.8	0.3	8.7	14.2	12.0	27.9	15.8	Tr	1.7		16
17	-	0.8	20.7	2.2	0.8	14.2	0.7	14.2	17.9	0.4	Tr	1.4		17
18	-	6.8	58.2	0.8	2.4	1.8	14.1	3.5	0.5	0.9	6.0	9.0		18
19	0.4	5.7	2.6	-	0.4	0.1	6.5	2.7	14.1	0.8	0.1	5.1		19
20	-	Tr	10.5	1.4	5.2	23.8	9.5	7.5	4.3	-	-	0.8		20
21	-	-	-	-	10.3	1.6	2.3	-	1.8	1.6	23.1	Tr		21
22	0.2	1.2	16.6	5.5	Tr	-	3.2	13.8	3.9	1.5	3.6	1.0		22
23	-	1.3	0.7	4.6	-	-	-	8.9	16.8	0.1	-	0.7		23
24	-	0.6	-	Tr	-	3.6	1.2	16.9	2.8	-	0.1	0.2		24
25	Tr	0.3	-	2.4	-	5.5	1.1	22.9	23.4	Tr	-	-		25
26	Tr	-	-	Tr	0.8	3.0	3.3	10.6	0.7	-	-	0.5		26
27	-	-	Tr	0.4	6.5	17.5	12.2	1.5	11.6	0.5	4.5	0.2		27
28	-	1.4	-	0.4	1.8	32.9	8.5	6.4	1.3	0.2	6.7	Tr		28
29	4.2	X	0.5	5.5	1.8	8.2	0.4	2.9	5.6	-	2.6	Tr		29
30	6.1	X	-	22.0	0.1	2.4	19.4	0.4	28.2	2.3	16.9	Tr		30
31	0.1	X	7.6	X	-	X	3.4	-	X	-	X	0.4		31
TOTAL	474"	6.37"	6.84"	6.18"	2.26"	5.19"	6.0%	8.16"	12.16"	4.6%	4.8%	2.50"	69.88"	
* Days with 0.2 mm. or more	120.5	161.8	173.8	156.8	57.3	131.8	152.5	206.4	308.8	118.2	122.8	63.5	1774.2	
* Days with 1.0 mm. or more	18	22	18	22	13	16	24	25	29	23	18	19	247	VAD
OFFICE USE ONLY	16	19	14	18	9	15	19	22	24	17	14	12	199	

(144w) * See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

%	88	129	140	182	68	165	(Signed)	C. Edmundson	Suppl.	P.T.O.
	147	158	329	86	83	36		124		

Section **A** for the entry of Daily Observations

Station No. **5009/6**

FORM 1090

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1952

~~Kept at Galloway House~~

in the County of Wigtown

Diameter of funnel of gauge..... 5 in.

Height of top of gauge above ground..... ft. 11 in.

" ground " sea level 30 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	.07	.15	.19	-	.04	.23	.19	.06	.08	-	.31	-		1
2	-	.02	-	.01	-	-	-	.61	.59	-	.28	-		2
3	.04	-	.20	-	.22	-	-	.05	-	-	.04	-		3
4	.62	-	.06	.12	-	.35	-	.52	.02	.01	.112	-		4
5	.02	.14	.10	.20	-	-	-	-	-	.03	.13	-		5
6	-	.02	.47	.02	.35	-	.56	.21	-	.04	.09	.09		6
7	.10	.05	.16	-	-	.01	.41	.24	.01	-	-	.23		7
8	.34	-	-	.10	.47	-	-	.59	.40	.05	.28	.43		8
9	.14	.07	-	.19	.09	-	.03	.76	-	.03	.08	-		9
10	.34	.11	-	.03	.11	-	.04	.32	-	-	.01	.10		10
11	.09	-	-	.10	.14	-	-	.19	-	-	-	.27		11
12	-	-	-	-	-	-	.09	.18	-	1.25	.02	.02		12
13	.55	.10	-	-	-	.02	.04	-	-	.18	.04	-		13
14	.02	-	-	.04	-	.02	.09	-	-	-	.24	-		14
15	.09	.02	-	-	-	.01	.05	-	-	-	-	.26		15
16	.19	-	.05	-	-	.28	.19	-	.03	-	-	.43		16
17	.09	-	.02	-	-	.23	.05	-	-	-	-	-		17
18	-	-	-	-	-	.06	.08	-	.07	.20	-	.53		18
19	-	-	.54	.05	-	.18	.11	-	-	.45	-	.20		19
20	-	-	-	.75	.02	.14	.03	-	.26	-	.19	.35		20
21	-	-	.34	-	-	.62	.05	-	.06	.06	-	.59		21
22	.04	.01	.01	.01	-	-	.02	-	.09	.44	-	.31		22
23	.03	.01	.09	.04	-	.02	-	-	.08	.56	-	.22		23
24	-	-	-	-	-	.03	-	.01	.08	.04	-	.14		24
25	-	-	-	.12	-	.02	-	-	.16	-	-	.24		25
26	-	-	-	-	-	-	-	.18	.16	.60	-	-		26
27	.04	-	-	.01	-	-	-	.18	.02	.71	-	-		27
28	.26	.10	-	-	.03	.44	-	.02	.26	.15	-	.02		28
29	-	-	-	-	-	-	.05	-	.06	-	-	.02		29
30	.91	☒	-	.26	-	-	.03	-	-	.11	-	.10		30
31	.04	☒	-	☒	.25	☒	.49	-	☒	.12	☒	.01		31
TOTAL	4.08	.83	2.51	2.05	1.72	2.66	2.60	4.12	3.02	5.03	2.83	4.56	36.01	
* Days with .01 in or more.	20	12	12	16	10	16	19	15	14	19	13	20	188	88
* Days with .04 in or more.	14	7	10	11	8	9	15	13	13	15	11	16	145	

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) *[Signature]* *Plotted to top*

[P.T.O.]

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091.

5220/8 ~~105~~
Station No.**REGISTER OF RAINFALL IN 1951**Kept at **PRESTWICK AIRPORT**
in the County of **AYRSHIRE**

Height of top of Gauge above Ground..... 1 ft. 0 in.

,, Ground,, Sea Level..... 30 ft. Diameter of Funnel of Gauge..... 11.31 in.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†	
1	0.7	2.6	0.8	3.0	20.9	—	0.8	—	4.1	—	3.8	7.9		1
2	—	11.3	Tr	0.5	8.6	—	3.8	15.0	Tr	—	—	4.9		2
3	0.7	1.0	Tr	4.9	Tr	—	0	1.0	11.6	—	0.3	6.5		3
4	Tr	3.4	6.6	1.1	0.2	—	—	Tr	4.7	2.3	3.3	1.9		4
5	—	8.9	2.7	Tr	—	—	3.8	—	Tr	—	2.4	3.8		5
6	0.3	0.4	1.3	6.2	—	Tr	3.4	7.0	Tr	—	2.6	0.9		6
7	4.2	0.2	3.6	2.7	1.9	—	4.0	3.0	—	—	Tr	7.9		7
8	—	7.9	Tr	Tr	Tr	—	1.3	0.6	—	—	0.5	5.5		8
9	20.6	Tr	0.3	Tr	—	—	5.7	Tr	Tr	1.8	1.0	1.9		9
10	7.4	—	—	—	—	—	3.9	0.3	0.4	Tr	12.2	—		10
11	14.0	0.1	—	4.9	—	6.2	0.1	0.3	6.4	—	1.4	Tr		11
12	1.6	1.4	—	3.1	—	4.9	9.3	0.5	5.2	—	0.9	0.2		12
13	4.6	Tr	1.7	3.6	—	3.2	Tr	Tr	7.3	—	0.7	1.9		13
14	6.3	Tr	Tr	0.9	—	1.0	—	Tr	2.0	Tr	4.9	1.5		14
15	0.4	—	—	10.8	—	0.1	1.8	0.2	4.6	4.5	7.8	4.8		15
16	18.5	2.0	Tr	1.6	0.5	3.4	Tr	6.3	0.3	0.5	7.4	Tr		16
17	5.8	3.7	0.7	Tr	—	3.2	28	Tr	Tr	0.1	1.9	7.2		17
18	0.8	1.9	2.7	0.5	—	—	1.0	8.8	Tr	Tr	1.1	0.2		18
19	3.4	5.9	—	—	—	Tr	0.4	2.2	—	1.9	11.5	14.4		19
20	0.2	5.9	—	—	1.5	11.2	—	6.3	—	6.4	3.5	—		20
21	4.9	0.7	17.0	—	3.3	1.0	—	4.2	—	Tr	7.6	16.0		21
22	—	Tr	8.9	Tr	—	—	1.7	Tr	2.1	0.4	0.9	0.3		22
23	—	0.7	0.2	Tr	0.5	Tr	—	10.4	1.6	1.8	14.3	8.2		23
24	—	Tr	0.1	0.3	1.0	—	Tr	0.6	8.6	—	2.4	2.2		24
25	2.0	1.8	10.2	0.1	6.2	2.1	0.3	3.9	2.8	—	Tr	2.0		25
26	Tr	1.0	4.4	0.5	Tr	Tr	3.6	5.8	2.0	—	1.8	0.6		26
27	Tr	—	—	Tr	Tr	Tr	0.4	Tr	Tr	—	9.0	9.2		27
28	Tr	—	0.2	0.6	0.9	—	—	9.7	—	Tr	7.3	1.4		28
29	0.3	—	1.8	0.1	Tr	—	Tr	0.6	Tr	Tr	Tr	10.5		29
30	1.3	X	5.3	1.8	—	Tr	Tr	0.1	—	5.1	5.0	17		30
31	0.2	X	2.7	X	—	X	Tr	Tr	X	—	X	4.0		31
TOTAL	88.2	60.8	71.2	47.2	42.5	36.3	42.9	88.2	63.7	24.9	114.9	127.3	809.9	
Days with 0.2 mm. or more	21	18	18	17	11	9	7	21	15	9	26	27	207	V
Days with 1.0 mm. or more	13	14	13	11	7	9	13	13	13	7	21	22	186	X
OFFICE USE ONLY														

(144w) * See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) *C. J. Anderson*

[P.T.O.]

5061

Section **A** for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION
FORM 1090 Station No. **5060/5**

REGISTER OF RAINFALL IN 1952.

Kept at **(Burn Mill) Road, New Selkirk**
in the County of **Selkirk** **Riv. Do., 2 (Ethnick)**

Diameter of funnel of gauge.....**5"** in.
Height of top of gauge above ground.....**1** ft. **6** in.
" ground " sea level**350** ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	.64	—	—	—	—	—	—	—	—	—	.76	—	†	1
2	—	—	.24	—	—	—	.14	.29	—	.23	.54	.14		2
3	—	.03	—	.21	—	.02	—	.13	.32	—	—	.11		3
4	—	—	—	—	—	—	—	—	—	—	.63	—		4
5	—	—	.31	—	.04	—	.23	.21	.21	.12	.10	.20		5
6	—	—	—	—	—	—	—	—	—	—	.30	—		6
7	.72	.11	—	.10	—	.21	—	.42	—	—	—	—		7
8	—	—	—	—	—	—	—	—	—	—	—	.14		8
9	—	.26	.42	.12	.11	—	—	—	.13	—	.10	.18		9
10	—	—	—	—	—	.18	—	.23	—	—	—	—		10
11	.11	—	.11	—	—	—	.34	—	—	.24	—	—		11
12	—	.05	—	—	.03	—	—	—	—	—	—	—		12
13	—	—	—	.10	—	.06	.03	—	—	.26	.18	.12		13
14	—	—	.21	.05	—	—	—	.23	—	—	—	—		14
15	.23	—	—	.21	—	—	.38	—	—	—	—	.02		15
16	—	—	—	.14	—	.01	—	.24	.21	—	—	—		16
17	—	.21	—	—	—	—	.25	—	—	.33	.43	.32		17
18	—	—	.03	.10	—	—	—	—	—	—	—	—		18
19	—	—	.10	.09	—	—	—	—	—	.12	—	—		19
20	—	—	—	.24	—	—	.20	—	—	—	—	.11		20
21	—	—	.09	.13	—	.48	—	—	—	—	.44	.04		21
22	—	—	.06	—	—	—	—	—	.42	.44	—	—		22
23	.05	—	—	.62	.53	—	—	—	—	.52	—	—		23
24	—	—	—	—	—	—	—	—	—	.22	.36	.12		24
25	—	—	—	—	—	—	.28	—	—	—	—	.10		25
26	.10	—	—	.50	—	—	—	.32	.31	—	—	—		26
27	—	—	—	—	<u>1.24</u>	—	—	.22	—	.12	.03	—		27
28	—	—	—	—	—	—	—	—	—	.25	—	.07		28
29	.04	—	—	—	—	—	—	.32	—	—	—	—		29
30	—	X	—	X	—	—	—	—	.12	.44	.21	.16		30
31	—	X	—	X	—	X	.25	—	X	—	X	.23		31
TOTAL	1.89	0.66	1.57	2.16	2.40	1.86	1.24	2.61	2.27	3.48	4.17	2.09	26.40	Year's Total
* Days with .01 in. or more.				?					?			?		58.2
* Days with .04 in. or more.														P.R. 58.2

* See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) *John Alexander M. G.* [P.T.O.]
John Alexander Munro

Section	A	for the entry of Daily Observations	Station No.	5041									
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.													
FORM 1091. REGISTER OF RAINFALL IN 1955													
Kept at ESKDALEMOIR in the County of DUMFRIESSHIRE													
Height of top of Gauge above Ground..... ft. + in.													
Ground Sea Level..... 79.4 ft. Diameter of Funnel of Gauge..... 8 in.													
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY													
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read the Notes and Instructions Overleaf													
Jan. 1, following													
Date	Jan. mm.	Feb. mm.	Mar. mm.	April mm.	May mm.	June mm.	July mm.	Aug. mm.	Sept. mm.	Oct. mm.	Nov. mm.	Dec. mm.	Date
1	-	2.0	12.5	-	7.0	-	18.5	-	6.7	Tr	0.1	0.3	1
2	0.1	13.2	-	6.0	0.9	-	0.8	1.0	12.1	4.5	2.7	5.0	2
3	0.6	0.4	-	1.3	14.2	0.4	14.3	-	0.3	-	3.8	2.1	3
4	1.1	-	-	0.6	8.9	0.6	-	-	9.4	0.4	2.4	1.4	4
5	0.1	-	0.1	7.9	25.4	-	-	-	8.0	8.0	0.1	1.1	5
6	-	-	2.4	1.9	1.6	-	-	-	-	0.9	1.9	17.0	6
7	-	10.9	2.1	1.9	-	10.3	-	-	-	0.3	11.4	4.7	7
8	0.2	3.3	1.5	4.5	17.8	0.4	-	-	4.4	7.1	9.8	Tr	8
9	8.7	-	-	4.7	8.8	-	Tr	16.8	13.6	1.2	0.8	19.6	9
10	43.4	Tr	-	1.8	1.4	1.7	-	Tr	1.2	-	4.8	5.4	10
11	-	2.6	-	Tr	1.0	0.8	-	-	8.8	-	7.8	0.2	11
12	2.6	8.2	-	Tr	3.5	2.3	2.8	-	9.1	2.8	Tr	-	12
13	0.1	2.1	Tr	-	5.3	0.7	-	-	5.2	1.8	-	10.6	13
14	1.0	3.1	-	-	0.9	13.3	-	Tr	0.9	8.3	-	15.6	14
15	4.0	-	-	1.3	-	-	-	-	Tr	-	7.2	-	15
16	3.9	0.1	0.2	-	0.1	0.2	-	-	1.4	4.9	-	2.2	16
17	0.2	27.1	-	-	Tr	-	-	7.6	1.4	-	-	0.4	17
18	-	5.3	1.6	-	1.2	-	Tr	1.6	0.2	2.9	-	-	18
19	0.1	0.5	-	-	Tr	-	-	8.0	-	23.8	-	-	19
20	-	0.7	13.3	-	0.6	1.5	-	1.1	-	0.3	Tr	0.6	20
21	7.7	0.6	15.5	-	0.4	-	7.5	17.3	Tr	Tr	-	-	21
22	0.6	0.9	-	-	1.5	5.8	-	1.8	0.8	-	0.2	4.7	22
23	-	2.9	11.1	0.8	2.7	10.9	Tr	-	1.8	-	-	13.0	23
24	2.2	3.6	10.9	-	-	1.4	-	-	9.6	0.3	0.2	5.0	24
25	3.8	-	15.6	4.0	-	1.4	-	-	0.7	2.5	0.1	20.0	25
26	16.8	-	Tr	2.1	-	2.8	-	-	3.2	7.4	0.7	8.0	26
27	11.7	-	Tr	22.6	-	0.4	-	-	Tr	0.4	0.5	15.5	27
28	16.8	1.0	-	1.6	-	20.9	-	-	-	0.2	0.3	29.4	28
29	20.5	X	-	1.6	-	2.1	-	Tr	1.2	1.6	0.6	7.7	29
30	9.6	X	-	0.2	-	-	-	1.3	1.3	-	-	1.2	30
31	3.0	X	-	X	-	X	-	-	X	2.3	X	0.4	31
TOTAL	5.73	3.48	3.42	2.50	4.11	3.07	2.56	1.52	4.67	3.11	1.90	7.81	63.88
* Days with 0.2 mm. or more	16.5	88.5	86.8	63.5	104.5	77.9	65.1	38.7	118.6	78.9	48.2	198.3	114.5
* Days with 1.0 mm. or more	20	18	11	16	19	19	4	9	23	21	15	26	201
OFFICE USE ONLY	16	13	10	13	15	12	3	9	18	14	8	21	15.2
5.73 3.48 3.42 2.50 4.11 3.07 2.56 1.52 4.67 3.11 1.90 7.81 43.88													

(144W) * See Instruction 3 (f) on other side.

† Spare column, no entries required, except year's total.

(Signed) [P.T.O.]

N.Y.R. 28/1/63

Section . A. for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091. **REGISTER OF RAINFALL IN 1958**

Kept at DALCROSS in the County of INVERNESS-SHIRE.

Height of top of Gauge above Ground 1 ft. 1 in.
Ground Sea Level 39 ft. Diameter of Funnel of Gauge 5 in.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date													
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	†														
1	—	✓	1-7	—	0-1	Tn	0-4	2-2	—	—	1-2	1-9		1													
2	—	✓	—	Tn	—	—	—	✓	—	1-0	0-5	Tn		2													
3	3-1	3-8	Tn	4-8	✓	—	Tn	✓	—	0-3	Tn	0-7		3													
4	✓	0-6	1-8	0-9	3-8	—	—	2-5	—	✓	6-5	0-2		4													
5	—	2-4	3-4	✓	0-2	9-7	—	—	✓	✓	0-3	—		5													
6	10-0	2-0	6-5	—	0-3	Tn	—	2-4	✓	0-3	Tn	3-0		6													
7	1-9	Tn	0-1	0-2	4-3	—	—	0-6	✓	—	1-7	✓		7													
8	7-1	—	X	3-0	0-3	0-2	Jr.	—	Tn	1-4	✓	0-6		8													
9	0-5	✓	16-2	X	Tn	—	1-0	Tn	✓	Tn	7-0	✓	0-1	9													
10	1-6	0-5	—	—	—	1-3	1-0	✓	Tn	0-7	—	—		10													
11	✓	—	—	—	—	—	2-2	0-9	0-1	Tn	—	2-1	Tn	11													
12	0-6	0-8	—	—	0-1	—	Tn	✓	0-5	—	✓	0-1	0-2	12													
13	Tn	—	Tn	2-8	—	—	✓	0-1	—	0-7	Tn	—	0-5	13													
14	Tn	0-6	—	✓	—	—	Tn	2-4	—	6-3	0-2	✓		14													
15	—	✓	7-5	—	0-4	0-9	✓	6-2	2-3	—	9-1	—	Tn	15													
16	1-0	✓	5-4	—	6-9	0-4	6-7	10-0	—	—	1-8	Jr.	6-5	16													
17	1-2	Tn	—	4-0	✓	5-0	2-7	Tn	✓	—	—	—	Tn	17													
18	X	Tn	1-2	3-4	—	—	—	0-2	✓	5-2	✓	—	—	18													
19	X	2-7	—	✓	1-4	—	Tn	✓	4-7	0-3	✓	Tn	1-0	19													
20	0-4	4-1	—	✓	V	0-1	Tn	✓	0-4	1-0	0-4	1-1	—	20													
21	0-6	0-1	—	—	0-3	✓	12-8	7-6	—	✓	0-3	—		21													
22	3-0	✓	—	—	2-9	0-2	✓	1-5	9-4	—	—	—	—	22													
23	6-0	✓	—	—	1-3	15-2	Tn	0-1	✓	5-3	—	—	—	23													
24	Tn	3-6	—	Tn	✓	4-0	4-0	Tn	✓	7-5	—	—	—	24													
25	✓	2-0	0-6	—	6-3	—	0-9	—	—	0-3	Tn	—	✓	25													
26	✓	8-5	—	✓	1-8	7-5	5-5	✓	6-5	—	—	—	1-7	26													
27	—	3-6	1-3	✓	V	—	8-1	✓	—	3-8	—	—	✓	27													
28	6-6	0-1	1-3	—	1-2	✓	16-5	—	✓	Tn	—	✓	—	28													
29	Tn	X	✓	✓	Tn	—	—	Tn	—	0-2	1-5	✓	—	29													
30	—	X	✓	X	—	11-1	—	1-5	✓	1-1	1-0	Tn	—	30													
31	Tn	X	—	X	—	—	2-2	✓	—	0-1	X	1-5		31													
TOTAL														62-7	57-8	22-14	40-6	61-8	32-4	71-2	80-3	57-9	53-2	19-0	40-5	599-7	
* Days with 0.2 mm. or more														19	19	10	14	16	12	14	23	11	16	12	14	186	
* Days with 1.0 mm. or more														13	12	8	11	9	9	12	18	8	10	7	12	129	
OFFICE USE ONLY																											

(144w) * See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total. (Signed) *Shuttlecock* Meteorological Office [P.T.O.]

Section A for the entry of Daily Observations
AIR MINISTRY—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION

FORM 1090 (Card) REGISTER OF RAINFALL IN 1955

Kept at Wigtown Reservoir Inspected 5/10/55

in the County of Dumfriesshire

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 800 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.12	0.25	-	0.32	-	0.25	-	0.56	0.02	0.05	0.02		1
2	-	0.10	-	0.10	-	-	0.46	-	0.16	0.18	-	0.11		2
3	-	-	-	0.18	-	0.96	-	0.05	-	0.10	0.02	-		3
4	0.01	-	-	0.01	0.34	-	-	-	0.36	0.04	-	0.01		4
5	-	-	0.04	0.04	0.04	-	-	-	0.10	0.42	0.06	-		5
6	-	0.13	0.02	0.10	0.01	-	-	-	-	-	0.09	0.11		6
7	-	0.20	0.13	-	0.07	0.06	-	-	-	0.16	0.40	-		7
8	-	-	0.01	0.09	0.11	0.04	-	0.61	0.09	0.02	0.10	0.12		8
9	0.90	-	-	0.07	0.30	-	-	0.02	0.06	-	0.02	0.66		9
10	0.11	-	-	0.08	0.01	0.05	-	-	0.20	-	0.08	0.13		10
11	-	0.08	-	-	0.15	0.19	-	-	-	0.03	0.23	-		11
12	-	0.04	-	-	0.24	0.04	0.02	-	0.09	0.01	0.01	-		12
13	-	0.12	-	-	-	0.29	-	-	0.06	0.13	-	0.05		13
14	-	-	-	-	0.08	0.02	0.06	-	0.05	0.04	-	0.55		14
15	-	-	0.03	-	0.02	-	-	-	0.01	0.02	-	0.14		15
16	0.10	0.03	-	-	0.05	-	-	0.44	0.02	0.09	-	0.03		16
17	0.16	0.04	0.01	-	0.14	-	-	0.02	0.25	-	-	-		17
18	-	0.03	0.12	-	0.01	-	-	0.04	-	0.34	-	-		18
19	-	-	-	-	0.03	0.02	-	0.16	-	0.18	0.03	-		19
20	0.06	-	0.44	-	0.04	0.09	-	-	-	0.03	0.02	0.01		20
21	0.30	0.02	0.12	-	-	0.05	-	0.11	0.19	-	-	-		21
22	-	0.03	0.01	0.09	0.16	0.10	-	-	0.03	-	-	0.44		22
23	0.02	0.03	0.23	0.02	-	0.02	-	-	-	-	0.05	0.56		23
24	-	0.04	0.28	-	-	-	-	-	0.11	0.03	-	0.04		24
25	0.01	-	-	0.03	-	0.11	-	-	0.20	0.45	0.02	0.33		25
26	-	-	-	0.08	-	-	-	-	0.14	-	-	0.42		26
27	0.09	-	-	0.22	-	0.09	-	-	-	0.02	0.01	0.50		27
28	0.01	0.25	-	-	-	0.03	-	-	-	-	-	0.41		28
29	0.15	-	-	-	-	-	-	0.24	0.09	-	-	-		29
30	0.02	☒	-	0.05	-	0.09	-	0.20	0.03	0.06	0.02	0.02		30
31	0.09	☒	-	☒	-	☒	-	0.10	☒	0.04	☒	0.14		31
TOTAL	2.03	1.42	1.40	0.94	2.45	1.29	1.45	2.00	2.95	3.62	1.31	5.13	25.52	
* Days with .01 in. or more.	14	15	13	19	16	5	10	21	20	16	22	18	35	
* Days with .04 in. or more.	9	10	8	10	14	12	4	8	14	12	9	16	129	

*See Instruction 3(f) on other side.

† Spare column, no entries required, except year's total.

(Signed)

John Smith (P.T.O.)

Section A for the entry of Daily Observations
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

Station No. 5829/8

REGISTER OF RAINFALL IN 1955

Kept at BURRA ISL. in the County of SHETLAND

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	—	01	15	13	62	—	62	02	30	14	02	09	2.94	1
2	—	07	—	—	03	—	02	—	01	16	18	24	3.27	2
3	—	—	—	—	30	—	—	—	—	02	45	06	1.96	3
4	—	—	—	—	—	—	01	08	—	31	27	2.79	4	
5	07	17	—	29	04	—	—	119	04	34	—	08	2.41	5
6	08	12	02	—	11	—	02	07	—	07	22	11	1.11	6
7	—	—	—	—	03	—	10	—	—	02	36	02	1.06	7
8	28	—	03	67	—	Tue	—	—	—	01	01	11	.78	8
9	27	05	104	11	09	—	—	—	03	—	02	08	3.06	9
10	08	03	—	48	13	—	—	—	57	24	10	03	4.73	10
11	17	29	01	05	16	—	—	—	18	26	07	02	2.18	11
12	—	05	—	01	—	01	—	—	28	30	—	21	4.64	12
13	03	04	04	05	08	—	03	—	08	32	—	34	—	13
14	09	03	05	—	—	34	02	—	—	29	—	15	—	14
15	18	02	03	—	26	Tue	110	—	—	36	—	38	—	15
16	02	24	05	—	10	—	02	24	—	14	—	01	—	16
17	10	51	09	—	120	—	—	02	20	08	08	03	—	17
18	15	16	04	—	11	—	—	—	03	—	01	01	—	18
19	02	24	09	—	09	—	Tue	10	04	62	02	04	—	19
20	—	14	61	—	05	—	05	—	—	09	03	14	—	20
21	17	29	01	11	—	—	—	—	14	—	—	01	—	21
22	—	03	—	04	—	—	—	—	13	—	02	.58	—	22
23	26	—	—	32	—	41	—	—	—	09	—	25	—	23
24	31	—	26	—	—	08	—	—	104	18	—	—	—	24
25	—	—	14	—	—	—	—	—	09	23	10	25	—	25
26	106	—	—	14	—	08	—	05	13	19	14	.06	—	26
27	27	—	—	92	—	—	—	—	102	14	02	.20	—	27
28	111	92	02	—	—	26	—	—	152	.05	—	.19	—	28
29	118	—	—	—	—	—	—	—	—	14	—	.12	—	29
30	107	X	02	—	—	—	01	—	115	01	02	.05	—	30
31	—	X	03	X	—	X	07	08	X	24	X	.51	—	31
TOTAL	291	327	1.96	279	2.41	1.11	1.06	7.8	3.06	4.73	2.18	4.64	30.93	
* Days with .01 in. or more.	23	18	20	11	17	5	11	9	20	26	19	30	2.84	
* Days with .04 in. or more.	18	13	12	11	14	4	5	6	16	22	10	23	1.54	

*See Instruction 3(f) on other side.

†Spare column, no entries required, except year's total.

(Signed) John Christie (P.T.O.)

Section **A** for the entry of Daily Observations
AIR MINISTRY—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION

Station No. 5104/4

FORM 1090

REGISTER OF RAINFALL IN 1959

Kept at ~~Thirladene, Kingsland, Longniddry~~
in the County of ~~East Lothian~~

Nov. 25th, alt.

Diameter of funnel of gauge..... 5 in.

Height of top of gauge above ground..... 1 ft. - in.

Height of ground above sea level..... 50.95 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†
1	.19	.01	.02	.04	.04	TR	.01	-	-	-	.02	.01	1
2	TR	TR	.02	TR	.01	-	.52	-	-	-	-	.07	2
3	TR	TR	.12	-	.04	.01	-	-	-	-	-	-	3
4	-	TR	.01	.01	-	.27	-	-	-	-	-	-	4
5	-	TR	.01	-	-	.24	.21	-	-	-	.08	.19	5
6	TR	-	.02	TR	-	TR	-	TR	-	-	.05	.01	6
7	.04	TR	TR	.03	.06	.06	-	-	-	TR	-	.25	7
8	.01	.01	-	.22	-	.01	-	-	-	TR	.14	.01	8
9	TR	.01	-	-	-	TR	-	-	-	TR	.07	.02	9
10	-	TR	-	TR	-	-	-	-	-	-	.01	.03	10
11	.01	TR	.05	.06	TR	-	.02	-	TR	.01	-	.08	11
12	TR	-	-	.01	-	.01	-	TR	.02	TR	.04	-	12
13	-	-	.02	.01	-	-	-	.15	-	.01	.82	.06	13
14	-	-	.01	TR	-	-	-	TR	TR	TR	.32	-	14
15	-	.02	-	.12	-	-	TR	.01	TR	TR	.56	.02	15
16	TR	-	-	.10	.01	-	.02	-	.03	.01	.26	.19	16
17	.05	TR	-	.34	-	.01	.02	-	-	.48	.24	.03	17
18	.11	-	-	-	TR	-	.09	-	-	.05	.46	.02	18
19	.17	TR	-	-	TR	-	-	-	.38	TR	.17	.02	19
20	.03	.01	-	-	.01	-	-	-	.05	.19	.19	.35	20
21	.17	.18	-	-	-	.23	-	.01	TR	TR	.13	.03	21
22	-	TR	.10	-	TR	.33	-	-	TR	-	TR	.21	22
23	-	.02	-	-	-	.14	TR	.05	.05	-	.01	.01	23
24	-	-	TR	.02	-	TR	-	TR	.12	.12	.09	.07	24
25	-	-	-	.18	-	TR	-	-	.02	.27	.12	.09	25
26	-	.01	.04	-	TR	.11	.81	-	.01	.12	TR	.03	26
27	-	.02	TR	.10	-	.09	.64	.14	TR	TR	TR	.09	27
28	-	-	TR	-	-	.44	.03	-	TR	-	TR	.01	28
29	.05	.01	.03	.11	-	.20	.03	.02	TR	.10	.09	.21	29
30	TR	X	.02	.12	.01	.07	-	-	-	-	.26	.02	30
31	TR	X	.01	X	.25	X	-	-	X	.01	X	.39	31
TOTAL	.86	.30	.48	1.49	.44	2.21	2.41	.38	.66	1.39	4.19	3.77	
*Days with .01 in. or more.	10	10	14	14	9	14	12	6	7	12	20	28	156 ✓
*Days with .04 in. or more.	7	1	4	10	4	11	5	3	4	7	17	14	87 ✓

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) John A. Redden (P.T.O.)

N.G.R. 25/108544													5008/3	
Section	A	for the entry of Daily Observations												Station No. 583.
AIR MINISTRY—METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION													130.	
REGISTER OF RAINFALL IN 1958.														
Kept at (WEST FREUGH)														
in the County of WIGTOWNSHIRE														
Diameter of funnel of gauge. 5 in.														
Height of top of gauge above ground. — ft. 12 in.														
Height of ground above sea level. 50 52 ft.														
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY													Jan. 1, following	
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													Please read the Notes and Instructions Overleaf	
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date	
1	—	1.8	Tr	—	—	4.4	0.8	4.0	0.3	3.8	17.3	Tr	1	
2	—	0.2	—	—	—	11.7	—	—	—	1.2	Tr	0.4	2	
3	—	1.3	2.5	0.7	—	0.4	Tr	3.6	2.0	20.6	0.4	0.2	3	
4	—	11.0	1.0	1.7	Tr	—	Tr	2.6	0.6	8.6	11.4	Tr	4	
5	—	0.6	5.7	—	4.3	—	—	0.1	—	0.3	6.0	—	5	
6	4.8	—	0.6	—	—	0.4	—	1.4	13.4	6.6	0.6	0.2	6	
7	3.2	—	—	—	4.7	14.2	—	Tr	4.2	0.1	2.1	0.4	7	
8	14.7	18.0	—	1.2	—	5.8	Tr	—	2.7	—	Tr	0.6	8	
9	7.3	—	Tr	2.5	—	2.3	0.2	11.4	—	Tr	4.4	1.2	9	
10	7.6	8.8	Tr	0.3	0.1	2.9	—	3.2	—	3.4	Tr	12.6	10	
11	4.5	12.1	9.1	—	3.8	3.4	10.0	0.3	—	—	7.8	12.3	11	
12	—	—	7.8	—	0.5	Tr	9.3	0.6	0.2	16.4	2.2	12.0	12	
13	2.4	8.7	—	—	1.6	—	0.3	14.7	0.2	Tr	0.8	1.5	13	
14	0.2	3.9	—	—	Tr	—	2.5	5.4	0.5	0.5	Tr	—	14	
15	0.1	1.3	—	0.2	0.5	1.0	0.8	4.4	Tr	5.1	2.6	—	15	
16	0.2	0.3	—	2.8	Tr	0.3	6.8	—	—	2.4	0.2	—	16	
17	3.3	—	—	4.4	0.9	—	0.7	Tr	Tr	Tr	Tr	3.3	17	
18	1.8	0.7	—	3.0	0.7	9.5	0.3	11.9	9.7	0.1	—	3.2	18	
19	1.9	2.0	Tr	0.4	0.5	9.3	8.6	0.2	1.8	1.5	1.0	6.6	19	
20	3.7	7.5	—	0.1	2.3	3.4	1.8	Tr	4.1	Tr	3.8	3.9	20	
21	1.3	7.0	—	—	2.1	0.6	0.1	Tr	1.1	—	—	12.3	21	
22	2.9	24.8	—	1.4	11.1	Tr	Tr	0.5	—	0.1	—	7.7	22	
23	—	2.0	—	1.7	12.7	Tr	—	—	15.4	Tr	Tr	✓	23	
24	15.1	Tr	4.7	4.2	2.8	Tr	—	Tr	2.6	—	—	—	24	
25	16.3	—	0.5	1.7	—	12.3	6.2	—	Tr	—	—	✓	25	
26	1.1	0.4	4.2	1.9	0.4	0.3	4.6	9.7	—	—	—	31.2	26	
27	9.6	0.4	0.1	2.1	Tr	2.0	23.4	2.9	5.5	—	—	✓	27	
28	7.1	2.5	Tr	0.1	—	—	2.1	—	25.5	—	—	✓	28	
29	—	X	2.0	—	1.8	0.9	13.5	0.4	2.5	4.2	0.3	✓	29	
30	—	X	0.3	—	—	7.4	4.0	5.2	15.3	—	—	✓	30	
31	—	X	Tr	X	0.2	X	7.2	0.8	X	2.6	X	31.4	31	
TOTAL	4.53	4.54	1.56	1.15	2.20	3.06	4.06	3.39	4.13	3.05	2.42	4.38	38.47	✓
*Days with 0.2 mm. or more	115.2	116.3	39.7	29.2	55.8	77.7	103.2	86.0	104.9	77.5	61.5	111.3	977.3	✓ NP
*Days with 1.0 mm. or more	2.2	2.3	12	15	18	19	19	20	18	14	16	13	219	✓
OFFICE USE ONLY	1.9	16	9	11	11	12	13	14	13	12	10	17	157	✓ 6459

*See Instruction 3(g) on other side. †Spare column, no entries required, except year's total.

(Signed) *J.M. Stuart S.S.T.O.* Meteorological Office (P.T.O.)

Section	A	N.G.R. - 18/422494												Station No. 5760/15
for the entry of Daily Observations BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY														
FORM 1090 REGISTER OF RAINFALL IN 1958														
Kept at PRABOST SKYE BRIDGE SKYE														Dmp
in the County of INVERNESS														
Diameter of funnel of gauge 5 in.														
Height of top of gauge above ground 1 ft. — in.														
Height of ground above sea level 200 ft.														
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY														
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.														Jan. 1, following
Please read the Notes and Instructions Overleaf														
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date	
1	—	.07	.01	—	.02	.01	.01	.17	.01	Tr.	.73	.19	1	
2	.01	.02	.04	—	Tr.	—	—	Tr.	—	.37	.08	.09	2	
3	1.87	.69	.61	—	.02	—	—	.39	—	.27	.01	.04	3	
4	1.14	.44	.52	.04	Tr.	—	—	.27	—	.96	.18	.02	4	
5	.68	.06 ^s	.13	.02	.39	—	—	.17	.04	.55	.11	—	5	
6	.45	.05 ^s	.15	—	.04	—	.01	.25	.31	.70	.10	.07	6	
7	.08	Tr.	.40 ^s	.05	1.72	—	.10	.05	.89	.18	.19	.22	7	
8	.64	.01 ^s	.33 ^s	.01	.30	—	.13	—	.14	.33	.16	.07	8	
9	1.14	.02	.59 ^s	Tr.	.03	—	.11	.21	Tr.	.90	.02	.01	9	
10	.64	.84	.59 ^s	—	Tr.	—	.58	.52	—	.56	.06	—	10	
11	.09	.45	Tr.	—	.54	.21	.09	.03	—	.17	.63	.18	11	
12	Tr.	.78	—	Tr.	Tr.	Tr.	.02	.12	—	1.09	.17	.26	12	
13	.33	.03	—	.03	.10	Tr.	.09	.39	.10	.08	.06	Tr.	13	
14	.08	.40	—	.03	Tr.	.40	Tr.	.36	.01	.43	.24	.01	14	
15	.29	.09	—	Tr.	.10	.02	.07	.26	.02	.30	.08	.02	15	
16	.08	.03	—	.33	.01	.08	Tr.	.10	—	.03	.36	—	16	
17	.31	.01	—	.29	.26	Tr.	.14	.02	—	Tr.	.02	—	17	
18	X S	.16	—	.19	.53	.02	.24	.22	.35	.25	—	—	18	
19	X S	.08	—	.22	1.39	.09	.04	.01	.41	.22	Tr.	.08	19	
20	X S	.42	.01	Tr.	Tr.	.25	—	.18	Tr.	.28	.15	.46	20	
21	X S	Tr.	—	Tr.	.16	—	.08	.01	.49	.12	Tr.	.02	21	
22	X S	—	—	.30	.09	Tr.	.18	Tr.	.08	.11	—	.25	22	
23	.02	Tr.	—	.44	.63	.29	.02	—	.74	.11	—	.16	23	
24	X S	.01	.03	.35	.15	.07	—	Tr.	.88	.10	.14	.01	24	
25	.58	.04	Tr.	.29	.32	.01	—	—	Tr.	.03	.02	.65	25	
26	.06	.38	.02	.15	.06	.04	—	.13	—	Tr.	.06	.40	26	
27	.59	.11	Tr.	.13	.03	.57	Tr.	.25	.01	—	Tr.	.15	27	
28	.06	.07	.28	.04	.09	Tr.	.02	.06	.54	.18	.02	.25	28	
29	.15	X	Tr.	.05	Tr.	.01	—	.01	.66	.30	Tr.	.48	29	
30	.05	X	.04	.01	.08	Tr.	—	.05	.04	.20	Tr.	.44	30	
31	.43	X	Tr.	X	Tr.	.06	.04	X	.03	X	.40	—	31	
TOTAL	10.89	4.85	3.74	2.97	7.31	1.82	2.17	4.39	6.00	9.02	14.17	4.67	62.00	
*Days with .01 in. or more.	28	24	14	19	24	13	19	24	19	27	22	25	258	
*Days with .04 in. or more.	26	16	11	14	19	8	14	19	15	24	17	19	202	

*See Instruction 3(g) on other side. †Spare column, no entries required, except year's total.

*This figure not included in total since measurement in rain gauge was due to slumping of snow drifts. ✓ (Signed) C. Murray (P.T.O.)

N.G.R. 36/140914

Section	A	for the entry of Daily Observations METEOROLOGICAL OFFICE—AIR MINISTRY												Station No. <u>5476/8</u>	
FORM 1090														Print <u>ABR</u>	
REGISTER OF RAINFALL IN 1956.															
Kept at <u>Cowdenbeath Sewage Works.</u>															
in the County of <u>Fife.</u>															
Diameter of funnel of gauge <u>.5</u> in.															
Height of top of gauge above ground <u>1</u> ft. <u>0</u> in.															
Height of ground above sea level <u>390</u> ft.															
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY															
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf															
Jan. 1, following															
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date		
1	—	.01	—	.01	—	.08	.01	—	—	.14	.97	.03	1		
2	—	.07	.30	.06	—	Trace	—	.28	.27	.66	.15	.18	2		
3	.21	.14	<u>.42</u>	.17	.01	—	—	—	.01	.22	.24	.78	3		
4	.05	—	.02	.04	.05	—	—	.01	.02	.02	.01	.26	4		
5	—	—	.01	.07	—	.05	<u>1.10</u>	—	—	.18	—	—	5		
6	—	—	—	.12	—	.01	.07	—	.12	—	—	—	6		
7	—	—	—	.02	—	.26	.08	.63	—	—	—	—	7		
8	.01	—	<u>.00 2 00</u>	.15	.08	.11	.20	.07	.13	—	—	.01	8		
9	—	—	Trace	.08	—	Trace	.08	.12	—	—	.25	.35	9		
10	—	.05	.18	.07	—	.12	.23	.07	—	—	.18	.05	10		
11	.06	<u>.02 3 00</u>	—	.01	.04	.18	.52	.04	.07	—	.02	<u>.29 3 00</u>	11		
12	.15	<u>.04 3 00</u>	—	.18	.17	.13	.12	.02	—	.01	.03	—	12		
13	<u>.05 3 22</u>	<u>.04 3 00</u>	—	.13	<u>.50</u>	2.01	.01	.21	.06	.04	.02	.32	<u>.22 3 22</u>	13	
14	Trace	—	.10	.04	—	.41	.02	—	.21	.06	.07	—	—	14	
15	—	—	.17	.02	—	.10	.17	—	—	Trace	.21	.12	15		
16	—	—	—	—	—	.01	.51	—	.27	.01	.16	.02	16		
17	.06	<u>.12 3 12</u>	—	—	—	—	.15	.38	.05	.20	.01	.15	17		
18	<u>.06</u>	<u>.12 3 12</u>	—	—	—	—	.03	.22	.01	.08	—	.03	18		
19	.05	<u>.04 3 00</u>	—	.20	—	—	.32	—	.01	.30	—	—	19		
20	<u>.05</u>	<u>.04 3 00</u>	—	.10	—	—	—	.12	—	.45	.36	—	20		
21	.15	.05	—	—	—	—	.16	.32	.06	.43	.10	—	21		
22	.22	—	—	—	—	—	.03	.20	—	.48	.15	.03	22		
23	.02	—	—	.17	—	—	.03	.02	—	<u>.87</u>	.06	.01	23		
24	—	.13	—	.02	—	—	.01	.81	Trace	.20	.11	.08	24		
25	—	.24	—	—	.01	—	—	.29	—	.16	.05	.64	25		
26	—	.35	—	.02	.21	—	.03	.13	—	.14	.01	<u>.23 3 20</u>	26		
27	.04	<u>.49</u>	—	—	—	.16	.09	.43	—	.29	.01	.03	27		
28	.16	.01	Trace	—	—	—	.06	.05	<u>.45</u>	.60	—	.01	28		
29	.01	.06	.01	—	—	—	.01	.01	.21	.47	.19	.26	29		
30	<u>1.42</u>	X	.01	.06	—	—	.22	—	.02	.02	.45	.01	30		
31	.25	X	—	X	Trace	X	.05	.26	X	.04	X	.04	31		
TOTAL <u>4.13</u> ✓ <u>2.14</u> ✓ <u>1.72</u> ✓ <u>1.67</u> ✓ <u>2.89</u> ✓ <u>1.97</u> ✓ <u>4.03</u> ✓ <u>4.57</u> ✓ <u>1.88</u> ✓ <u>6.05</u> ✓ <u>4.11</u> ✓ <u>3.59</u> ✓ <u>38.74</u> ✓														Year's total	
*Days with .01 in. or more. <u>18</u> ✓ <u>19</u> ✓ <u>14</u> ✓ <u>18</u> ✓ <u>9</u> ✓ <u>13</u> ✓ <u>20</u> ✓ <u>22</u> ✓ <u>15</u> ✓ <u>24</u> ✓ <u>23</u> ✓ <u>23</u> ✓ <u>224</u> ✓														D	
*Days with .04 in. or more. <u>15</u> ✓ <u>15</u> ✓ <u>9</u> ✓ <u>13</u> ✓ <u>7</u> ✓ <u>10</u> ✓ <u>18</u> ✓ <u>18</u> ✓ <u>10</u> ✓ <u>19</u> ✓ <u>17</u> ✓ <u>13</u> ✓ <u>164</u> ✓															
*See Instruction 3(g) on other side.														†Spare column, no entries required, except year's total.	
(Signed) <u>H. GARDINER, Esq.</u>														(P.T.O.)	

3407/2

REGISTER OF RAINFALL IN 1960														
METEOROLOGICAL OFFICE—AIR MINISTRY													Station No. PS 3407/2	
FORM 1090 (Revised March, 1960)														
X PUMPING STATION, E. R. YORKSHIRE														
in the County of E. R. YORKSHIRE														
Diameter of funnel of gauge 5 in.														
Height of top of gauge above ground 1 ft. 0 in.														
Height of ground above sea level 122.8 ft.														
THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY													Jan. 1, following	
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.													137 9 ~	
Please read the Notes and Instructions Overleaf														
Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date	
1	.01	.04	-	-	-	-	-	-	.04	.08	.37	.10	1	
2	-	.21	-	-	-	-	-	.36	.14	.40	.03	.02	2	
3	.02	-	.11	-	-	-	-	.01	.05	.01	.30	.45	3	
4	.01	.06	-	-	.02	-	-	.03	.01	-	.12	.25	4	
5	-	-	-	-	.01	TR	.35	.03	-	TR	.19	-	5	
6	-	.02	-	.09	-	-	.45	-	.03	.02	.25	-	6	
7	.10	-	-	-	-	.12	.02	.09	-	.16	.21	TR	7	
8	.05	-	-	.04	-	.12	TR	TR	-	.61	.13	.23	8	
9	-	-	.25	.14	-	-	.22	.15	.05	1.08	.16	.36	9	
10	.32	.31	.05	.08	-	TR	.37	TR	-	.21	.34	.05	10	
11	.14	.03	.06	-	-	TR	.10	.04	-	.25	.11	-	11	
12	.08	.21	TR	.12	.24	-	.20	-	-	.10	TR	.01	12	
13	.26	.91	.06	-	.45	-	.01	.06	-	.04	.19	.37	13	
14	.24	.01	.13	-	.03	.05	-	.51	.13	.01	.01	.17	14	
15	.05	-	.01	.01	-	.01	-	-	-	.02	.01	TR	15	
16	.37	.01	-	-	.04	-	.24	.13	.30	-	TR	.91	16	
17	.01	-	-	-	-	-	.07	.41	.04	.12	.30	TR	17	
18	.14	.11	-	-	-	.02	.11	.30	-	.01	-	.08	18	
19	.46	.01	-	-	-	-	.21	.01	.36	.84	-	.62	19	
20	.09	-	-	-	-	-	-	.05	.12	.27	.10	.34	20	
21	.16	-	-	-	-	-	.17	.01	.02	.07	.14	.09	21	
22	.01	-	-	-	-	-	.46	.31	.70	.20	.19	TR	22	
23	.10	-	-	-	.01	TR	-	TR	-	TR	.14	.03	23	
24	.34	.39	-	-	-	-	.01	.25	-	.20	.22	-	24	
25	-	.29	-	TR	-	-	-	-	-	.17	.42	.13	25	
26	-	.23	-	.10	.02	-	.02	.01	-	.15	.29	.06	26	
27	-	.20	.02	-	-	-	.07	.09	-	.08	.01	-	27	
28	1.11	-	-	-	-	.03	.47	.38	.05	.19	-	.09	28	
29	.27	.01	TR	-	-	.01	-	.01	.02	.57	-	.17	29	
30	.63	X	.47	.17	-	-	-	-	.01	.27	.02	.93	30	
31	.05	X	.01	X	-	X	-	.10	X	.27	X	-	31	
TOTAL	5.42	1.97	1.15	.76	.82	.36	3.08	3.34	2.07	6.40	4.45	3.76	33.57	
*Days with .01 in. or more	25	14	9	8	8	7	17	22	16	27	24	21	201	
*Days with .04 in. or more	20	9	7	7	3	3	13	15	11	22	19	16	145	

*See Instruction 3(g) on other side. †Spare column, no entries required, except years' total.

Water Engineers (Signed) *[Signature]* (P.T.O.) *[Signature]*

Section **A** for the entry of Daily Observations
METEOROLOGICAL OFFICE—AIR MINISTRY

Station No. 08-244944

FORM 1090
(Rev. Feb. 1961)**REGISTER OF RAINFALL IN 1962**
~~SEWAGE DISPOSAL WORKS.~~ East Barnet S. Wks.

Kept at...

in the County of HERTFORD

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 1 ft. 0 in.

Height of ground above sea level 137 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. • Please read Notes and Instructions Overleaf

2 JAN 1963

TQ(51)284938

Jan. 1, following
97.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
1	in. 1	in. 03	in. 19	in. 12	in. 12	in. 01	in. 01	in. 01	in. 01	in. 79	in. 31	in. 18	in. 01	1
2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
3	.01	-	-	.12	-	-	-	.14	-	-	.01	-	-	3
4	-	.04	.03	.31	.18	-	-	-	.60	-	.26	-	-	4
5	.01	.01	-	.02	.10	-	-	-	.23	-	.06	-	-	5
6	-	.03	-	.01	-	-	-	.19	.18	-	.03	-	-	6
7	.03	.09	-	.15	.05	-	-	.03	-	-	.16	-	-	7
8	.05	-	.16	.42	.01	-	-	-	-	-	TR	.37	-	8
9	.24	-	.08	-	TR	-	.23	.14	-	TR	.09	.01	-	9
10	.34	-	.33	.03	.09	.06	.21	-	.12	TR	.04	TR	-	10
11	.22	-	-	-	-	-	.12	.03	.15	-	-	.13	-	11
12	-	.27	-	-	-	-	-	-	.02	-	-	.25	-	12
13	-	-	-	-	-	-	.17	-	-	-	-	TR	-	13
14	-	-	-	.01	-	.46	.34	.04	-	.05	.02	-	-	14
15	.27	.02	-	TR	.02	-	.07	.19	.01	-	-	-	-	15
16	.13	.01	-	.02	-	-	-	.22	.03	-	.10	-	-	16
17	.34	-	-	.05	TR	.01	-	-	-	-	.18	.02	-	17
18	.13	-	-	.19	.09	.10	.08	-	TR	-	.10	-	-	18
19	.05	-	-	.01	.09	-	.01	-	-	-	-	.07	-	19
20	.21	-	-	.02	.25	.04	.07	.03	-	-	.22	.36	-	20
21	.92	-	-	.34	.07	-	.60	.03	-	-	-	-	-	21
22	-	-	-	-	-	-	.03	-	-	-	-	-	-	22
23	.24	-	.06	.04	.01	-	-	.09	-	-	.14	-	-	23
24	.05	-	-	-	-	-	-	-	-	.04	.01	-	-	24
25	-	.05	.14	-	-	-	.65	-	.37	.48	TR	-	-	25
26	.04	-	.02	-	.09	TR	.09	.06	.06	.33	TR	.41	.1	26
27	-	-	-	-	.09	-	-	-	.02	.01	TR	.07	-	27
28	-	.01	.52	-	.05	.17	-	-	.31	.06	-	-	-	28
29	-	X	.13	-	.03	-	-	-	.66	.33	-	.40	-	29
30	.15	X	.05	-	-	.01	.01	-	.15	TR	-	.10	-	30
31	.16	X	.02	X	-	X	-	-	X	.03	X	.06	-	31
TOTAL	3.59	.56	1.54	2.04	1.23	.39	3.81	2.49	2.95	2.04	1.94	2.27	Year's Total 88 24.85	
*Days with .01 in. or more.	3	6	3	6	5	2	4	4	4	2	3	3	.45	
*Days with .04 in. or more.	16	5	8	10	11	4	11	8	11	6	14	10	114	

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

X East Barnet U.D.C X (Signed) Matthew

(P.T.O.)