

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://woowahal-6go5.vercel.app/store_order.html

Checker Input

Show

☐ source

☐ outline

☐ image report

Options...

Check by

address

https://woowahal-6go5.vercel.app/store_order.html

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.

At line 4, column 28

```
 charset="UTF-8" />↵    <meta htt
```

2. **Warning** Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.

At line 5, column 59

```
ent="IE=edge" />↔      <meta nam
```

3. **Warning** Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.

At line 6, column 76

```
al-scale=1.0" /> <title>우아
```

4. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 13, column 6

```
니다. <link re
```

5. **Error** Attribute `rel` not allowed on element `meta` at this point.

From line 8, column 5; to line 13, column 6

```
<title> <meta rel="description" content="우아할 형제들에 등  
록된 가게에서 제공하는 메뉴의 상세를 보여주는 메뉴 상세페이지입니다."
```

Attributes for element `meta`:

[Global attributes](#)

`name` — Metadata name

`http-equiv` — Pragma directive

`content` — Value of the element

`charset` — [Character encoding declaration](#)

`media` — Applicable media

6. **Error** Element `meta` is missing one or more of the following attributes:

```
http-equiv, itemprop, name, property.
```

From line 8, column 5; to line 13, column 6

```
<title> <meta rel="description" content="우아할 형제들에 등  
록된 가게에서 제공하는 메뉴의 상세를 보여주는 메뉴 상세페이지입니다."
```

Attributes for element `meta`:

[Global attributes](#)

`name` — Metadata name

`http-equiv` — Pragma directive

`content` — Value of the element

`charset` — [Character encoding declaration](#)

`media` — Applicable media

7. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing

```
re_order.css" />↵    <link href
```

```
pe="text/css" /><<script
```

```
me" alt="배민1" />↵      </div>↵
```

---> <article>

e="리뷰 서비스 11" />↵

12. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing

tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 70, column 96

```
e="리뷰 서비스 22" />
```

13. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 81, column 96

```
ue="추가 메뉴 11" />
```

14. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

At line 87, column 96

```
ue="추가 메뉴 22" />
```

15. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 105, column 7; to line 105, column 49

```
->< <section class="st-menu-add container-row">
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 371 milliseconds.
