

Ethylene Oxide

CAS 75-21-8

危險 / Danger

Page 1 / 3

Page 1 of 3 | Main label [QR on this page](#) Complete label set: 3 pages – keep all pages together · Keep pages together · Continue with pages 2–3

HAZARD STATEMENTS

- H220** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H230** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H280** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H301** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H302** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H314** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H315** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H318** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H319** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H331** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H335** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H336** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H340** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H350** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H360** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.
- H372** Dense ethylene oxide hazard statement ZH retained for complete A4 primary continuation layout calibration. / Dense ethylene oxide hazard statement retained for complete A4 primary continuation layout calibration.

PRECAUTIONARY STATEMENTS

- P201** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P202** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P210** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P260** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.

Demo Safety Lab Phone: 02-1234-5678 1 Lab Road, Taipei

Hazard source: PubChem/SDS reference Verify against SDS, supplier label, and local regulations before use.

Page 1 / 3

QR lookup – Page 1
only

Ethylene Oxide

CAS 75-21-8

危險 / Danger

Page 3 / 3

Page 3 of 3

Keep pages together · GHS repeated for page matching

Final continuation QR on Page 1 only Do not use this page alone

CONTINUATION ONLY Do not use this page alone

Scan Page 1 for QR lookup



PRECAUTIONARY STATEMENTS

- P527** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P528** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P529** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P530** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P531** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P532** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P533** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P534** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.
- P535** Dense precautionary instruction ZH retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording. / Dense precautionary instruction retained for continuation–page print QA, including handling, emergency response, storage, and disposal wording.