File Edit Selection View Go Run ...

EXPLORER

rform.component.html U ✕

src > app > rform > rform.component.html > ...

Go to component

```html
1   <!-- rform.component.html -->
2   <form [formGroup]="form" (ngSubmit)="onSubmit()">
3       <div class="mb-3">
4           <label for="firstName" class="form-label">First Name</label>
5           <input type="text" class="form-control" id="firstName" formControlName="firstName">
6       </div>
7       <div class="mb-3">
8           <label for="lastName" class="form-label">Last Name</label>
9           <input type="text" class="form-control" id="lastName" formControlName="lastName">
10      </div>
11      <div class="mb-3">
12          <label for="handle" class="form-label">Handle</label>
13          <input type="text" class="form-control" id="handle" formControlName="handle">
14      </div>
15      <button type="submit" class="btn btn-primary">Submit</button>
16  </form>
17
```

∨ FORMS

> .angular
> .vscode
> node_modules
∨ src
  ∨ app
    ∨ rform
        rform.compo... U
        rform.compo... U
        rform.compo... U
        rform.compo... U
    ∨ table
        table.compo... U
        table.compo... U
        table.compo... U
        table.compo... U
    app.component.css
    app.compone... M
    app.component.sp...
    app.compone... M
    app.config.server.ts
    app.config.ts
    app.routes.ts M
    data.service.ts U

```typescript
// src/app/data.service.ts

import { Injectable } from '@angular/core';
import { BehaviorSubject } from 'rxjs';

@Injectable({
  providedIn: 'root'
})
export class DataService {
  private formData = new BehaviorSubject<any>(null);
  formData$ = this.formData.asObservable();

  constructor() {}

  updateFormData(data: any) {
    this.formData.next(data);
  }
}
```

```html
<!-- table.component.html -->
<table class="table">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">First</th>
      <th scope="col">Last</th>
      <th scope="col">Handle</th>
    </tr>
  </thead>
  <tbody>
    <tr *ngIf="formData">
      <th scope="row">1</th>
      <td>{{ formData.firstName }}</td>
      <td>{{ formData.lastName }}</td>
      <td>{{ formData.handle }}</td>
    </tr>
  </tbody>
</table>
```

localhost:4200

FORM TABLE

First Name

Last Name

Handle

Submit