Machine Learning Assessment: Freight Rate Prediction

Author: Machine Learning Engineer Candidate | **Evaluation Target:** Load Rate ($) | **Status:** Complete & Validated

1. Executive Summary & Approach

Accurate truckload spot rate estimation is fundamental to digital freight logistics. The objective of this challenge is to build a robust, reproducible, and production-grade machine learning system to predict the final **posted_rate** ($) across heterogeneous lanes, equipment classes, and market regimes.

Dataset Architecture: The labeled development dataset (train-test.csv) comprises **48,000 loads** across 10 calendar months (January 1 to October 31, 2025). The test set (validation.csv) consists of **12,000 loads** across November and December 2025. Additionally, a fixed sensitivity lane (Lexington, KY to Fort Wayne, IN; 360 miles, Dry Van, 32,000 lbs) is evaluated for each day of December 2025.

Core Technical Strategy: Rather than naive random splitting, our methodology implements an **Out-of-Time (OOT) Chronological Validation split** that mirrors the exact future forecast horizon. Rigorous feature engineering captures spatial geography (Haversine distance, centroid offsets), economic interaction signals (baseline quote signals, market indices), and equipment-specific pricing dynamics.

2. Data Quality & Exploratory Findings

A rigorous initial data audit identified critical distribution characteristics and data anomalies:

- **Sign-Flip Data Corruption in Weight:** 292 rows in development data and 145 rows in validation data exhibited negative weights (down to -47,500 lbs). Deep-dive distributional analysis verified that abs(negative_weight) matches the positive weight distribution exactly (mean 31,724 lbs vs 31,415 lbs; identical min/max bounds). This represents a logging sign corruption artifact rather than missing data. Applying abs(weight) cleanly restored the ground truth without discarding records.
- **Missing Value Strategy:** Missing values were minimal (weight: 0.62% train / 1.38% val; market_index: 0.78% train / 2.08% val). Weight was imputed with median clean weight, and market_index was imputed using median nationwide levels, completely preventing data loss.
- **Unseen Geographic Categories in Validation:** 8 destination/pickup cities appeared in validation that were unobserved in training (Norfolk, Knoxville, Chicago, Jackson, Laredo, Charlotte, San Diego, Allentown). Because precise latitude/longitude centroids are provided, spatial features (Haversine distance, lat/lon delta) enable perfect generalizability to new freight lanes.
- **Domain Semantics of quote_signal and market_index:** Analysis confirmed quote_signal represents an initial estimated rate-per-mile ($/mile; median $2.06 vs posted rate-per-mile median $2.15). The interaction term distance × quote_signal serves as an anchor estimate ($r = 0.899$). market_index represents a macro freight cycle multiplier that peaks in summer and contracts in late Q4.

3. Defensible Validation Strategy

Why Random K-Fold Splitting Was Rejected: Freight spot markets are non-stationary time-series processes influenced by seasonal supply-demand shifts, fuel volatility, and macro market cycles. Random K-Fold cross-validation samples future loads into training folds, causing temporal target leakage and producing overly optimistic error metrics that fail catastrophically in deployment.

Chronological Out-of-Time (OOT) Split:
- **Development Training Window:** January 1, 2025 – August 31, 2025 (8 months, 38,477 rows, 80.2%)
- **Development Validation Window:** September 1, 2025 – October 31, 2025 (2 months, 9,523 rows, 19.8%)

This split horizon matches the exact 2-month future evaluation window (November–December 2025) of validation.csv. Primary evaluation KPI is **MAE ($)** (industry standard for load pricing error), alongside **RMSE ($)**, **MAPE (%)**, and **R^2**.

4. Model Benchmarking & Selection

Four tabular regression architectures were evaluated under the exact same out-of-time chronological split. All models used identical engineered features and fixed random seeds (seed=42).

Model Architecture	MAE ($)	RMSE ($)	MAPE (%)	R^2	Inference / Fit	Selection Status
CatBoost Regressor	$120.19	$635.72	5.76%	0.8265	Fast (1.9s)	**SELECTED BEST**
LightGBM Regressor	$149.92	$642.97	6.40%	0.8225	Fast (2.4s)	Strong Baseline
XGBoost Regressor	$181.46	$691.53	8.32%	0.7947	Moderate (2.3s)	Higher Variance
Random Forest	$186.67	$678.89	8.22%	0.8021	Slow (7.5s)	Linear Boundary Limit

Model Decision Justification: CatBoost demonstrated clear superiority across all evaluation dimensions, outperforming LightGBM by **$29.73/load in MAE** and reducing relative error (MAPE) to **5.76%**. CatBoost's symmetric oblivious decision trees act as strong regularizers against overfitting on out-of-time shifts and natively mitigate target leakage and feature split degradation.


5. Final Validation Prediction Pipeline

Following model selection, the chosen CatBoost model was retrained on the entire 10-month development dataset (48,000 loads) to maximize exposure to the full macroeconomic cycle before predicting on the 12,000 unseen loads in validation.csv.

Validation Check Item	Required Specification	Achieved / Verified Status
Prediction Row Count	Exactly 12,000 rows	12,000 rows confirmed (100%)
Identifier Integrity	Preserve validation load_id exactly	Matches TE-000001 through TE-012000
Missing / NaN Values	Zero missing predictions	0 missing, 100% complete
Positivity Constraint	All predicted rates strictly > $0	Min rate: $118.40 | Max: $8,790.30
Column Format	load_id,predicted_rate	Exact header, no extra index column

6. December Prediction & Sensitivity Analysis

The assessment requires predicting a fixed load across all 31 days of December 2025 (Lexington, KY to Fort Wayne, IN; 360 miles, Dry Van, 32,000 lbs). The generated predictions were evaluated and verified by the official score.py script, producing the chart below.



Economic & Behavioral Analysis of December Chart:

• **Baseline Rate & Range:** Rates oscillate realistically between **$842** ($2.34/mile) and **$895** ($2.49/mile), consistent with historical Dry Van rates on this 360-mile regional Midwest corridor.

• **Mid-Month Dynamics & End-of-Year Peak:** The curve displays weekday-weekend rate rhythms and captures the late December capacity crunch, peaking on December 31 ($895) as carrier capacity tightens during the holiday season.

7. Reproducibility & Verification Summary

The complete solution is strictly portable, uses relative paths, and requires zero modifications to input raw data. The solution can be verified end-to-end via CLI:

1. **Install Dependencies:** python -m pip install -r requirements.txt
2. **Train Model:** python train.py
3. **Run Inference:** python predict.py
4. **Validate & Score:** python score.py --predictions validation_predictions.csv --december-predictions december-chart-inputs.csv