

Experiment 2: Internal CSS

Aim: To make an attractive page using Internal CSS.

Tags Used:

<style>

. -> is used for id

-> is used for class



Background-color

Padding

Margin-left

Implementation:

Output:



Code:

<link rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"

integrity="sha384-JcKb8q3iqJ61gNV9KGb8thSsNjpsL0n8PARn9HuZOlxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">

<script src="https://use.fontawesome.com/fdc4c76d34.js"></script>

<title>Home Page</title>

<style type="text/css">

.lg{

background-color: powderblue;

border:solid 2px black;

color: black;

padding: 40px,40px;

text-align: center;

text-decoration :none;

display: inline-block;

font-size: 20px;

}

a: hover{

text-decoration: none;

}

.k img{

height: 100px;

width: 110px;

margin-left: 20px;

margin-right: 25px;

margin-top: 25px;

margin-bottom: 0px;

}

.x{

background-color: antiquewhite;

```
width: 1400px;
height: 460px;
margin-top: 20px;
margin-left: 20px;
margin-right: 20px;
margin-bottom: 20px;
}
```

```
.t{
```

```
width: 300px;
height: 420px;
margin-top: 10px;
margin-left: 20px;
margin-right: 20px;
margin-bottom: 10px;
}
```

```
.y img{
```

```
width: 100px;
height: 120px;
margin-left: 40px;
margin-right: 15px;
margin-top: 20px;
margin-bottom: 10px;
}
```

```
.button{
```

```
background-color: powderblue;
border: none;
border-radius: 20px;
color: white;
padding: 15px, 32px;
text-align: center;
```

```
text-decoration :none;

display: inline-block;

font-size: 16px;


}

footer{
position: fixed;
bottom: 0;
}

@media (max-height:800px){
  footer { position: static; }
  header { padding-top:40px; }
}


.footer-distributed{
background-color: #2c292f;
box-sizing: border-box;
width: 100%;
text-align: left;
font: bold 16px sans-serif;
padding: 50px 50px 60px 50px;
margin-top: 80px;
}

.footer-distributed .footer-left,
.footer-distributed .footer-center,
.footer-distributed .footer-right{
display: inline-block;
vertical-align: top;
```

```
}
```

```
/* Footer left */
```

```
.footer-distributed .footer-left{  
  width: 30%;  
}
```

```
.footer-distributed h3{  
  color: #ffffff;  
  font: normal 36px 'Cookie', cursive;  
  margin: 0;  
}
```

```
/* The company logo */
```

```
.footer-distributed .footer-left img{  
  width: 30%;  
}
```

```
.footer-distributed h3 span{  
  color: #e0ac1c;  
}
```

```
/* Footer links */
```

```
.footer-distributed .footer-links{  
  color: #ffffff;  
  margin: 20px 0 12px;  
}
```

```
.footer-distributed .footer-links a{  
    display:inline-block;  
    line-height: 1.8;  
    text-decoration: none;  
    color: inherit;  
}
```

```
.footer-distributed .footer-company-name{  
    color: #8f9296;  
    font-size: 14px;  
    font-weight: normal;  
    margin: 0;  
}
```

```
/* Footer Center */
```

```
.footer-distributed .footer-center{  
    width: 35%;  
}
```

```
.footer-distributed .footer-center i{  
    background-color: #33383b;  
    color: #ffffff;  
    font-size: 25px;  
    width: 38px;  
    height: 38px;  
    border-radius: 50%;  
    text-align: center;  
    line-height: 42px;  
    margin: 10px 15px;
```

```
vertical-align: middle;  
}
```

```
.footer-distributed .footer-center i.fa-envelope{  
font-size: 17px;  
line-height: 38px;  
}
```

```
.footer-distributed .footer-center p{  
display: inline-block;  
color: #ffffff;  
vertical-align: middle;  
margin:0;  
}
```

```
.footer-distributed .footer-center p span{  
display:block;  
font-weight: normal;  
font-size:14px;  
line-height:2;  
}
```

```
.footer-distributed .footer-center p a{  
color: #e0ac1c;  
text-decoration: none;;  
}
```

```
/* Footer Right */
```

```
.footer-distributed .footer-right{
```

```
width: 30%;  
}
```

```
.footer-distributed .footer-company-about{  
  line-height: 20px;  
  color: #92999f;  
  font-size: 13px;  
  font-weight: normal;  
  margin: 0;  
}
```

```
.footer-distributed .footer-company-about span{  
  display: block;  
  color: #ffffff;  
  font-size: 18px;  
  font-weight: bold;  
  margin-bottom: 20px;  
}
```

```
.footer-distributed .footer-icons{  
  margin-top: 25px;  
}
```

```
.footer-distributed .footer-icons a{  
  display: inline-block;  
  width: 35px;  
  height: 35px;  
  cursor: pointer;  
  background-color: #33383b;  
  border-radius: 2px;
```



```
font-size: 20px;
color: #ffffff;
text-align: center;
line-height: 35px;

margin-right: 3px;
margin-bottom: 5px;
}

/* Here is the code for Responsive Footer */
/* You can remove below code if you don't want Footer to be responsive */

@media (max-width: 880px) {

.footer-distributed .footer-left,
.footer-distributed .footer-center,
.footer-distributed .footer-right{
display: block;
width: 100%;
margin-bottom: 40px;
text-align: center;
}

.footer-distributed .footer-center i{
margin-left: 0;
}

}</style></head>
```

Result:The experiment was successfully completed.